

NATIONAL UNIVERSITY OF SINGAPORE  
DEPARTMENT OF MATHEMATICS  
ADVANCED PLACEMENT TEST  
(SAMPLE)

**MA1505 MATHEMATICS I**

MMM-YYYY — Time allowed : 2 hours

---

**INSTRUCTIONS TO CANDIDATES**

1. **Write your name here:** \_\_\_\_\_
  2. This paper contains a total of **FIVE (5)** questions and comprises **TWENTY ONE (21)** printed pages, including this page.
  3. This is a **CLOSED BOOK** test. No list of formulas is provided and helpsheets are disallowed.
  4. Only non-programmable and non-graphing calculators without remote communication function may be used. However, you should lay out systematically the various steps in your calculations.
  5. Candidates must answer **ALL** 5 questions.
  6. **Write your solutions in the spaces provided below the questions in this test paper. Submit this test paper at the end of the test period.**
- 

**For official use only. Do not write below this line.**

Question	1	2	3	4	5
(a)					
(b)					

**Question 1 (a)** [10 marks]

The ellipse  $C$  in the  $xy$ -plane is given parametrically as follows:

$$C : x = 6 \cos \theta \quad \text{and} \quad y = 2 \sin \theta.$$

In the first quadrant, find the **exact value** of the area of the finite region bounded by  $C$ , the  $y$ -axis and the line  $L$  given by

$$L : y = \frac{1}{\sqrt{3}} x.$$

---

<b>Answer</b> <b>1(a)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 1(a))*

**Question 1 (b)** [10 marks]

A tetrahedron is a solid with surface consisting of four triangles. Find the **exact value** of the volume of the tetrahedron with vertices  $O(0, 0, 0)$ ,  $A(8, 0, 0)$ ,  $B(7, 6, 5)$  and  $C(2, 3, 4)$ .

---

<b>Answer 1(b)</b>	
------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 1(b))*

**Question 2 (a)** [10 marks]Find the **exact value** of the sum

$$\sum_{n=0}^{\infty} \frac{(-1)^n}{n!(n+2)}.$$

---

<b>Answer</b> <b>2(a)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 2(a))*

**Question 2 (b)** [10 marks]

Let

$$f(x) = \frac{x^2 + 1}{x + 1}$$

and let

$$\sum_{n=0}^{\infty} c_n (x + 3)^n$$

be the Taylor series for  $f$  at  $x = -3$ . Find the **exact value** of  $c_0 + c_1 + c_{101}$ .

---

<b>Answer</b> <b>2(b)</b>	
------------------------------	--

*(Show your working below and on the next page.)*



*(More working space for Question 2(b))*

**Question 3 (a)** [10 marks]

Find the local maximum points, local minimum points, and saddle points, if any, of the function

$$f(x, y) = xy + (x + y)(120 - x - y).$$

---

<b>Answer</b> <b>3(a)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 3(a))*

**Question 3 (b)** [10 marks]

Find the **exact value** of the double integral

$$\int \int_D \sqrt{|x - y|} dx dy,$$

where  $D$  is the rectangular region:  $0 \leq x \leq 1$  and  $0 \leq y \leq 2$ .

---

<b>Answer</b> <b>3(b)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 3(b))*

**Question 4 (a)** [10 marks]

Find the **exact value** of the volume of the solid enclosed laterally by the circular cylinder about  $z$ -axis of radius 1, bounded on top by the elliptic paraboloid

$$2x^2 + 4y^2 + z = 18 ,$$

and bounded below by the plane  $z = 0$ .

---

<b>Answer</b> <b>4(a)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 4(a))*

**Question 4 (b)** [10 marks]

Let  $C$  be the helix parametrised by

$$\mathbf{r}(t) = (3 \cos t, 3 \sin t, 4t) \quad \text{for } 0 \leq t \leq 4\pi,$$

and let  $f(x, y, z) = x^2 + \frac{1}{16}z$ . Find the **exact value** of the line integral

$$\int_C f ds.$$

---

<b>Answer</b> <b>4(b)</b>	
------------------------------	--

*(Show your working below and on the next page.)*



*(More working space for Question 4(b))*

**Question 5 (a)** [10 marks]Find the **exact value** of the surface integral

$$\int \int_S z dS,$$

where  $S$  is the surface  $z = x^2 + y^2$  with  $0 \leq z \leq 1$ .

---

<b>Answer</b> <b>5(a)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 5(a))*

**Question 5 (b)** [10 marks]

Find the **exact value** of the line integral

$$\oint_C (-yzdx + xzdy + xydz),$$

where  $C$  is the curve of intersection of the plane

$$x + y + z = 2$$

and the cylinder

$$x^2 + y^2 = 1,$$

oriented in the counterclockwise sense when viewed from above.

---

<b>Answer</b> <b>5(b)</b>	
------------------------------	--

*(Show your working below and on the next page.)*

*(More working space for Question 5(b))*

---

**END OF PAPER**