

**CHECKLIST OF THE PLANT SPECIES OF
NEE SOON SWAMP FOREST, SINGAPORE:
BRYOPHYTES TO ANGIOSPERMS**



**H. F. Wong, S. Y. Tan, C. Y. Koh, H. J. M. Siow, T. Li, A. Heyzer,
A. H. F. Ang, Mirza Rifqi bin Ismail, A. Srivathsan and H. T. W. Tan**

National Parks Board and
Raffles Museum of Biodiversity Research
National University of Singapore
Singapore
2013

CHECKLIST OF THE PLANT SPECIES OF NEE SOON SWAMP FOREST, SINGAPORE: BRYOPHYTES TO ANGIOSPERMS

**H. F. Wong¹, S. Y. Tan¹, C. Y. Koh¹, H. J. M. Siow¹, T. Li,
A. Heyzer¹, A. H. F. Ang², Mirza Rifqi bin Ismail³, A. Srivathsan²
and H. T. W. Tan²**

¹Tropical Marine Science Institute, National University of Singapore
18 Kent Ridge Road, Singapore 119227, Singapore

²Department of Biological Science, National University of Singapore
14 Science Drive 4, Singapore 117543, Singapore

³National Parks Board, Singapore Botanic Gardens, 1 Cluny Road, Singapore 259569, Singapore

Email: tmswhf@nus.edu.sg (HFW); tmstsy@nus.edu.sg (SYT);
tmskcy@nus.edu.sg (CYK); tmssmhj@nus.edu.sg (HJMS); litianjiao88@gmail.com (TL);
tmsah@nus.edu.sg (AH); andie@nus.edu.sg (AHFA); Mirza_Rifqi_ISMAIL@nparks.gov.sg
(MRI); asrivathsan@nus.edu.sg (AS); and dbsttw@nus.edu.sg (HTWT)

National Parks Board and
Raffles Museum of Biodiversity Research
National University of Singapore
Singapore
2013

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms by

H. F. Wong, S. Y. Tan, C. Y. Koh, H. J. M. Siow, T. Li, A. Heyzer, A. H. F. Ang, Mirza Rifqi bin Ismail, A. Srivathsan and H. T. W. Tan

is published by the:

National Parks Board
National Parks Board Headquarters
1 Cluny Road
Singapore 259569
REPUBLIC OF SINGAPORE
Website: <http://www.nparks.gov.sg/cms/>
Email: nparks_mailbox@nparks.gov.sg

Raffles Museum of Biodiversity Research
Department of Biological Sciences
Faculty of Science
National University of Singapore
6 Science Drive 2
Singapore 117546
REPUBLIC OF SINGAPORE
Website: <http://rmbr.nus.edu.sg/>
Email: ask.rmbr@gmail.com

Editor: Hugh T. W. Tan
Copy Editor: Hazelina H. T. Yeo
Typesetter: Chua Keng Soon

Cover photograph of *Bulbophyllum macranthum* Lindl. © Hugh Tan Tiang Wah.

See [Corrigenda of 13 May 2013](#).

ISBN 978-981-07-2022-3 (online)

© 2013 Raffles Museum of Biodiversity Research

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright holder. For information regarding permission(s), please write to: ask.rmbr@gmail.com



NUS
National University
of Singapore



CONTENTS

1.	Introduction	1
2.	General Statistics	2
3.	Reference Sources	2
4.	Acknowledgements	4
5.	Literature Cited	4
6.	Citation of this Book	7
7.	Appendices	8
a.	Appendix 1: Checklist of the Plant Species of the Nee Soon Swamp Forest by Species, Variety or Form	8
b.	Appendix 2: Checklist of the Plant Species of the Nee Soon Swamp Forest by Phylum and Family	265

INTRODUCTION

The Republic of Singapore (1°22'N, 103°48'E), off the southernmost tip of Peninsular Malaysia, is separated from the Asian continent by the Strait of Johor in the north. As of 2012, the total combined land area of Singapore was 715.8 km² and it had a mid-year population estimate of 5,312,400, contributing to a 7,422 km⁻² population density (Singapore Department of Statistics, 2007). Temperatures and rainfall are typical of equatorial areas, with average monthly daily temperatures ranging from 26.6–28.3°C from the coolest to warmest months (Meteorological Services Division, 2009). The climate of Singapore can be categorised into four periods. The northeast monsoon takes place from Nov. to Jan. and the southwest monsoon takes place from May to Sep. These monsoon periods are separated by two inter-monsoon periods in Apr. and from Oct. to Nov. The relative humidity is high, and the annual precipitation for 2011 was 2,524 mm (Singapore Department of Statistics, 2012).

In primeval Singapore Island, primary tropical rainforest covered almost all the land area (Corlett, 1991). Its constituent forest types are dryland forest (82% forest cover), mangrove forest (13%), freshwater swamp forest, and beach vegetation. The remaining 5% forest cover consists mostly of freshwater swamp forest and a small amount of beach vegetation along the narrow beach areas. Freshwater swamp forest was inferred to have occurred at the upper reaches of the streams and rivers of Singapore Island, before the massive clearance of natural vegetation cover that took place from 1819–1900. However, with rapid urbanisation and industrialisation in the 20th century, the remaining freshwater swamp forest sites were cleared for land use changes in Jurong, Mandai, and Pulau [= island] Tekong, leaving Nee Soon Swamp Forest (NSSF) as the last remnant of primary freshwater swamp forest in Singapore (Corlett, 1992; Ng & Lim, 1992; Turner et al., 1996a, 1996b; Yeo & Lim, 2011).

The NSSF (1°24'N, 103°48'E), which extends over 87 ha, is located in the Central Catchment Nature Reserve near Mandai Road and adjacent to the Upper Seletar Reservoir, in the northeastern part of Singapore (Ng & Lim, 1992; Turner et al., 1996a; Taylor et al., 2001). Its surface is covered by a shallow layer of peat (Taylor et al., 2001). The ground is often saturated with water, forming small pools and slow-flowing streams (Turner et al., 1996a; Taylor et al., 2001) owing to the closeness of the water table to the soil surface (Turner et al., 1996a). The anaerobic and waterlogged conditions found in the soil reduce its rate of decomposition, which contributes to its richness in organic matter (Turner et al., 1996a). The pH of stream and soil water is between 4.6–5.5, and becomes more acidic 5 cm below the surface of the soil (Turner et al., 1996a).

Vegetation surveys showed that the NSSF has a rich flora. More than 700 vascular plant species, or 31% of all vascular plants of Singapore, were recorded from the freshwater swamp forests, though many of these species were recorded in areas that have since been cleared (Turner et al., 1996a; Corlett, 1997; Yeo & Lim, 2011).

Much of the forest was cleared for plantations in the mid-19th century, and which were abandoned soon after owing to unsustainable methods in agriculture (Turner et al., 1996c). Thus, secondary forests have been allowed to develop naturally and now cover part of the site (Turner et al., 1996c). Some areas have apparently never been cleared, and contain vegetation characteristic of undisturbed primary forests (Turner et al., 1996c). Many of the tree species in some parts of the NSSF display conspicuous adaptations to flooding, including buttress roots, stilt roots, and pneumatophores, whereas some areas are dominated by plant species similar to those of a dryland forest (Corner, 1978; Corlett, 1997, 2011). Trees were recorded to reach heights of over 40 m in areas with primary forest growth (Corner, 1978; Turner et al., 1996a).

GENERAL STATISTICS

A total of 1,184 species, varieties, and forms of plants from six phyla and 161 families is recorded in this checklist. Table 1 presents the six phyla found in the NSSF and the number of families and species/varieties/forms within each phylum.

Table 1. Number of species, varieties, forms, and families of plants from the six phyla documented from the Nee Soon Swamp Forest.

S/No.	Phylum	Number of Families	Number of Species, Varieties, and Forms
1.	Bryophyta	7	13
2.	Marchantiophyta	10	21
3.	Lycophyta	2	5
4.	Filicinophyta	18	39
5.	Gnetophyta	1	5
6.	Magnoliophyta	123	1,101
Total		161	1,184

REFERENCE SOURCES

The two checklists (Appendices 1, 2) include: (1) species compiled by Turner et al. (1996a) on vascular plants in freshwater swamp forests in Singapore, (2) species recorded in the survey conducted by Wong (1993) within four 0.2-ha plots in the NSSF, (3) herbarium specimens in the Herbarium, Singapore Botanic Gardens (SING) and in the Herbarium, Raffles Museum of Biodiversity Research, National University of Singapore (SINU), (4) collections made by HFAA, MRI, and AS from Feb.–Apr.2010 and Dec.2010 – Jan.2011, (5) species collected within 10 15 × 15 m quadrats by SYT, CYK, HJMS, TL, HFW, and AH from May 2011 – Jan.2012, and (6) literature sources.

We excluded species recorded by Corner (1978) in the compilation by Turner et al. (1996a), as the collection localities, Jurong and Mandai Road, were developed and submerged under Upper Seletar Reservoir. For SING and SINU collections, the information was last updated in May and Sep.2010, respectively. The SING list included Chan Chu Kang, which refers to an area larger than the present NSSF prior to deforestation. Extensive areas of swamp forests in Chan Chu Kang were developed between 1940–1941 to extend Seletar Reservoir (Corner, 1978). Collections made before that period were annotated as Chan Chu Kang (pre-1940). Other references (Table 2) include articles

from Nature in Singapore (denoted as ‘NiS’) and Gardenwise (‘Gdn’). Goh & Tan (2000), Metcalfe et al. (1998), Oginuma & Tobe (1995), and Setoguchi et al. (1999) were denoted ‘G&T’, ‘M’, ‘O&T’, and ‘S’, respectively. The national conservation status categories listed are based on Chong et al. (2009).

Table 2. List of references adopted for checklist compilation.

S/No.	Sources	Number of Species, Varieties, and Forms
1.	Ang et al. (2010a)	1
2.	Ang et al. (2010b)	1
3.	Ang et al. (2010c)	1
4.	Ang et al. (2010d)	1
5.	Ang et al. (2011a)	1
6.	Ang et al. (2011b)	1
7.	Ang et al. (2011c)	1
8.	Ang et al. (2011d)	1
9.	Ang, Mirza Rifqi bin Ismail & Srivathsan	194
10.	Chan Chu Kang, pre-1940 (SING herbarium)	408
11.	Goh & Tan (2000)	5
12.	Hassan Ibrahim et al. (2011)	1
13.	Keng et al. (1998)	1
14.	Kurzweil et al. (2007)	2
15.	Lee et al. (2011)	1
16.	Leong-Skornicková (2010)	1
17.	Lok & Tan (2008a)	1
18.	Lok & Tan (2008b)	1
19.	Lok & Tan (2009)	1
20.	Lok et al. (2009a)	1
21.	Lok et al. (2009b)	1
22.	Lok et al. (2009c)	1
23.	Lok et al. (2009d)	1
24.	Lok et al. (2010a)	1
25.	Lok et al. (2010b)	1
26.	Lok et al. (2010c)	2
27.	Lok et al. (2011a)	1
28.	Lok et al. (2011b)	1
29.	Lok et al. (2011c)	1
30.	Lok et al. (2011d)	1
31.	Loo (2011)	1
32.	Metcalfe et al. (1998)	5
33.	Nee Soon, post-1940 (SING collections)	568
34.	NSSF team	365
35.	Oginuma & Tobe (1995)	1
36.	Setoguchi et al. (1999)	2
37.	SINU collections	296
38.	Teo et al. (2011)	1
39.	Turner (2003)	1
40.	Turner et al. (1996a)	383
41.	Wong (1993)	167
42.	Yam et al. (2010)	2

ACKNOWLEDGEMENTS

We would like to thank the National Parks Board (Singapore) for providing us with the research grant (WBS: R-347-000-152-490), permits (NP/RP10-101-1, NP/RP10-101-1c), and support with fieldwork during the course of the project, Nee Soon Swamp Forest Biodiversity and Hydrology Baseline Studies—Phase I; the Ministry of Defence for permitting us access to areas around the Nee Soon ranges I and II; and members of the Herbarium, Singapore Botanic Gardens, especially Wong Khoon Meng and Serena Lee, as well as Chua Keng Soon of the Herbarium, Raffles Museum of Biodiversity Research, National University of Singapore for allowing us access to the herbariums and their resources. We thank Adrian H. B. Loo for teaching the team (CYK and SYT) about identification of rattan species in the field; Gwee Aik Teck for identifying numerous specimens; Benito C. Tan for his help with bryophyte statuses in Singapore; as well as various members of the Botany Laboratory, Department of Biological Sciences, National University of Singapore who offered their assistance whenever needed. We are also grateful to Richard T. Corlett for his advice on the history of Nee Soon Swamp Forest; and Dennis H. Murphy for providing us with extensive maps of the Nee Soon Swamp Forest.

LITERATURE CITED

- Ang, W. F., A. F. S. L. Lok & H. T. W. Tan, 2010a. Rediscovery in Singapore of *Pinanga simplicifrons* (Miq.) Becc. (Arecaceae). *Nature in Singapore*, **3**: 83–86.
- Ang, W. F., A. F. S. L. Lok, C. K. Yeo, S. Y. Tan & H. T. W. Tan, 2010b. Rediscovery of *Dendrobium aloifolium* (Blume) Rchb.f. (Orchidaceae) in Singapore. *Nature in Singapore*, **3**: 321–325.
- Ang, W. F., A. F. S. L. Lok, K. Y. Chong & H. T. W. Tan, 2010c. Status and distribution in Singapore of *Neoscortechinia sumatrensis* S.Moore (Euphorbiaceae). *Nature in Singapore*, **3**: 333–336.
- Ang, W. F., A. F. S. L. Lok, K. Y. Chong, B. Y. Q. Ng, S. M. Suen & H. T. W. Tan, 2010d. The distribution and status in Singapore of *Rubus moluccanus* L. var. *angulosus* Kalkman (Rosaceae). *Nature in Singapore*, **3**: 91–97.
- Ang, W. F., A. F. S. L. Lok, C. K. Yeo, A. Angkasa, P. X. Ng, B. Y. Q. Ng & H. T. W. Tan, 2011a. Rediscovery of *Renanthera elongata* (Blume) Lindl. (Orchidaceae) in Singapore. *Nature in Singapore*, **4**: 297–301.
- Ang, W. F., A. F. S. L. Lok, C. K. Yeo, B. Y. Q. Ng & H. T. W. Tan, 2011b. The status and distribution in Singapore of *Plocoglottis javanica* Blume (Orchidaceae). *Nature in Singapore*, **4**: 73–77.
- Ang, W. F., A. F. S. L. Lok, C. K. Yeo, S. Y. Tan, P. X. Ng, B. Y. Q. Ng & H. T. W. Tan, 2011c. The status and distribution of *Nephelaphyllum pulchrum* Bl. (Orchidaceae) in Singapore. *Nature in Singapore*, **4**: 273–276.
- Ang, W. F., A. F. S. L. Lok, K. Y. Chong, C. K. Yeo, B. Y. Q. Ng, P. X. Ng & H. T. W. Tan, 2011d. *Eulophia* R.Br. ex Lindl. (Orchidaceae) of Singapore. *Nature in Singapore*, **4**: 289–296.
- Chong, K. Y., H. T. W. Tan & R. T. Corlett, 2009. *A Checklist of the Total Vascular Plant Flora of Singapore: Native, Naturalised and Cultivated Species*. Raffles Museum of Biodiversity Research, National University of Singapore, Singapore. 273 pp. Uploaded 12 Nov.2009. http://rmbr.nus.edu.sg/raffles_museum_pub/flora_of_singapore_tc.pdf.
- Corlett, R. T., 1991. Vegetation. In: Chia, L. S., A. Rahman & B. H. Tay (eds.), *The Biophysical Environment of Singapore*. Singapore University Press, Singapore. Pp. 134–161.
- Corlett, R. T., 1992. The ecological transformation of Singapore, 1819–1900. *Biogeography*, **19**: 411–420.
- Corlett, R. T., 1997. The vegetation in the nature reserves of Singapore. *The Gardens' Bulletin, Singapore*, **49**: 147–159.

- Corlett, R. T., 2011. Terrestrial ecosystems. In: Ng, P. K. L., R. T. Corlett & H. T. W. Tan (eds.), *Singapore Biodiversity: An Encyclopedia of the Natural Environment and Sustainable Development*. Raffles Museum of Biodiversity Research, Department of Biological Sciences, National University of Singapore, Singapore. Pp. 44–51.
- Corner, E. J. H., 1978. *The Freshwater Swamp-Forest of South Johore and Singapore*. Botanic Gardens, Parks and Recreation Department, Singapore. 266 pp.
- Goh, M. W. K. & H. T. W. Tan, 2000. *The Angiosperm Flora of Singapore: Connaraceae*. Singapore University Press, Singapore. 30 pp.
- Hassan Ibrahim, P. K. F. Leong, T. W. Yam & H. K. Lua, 2011. The rediscovery of the ground orchid *Dienia ophrydis* (J. König) Seidenf. (Orchidaceae) in Singapore. *Nature in Singapore*, **4**: 329–337.
- Keng, H., S. C. Chin & H. T. W. Tan, 1998. *The Concise Flora of Singapore. Volume II: Monocotyledons*. Singapore University Press, Singapore. 215 pp.
- Kurzweil, H., P. K. F. Leong, T. W. Yam, T. Aung & D. Liew, 2007. *Pteroceras pallidum*—An endangered orchid in Singapore. *Gardenwise*, **29**: 26.
- Lee, S., K. M. Wong & H. K. Lua, 2011. The re-discovery and conservation of *Bulbophyllum singaporeanum*. *Gardenwise*, **36**: 6–7.
- Leong-Skornicková, J., 2010. Spindle gingers—Jewels of Singapore's forests. *Gardenwise*, **34**: 24–25.
- Lok, A. F. S. L. & H. T. W. Tan, 2008a. Rediscovery of *Aeschynanthus albidus* (Blume) Steud. (Gesneriaceae) in Singapore. *Nature in Singapore*, **1**: 5–8.
- Lok, A. F. S. L. & H. T. W. Tan, 2008b. Status of *Cyrtosperma merkusii* (Hassk.) Schott (Araceae) in Singapore. *Nature in Singapore*, **1**: 179–182.
- Lok, A. F. S. L. & H. T. W. Tan, 2009. Tuberous, epiphytic, rubiaceous myrmecophytes of Singapore. *Nature in Singapore*, **2**: 231–236.
- Lok, A. F. S. L., P. X. Ng, W. F. Ang & H. T. W. Tan, 2009a. The status and distribution in Singapore of *Acriopsis liliifolia* (Koenig) Ormerod (Orchidaceae). *Nature in Singapore*, **2**: 481–485.
- Lok, A. F. S. L., W. F. Ang & H. T. W. Tan, 2009b. The status of *Gastrodia javanica* (Bl.) Lindl. in Singapore. *Nature in Singapore*, **2**: 415–419.
- Lok, A. F. S. L., W. F. Ang, P. X. Ng, A. T. K. Yee & H. T. W. Tan, 2009c. The distribution and status in Singapore of *Bulbophyllum sessile* (Koen.) J.J.Sm. (Orchidaceae). *Nature in Singapore*, **2**: 393–395.
- Lok, A. F. S. L., W. F. Ang, S. M. L. Lee, H. H. Tan & H. T. W. Tan, 2009d. The status and distribution of *Barclaya* (Nymphaeaceae) in Singapore. *Nature in Singapore*, **2**: 236–245.
- Lok, A. F. S. L., W. F. Ang & H. T. W. Tan, 2010a. The status and distribution in Singapore of *Calanthe pulchra* (Bl.) Lindl. *Nature in Singapore*, **3**: 87–90.
- Lok, A. F. S. L., W. F. Ang & H. T. W. Tan, 2010b. The status and distribution in Singapore of *Pomatocalpa diffusum* Breda. *Nature in Singapore*, **3**: 147–152.
- Lok, A. F. S. L., W. F. Ang, K. Y. Chong & H. T. W. Tan, 2010c. Rediscovery of *Liparis barbata* Lindl. (Orchidaceae) in Singapore. *Nature in Singapore*, **3**: 277–281.
- Lok, A. F. S. L., W. F. Ang & H. T. W. Tan, 2011a. The rediscovery in Singapore of *Polystachya concreta* (Jacq.) Garay & H.R.Sweet (Orchidaceae). *Nature in Singapore*, **4**: 19–24.
- Lok, A. F. S. L., W. F. Ang & H. T. W. Tan, 2011b. The status of in Singapore of *Cystorchis variegata* Bl. (Orchidaceae). *Nature in Singapore*, **4**: 25–29.
- Lok, A. F. S. L., W. F. Ang, B. Y. Q. Ng, S. M. Suen, C. K. Yeo & H. T. W. Tan, 2011c. *Leea* L. (Vitaceae) of Singapore. *Nature in Singapore*, **4**: 55–71.
- Lok, A. F. S. L., W. F. Ang, K. Y. Chong, C. K. Yeo & H. T. W. Tan, 2011d. Rediscovery in Singapore of *Coelogyne rochussenii* de Vriese (Orchidaceae). *Nature in Singapore*, **4**: 49–53.
- Loo, A. H. B., 2011. Rediscovery in Singapore of *Salacca affinis* Griff. (Arecaceae). *Nature in Singapore*, **4**: 123–126.

- Metcalfe, D. J., P. J. Grubb & I. M. Turner, 1998. The ecology of very small-seeded shade-tolerant trees and shrubs in lowland rain forest in Singapore. *Plant Ecology*, **134**: 131–149.
- Meteorological Services Division, 2009. *WEATHERwise Singapore*. Meteorological Services Division, National Environment Agency, Singapore. <http://app2.nea.gov.sg/data/cmsresource/20090324939502642695.pdf>. (Accessed 24 Feb.2013).
- Ng, P. K. L. & K. K. P. Lim, 1992. The conservation status of the Nee-Soon Fresh-Water Swamp Forest of Singapore. *Aquatic Conservation-Marine and Freshwater Ecosystems*, **2**: 255–266.
- Oginuma, K. & H. Tobe, 1995. Karyomorphology of some Moraceae and Cecropiaceae (Urticales). *Journal of Plant Research*, **108**: 313–326.
- Setoguchi, H., K. Kosuge & H. Tobe, 1999. Molecular phylogeny of Rhizophoraceae based on rbcL gene sequences. *Journal of Plant Research*, **112**: 443–455.
- Singapore Department of Statistics, 2007. *Statistics: Key Annual Indicators*. Singapore Department of Statistics, Government of Singapore, Singapore. <http://www.singstat.gov.sg/stats/keyind.html>. Last updated 22 Feb.2013. (Accessed 24 Feb.2013).
- Singapore Department of Statistics, 2012. *Yearbook of Statistics Singapore, 2012*. Singapore Department of Statistics, Government of Singapore, Singapore. <http://www.singstat.gov.sg/pubn/reference/yos12/yos2012b.pdf>. (Accessed 25 Feb.2013).
- Taylor, D., O. H. Yen, P. G. Sanderson & J. Dodson, 2001. Late quaternary peat formation and vegetation dynamics in a lowland tropical swamp: Nee Soon, Singapore. *Palaeogeography Palaeoclimatology Palaeoecology*, **171**: 269–287.
- Teo, S., K. Y. Chong, B. R. Kurukulasuriya, Y. F. Chung & H. T. W. Tan, 2011. The status of an exotic shrub, *Acalypha siamensis* Oliv. ex Gage (Euphorbiaceae), in Singapore. *Nature in Singapore*, **4**: 227–231.
- The Plant List, 2010. *The Plant List: A Working List of All Plant Species. Version 1, 2010* [and more or less continuously updated since]. [http:// www.theplantlist.org/](http://www.theplantlist.org/). (Accessed Jan.2012 – Aug.2012).
- Turner, I. M., C. M. Boo, Y. K. Wong, P. T. Chew & Ali bin Ibrahim, 1996a. Freshwater swamp forest in Singapore, with particular reference to that found around the Nee Soon Firing Ranges. *The Gardens' Bulletin, Singapore*, **48**: 129–157.
- Turner, I. M., H. T. W. Tan & K. S. Chua, 1996b. Relationships between herb layer and canopy composition in a tropical rain forest successional mosaic in Singapore. *Journal of Tropical Ecology*, **12**: 843–851.
- Turner, I. M., Y. K. Wong, P. T. Chew, & Ali bin Ibrahim, 1996c. Rapid assessment of tropical rain forest successional status using aerial photographs. *Biological Conservation*, **77**: 177–183.
- Turner, I. M., 2003. The Singapore collection—*Kopsia singapurensis*. *Gardenwise*, **21**: 18.
- Wong, Y. K., 1993. The forests and tree populations of the Central Catchment Nature Reserve. Unpublished technical report of a survey commissioned by the National Parks Board, Singapore. 226 pp.
- Yam, T. W., P. K. F. Leong, P. T. Chew, D. Liew & W. K. H. Ng, 2010. The re-discovery and conservation of *Bulbophyllum singaporeanum*. *Gardenwise*, **35**: 14–17.
- Yeo, D. C. J. & K. K. P. Lim, 2011. Freshwater ecosystems. In: Ng, P. K. L., R. T. Corlett & H. T. W. Tan (eds.), *Singapore Biodiversity: An Encyclopedia of the Natural Environment and Sustainable Development*. Raffles Museum of Biodiversity Research, Department of Biological Sciences, National University of Singapore, Singapore. Pp. 52–63.

CITATION OF THIS BOOK

Cite this book as:

Wong, H. F., S. Y. Tan, C. Y. Koh, M. H. J. Siow, T. Li, A. Heyzer, A. H. F. Ang, Mirza Rifqi bin Ismail, A. Srivathsan & H. T. W. Tan, 2013. *Checklist of Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms*. National Parks Board and Raffles Museum of Biodiversity Research, National University of Singapore, Singapore. 521 pp. Uploaded 13 May 2013. http://rmbr.nus.edu.sg/raffles_museum_pub/NSSF_FloraChecklist.pdf.

Appendix 1. Checklist of the Plant Species of the Nee Soon Swamp Forest by Species, Variety or Form

Each entry consists of the scientific name of the species, variety or form including author name(s), synonym(s), phylum, family, the national status of the species, and the reference(s) that documented the species. The taxon names are arranged alphabetically. Each taxon name is mostly based on the nomenclature of The Plant List website (The Plant List, 2010). The national status for vascular plants is updated from Chong et al. (2009). References are indicated as follows: A = Turner et al. (1996a); B = Wong (1993); C = Chan Chu Kang, pre-1940 (SING record); D = Nee Soon, post-1940 (SING record); E = SINU record; F = Ang et al. (2010, 2011); G = Tan et al. (2011, 2012); H = Other reference(s).

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
1.	<i>Acalypha siamensis</i> Oliv. ex Gage	<i>Acalypha evrardii</i> Gagnep. <i>Acalypha siamensis</i> Oliv. ex Gage var. <i>denticulata</i> Airy Shaw <i>Acalypha sphenophylla</i> Pax & K.Hoffm.	Magnoliophyta	Euphorbiaceae	Exotic								NIS	
2.	<i>Acanthus ebracteatus</i> Vahl	<i>Acanthus ilicifolius</i> Lour. <i>Dilivaria ebracteata</i> (Vahl) Pers.	Magnoliophyta	Acanthaceae	Vulnerable			✓						
3.	<i>Acer laurinum</i> Hassk.	<i>Acer cassiifolium</i> Blume <i>Acer chionophyllum</i> Merr. <i>Acer curranii</i> Merr. <i>Acer decandrum</i> Merr. <i>Acer javanicum</i> Jungh. <i>Acer laurinum</i> Hassk. subsp. <i>decandrum</i> (Merr.) A.E.Murray <i>Acer laurinum</i> Hassk. var. <i>petelotii</i> Phamhoang, Ho <i>Acer macropterum</i> T.Z.Hsu & H.Sun <i>Acer niveum</i> Blume <i>Acer niveum</i> Blume f. <i>cassiifolium</i> (Blume) Schwer. <i>Acer niveum</i> Blume var. <i>cassiifolium</i> (Blume) Miq. <i>Acer niveum</i> Blume f. <i>laurinum</i> (Hassk.) Schwer. <i>Acer philippinum</i> Merr. <i>Acer pinnatinervium</i> Merr.	Magnoliophyta	Sapindaceae	Critically endangered				✓					
4.	<i>Acriopsis liliifolia</i> (J.Konig) Seidenf.	<i>Acriopsis javanica</i> var. <i>nelsoniana</i> (F.M.Bailey) J.J.Sm. <i>Epidendrum liliifolium</i> J.König	Magnoliophyta	Orchidaceae	Critically endangered								NIS	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
5.	<i>Acromastigum inaequilaterum</i> (Lehm. & Lindenb.) A.Evans	<i>Jungermannia inaequilaterum</i> Lehm. & Lindenb.	Marchantio-phyta	Lepidoziaceae	Data deficient				✓				
6.	<i>Acrorychia porteri</i> Hook.f.	<i>Jambolifera porteri</i> Kuntze	Magnoliophyta	Rutaceae	Presumed nationally extinct			✓	✓				
7.	<i>Actinodaphne macrophylla</i> (Blume) Nees	<i>Actinodaphne maingayi</i> Hook.f. <i>Jozoste macrophylla</i> Kuntze <i>Jozoste maingayi</i> Kuntze <i>Litsea macrophylla</i> Blume	Magnoliophyta	Lauraceae	Presumed nationally extinct							✓	
8.	<i>Actinodaphne malaccensis</i> Hook.f.	<i>Actinodaphne hullettii</i> Gamble <i>Jozoste malaccensis</i> Kuntze	Magnoliophyta	Lauraceae	Endangered				✓				
9.	<i>Actinodaphne pruinosa</i> Nees	<i>Actinodaphne foxworthyana</i> Gibbs <i>Actinodaphne pruinosa</i> Nees var. <i>kunstleri</i> Gamble <i>Jozoste pruinosa</i> Kuntze <i>Laurus pruinosa</i> Wall.	Magnoliophyta	Lauraceae	Endangered			✓				✓	
10.	<i>Adenanthera malayana</i> Kosterm.		Magnoliophyta	Fabaceae	Vulnerable				✓				
11.	<i>Adenia macrophylla</i> (Blume) Koord.	<i>Adenia borneensis</i> Hallier f. <i>Adenia borneensis</i> Hallier f. var. <i>microcarpa</i> Hallier f. <i>Adenia clementis</i> Merr. <i>Adenia grandifolia</i> Ridl. <i>Adenia longipedunculata</i> Merr. <i>Adenia quintuplinervia</i> Hallier f. <i>Modecca macrophylla</i> Blume	Magnoliophyta	Passifloraceae	Vulnerable				✓			✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
12.	<i>Adenia macrophylla</i> (Blume) Koord. var. <i>singaporeana</i> (Wall. ex G.Don) W.J.de Wilde	<i>Adenia singaporeana</i> (Wall. ex G.Don) Engl. <i>Passiflora singaporeana</i> Wall. ex G.Don	Magnoliophyta	Passifloraceae	Vulnerable	✓			✓	✓			
13.	<i>Adenosma indicum</i> (Lour.) Merr.		Magnoliophyta	Plantaginaceae	Cryptogenic				✓				
14.	<i>Adenosma inopinatum</i> Prain		Magnoliophyta	Plantaginaceae	Cryptogenic				✓				
15.	<i>Adenosma javanicum</i> (Blume) Koord.	<i>Herpestis javanica</i> Blume <i>Herpestis ovata</i> Benth.	Magnoliophyta	Plantaginaceae	Common						✓		
16.	<i>Adinandra acuminata</i> Korth.	<i>Adinandra caudatifolia</i> Kobuski <i>Taonabo coriacea</i> Szyszyl. <i>Ternstroemia coriacea</i> Wall.	Magnoliophyta	Pentaphyl-acaceae	Critically endangered	✓		✓					
17.	<i>Adinandra dumosa</i> Jack	<i>Adinandra cyrtopoda</i> Miq. <i>Adinandra glabra</i> Miq. <i>Adinandra jackiana</i> Korth. <i>Adinandra stylosa</i> Miq. <i>Adinandra trichocoryna</i> Korth. <i>Adinandra trichocoryna</i> Korth. var. <i>cyrtopoda</i> (Miq.) Miq. <i>Adinandra trichocoryna</i> Korth. var. <i>glabra</i> (Miq.) Miq. <i>Adinandra trichocoryna</i> Korth. var. <i>parvifolia</i> Miq. <i>Adinandra trichocoryna</i> Korth. var. <i>stylosa</i> (Miq.) Miq. <i>Ternstroemia dumosa</i> Wall.	Magnoliophyta	Pentaphyl-acaceae	Common	✓	✓			✓	✓	✓	
18.	<i>Adinandra integerrima</i> T.Anderson ex Dyer	<i>Adinandra dasyantha</i> Choisy <i>Adinandra dumosa</i> S.Vidal <i>Adinandra hullettii</i> King <i>Adinandra integerrima</i> T.Anderson ex Dyer var. <i>nigropunctata</i> Pierre	Magnoliophyta	Pentaphyl-acaceae	Presumed nationally extinct				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Gordonia reticulata</i> Wall. <i>Ternstroemia integerrima</i> Wall. <i>Ternstroemia reticulata</i> Wall.											
19.	<i>Aeschynanthus albidus</i> (Blume) Steud.	<i>Aeschynanthus purpurascens</i> Hassk. <i>Aeschynanthus atropurpureus</i> Lem. <i>Aeschynanthus discolor</i> T.Moore <i>Bignonia albida</i> Blume <i>Lysionotus albida</i> Blume	Magnoliophyta	Gesneriaceae	Critically endangered	✓		✓		✓			NIS
20.	<i>Aeschynanthus pulcher</i> (Blume) G.Don	<i>Aeschynanthus parvifolius</i> R.Br. <i>Aeschynanthus beccarii</i> C.B.Clarke <i>Aeschynanthus boschianus</i> de Vriese <i>Aeschynanthus javanicus</i> Hook. <i>Aeschynanthus lamponga</i> Miq. var. <i>parvifolius</i> Ridl. <i>Aeschynanthus lampongus</i> Miq. <i>Aeschynanthus lanceolatus</i> Ridl. <i>Aeschynanthus lobbianus</i> Hook. <i>Aeschynanthus neesii</i> Zoll. & Moritzi <i>Aeschynanthus zollingeri</i> C.B.Clarke <i>Trichosporum beccarii</i> (C.B.Clarke) Kuntze <i>Trichosporum javanicum</i> (Hook.) Kuntze <i>Trichosporum lampongum</i> (Miq.) Burkill <i>Trichosporum lobbianum</i> (Hook.) Kuntze <i>Trichosporum parvifolium</i> (R.Br.) Kuntze <i>Trichosporum pulchrum</i> Blume <i>Trichosporum zollingeri</i> (C.B.Clarke) Kuntze	Magnoliophyta	Gesneriaceae	Presumed nationally extinct			✓		✓			
21.	<i>Aeschynanthus radicans</i> Jack	<i>Trichosporum ovatum</i> D.Don ex C.B.Clarke <i>Trichosporum radicans</i> Nees	Magnoliophyta	Gesneriaceae	Presumed nationally extinct			✓					
22.	<i>Aeschynanthus wallichii</i> Benn.	<i>Trichosporum wallichii</i> Kuntze	Magnoliophyta	Gesneriaceae	Critically endangered			✓		✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
23.	<i>Agelaea borneensis</i> (Hook.f.) Merr.	<i>Agelaea vestita</i> Hook.f. <i>Castanola villosa</i> Schellenb. <i>Cnestis vestita</i> Wall. ex Hook.f. <i>Erythrostigma villosum</i> Zoll. <i>Hemiandrina borneensis</i> Hook.f. <i>Hemiandrina villosa</i> Schellenb.	Magnoliophyta	Connaraceae	Vulnerable			✓	✓	✓	✓	✓	G&T
24.	<i>Agelaea macrophylla</i> (Zoll.) Leenh.	<i>Agelaea diepenhorstii</i> King <i>Agelaea hullettii</i> King <i>Agelaea sarawakensis</i> Merr. <i>Agelaea wallichii</i> Hook.f. <i>Castanola hullettii</i> (King) Schellenb. <i>Castanola macrophylla</i> (Zoll.) Schellenb. <i>Castanola wallichii</i> (Hook.f.) Schellenb. <i>Connarus diepenhorstii</i> Miq. <i>Erythrostigma macrophyllum</i> Zoll. <i>Hemiandrina hullettii</i> Schellenb. <i>Hemiandrina macrophylla</i> Schellenb. <i>Hemiandrina sarawakensis</i> Schellenb.	Magnoliophyta	Connaraceae	Critically endangered				✓		✓	✓	G&T
25.	<i>Aglaia lawii</i> (Wight) C.J.Saldanha subsp. <i>oligocarpa</i> (Miq.) Pannell	<i>Aglaia maingayi</i> (Hiern) King <i>Aglaia oligocarpa</i> Miq. <i>Aglaia trimera</i> Merr.	Magnoliophyta	Meliaceae	Critically endangered	✓	✓						
26.	<i>Aglaia leptantha</i> Miq.	<i>Aglaia annamensis</i> Pellegr. <i>Aglaia gamopetala</i> Merr. <i>Aglaia glabriflora</i> Hiern <i>Aglaia glabrifolia</i> Merr. <i>Aglaia laevigata</i> Merr.	Magnoliophyta	Meliaceae	Critically endangered				✓	✓			
27.	<i>Aglaia odoratissima</i> Blume	<i>Aglaia affinis</i> Merr. <i>Aglaia cuspidella</i> Ridl. <i>Aglaia diepenhorstii</i> Miq. <i>Aglaia fraseri</i> Ridl. <i>Aglaia heterophylla</i> Merr. <i>Aglaia paniculata</i> Kurz	Magnoliophyta	Meliaceae	Critically endangered	✓	✓		✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Milnea blumei</i> Teijsm. & Binn.											
28.	<i>Aglaia oligophylla</i> Miq.	<i>Aglaia anonoides</i> Elmer ex Merr. <i>Aglaia bordenii</i> Merr. <i>Aglaia euphorioides</i> Pierre <i>Aglaia fusca</i> King <i>Aglaia glaucescens</i> King <i>Aglaia oligantha</i> C.DC. <i>Aglaia pedicellaris</i> C.DC. <i>Aglaia quocensis</i> Pierre <i>Aglaia ridleyi</i> P.T.Li & X.M.Chen <i>Aphanamixis reticulosa</i> Kosterm. <i>Milnea montana</i> Miq.	Magnoliophyta	Meliaceae	Presumed nationally extinct	✓							
29.	<i>Aglaia rubiginosa</i> (Hiern) Pannell	<i>Aglaia ignea</i> Valetton ex K.Heyne <i>Amoora rubiginosa</i> Hiern <i>Aphanamixis rubiginosa</i> Griff. ex C.DC.	Magnoliophyta	Meliaceae	Critically endangered	✓	✓		✓				
30.	<i>Aglaia simplicifolia</i> (Bedd.) Harms	<i>Aglaia gagnepainiana</i> Pellegr. <i>Aglaia haplophylla</i> Harms <i>Aglaia heterobotrys</i> Merr. <i>Aglaia matthewsii</i> Merr. <i>Aglaia meliosmoides</i> Craib <i>Aglaia mirabilis</i> Harms <i>Aglaia neotenica</i> Kosterm. <i>Aglaia odoardoii</i> Merr. <i>Aglaia polyantha</i> Ridl. <i>Aglaia schumanniana</i> Harms <i>Aglaia shawiana</i> Merr. <i>Aglaia sterculioides</i> Kosterm. <i>Aglaia triandra</i> Ridl. <i>Aglaia unifoliolata</i> Ridl. <i>Beddomea racemosa</i> Ridl. <i>Beddomea simplicifolia</i> Bedd.	Magnoliophyta	Meliaceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
31.	<i>Aglaonema nebulosum</i> N.E.Br.		Magnoliophyta	Araceae	Vulnerable	✓	✓						
32.	<i>Aglaonema simplex</i> (Blume) Blume	<i>Aglaonema alpinum</i> Elmer <i>Aglaonema angustifolium</i> N.E.Br. <i>Aglaonema angustifolium</i> N.E.Br. var. <i>undulatum</i> Ridl. <i>Aglaonema birmanicum</i> Hook.f. <i>Aglaonema borneense</i> Engl. <i>Aglaonema brevivaginatum</i> Alderw. <i>Aglaonema elongatum</i> Alderw. <i>Aglaonema emarginatum</i> Alderw. <i>Aglaonema fallax</i> Schott ex Engl. <i>Aglaonema grande</i> Alderw. <i>Aglaonema latius</i> Alderw. <i>Aglaonema longicuspidatum</i> Schott <i>Aglaonema malaccense</i> Schott <i>Aglaonema nicobaricum</i> Hook.f. <i>Aglaonema nieuwenhuisii</i> Engl. ex Alderw. <i>Aglaonema propinquum</i> Schott <i>Aglaonema schottianum</i> Miq. <i>Aglaonema schottianum</i> Miq. f. <i>angustifolium</i> (N.E.Br.) Engl. <i>Aglaonema schottianum</i> Miq. var. <i>brownii</i> Engl. <i>Aglaonema schottianum</i> Miq. var. <i>malaccense</i> (Schott) Engl. <i>Aglaonema schottianum</i> Miq. var. <i>winkleri</i> Engl. <i>Aglaonema simplex</i> (Blume) Blume f. <i>angustifolium</i> (N.E.Br.) Jervis <i>Aglaonema simplex</i> (Blume) Blume f. <i>inaequale</i> Alderw. <i>Aglaonema simplex</i> (Blume) Blume f. <i>nicobaricum</i> (Hook.f.) Jervis <i>Aglaonema simplex</i> (Blume) Blume f. <i>nieuwenhuisii</i> (Engl. ex Alderw.) Jervis <i>Aglaonema subarborescens</i> Alderw.	Magnoliophyta	Araceae	Common	✓							✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Caladium princeps</i> Kunth <i>Caladium simplex</i> Blume											
33.	<i>Agrostistachys borneensis</i> Becc.	<i>Agrostistachys coriacea</i> Alston <i>Agrostistachys intramarginalis</i> Philcox <i>Agrostistachys latifolia</i> (Hook.f.) Pax & K.Hoffm. <i>Agrostistachys leptostachya</i> Pax & K.Hoffm. <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz var. <i>latifolia</i> Hook.f. <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz var. <i>leptostachya</i> (Pax & K.Hoffm.) Whitmore <i>Agrostistachys meeboldii</i> Pax & K.Hoffm. <i>Sarcoclinium longifolium</i> Wight	Magnoliophyta	Euphorbiaceae	Common								✓
34.	<i>Agrostistachys indica</i> Dalzell	<i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz var. <i>longifolia</i> <i>Agrostistachys indica</i> Dalzell var. <i>genuina</i> Müll.Arg. <i>Agrostistachys indica</i> Dalzell subsp. <i>longifolia</i> (Müll.Arg.) Pax & K.Hoffm. <i>Agrostistachys indica</i> Dalzell var. <i>longifolia</i> Müll.Arg. <i>Agrostistachys indica</i> Dalzell var. <i>maesoana</i> (Vidal) Pax & K.Hoffm. <i>Agrostistachys indica</i> Dalzell var. <i>subintegra</i> Pax & K.Hoffm. <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz <i>Agrostistachys maesoana</i> Vidal <i>Heterocalyx laoticus</i> Gagnep.	Magnoliophyta	Euphorbiaceae	Common			✓	✓	✓			✓
35.	<i>Aidia densiflora</i> (Wall.) Masam.	<i>Aidia wallichiana</i> (Wall) Tirveng. <i>Aidia coriacea</i> (Miq.) Tirveng. <i>Aidia oblongata</i> (Miq.) Tirveng. <i>Cupia densiflora</i> (Wall.) DC. <i>Cupia oppositifolia</i> (Roxb.) DC.	Magnoliophyta	Rubiaceae	Vulnerable	✓	✓						✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore								
						A	B	C	D	E	F	G	H
		<i>Gynopachis attenuata</i> Korth. <i>Gynopachis oblongata</i> Miq. <i>Randia densiflora</i> (Wall.) Benth. <i>Randia densiflora</i> (Wall.) Benth. var. <i>tonkinensis</i> Pit. <i>Randia oppositifolia</i> (Roxb.) Koord. <i>Remijia odorata</i> Blanco <i>Serissa myrtifolia</i> Blanco <i>Stylocoryna densiflora</i> (Wall.) Steud. <i>Stylocoryna dimorphophylla</i> Teijsm. & Binn. <i>Stylocoryna oppositifolia</i> (Roxb.) Steud. <i>Urophyllum coriaceum</i> Miq. <i>Villaria odorata</i> (Blanco) Merr. <i>Webera densiflora</i> Wall. <i>Webera oppositifolia</i> Roxb. <i>Webera oppositifolia</i> Roxb. var. <i>densiflora</i> (Wall.) Kurz											
36.	<i>Alangium javanicum</i> (Blume) Wangerin var. <i>ebenaceum</i> (C.B.Clarke) Berhaman	<i>Alangium ebenaceum</i> (C.B.Clarke) Harms <i>Alangium mezianum</i> Wangerin <i>Alangium sessiliflorum</i> Merr. <i>Karangolum ebenaceum</i> (C.B.Clarke) Kuntze <i>Marlea ebenacea</i> C.B.Clarke	Magnoliophyta	Cornaceae	Critically endangered							✓	
37.	<i>Alangium longiflorum</i> Merr.	<i>Alangium hirsutum</i> Bloemb. <i>Alangium longifolium</i> Merr. <i>Alangium octopetalum</i> Vidal	Magnoliophyta	Cornaceae	Critically endangered				✓				
38.	<i>Alangium nobile</i> (C.B.Clarke) Harms	<i>Alangium nobile</i> (C.B.Clarke) Harms var. <i>dentatum</i> Bloemb. <i>Karangolum nobile</i> (C.B.Clarke) Kuntze <i>Marlea nobilis</i> C.B.Clarke	Magnoliophyta	Cornaceae	Critically endangered	✓	✓						

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
39.	<i>Alangium ridleyi</i> King	<i>Marlea costata</i> Valetton	Magnoliophyta	Cornaceae	Presumed nationally extinct				✓				
40.	<i>Alchornea tiliifolia</i> (Benth.) Müll.Arg.	<i>Alchornea villosa</i> (Benth.) Müll.Arg. <i>Alchornea villosa</i> (Benth.) Müll.Arg. var. <i>lanceolata</i> Müll.Arg. <i>Alchornea villosa</i> (Benth.) Müll.Arg. var. <i>latisepala</i> Hook.f. <i>Alchornea zollingeri</i> Hassk. <i>Aparisthmium sumatranum</i> Rchb. & Zoll. <i>Bleekeria zollingeri</i> (Hassk.) Miq. <i>Croton chiamala</i> Wall. <i>Stipellaria tiliifolia</i> Benth. <i>Stipellaria villosa</i> Benth. <i>Stipellaria zollingeri</i> Miq.	Magnoliophyta	Euphorbiaceae	Critically endangered				✓				
41.	<i>Alloteropsis cimicina</i> (L.) Stapf	<i>Agrostis cimicina</i> (L.) Poir. <i>Agrostis digitata</i> Lam. <i>Alloteropsis latifolia</i> (Peter) Pilg. <i>Alloteropsis quintasii</i> (Mez) Pilg. <i>Axonopus cimicinus</i> (L.) P.Beauv. <i>Axonopus latifolius</i> Peter <i>Coridochloa cimicina</i> (L.) Nees <i>Coridochloa cimicina</i> (L.) Nees ex B.D. Jacks. <i>Coridochloa cimicina</i> (L.) Nees ex Chase <i>Coridochloa fimbriata</i> Aitch. <i>Melica cimicina</i> (L.) Salisb. <i>Milium cimicinum</i> L. <i>Oplismenus fasciculatus</i> Roem. & Schult. <i>Panicum cimicinum</i> (L.) Retz. <i>Panicum fasciculatum</i> Lam. <i>Panicum fasciculiflorum</i> Steud. <i>Urochloa cimicina</i> (L.) Kunth <i>Urochloa fasciculata</i> (Roem. & Schult.) Kunth <i>Urochloa quintasii</i> Mez	Magnoliophyta	Poaceae	Cryptogenic				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
42.	<i>Alocasia longiloba</i> Miq.	<i>Alocasia denudata</i> Engl. <i>Alocasia denudata</i> Engl. var. <i>elongata</i> Engl. <i>Alocasia amabilis</i> W.Bull <i>Alocasia argyrea</i> Sander <i>Alocasia cochinchensis</i> Pierre ex Engl. & K.Krause <i>Alocasia curtisii</i> N.E.Br. <i>Alocasia cuspidata</i> Engl. <i>Alocasia eminens</i> N.E.Br. <i>Alocasia korthalsii</i> Schott <i>Alocasia leoniae</i> Engl. & K.Krause <i>Alocasia longifolia</i> Engl. & K.Krause <i>Alocasia lowii</i> Hook.f. <i>Alocasia lowii</i> Hook.f. var. <i>picta</i> Hook.f. <i>Alocasia lowii</i> Hook.f. var. <i>veitchii</i> (Lindl.) Engl. <i>Alocasia lucianii</i> Pucci ex Rodigas <i>Alocasia pucciana</i> André <i>Alocasia putzeysii</i> N.E.Br. <i>Alocasia singaporensis</i> Linden <i>Alocasia spectabilis</i> Engl. & K.Krause <i>Alocasia thibantiana</i> Mast. <i>Alocasia thibautiana</i> Mast. <i>Alocasia veitchii</i> (Lindl.) Schott <i>Alocasia watsoniana</i> Sander <i>Caladium lowii</i> Lem. <i>Caladium veitchii</i> Lindl.	Magnoliophyta	Araceae	Common	✓	✓	✓	✓				✓	
43.	<i>Alphonsea maingayi</i> Hook.f. & Thomson		Magnoliophyta	Annonaceae	Critically endangered			✓						
44.	<i>Alseodaphne bancana</i> Miq.	<i>Alseodaphne decipiens</i> Hook.f.	Magnoliophyta	Lauraceae	Critically endangered	✓	✓	✓	✓			✓		
45.	<i>Alstonia angustifolia</i> Wall. ex A.DC.	<i>Alstonia angustifolia</i> Wall. ex A.DC. var. <i>elliptica</i> King & Gamble <i>Alstonia angustifolia</i> Wall. ex A.DC. var. <i>latifolia</i> King & Gamble	Magnoliophyta	Apocynaceae	Common				✓	✓	✓	✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Alstonia beccarii</i> (Benth.) Pichon <i>Alstonia latifolia</i> (King & Gamble) Ridl. <i>Amblyocalyx beccarii</i> Benth.											
46.	<i>Alstonia angustiloba</i> Miq.	<i>Alstonia angustiloba</i> Miq. var. <i>glabra</i> Koord. & Valeton <i>Alstonia calophylla</i> Miq. <i>Paladelphina angustiloba</i> (Miq.) Pichon	Magnoliophyta	Apocynaceae	Common	✓	✓		✓		✓	✓	
47.	<i>Alstonia macrophylla</i> Wall. ex G.Don	<i>Alstonia acuminata</i> Miq. <i>Alstonia batino</i> Blanco <i>Alstonia brassii</i> Monach. <i>Alstonia costata</i> Wall. ex Miq. <i>Alstonia glabriflora</i> Markgr. <i>Alstonia macrophylla</i> Wall. ex G.Don var. <i>acuminata</i> (Miq.) Monach. <i>Alstonia macrophylla</i> Wall. ex G.Don var. <i>glabra</i> A.DC. <i>Alstonia macrophylla</i> Wall. ex G.Don var. <i>mollis</i> Merr. <i>Alstonia oblongifolia</i> Merr. <i>Alstonia pangkorensis</i> King & Gamble <i>Alstonia paucinervia</i> Merr. <i>Alstonia subsessilis</i> Miq.	Magnoliophyta	Apocynaceae	Exotic				✓				
48.	<i>Alstonia pneumatophora</i> Backer ex L.G. den Berger	<i>Alstonia pneumatophora</i> Backer ex L.G. den Berger var. <i>petiolata</i> Monach.	Magnoliophyta	Apocynaceae	Critically endangered								✓
49.	<i>Alstonia spatulata</i> Blume	<i>Alstonia cochinchensis</i> Pierre ex Pit. <i>Alstonia cuneata</i> Wall. ex G.Don	Magnoliophyta	Apocynaceae	Vulnerable				✓				
50.	<i>Amaranthus viridis</i> L.	<i>Albersia caudata</i> (Jacq.) Boiss. <i>Albersia gracilis</i> Webb & Berthel. <i>Amaranthus acutilobus</i> Uline & W.L.Bray <i>Amaranthus fasciatus</i> Roxb. <i>Amaranthus gracilis</i> Desf.	Magnoliophyta	Amaranthaceae	Critically endangered					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Amaranthus gracilis</i> Desf. ex Poir. <i>Amaranthus littoralis</i> Bernh. ex Moq. <i>Amaranthus polystachyus</i> Buch.-Ham. ex Wall. <i>Chenopodium caudatum</i> Jacq. <i>Euxolus caudatus</i> (Jacq.) Moq. <i>Euxolus caudatus</i> (Jacq.) Moq. var. <i>maximus</i> Moq. <i>Galliardia adscendens</i> Bubani <i>Glomeraria viridis</i> (L.) Cav. <i>Lagrezia suessenguthii</i> Cavaco <i>Pyxidium viride</i> (L.) Moq.											
51.	<i>Amischotolype gracilis</i> (Ridl.) I.M.Turner	<i>Forrestia gracilis</i> Ridl.	Magnoliophyta	Commelinaceae	Common	✓	✓	✓					
52.	<i>Amischotolype mollissima</i> Hassk.	<i>Amischotolype glabrata</i> (Hassk.) Hassk. <i>Amischotolype marginata</i> (Blume) Hassk. <i>Amischotolype mollissima</i> Hassk. var. <i>glabrata</i> (Hassk.) R.S.Rao <i>Amischotolype mollissima</i> Hassk. var. <i>marginata</i> (Blume) R.S.Rao <i>Campelia glabrata</i> Hassk. <i>Campelia marginata</i> Blume <i>Campelia mollissima</i> Blume <i>Forrestia distans</i> Ridl. <i>Forrestia glabrata</i> (Hassk.) Hassk. <i>Forrestia marginata</i> (Blume) Hassk. <i>Forrestia mollis</i> Hassk. <i>Forrestia mollissima</i> (Blume) Koord. <i>Forrestia rostrata</i> Hassk. <i>Pollia purpurea</i> C.B.Clarke <i>Tradescantia marginata</i> (Blume) Bouché	Magnoliophyta	Commelinaceae	Critically endangered				✓				
53.	<i>Ampelocissus elegans</i> (Kurz) Gagnep.		Magnoliophyta	Vitaceae	Endangered	✓		✓	✓	✓	✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
54.	<i>Ampelocissus gracilis</i> (Wall.) Planch.		Magnoliophyta	Vitaceae	Endangered	✓				✓		✓	
55.	<i>Ampelocissus spicifer</i> (Griff.) Planch.	<i>Ampelocissus spicifer</i> (Griff.) Merr. <i>Cissus spicifera</i> Griff. <i>Nothocissus spicifera</i> (Griff.) Latiff	Magnoliophyta	Vitaceae	Critically endangered			✓		✓	✓	✓	
56.	<i>Ampelopsis glandulosa</i> f. <i>elegans</i> (K.Koch) Momiy.	<i>Ampelopsis brevipedunculata</i> (Maxim.) Trautv.f. <i>elegans</i> (K.Koch) Rehder <i>Vitis elegans</i> Kurz	Magnoliophyta	Vitaceae	Critically endangered					✓			
57.	<i>Amphineuron opulentum</i> (Kaulf.) Holttum		Filicinophyta	Thelypteridaceae	Endangered				✓				
58.	<i>Anadendrum microstachyum</i> (de Vriese & Miq.) Backer & Alderw.	<i>Anadendrum lobbii</i> Schott <i>Anadendrum malaianum</i> Backer & Alderw. <i>Anadendrum montanum</i> (Blume) Schott var. <i>cordatum</i> Ridl. <i>Anadendrum montanum</i> (Blume) Schott var. <i>longirostre</i> Hook.f. <i>Anadendrum montanum</i> (Blume) Schott var. <i>ovalifolium</i> Ridl. <i>Pothos malaianus</i> Miq. <i>Pothos monopetalus</i> Reinw. ex Miq. <i>Scindapsus microstachyus</i> de Vriese & Miq.	Magnoliophyta	Araceae	Critically endangered							✓	
	See Corrigenda of 13 May 2013 .												
59.	<i>Ancistrocladus tectorius</i> (Lour.) Merr.	<i>Ancistrocladus carallioides</i> Craib <i>Ancistrocladus cochinchinensis</i> Gagnep. <i>Ancistrocladus extensus</i> Wall. ex Planch. <i>Ancistrocladus extensus</i> Wall. ex Planch. var. <i>pinangianus</i> (Wall. ex Planch.) King <i>Ancistrocladus hainanensis</i> Hayata <i>Ancistrocladus harmandii</i> Gagnep. <i>Ancistrocladus pinangianus</i> Wall. ex Planch. <i>Ancistrocladus stelligerus</i> Wall. ex A.DC. <i>Bembix tectoria</i> Lour.	Magnoliophyta	Ancistrocladaceae	Critically endangered	✓		✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
60.	<i>Aneura ridleii</i> (Schiffner) Stephani	<i>Riccardia ridleii</i> Schiffner	Marchantiophyta	Aneuraceae	Data deficient			✓					
61.	<i>Angiopteris evecta</i> (G.Forst.) Hoffm.	<i>Polypodium evectum</i> G.Forst.	Filicinophyta	Marattiaceae	Vulnerable								✓
62.	<i>Anisophyllea disticha</i> (Jack) Baill.	<i>Anisophyllea rhomboidea</i> Baill. <i>Anisophyllea trapezoidalis</i> (Baill.) Baill. <i>Anisophyllum trapezoidale</i> Baill. <i>Haloragis disticha</i> Jack	Magnoliophyta	Anisophylleaceae	Common				✓	✓		✓	
63.	<i>Anisophyllea griffithii</i> Oliv.		Magnoliophyta	Anisophylleaceae	Critically endangered			✓	✓				
64.	<i>Anodendron candolleanum</i> Wight	<i>Anodendron rubescens</i> (Teijsm. & Binn.) Teijsm. & Binn. <i>Anodendron scandens</i> (Hassk.) Pichon <i>Dendrocharis rubescens</i> Teijsm. & Binn. <i>Ecdysanthera rubescens</i> (Teijsm. & Binn.) Boerl. <i>Ecdysanthera scandens</i> Hassk.	Magnoliophyta	Apocynaceae	Critically endangered						✓	✓	
65.	<i>Anoectochilus geniculatus</i> Ridl.		Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
66.	<i>Antidesma coriaceum</i> Tul.	<i>Antidesma cordatum</i> Airy Shaw <i>Antidesma fallax</i> Müll.Arg. <i>Antidesma minus</i> Wall. <i>Antidesma nitens</i> Pax & K.Hoffm. <i>Antidesma pachyphyllum</i> Merr. <i>Aporosa griffithii</i> Hook.f.	Magnoliophyta	Phyllanthaceae	Vulnerable	✓			✓				
67.	<i>Antidesma cuspidatum</i> Müll.Arg.		Magnoliophyta	Phyllanthaceae	Common	✓	✓	✓	✓	✓	✓		
68.	<i>Antidesma neurocarpum</i> Miq.		Magnoliophyta	Phyllanthaceae	Endangered	✓	✓	✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
69.	<i>Aphanamixis polystachya</i> (Wall.) Parker	<i>Aglaia aphanamixis</i> Pellegr. <i>Aglaia beddomei</i> (Kosterm.) S.S.Jain & R.C.Gaur <i>Aglaia cochinchinensis</i> (Pierre) Pellegr. <i>Aglaia janowskyi</i> Harms <i>Aglaia polystachya</i> Wall. <i>Amoora amboinensis</i> Miq. <i>Amoora beddomei</i> Kosterm. <i>Amoora grandifolia</i> Walp. <i>Aphanamixis agusanensis</i> Elmer <i>Aphanamixis amboinensis</i> (Miq.) Harms <i>Aphanamixis apoensis</i> Elmer <i>Aphanamixis blumei</i> Span. <i>Aphanamixis cochinchinensis</i> Pierre <i>Aphanamixis coriacea</i> Merr. <i>Aphanamixis cumingiana</i> (C.DC.) Harms <i>Aphanamixis davaoensis</i> Elmer <i>Aphanamixis elmeri</i> (Merr.) Merr. <i>Aphanamixis grandiflora</i> Blume <i>Aphanamixis grandifolia</i> Blume <i>Aphanamixis lauterbachii</i> Harms <i>Aphanamixis macrocalyx</i> Harms <i>Aphanamixis myrmecophila</i> (Warb.) Harms <i>Aphanamixis obliquifolia</i> Elmer <i>Aphanamixis perrottetiana</i> A.Juss. <i>Aphanamixis pinatubensis</i> Elmer <i>Aphanamixis polillensis</i> (C.B.Rob.) Merr. <i>Aphanamixis rohituka</i> (Roxb.) Pierre <i>Aphanamixis schlechteri</i> Harms <i>Aphanamixis sinensis</i> F.C.How & T.C.Chen <i>Aphanamixis timorensis</i> A.Juss. <i>Aphanamixis tripetala</i> (Blanco) Merr. <i>Aphanamixis velutina</i> Elmer <i>Canarium vrieseo-teysmannii</i> H.J.Lam <i>Chuniiodendron spicatum</i> Hu <i>Chuniiodendron yunnanense</i> Hu <i>Dysoxylum spiciflorum</i> Zipp. ex Miq.	Magnoliophyta	Meliaceae	Endangered			✓	✓		✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Trichilia tripetala</i> Blanco											
70.	<i>Aphanamixis sumatrana</i> (Miq.) Ridl.	<i>Amoora sumatrana</i> Miq. <i>Ricinocarpodendron sumatranum</i> (Miq.) Mabb.	Magnoliophyta	Meliaceae	Presumed nationally extinct					✓			
71.	<i>Aporosa benthamiana</i> Hook.f.	<i>Aporosa euphlebia</i> Merr. <i>Aporosa grandifolia</i> Merr. <i>Aporosa lunata</i> (Miq.) Kurz var. <i>philippinensis</i> Pax & K.Hoffm. <i>Aporosa stipulosa</i> Merr.	Magnoliophyta	Phyllanthaceae	Vulnerable				✓				
72.	<i>Aporosa confusa</i> Gage	<i>Aporosa mollis</i> Merr.	Magnoliophyta	Phyllanthaceae	Critically endangered	✓		✓					
73.	<i>Aporosa falcifera</i> Hook.f.	<i>Aporosa acuminatissima</i> Merr. <i>Aporosa hosei</i> Merr. <i>Aporosa merrilliana</i> Govaerts & Radcl.-Sm.	Magnoliophyta	Phyllanthaceae	Critically endangered				✓		✓	✓	
74.	<i>Aporosa frutescens</i> Blume	<i>Aporosa fruticosa</i> (Blume) Müll.Arg. <i>Leiocarpus fruticosus</i> Blume	Magnoliophyta	Phyllanthaceae	Common	✓		✓	✓	✓		✓	
75.	<i>Aporosa globifera</i> Hook.f.	<i>Aporosa lophodonta</i> Airy Shaw	Magnoliophyta	Phyllanthaceae	Critically endangered				✓				
76.	<i>Aporosa lucida</i> (Miq.) Airy Shaw var. <i>lucida</i>	<i>Aporosa borneensis</i> Pax & K.Hoffm. <i>Aporosa microsphaera</i> Hook.f. <i>Aporosa miqueliana</i> Müll.Arg.	Magnoliophyta	Phyllanthaceae	Critically endangered				✓		✓	✓	
77.	<i>Aporosa nervosa</i> Hook.f.	<i>Aporosa sphaeridiophora</i> Merr. var. <i>pubescens</i> J.J.Sm.	Magnoliophyta	Phyllanthaceae	Vulnerable							✓	
78.	<i>Aporosa nigricans</i> Hook.f.		Magnoliophyta	Phyllanthaceae	Endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
79.	<i>Aporosa penangensis</i> (Ridl.) Airy Shaw	<i>Aporosa maingayi</i> Hook.f. var. <i>penangensis</i> Ridl.	Magnoliophyta	Phyllanthaceae	Presumed nationally extinct	✓	✓						
80.	<i>Aporosa prainiana</i> King ex Gage		Magnoliophyta	Phyllanthaceae	Vulnerable				✓	✓			
81.	<i>Aporosa subcaudata</i> Pax & K.Hoffm.	<i>Aporosa bracteosa</i> Pax & K.Hoffm.	Magnoliophyta	Phyllanthaceae	Endangered					✓			
82.	<i>Aporosa symplocoides</i> (Hook.f.) Gage	<i>Baccaurea symplocoides</i> Hook.f.	Magnoliophyta	Phyllanthaceae	Common	✓				✓			
83.	<i>Appendicula lucida</i> Ridl.	<i>Podochilus lucidus</i> (Ridl.) Schltr.	Magnoliophyta	Orchidaceae	Presumed nationally extinct				✓				
84.	<i>Aquilaria malaccensis</i> Lam.	<i>Agallochum malaccense</i> (Lam.) Kuntze <i>Aloexylum agallochum</i> Lour. <i>Aquilaria agallocha</i> Roxb. <i>Aquilaria agallocha</i> Roxb. ex DC. <i>Aquilaria agallochum</i> (Lour.) Roxb. ex Finl. <i>Aquilaria moluccensis</i> Oken <i>Aquilaria ovata</i> Cav. <i>Aquilaria secundaria</i> Rumph. ex DC. <i>Aquilariella malaccensis</i> (Lam.) Tiegh.	Magnoliophyta	Thymelaeaceae	Vulnerable	✓	✓					✓	✓
85.	<i>Aquilaria microcarpa</i> Baill.	<i>Aquilaria borneensis</i> (Tiegh.) Gilg <i>Aquilariella borneensis</i> Tiegh. <i>Aquilariella microcarpa</i> (Baill.) Tiegh.	Magnoliophyta	Thymelaeaceae	Critically endangered					✓			
86.	<i>Archidendron clypearia</i> (Jack) I.C.Nielsen	<i>Abarema angulata</i> (Benth.) Kosterm. <i>Abarema clypearia</i> (Jack) "Kosterm., p.p." <i>Abarema clypearia</i> (Jack) Kosterm. <i>Inga clypearia</i> Jack <i>Pithecellobium anquilatum</i> Benth.	Magnoliophyta	Fabaceae	Common	✓		✓	✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Pithecellobium clypearia</i> (Jack) Benth. <i>Pithecellobium clypearia</i> (Jack) Benth. var. <i>acuminatum</i> Gagnep.											
87.	<i>Archidendron contortum</i> (Mart.) I.C.Nielsen	<i>Abarema contorta</i> (C.Mart.) Kosterm. <i>Feuillea contorta</i> (C.Mart.) Kuntze <i>Inga contorta</i> "Graham, nom.nud." <i>Inga finlaysoniana</i> Graham <i>Pithecellobium contortum</i> C.Mart. <i>Pithecellobium contortum</i> (Graham) Mart.	Magnoliophyta	Fabaceae	Vulnerable			✓					
88.	<i>Archidendron ellipticum</i> (Blume) I.C.Nielsen	<i>Abarema elliptica</i> (Blume) Kosterm. <i>Albizia fasciculata</i> (Benth.) "Kurz, p.p." <i>Inga elliptica</i> Blume <i>Pithecellobium ellipticum</i> (Blume) Hassk. <i>Pithecellobium fasciculatum</i> Benth.	Magnoliophyta	Fabaceae	Vulnerable	✓	✓		✓	✓			
89.	<i>Archidendron microcarpum</i> (Benth.) I.C.Nielsen	<i>Abarema microcarpum</i> (Benth.) Kosterm. <i>Feuillea microcarpa</i> (Benth.) Kuntze <i>Inga bubalina</i> ("ensu auct., non (Jack") Wall. <i>Pithecellobium bigeminum</i> (L.) Mart. var. <i>bubalina</i> ("ensu auct., non (Jack") Benth. <i>Pithecellobium bubalina</i> ("ensu auct., non (Jack") Benth. <i>Pithecellobium elmeri</i> "Ridl., p.p." <i>Pithecellobium microcarpum</i> Benth. <i>Pithecellobium motleyanum</i> sensu Merr. <i>Pithecellobium oppositum</i> ("ensu auct., non (Miq.") Miq.	Magnoliophyta	Fabaceae	Endangered	✓		✓	✓	✓		✓	
90.	<i>Ardisia eximia</i> Miq.	<i>Tinus eximia</i> (Miq.) Kuntze	Magnoliophyta	Myrsinaceae	Presumed nationally extinct			✓					
91.	<i>Ardisia miqueliana</i> Scheff.		Magnoliophyta	Myrsinaceae	Critically endangered	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
92.	<i>Ardisia paniculata</i> Roxb.	<i>Ardisia anceps</i> Blume <i>Ardisia blumei</i> A.DC. <i>Ardisia colorata</i> Link <i>Ardisia doca</i> Buch.-Ham. ex A.DC. <i>Ardisia ovata</i> Thunb. <i>Ardisia polyneura</i> Miq. <i>Ardisia pyramidalis</i> Roth <i>Ardisia rothii</i> A.DC. <i>Ardisia volubilis</i> Wall. ex Steud. <i>Tinus paniculata</i> (Roxb.) Kuntze	Magnoliophyta	Myrsinaceae	Common	✓	✓	✓	✓			✓	
93.	<i>Ardisia purpurea</i> Reinw. ex Blume	<i>Ardisia boissieri</i> A.DC. <i>Ardisia clementis</i> Elmer <i>Ardisia hasseltii</i> Blume ex Scheff. <i>Ardisia hasseltii</i> Blume ex Scheff. var. <i>borneensis</i> Scheff. <i>Ardisia lanaensis</i> Mez <i>Ardisia lanceolata</i> Roxb. <i>Ardisia lanceolata</i> Roxb.var. <i>asahanensis</i> C.M.Hu <i>Ardisia leschenaultii</i> A.DC. <i>Ardisia mucronata</i> Blume <i>Ardisia nitidula</i> Mez <i>Ardisia plagioneura</i> Scheff. <i>Ardisia sarasinii</i> Mez <i>Ardisia speciosa</i> Blume <i>Ardisia sumbavana</i> Miq. <i>Ardisia tenuiramis</i> Miq. <i>Tinus lanceolata</i> (Roxb.) Kuntze <i>Tinus plagioneura</i> (Scheff.) Kuntze <i>Tinus sumbavana</i> (Miq.) Kuntze <i>Tinus tenuiramis</i> (Miq.) Kuntze	Magnoliophyta	Myrsinaceae	Critically endangered								✓
94.	<i>Ardisia sanguinolenta</i> Blume	<i>Ardisia anceps</i> Wall. <i>Ardisia calothyrsa</i> Scheff. <i>Ardisia colorata</i> Roxb. <i>Ardisia colorata</i> Roxb. var. <i>complanata</i> C.B.Clarke	Magnoliophyta	Myrsinaceae	Critically endangered								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ardisia colorata</i> Roxb. var. <i>elliptica</i> King & Gamble <i>Ardisia colorata</i> Roxb. var. <i>polyneura</i> C.B.Clarke <i>Ardisia colorata</i> Roxb. var. <i>salicifolia</i> King & Gamble <i>Ardisia complanata</i> Wall. <i>Ardisia confinis</i> Miq. <i>Ardisia grandiflora</i> Wall. <i>Ardisia insularis</i> Mez <i>Ardisia jambosioides</i> Miq. <i>Ardisia linearifolia</i> Miq. <i>Ardisia stylosa</i> Miq. <i>Ardisia zollingeri</i> A.DC. <i>Tinus confinis</i> (Miq.) Kuntze <i>Tinus jambosiodes</i> (Miq.) Kuntze <i>Tinus linearifolia</i> (Miq.) Kuntze <i>Tinus stylosa</i> (Miq.) Kuntze											
95.	<i>Ardisia sessilis</i> Scheff.	<i>Tinus sessilis</i> (Scheff.) Kuntze	Magnoliophyta	Myrsinaceae	Presumed nationally extinct	✓							
96.	<i>Ardisia teysmanniana</i> Scheff.		Magnoliophyta	Myrsinaceae	Endangered	✓		✓	✓			✓	
97.	<i>Ardisia tuberculata</i> Wall. ex A.DC.	<i>Ardisia chrysophylloides</i> Miq.	Magnoliophyta	Myrsinaceae	Critically endangered			✓					
98.	<i>Ardisia villosa</i> Roxb.	<i>Ardisia coccinea</i> Jungh. <i>Ardisia dolichosepala</i> Merr. <i>Ardisia dumetosa</i> Tutcher <i>Ardisia glabrata</i> Blume <i>Ardisia mollis</i> Blume <i>Ardisia stenosepala</i> Merr. <i>Ardisia tavoyana</i> A.DC. <i>Ardisia tawaensis</i> Masam.	Magnoliophyta	Myrsinaceae	Critically endangered	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ardisia vestita</i> Wall. <i>Ardisia villosa</i> Roxb. var. <i>glabrata</i> (Blume) Kurz <i>Ardisia villosa</i> Roxb. var. <i>latifolia</i> E.Walker <i>Ardisia villosa</i> Roxb. var. <i>oblanceolata</i> E.Walker											
99.	<i>Arfeuillea arborescens</i> Pierre ex Radlk.	<i>Koelreuteria arborescens</i> Pierre	Magnoliophyta	Sapindaceae	Exotic					✓			
100.	<i>Argyreia ridleyi</i> Prain. ex Oostr.		Magnoliophyta	Convolvul- aceae	Critically endangered			✓	✓				
101.	<i>Artabotrys costatus</i> King		Magnoliophyta	Annonaceae	Vulnerable	✓			✓		✓		
102.	<i>Artabotrys suaveolens</i> (Blume) Blume	<i>Artabotrys blumei</i> Hook.f. & Thomson <i>Artabotrys corniculatus</i> (Blanco) Merr. <i>Artabotrys monogynus</i> Merr. <i>Artabotrys parviflorus</i> Miq. <i>Artabotrys rolfei</i> S.Vidal <i>Artabotrys suaveolens</i> (Blume) Blume var. <i>parviflorus</i> (Miq.) Miq. <i>Artabotrys trigynus</i> Merr. <i>Unona corniculata</i> Blanco <i>Unona suaveolens</i> Blume	Magnoliophyta	Annonaceae	Endangered	✓			✓	✓	✓	✓	
103.	<i>Artabotrys wrayi</i> King		Magnoliophyta	Annonaceae	Endangered				✓				
104.	<i>Arthrophyllum</i> <i>diversifolium</i> Blume	<i>Arthrophyllum dilatatum</i> Miq. <i>Dendropanax ovatus</i> (Blume) Seem. <i>Hedera ovata</i> Wall. ex G.Don	Magnoliophyta	Araliaceae	Common				✓			✓	
105.	<i>Artocarpus altilis</i> (Parkinson) Fosberg	<i>Artocarpus altilis</i> (Parkinson) Fosberg var. <i>non- seminiferus</i> (Duss) Fournet <i>Artocarpus altilis</i> (Parkinson) Fosberg var. <i>seminiferus</i> (Duss) Fournet <i>Artocarpus communis</i> J.R.Forst. & G.Forst. <i>Artocarpus incisifolius</i> Stokes	Magnoliophyta	Moraceae	Exotic							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Artocarpus incisus</i> (Thunb.) L.f. <i>Artocarpus incisus</i> (Thunb.) L.f. var. <i>non-seminiferus</i> Duss <i>Artocarpus incisus</i> (Thunb.) L.f. var. <i>seminiferus</i> Duss <i>Artocarpus laevis</i> Hassk. <i>Artocarpus papuanus</i> Diels <i>Artocarpus rima</i> Blanco <i>Radermachia incisa</i> Thunb. <i>Saccus laevis</i> Kuntze <i>Sitodium altile</i> Parkinson ex F.A.Zorn											
106.	<i>Artocarpus anisophyllus</i> Miq.	<i>Artocarpus superbus</i> Becc. <i>Saccus anisophyllus</i> Kuntze	Magnoliophyta	Moraceae	Endangered				✓			✓	
107.	<i>Artocarpus dadah</i> Miq.	<i>Antiaris palembanica</i> Miq. <i>Artocarpus erythrocarpus</i> Korth. ex Miq. <i>Artocarpus inconstantissimus</i> (Miq.) Miq. <i>Artocarpus lakoocha</i> Roxb. var. <i>malayanus</i> King <i>Artocarpus mollis</i> Miq. <i>Artocarpus peltatus</i> Merr. <i>Artocarpus reniformis</i> Becc. <i>Artocarpus rufa</i> Miq. <i>Artocarpus rufescens</i> Miq. <i>Artocarpus tampang</i> Miq. <i>Ficus inconstantissima</i> Miq. <i>Ficus tampang</i> Miq. <i>Saccus dadah</i> Kuntze	Magnoliophyta	Moraceae	Endangered		✓	✓	✓				
108.	<i>Artocarpus elasticus</i> Reinw. ex Blume	<i>Artocarpus blumei</i> Trécul <i>Artocarpus kunstleri</i> King <i>Artocarpus scortechinii</i> King <i>Saccus blumei</i> Kuntze <i>Saccus elasticus</i> Kuntze	Magnoliophyta	Moraceae	Common				✓	✓		✓	O&T

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
109.	<i>Artocarpus fulvicortex</i> F.M.Jarrett		Magnoliophyta	Moraceae	Critically endangered	✓		✓					
110.	<i>Artocarpus hispidus</i> F.M.Jarrett		Magnoliophyta	Moraceae	Critically endangered				✓				
111.	<i>Artocarpus integer</i> (Thunb.) Merr.	<i>Artocarpus champeden</i> (Lour.) Stokes <i>Artocarpus hirsutissimus</i> Kurz <i>Artocarpus integrifolius</i> L.f. <i>Artocarpus jaca</i> Miq. <i>Artocarpus pilosus</i> Reinw. ex Miq. <i>Artocarpus polyphemus</i> Pers. <i>Polyphema champeden</i> Lour. <i>Saccus integer</i> Kuntze	Magnoliophyta	Moraceae	Exotic							✓	
112.	<i>Artocarpus integer</i> (Thunb.) Merr. var. <i>silvestris</i> Corner		Magnoliophyta	Moraceae	Critically endangered				✓				
113.	<i>Artocarpus kemando</i> Miq.	<i>Artocarpus brunneifolius</i> S.Moore <i>Saccus kemando</i> Kuntze	Magnoliophyta	Moraceae	Endangered	✓	✓		✓	✓		✓	
114.	<i>Artocarpus lowii</i> King	<i>Saccus lowii</i> Kuntze	Magnoliophyta	Moraceae	Critically endangered			✓					
115.	<i>Artocarpus rigidus</i> Blume	<i>Artocarpus cuspidatus</i> Griff. <i>Artocarpus dimorphophyllus</i> Miq. <i>Artocarpus echinatus</i> Roxb. <i>Artocarpus kertau</i> Zoll. ex Miq. <i>Artocarpus muricatus</i> Hunter ex Ridl. <i>Artocarpus rotundus</i> (Houtt.) Panz. <i>Artocarpus varians</i> Miq. <i>Saccus dimorphophyllus</i> Kuntze <i>Saccus rigidus</i> Kuntze <i>Saccus varians</i> Kuntze	Magnoliophyta	Moraceae	Vulnerable				✓		✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
116.	<i>Arytera littoralis</i> Blume		Magnoliophyta	Sapindaceae	Critically endangered			✓					
117.	<i>Asclepias curassavica</i> L.	<i>Asclepias aurantiaca</i> Salisb. <i>Asclepias bicolor</i> Moench <i>Asclepias cubensis</i> Wender. <i>Asclepias curassavica</i> L. var. <i>concolor</i> Krug & Urb. <i>Asclepias curassavica</i> L.f. <i>flaviflora</i> Tawada <i>Asclepias margaritacea</i> Hoffmanns. ex Schult. <i>Asclepias nivea</i> L. var. <i>curassavica</i> (L.) Kuntze	Magnoliophyta	Apocynaceae	Exotic			✓					
118.	<i>Aspidopterys concava</i> (Wall.) Juss.	<i>Aspidopterys concava</i> (Wall.) Juss. var. <i>sumatrana</i> Nied. <i>Hiraea concava</i> Wall. <i>Hiraea merguensis</i> Wight	Magnoliophyta	Malpighiaceae	Endangered	✓		✓	✓			✓	
119.	<i>Asplenium batuense</i> Alderw.		Filicinophyta	Aspleniaceae	Endangered	✓							
120.	<i>Asplenium macrophyllum</i> Sw.	<i>Asplenium capuronii</i> Tardieu	Filicinophyta	Aspleniaceae	Presumed nationally extinct	✓							
121.	<i>Asplenium nidus</i> L.	<i>Asplenium antiquum</i> Makino <i>Asplenium australasicum</i> (J.Sm.) Hook. <i>Asplenium ficifolium</i> Goldm. <i>Neottopteris antiqua</i> (Makino) Masam. <i>Neottopteris australasica</i> J.Sm. <i>Neottopteris mauritiana</i> Fée <i>Neottopteris musaefolia</i> J.Sm. <i>Neottopteris nidus</i> (L.) J.Sm. <i>Neottopteris rigida</i> Fée <i>Thamnopteris nidus</i> (L.) C.Presl	Filicinophyta	Aspleniaceae	Common			✓		✓		✓	
122.	<i>Atuna racemosa</i> Rafin.	<i>Parinarium asperulum</i> Miq.	Magnoliophyta	Chrysobalanaceae	Critically endangered	✓		✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
123.	<i>Baccaurea bracteata</i> Müll.Arg.	<i>Baccaurea bracteata</i> Müll.Arg. var. <i>crassifolia</i> (J.J.Sm.) Airy Shaw <i>Baccaurea crassifolia</i> J.J.Sm. <i>Sapium sterculiaceum</i> Wall.	Magnoliophyta	Phyllanthaceae	Critically endangered				✓	✓		✓	
124.	<i>Baccaurea minor</i> Hook.f.	<i>Aporosa bilitonensis</i> Pax & K.Hoffm. <i>Baccaurea pendula</i> Merr.	Magnoliophyta	Phyllanthaceae	Critically endangered	✓	✓		✓			✓	
125.	<i>Baccaurea parviflora</i> (Müll.Arg.) Müll.Arg.	<i>Baccaurea affinis</i> Müll.Arg. <i>Baccaurea rostrata</i> Merr. <i>Baccaurea scortechinii</i> Hook.f. <i>Baccaurea singaporica</i> Pax & K.Hoffm. <i>Pierardia dasystachya</i> Miq. <i>Pierardia parviflora</i> Müll.Arg.	Magnoliophyta	Phyllanthaceae	Common	✓	✓		✓	✓	✓	✓	
126.	<i>Baccaurea polyneura</i> Hook.f.	<i>Baccaurea cordata</i> Merr. <i>Baccaurea hookeri</i> Gage <i>Baccaurea kunstleri</i> King ex Gage	Magnoliophyta	Phyllanthaceae	Endangered	✓	✓		✓	✓			
127.	<i>Baccaurea racemosa</i> (Reinw.) Müll.Arg.	<i>Baccaurea bhaswatii</i> Chakrab. & M.Gangop. <i>Baccaurea wallichii</i> Hook.f. <i>Coccomelia racemosa</i> Reinw. ex Blume <i>Coccomelia racemosa</i> Reinw. <i>Pierardia racemosa</i> (Reinw. ex Blume) Blume	Magnoliophyta	Phyllanthaceae	Endangered	✓	✓						
128.	<i>Baccaurea reticulata</i> Hook.f.		Magnoliophyta	Phyllanthaceae	Critically endangered				✓	✓			
129.	<i>Baccaurea sumatrana</i> (Miq.) Müll.Arg.	<i>Baccaurea bivalvis</i> Merr. <i>Baccaurea kingii</i> Gage <i>Calypatroon sumatranum</i> Miq.	Magnoliophyta	Phyllanthaceae	Vulnerable				✓			✓	
130.	<i>Barclaya motleyi</i> Hook.f.	<i>Barclaya hirta</i> (Kurz ex Teijsm. & Binn.) Miq. <i>Barclaya kunstleri</i> (King) Ridl. <i>Barclaya motleyi</i> Hook.f. var. <i>kunstleri</i> King <i>Barclaya rotundifolia</i> M.Hotta	Magnoliophyta	Nymphaeaceae	Critically endangered								NIS

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Hydrostemma kunstleri</i> (Ridl.) B.C.Stone <i>Hydrostemma motleyi</i> (Hook.f.) Mabb. <i>Nymphaea hirta</i> Kurz ex Teijsm. & Binn.											
131.	<i>Barringtonia conoidea</i> Griff.	<i>Barringtonia alata</i> (Miers) Wall. ex R.Knuth <i>Butonica alata</i> Miers <i>Michelia conoidea</i> (Griff.) Kuntze	Magnoliophyta	Lecythidaceae	Presumed nationally extinct			✓					
132.	<i>Bauhinia semibifida</i> Roxb. var. <i>semibifida</i>	<i>Bauhinia borneensis</i> Merr. <i>Phanera sumatrana</i> Miq.	Magnoliophyta	Fabaceae	Vulnerable	✓			✓	✓	✓	✓	
133.	<i>Beilschmiedia kunstleri</i> Gamble		Magnoliophyta	Lauraceae	Critically endangered	✓	✓		✓			✓	
134.	<i>Beilschmiedia madang</i> Blume	<i>Beilschmiedia curtisii</i> Gamble <i>Beilschmiedia malaccensis</i> (Meisn.) Hook.f. <i>Beilschmiedia roxburgiana</i> Nees var. <i>malaccensis</i> Meisn. <i>Beilschmiedia scortechinii</i> Gamble <i>Haasia peduncularis</i> Teijsm. & Binn. ex Miq. <i>Laurus madang</i> Blume <i>Laurus martinicensis</i> Blanco <i>Polyadenia madang</i> (Blume) Nees	Magnoliophyta	Lauraceae	Endangered		✓					✓	
135.	<i>Bhesa paniculata</i> Arn.		Magnoliophyta	Celastraceae	Common	✓	✓	✓	✓	✓	✓	✓	
136.	<i>Bhesa robusta</i> (Roxb.) Ding Hou	<i>Bhesa moja</i> Buch.-Ham. <i>Celastrus robustus</i> Roxb. <i>Kurrimia robusta</i> (Roxb.) Kurz <i>Kurrimia sinica</i> Hung T.Chang & S.Ye Liang <i>Sarcosperma tonkinense</i> Lecomte	Magnoliophyta	Celastraceae	Vulnerable	✓	✓					✓	
137.	<i>Blechnum finlaysonianum</i> Wall. ex Hook. & Grev.		Filicinophyta	Blechnaceae	Vulnerable	✓						✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
138.	<i>Blumea balsamifera</i> (L.) DC.	<i>Baccharis balsamifera</i> Stokes <i>Baccharis gratissima</i> Blume ex DC. <i>Baccharis salvia</i> Lour. <i>Blumea appendiculata</i> DC. <i>Blumea balsamifera</i> (L.) DC. var. <i>microcephala</i> Kitam. <i>Blumea grandis</i> DC. <i>Blumea zollingeriana</i> (Turcz./Sch.Bip.) C.B.Clarke <i>Conyza appendiculata</i> Blume <i>Conyza balsamifera</i> L. <i>Conyza saxatilis</i> Zoll. ex C.B.Clarke <i>Pluchea appendiculata</i> (DC.) Zoll. & Mor. <i>Pluchea balsamifera</i> (L.) Less.	Magnoliophyta	Asteraceae	Cryptogenic					✓			
139.	<i>Blumea riparia</i> (Blume) DC.	<i>Blumea chinensis</i> (L.) DC. var. <i>riparia</i> (DC.) King & Gamble <i>Blumea megacephala</i> <i>Blumea riparia</i> (Blume) DC. f. <i>angustifolia</i> H.Kost. <i>Blumea riparia</i> (Blume) DC. var. <i>megacephala</i> Randeria <i>Leveillea riparia</i> (DC.) Vaniot	Magnoliophyta	Asteraceae	Common				✓				
140.	<i>Blumeodendron tokbrai</i> (Blume) Kurz	<i>Blumeodendron elateriospermum</i> J.J.Sm. <i>Elateriospermum tokbrai</i> Blume <i>Mallotus tokbrai</i> (Blume) Müll.Arg. <i>Rottlera tokbrai</i> (Blume) Scheff.	Magnoliophyta	Euphorbiaceae	Vulnerable	✓	✓	✓				✓	
141.	<i>Blyxa aubertii</i> Rich. var. <i>aubertii</i>	<i>Blyxa ceylanica</i> Hook.f. <i>Blyxa ecaudata</i> Hayata <i>Blyxa graminea</i> Steud. <i>Blyxa griffithii</i> Planch. ex Hook.f. <i>Blyxa malayana</i> Ridl. <i>Blyxa muricata</i> Koidz. <i>Blyxa oryzetorum</i> (Decne.) Hook.f. <i>Blyxa zeylanica</i> Hook.f. <i>Diplosiphon oryzetorum</i> Decne.	Magnoliophyta	Hydrocharitaceae	Cryptogenic			✓	✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
142.	<i>Blyxa japonica</i> (Miq.) Maxim. var. <i>alternifolia</i> (Miq.) C.D.K.Cook & Luond	<i>Blyxa alternifolia</i> (Miq.) Hartog <i>Blyxa angustipetala</i> (Ridl.) Masam. <i>Enhydrias angustipetala</i> Ridl. <i>Hydrilla alternifolia</i> Miq.	Magnoliophyta	Hydrocharitaceae	Cryptogenic				✓				
143.	<i>Blyxa japonica</i> (Miq.) Maxim. var. <i>japonica</i>	<i>Blyxa angustipetala</i> (Ridl.) Masam. var. <i>laevissima</i> (Hayata) Masam. <i>Blyxa caulescens</i> Maxim. ex Matsum. <i>Blyxa laevissima</i> Hayata <i>Blyxa leiocarpa</i> Maxim. ex Matsum. <i>Blyxa leiosperma</i> Koidz. <i>Diplosiphon caulescens</i> Maxim. ex Matsum. <i>Diplosiphon leiocarpa</i> Maxim. ex Matsum. <i>Enhydrias angustipetala</i> Ridl. var. <i>latifolia</i> Ridl.	Magnoliophyta	Hydrocharitaceae	Critically endangered					✓			
144.	<i>Brackenridgea elegantissima</i> (Wall.) Kanis	<i>Brackenridgea denticulata</i> Furtado <i>Brackenridgea hookeri</i> (Planck) A.Gray <i>Gomphia hookeri</i> Planch. <i>Ouratea hookeri</i> (Planch.) Burkill	Magnoliophyta	Ochnaceae	Critically endangered				✓				
145.	<i>Brackenridgea palustris</i> Bartell.	<i>Brackenridgea corymbosa</i> (King) Tiegh. <i>Brackenridgea hookeri</i> (Planck) A.Gray var. <i>leucocarpa</i> Scheff. <i>Brackenridgea kingii</i> Tiegh. <i>Brackenridgea rubescens</i> Tiegh. <i>Brackenridgea serrulata</i> Bartell. <i>Gomphia corymbosa</i> (King) Ridl. <i>Gomphia hookeri</i> Planch. var. <i>corymbosa</i> King	Magnoliophyta	Ochnaceae	Critically endangered	✓		✓					
146.	<i>Breynia discigera</i> Müll.Arg.	<i>Breynia rhamnoides</i> (Retz.) Müll.Arg. var. <i>pubescens</i> (Müll.Arg.) Müll.Arg. <i>Melanthesa racemosa</i> Blume var. <i>pubescens</i> Müll.Arg. <i>Melanthesa rhamnoides</i> (Retz.) Blume var. <i>pubescens</i> Müll.Arg.	Magnoliophyta	Phyllanthaceae	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
147.	<i>Breynia racemosa</i> (Blume) Müll.Arg.	<i>Breynia acuminata</i> (Müll.Arg.) Müll.Arg. <i>Breynia racemosa</i> (Blume) Müll.Arg. var. <i>aromatica</i> Airy Shaw <i>Breynia racemosa</i> (Blume) Müll.Arg. var. <i>concolor</i> Müll.Arg. <i>Breynia reclinata</i> (Roxb.) Hook.f. <i>Breynia rhamnoides</i> (Retz.) Müll.Arg. var. <i>hypoglauca</i> (Müll.Arg.) Müll.Arg <i>Melanthesa acuminata</i> Müll.Arg. <i>Melanthesa racemosa</i> Blume <i>Melanthesa reclinata</i> (Roxb.) Müll.Arg. <i>Melanthesa rhamnoides</i> (Retz.) Blume var. <i>hypoglauca</i> Müll.Arg. <i>Melanthesopsis fruticosa</i> Müll.Arg. <i>Melanthesopsis lucens</i> Müll.Arg. <i>Phyllanthus racemifer</i> Steud. <i>Phyllanthus reclinatus</i> Roxb. <i>Phyllanthus rhamnoides</i> Bojer ex Müll.Arg.	Magnoliophyta	Phyllanthaceae	Common				✓				
148.	<i>Bridelia cinnamomea</i> Hook.f.	<i>Bridelia gehrmannii</i> Jabl. <i>Bridelia griffithii</i> Hook.f. <i>Bridelia griffithii</i> Hook.f. var. <i>cinnamomea</i> (Hook.f.) Gehrm.	Magnoliophyta	Phyllanthaceae	Presumed nationally extinct				✓	✓			
149.	<i>Bridelia pustulata</i> Hook.f.		Magnoliophyta	Phyllanthaceae	Critically endangered				✓				
150.	<i>Bridelia tomentosa</i> Blume	<i>Amanoa tomentosa</i> Baill. <i>Bridelia glabrifolia</i> Merr. <i>Bridelia lancifolia</i> Roxb. <i>Bridelia nayarii</i> P.Basu <i>Bridelia phyllanthoides</i> W.Fitzg. <i>Bridelia rhamnoides</i> Griff. <i>Bridelia tomentosa</i> Blume var. <i>chinensis</i> Müll.Arg. <i>Bridelia tomentosa</i> Blume var. <i>chinensis</i> (Müll.Arg.) Gehrm.	Magnoliophyta	Phyllanthaceae	Common				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Bridelia tomentosa</i> Blume var. <i>eriantha</i> Airy Shaw <i>Bridelia tomentosa</i> Blume var. <i>glabrescens</i> Benth. <i>Bridelia tomentosa</i> Blume var. <i>glabrifolia</i> (Merr.) Airy Shaw <i>Bridelia tomentosa</i> Blume var. <i>lancifolia</i> (Roxb.) Müll.Arg. <i>Bridelia tomentosa</i> Blume var. <i>nayarii</i> (P.Basu) Chakrab., M.Gangop. & N.P.Balakr. <i>Bridelia tomentosa</i> Blume var. <i>ovoidea</i> Benth. <i>Bridelia tomentosa</i> Blume var. <i>ramnoides</i> (Griff.) Müll.Arg. <i>Bridelia tomentosa</i> Blume var. <i>trichadenia</i> Müll.Arg. <i>Bridelia urticoides</i> Griff. <i>Phyllanthus loureiroi</i> Müll.Arg.											
151.	<i>Bromheadia finlaysoniana</i> (Lindl.) Miq.	<i>Bromheadia finlaysoniana</i> (Lindl.) Miq. var. <i>palustris</i> (Lindl.) J.J.Sm. <i>Bromheadia palustris</i> Lindl. <i>Bromheadia palustris</i> Lindl. var. <i>papuana</i> J.J.Sm. <i>Bromheadia sylvestris</i> Ridl. <i>Coelogyne caulescens</i> Griff. <i>Grammatophyllum finlaysonianum</i> Lindl.	Magnoliophyta	Orchidaceae	Common								✓
152.	<i>Bromheadia truncata</i> Seidenf.		Magnoliophyta	Orchidaceae	Presumed nationally extinct				✓				
153.	<i>Bruguiera cylindrica</i> (L.) Blume	<i>Bruguiera caryophyllaeoides</i> (J.F.Gmel.) Blume <i>Bruguiera caryophylloides</i> (Burm.f.) Blume <i>Bruguiera malabarica</i> Arn. <i>Rhizophora caryophylloides</i> Burm.f. <i>Rhizophora cylindrica</i> L.	Magnoliophyta	Rhizophoraceae	Common				✓				
154.	<i>Bryum coronatum</i> Schwägr.	<i>Bryum balanocarpum</i> Besch. <i>Bryum barbulaceum</i> Müll.Hal.	Bryophyta	Bryaceae	Common				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Bryum eurystomum</i> Renauld & Cardot											
		<i>Bryum mariei</i> Besch.											
		<i>Bryum microbalanum</i> Cardot											
		<i>Bryum microdecurrens</i> E.Britton											
		<i>Bryum rufinerve</i> Müll.Hal.											
		<i>Bryum usambaricum</i> Broth.											
		<i>Bryum zygodontoides</i> Müll.Hal.											
155.	<i>Buchanania arborescens</i> (Blume) Blume	<i>Buchanania angustifolia</i> Benth. <i>Buchanania arborescens</i> F.Muell. <i>Buchanania attopeuensis</i> (Pierre) Tardieu <i>Buchanania bancana</i> Miq. <i>Buchanania decandra</i> Blanco <i>Buchanania florida</i> A.Gray <i>Buchanania florida</i> A.Gray var. <i>arborescens</i> Engl. <i>Buchanania florida</i> A.Gray var. <i>arborescens</i> Pierre <i>Buchanania florida</i> A.Gray var. <i>attopeuensis</i> Pierre <i>Buchanania florida</i> A.Gray var. <i>cumingii</i> Engl. <i>Buchanania florida</i> A.Gray var. <i>dongnaiensis</i> Pierre <i>Buchanania florida</i> A.Gray var. <i>lucida</i> (Blume) Engl. <i>Buchanania florida</i> A.Gray var. <i>petiolaris</i> (Miq.) Engl. <i>Buchanania glaberrima</i> Ridl. <i>Buchanania intermedia</i> Wight <i>Buchanania longifolia</i> Span. <i>Buchanania longifolia</i> Blume <i>Buchanania lucida</i> Blume <i>Buchanania lucida</i> Blume var. <i>laxiflora</i> Ridl. <i>Buchanania lucida</i> Blume var. <i>polembanica</i> (Blume) Miq. <i>Buchanania monticola</i> Kaneh. & Hatus. <i>Buchanania muelleri</i> Engl. <i>Buchanania nabirensis</i> Kaneh. & Hatus. <i>Buchanania novohibernica</i> Lauterb. <i>Buchanania palembanica</i> Blume	Magnoliophyta	Anacardiaceae	Common			✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Buchanania papuana</i> C.T.White <i>Buchanania petiolaris</i> Miq. <i>Buchanania platyphylla</i> Merr. <i>Buchanania polybotrya</i> Miq. <i>Buchanania pseudoflorida</i> G.Perkins <i>Buchanania scandens</i> Lauterb. <i>Buchanania solomonensis</i> Merr. & L.M.Perry <i>Buchanania subobovata</i> Griff. <i>Buchanania versteeghii</i> Merr. & L.M.Perry <i>Coniogeton arborescens</i> Blume											
156.	<i>Buchanania sessilifolia</i> Blume		Magnoliophyta	Anacardiaceae	Vulnerable	✓	✓			✓			
157.	<i>Bulbophyllum apodum</i> Hook.f.	<i>Bulbophyllum ebulbum</i> King & Pantl. <i>Bulbophyllum saccatum</i> Kraenzl. <i>Bulbophyllum spathaceum</i> Rolfe <i>Bulbophyllum vaginulosum</i> Carr <i>Bulbophyllum vidalii</i> Tixier <i>Phyllorchis apoda</i> (Hook.f.) Kuntze <i>Phyllorkis apoda</i> (Hook.f.) Kuntze	Magnoliophyta	Orchidaceae	Critically endangered				✓				
158.	<i>Bulbophyllum blumei</i> (Lindl.) J.J.Sm.	<i>Bulbophyllum cuspidilingue</i> Rchb.f. <i>Bulbophyllum ehippium</i> Ridl. <i>Bulbophyllum masdevalliaceum</i> Kraenzl. <i>Bulbophyllum maxillare</i> (Lindl.) Rchb.f. <i>Cirrhopetalum blumei</i> Lindl. <i>Cirrhopetalum maxillare</i> Lindl. <i>Ehippium ciliatum</i> Blume <i>Ehippium masdevalliaceum</i> (Kraenzl.) M.A.Clem. & D.L.Jones <i>Phyllorchis maxillaris</i> (Lindl.) Kuntze <i>Phyllorchis maxillaris</i> (Rchb.f.) Kuntze <i>Phyllorkis blumei</i> (Lindl.) Kuntze <i>Phyllorkis maxillaris</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore								
						A	B	C	D	E	F	G	H
159.	<i>Bulbophyllum clandestinum</i> Lindl.	<i>Bulbophyllum bolovenense</i> Guillaumin <i>Bulbophyllum myrianthum</i> Schltr. <i>Bulbophyllum ovalifolium</i> (Wight) E.C.Parish <i>Bulbophyllum sessile</i> (Kuntze) J.J.Sm. <i>Bulbophyllum sparsifolium</i> Schltr. <i>Bulbophyllum trisetosum</i> Griff. <i>Epidendrum sessile</i> J.König <i>Oxysepalum ovalifolium</i> Wight <i>Phyllorkis sessilis</i> Kuntze	Magnoliophyta	Orchidaceae				✓	✓				NIS
160.	<i>Bulbophyllum concinnum</i> Hook.f.	<i>Phyllorchis concinna</i> (Hook.f.) Kuntze <i>Phyllorkis concinna</i> (Hook.f.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
161.	<i>Bulbophyllum flabellum-veneris</i> (J.König) Aver.	<i>Bulbophyllum flabellovenaris</i> (J.König) Seidenf. & Ormerod ex Aver. <i>Bulbophyllum gamosepalum</i> (Griff.) J.J.Sm. <i>Bulbophyllum griffithianum</i> E.C.Parish & Rchb.f. <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. var. <i>angustum</i> Ridl. <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. var. <i>insigne</i> J.J.Sm. <i>Bulbophyllum rolfeanum</i> (Rolfe ex Downie) Seidenf. & Smitinand <i>Bulbophyllum umbellatum</i> J.J.Sm. <i>Bulbophyllum viscidum</i> J.J.Sm. <i>Cirrhopetalum ciliatum</i> Klinge <i>Cirrhopetalum flabellum-veneris</i> (J.König) Seidenf. & Ormerod <i>Cirrhopetalum gagnepainii</i> Guillaumin <i>Cirrhopetalum gamosepalum</i> Griff. <i>Cirrhopetalum lepidum</i> (Blume) Schltr. <i>Cirrhopetalum siamense</i> Rolfe ex Downie <i>Cirrhopetalum stramineum</i> Teijsm. & Binn. var. <i>purpureum</i> Gagnep.	Magnoliophyta	Orchidaceae	Critically endangered			✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Cirrhopetalum viscidum</i> (J.J.Sm.) Garay, Hamer & Siegerist <i>Ephippium lepidum</i> Blume <i>Epidendrum flabellum-veneris</i> J.König <i>Phyllorchis gamosepala</i> (Griff.) Kuntze <i>Phyllorchis rolfei</i> Kuntze <i>Phyllorkis gamosepala</i> (Griff.) Kuntze											
162.	<i>Bulbophyllum gusdorfii</i> J.J.Sm.	<i>Bulbophyllum gusdorfii</i> J.J.Sm. var. <i>johorensis</i> Holttum <i>Cirrhopetalum gusdorfii</i> (J.J.Sm.) Garay, Hamer & Siegerist <i>Cirrhopetalum gusdorfii</i> (J.J.Sm.) Garay et al. var. <i>johorensis</i> (Holttum) Garay et al.	Magnoliophyta	Orchidaceae	Critically endangered	✓							
163.	<i>Bulbophyllum macranthum</i> Lindl.	<i>Bulbophyllum cochinchinense</i> Gagnep. <i>Bulbophyllum purpureum</i> Náves <i>Carpromorpha macrantha</i> (Lindl.) M.A.Clem. & D.L.Jones <i>Phyllorkis macrantha</i> (Lindl.) Kuntze <i>Sarcopodium macranthum</i> (Lindl.) Lindl. & Paxton <i>Sarcopodium purpureum</i> Rchb.f.	Magnoliophyta	Orchidaceae	Critically endangered	✓							
164.	<i>Bulbophyllum medusae</i> (Lindl.) Rchb.f.	<i>Cirrhopetalum medusae</i> Lindl. <i>Phyllorchis medusae</i> (Lindl.) Kuntze <i>Phyllorkis medusae</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
165.	<i>Bulbophyllum ovalifolium</i> (Blume) Lindl.	<i>Bulbophyllum ovatilabellum</i> Seidenf. <i>Bulbophyllum parvulum</i> Lindl. <i>Bulbophyllum tineae</i> Ridl. <i>Diphyes ovalifolia</i> Blume <i>Diphyes pusilla</i> Blume <i>Phyllorchis ovalifolia</i> (Lindl.) Kuntze <i>Phyllorchis parvula</i> (Lindl.) Kuntze <i>Phyllorkis ovalifolia</i> (Blume) Kuntze <i>Phyllorkis parvula</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
166.	<i>Bulbophyllum pileatum</i> Lindl.	<i>Bulbophyllum fibrosum</i> J.J.Sm. <i>Phyllorchis pileata</i> (Lindl.) Kuntze <i>Phyllorkis pileata</i> (Lindl.) Kuntze <i>Sarcopodium pileatum</i> (Lindl.) Lindl.	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
167.	<i>Bulbophyllum pulchellum</i> Ridl.	<i>Bulbophyllum pulchellum</i> Ridl.var. <i>brachysepalum</i> Ridl. <i>Bulbophyllum pulchellum</i> Ridl. var. <i>purpureum</i> Ridl. <i>Cirrhopetalum concinnum</i> Hook.f. <i>Phyllorkis ridleyana</i> (Hook.f.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
168.	<i>Bulbophyllum singaporeanum</i> Schltr.	<i>Bulbophyllum densiflorum</i> Ridl.	Magnoliophyta	Orchidaceae	Presumed nationally extinct				✓				Gdn
169.	<i>Bulbophyllum vaginatum</i> (Lindl.) Rchb.f.	<i>Bulbophyllum whiteanum</i> (Rolfe) J.J.Sm. <i>Cirrhopetalum caudatum</i> Wight <i>Cirrhopetalum stramineum</i> Teijsm. & Binn. <i>Cirrhopetalum vaginatum</i> Lindl. <i>Cirrhopetalum whiteanum</i> Rolfe <i>Phyllorkis vaginata</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Endangered							✓	
170.	<i>Byttneria maingrayi</i> Mast.		Magnoliophyta	Malvaceae	Critically endangered	✓		✓	✓		✓		
171.	<i>Calamus exilis</i> Griff.	<i>Calamus ciliaris</i> Blume var. <i>peninsularis</i> Furtado <i>Calamus curtisii</i> Ridl. <i>Palmijuncus exilis</i> (Griff.) Kuntze	Magnoliophyta	Arecaceae	Critically endangered				✓				
172.	<i>Calamus lobbianus</i> Becc.	<i>Calamus melanocarpus</i> Ridl. <i>Cornera lobbiana</i> (Becc.) Furtado	Magnoliophyta	Arecaceae	Critically endangered			✓					
173.	<i>Calamus ridleyanus</i> Becc.	<i>Calamus palembanicus</i> Becc.	Magnoliophyta	Arecaceae	Critically endangered	✓			✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
174.	<i>Calanthe pulchra</i> (Blume) Lindl.	<i>Alismorchis pulchra</i> (Lindl.) Kuntze <i>Alismorkis pulchra</i> (Blume) Kuntze <i>Amblyglottis pulchra</i> Blume <i>Calanthe curculigoides</i> Lindl. <i>Styloglossum nervosa</i> Breda	Magnoliophyta	Orchidaceae	Critically endangered			✓	✓				NIS
175.	<i>Callerya eriantha</i> (Benth.) Schot	<i>Adinobotrys erianthus</i> (Benth.) Dunn <i>Millettia eriantha</i> Benth. <i>Padbruggea eriantha</i> (Benth.) Craib <i>Phaseolodes erianthum</i> (Benth.) Kuntze <i>Whitfordiodendron erianthum</i> (Benth.) Merr.	Magnoliophyta	Fabaceae	Critically endangered					✓			
176.	<i>Callicarpa longifolia</i> Lam.	<i>Callicarpa albida</i> Blume <i>Callicarpa attenuata</i> Wall. ex Walp. <i>Callicarpa attenuifolia</i> Elmer <i>Callicarpa blumei</i> Zoll. & Moritz <i>Callicarpa horsfieldii</i> Turcz. <i>Callicarpa japonica</i> Thunb. var. <i>rhombifolia</i> H.J.Lam <i>Callicarpa lanceolaria</i> Roxb. ex Hornem. <i>Callicarpa lanceolaria</i> Roxb. <i>Callicarpa longifolia</i> Lam.var. <i>areolata</i> H.J.Lam <i>Callicarpa longifolia</i> Lam.var. <i>floccosa</i> Schauer <i>Callicarpa longifolia</i> Lam.var. <i>horsfieldii</i> (Turcz.) Moldenke <i>Callicarpa longifolia</i> Lam.var. <i>lanceolaria</i> (Roxb. ex Hornem.) C.B.Clarke <i>Callicarpa longifolia</i> Lam.var. <i>subglabrata</i> Schauer <i>Callicarpa oblongifolia</i> Hassk. <i>Callicarpa rhynchophylla</i> Miq. <i>Callicarpa roxburghiana</i> Schult.	Magnoliophyta	Lamiaceae	Endangered			✓					
177.	<i>Calophyllum dispar</i> P.F.Stevens		Magnoliophyta	Clusiaceae	Critically endangered	✓	✓						

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
178.	<i>Calophyllum ferrugineum</i> Ridl.		Magnoliophyta	Clusiaceae	Common					✓	✓	✓	
179.	<i>Calophyllum lanigerum</i> Miq. var. <i>austrocoriaceum</i> (T.C.Whitmore) P.F.Stevens	<i>Calophyllum austrocoriaceum</i> Whitmore	Magnoliophyta	Clusiaceae	Endangered				✓				
180.	<i>Calophyllum macrocarpum</i> Hook.f.	<i>Calophyllum horstii</i> Boerl. <i>Calysaccion horstii</i> Teijsm. & Binn.	Magnoliophyta	Clusiaceae	Critically endangered							✓	
181.	<i>Calophyllum pulcherrimum</i> Wall. ex Choisy	<i>Calophyllum mesuifolium</i> Wall. <i>Calophyllum plicipes</i> Miq.	Magnoliophyta	Clusiaceae	Common				✓	✓	✓	✓	
182.	<i>Calophyllum rubiginosum</i> M.R.Hend. & Wyatt-Sm.		Magnoliophyta	Clusiaceae	Endangered							✓	
183.	<i>Calophyllum rufigemmatum</i> Hend. & Wyatt-Sm. ex P.F.Stevens		Magnoliophyta	Clusiaceae	Endangered				✓			✓	
184.	<i>Calophyllum tetrapterum</i> Miq.	<i>Calophyllum bancanum</i> Miq. <i>Calophyllum floribundum</i> Hook.f. <i>Calophyllum foetidum</i> Ridl. <i>Calophyllum gracile</i> Miq. <i>Calophyllum lanceola</i> Ridl. <i>Calophyllum prainianum</i> King <i>Calophyllum venustum</i> King	Magnoliophyta	Clusiaceae	Vulnerable	✓	✓		✓	✓	✓	✓	
185.	<i>Calophyllum teysmannii</i> Miq.	<i>Calymperes andamense</i> Besch. <i>Calymperes boreale</i> Paris & Broth. <i>Calymperes daemelii</i> Hampe <i>Calymperes denticulatum</i> Müll.Hal. <i>Calymperes nossibeanum</i> (Besch.) Broth. <i>Calymperes orientale</i> Mitt. ex Besch.	Magnoliophyta	Clusiaceae	Vulnerable	✓	✓		✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Calymperes orientale</i> Mitt. ex Besch. var. <i>denticulatum</i> (Müll.Hal.) M.Fleisch. <i>Calymperes orientale</i> Mitt. ex Besch. var. <i>denticulatum</i> (Müll.Hal.) M.Fleisch. <i>Calymperes orientale</i> Mitt. ex Besch. var. <i>polytrichoides</i> M.Fleisch. <i>Calymperes pachyloma</i> Hampe <i>Calymperes spurio-denticulatum</i> Müll.Hal. <i>Calymperes stigmatoblastum</i> Müll.Hal. ex Broth. <i>Calymperes subdenticulatum</i> Müll.Hal. <i>Calophyllum inophylloide</i> King var. <i>singaporense</i> M.R.Hend. & Wyatt-Sm. <i>Calophyllum intramarginale</i> M.R.Hend. & Wyatt-Sm. <i>Calophyllum miquelii</i> Vesque											
186.	<i>Calophyllum wallichianum</i> Planch. & Tr. var. <i>incrassatum</i> (Hend. & Wyatt-Smith) P.F.Stevens	<i>Calophyllum tahanense</i> M.R.Hend. & Wyatt-Sm.	Magnoliophyta	Clusiaceae	Vulnerable								✓
187.	<i>Calophyllum wallichianum</i> Planch. & Tr. var. <i>wallichianum</i>		Magnoliophyta	Clusiaceae	Critically endangered							✓	✓
188.	<i>Calymperes tahitense</i> (Sull.) Mitt.	<i>Calymperes tahitense</i> (Sull.) Mitt.var. <i>polytrichoides</i> (M.Fleisch.) Wijk & Margad. <i>Calymperes tahitense</i> (Sull.) Mitt. var. <i>truncatum</i> Thér. & Dixon <i>Calymperes vriesei</i> Besch var. <i>robustum</i> Dixon <i>Syrrhopodon nossi-beanus</i> Besch. <i>Syrrhopodon tahitensis</i> Sull.	Bryophyta	Calymperaceae	Near threatened								✓
189.	<i>Camptosperma auriculatum</i> Hook.f.	<i>Buchanania auriculata</i> Blume <i>Camptosperma auriculatum</i> Hook.f. var. <i>wallichii</i> (King) Ridl.	Magnoliophyta	Anacardiaceae	Common	✓	✓				✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name		Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
			<i>Camptosperma oxyrhachis</i> Engl. <i>Camptosperma wallichii</i> King											
190.	<i>Camptosperma squamatum</i> Ridl.	<i>Camptosperma minor</i> Corner		Magnoliophyta	Anacardiaceae	Common	✓	✓	✓	✓	✓	✓	✓	
191.	<i>Canarium littorale</i> Blume	<i>Canarium acutum</i> Engl. <i>Canarium bennettii</i> Engl. <i>Canarium flavum</i> Ridl. <i>Canarium giganteum</i> Engl. <i>Canarium glaucum</i> Blume <i>Canarium littorale</i> Blume f. <i>pruinatum</i> (Engl.) Leenh. <i>Canarium littorale</i> Blume f. <i>purpurascens</i> (Benn.) Leenh. <i>Canarium littorale</i> Blume f. <i>rufum</i> (Benn.) Leenh. <i>Canarium littorale</i> Blume f. <i>tomentosum</i> (Blume) Leenh. <i>Canarium pruinatum</i> Engl. <i>Canarium pseudocommune</i> Hochr. <i>Canarium pseudocommune</i> Hochr. var. <i>subelongatum</i> Hochr. <i>Canarium purpurascens</i> A.W.Benn. <i>Canarium rufum</i> A.W.Benn. <i>Canarium secundum</i> A.W.Benn. <i>Canarium serricusp</i> Miq. <i>Canarium serrulatum</i> Miq. <i>Canarium tomentosum</i> Blume <i>Canarium tomentosum</i> Blume var. <i>flavum</i> H.J.Lam <i>Rhus melintangensis</i> Korth. ex Blume	Magnoliophyta	Burseraceae	Common	✓		✓	✓				✓	
192.	<i>Canarium patentinervium</i> Miq.	<i>Canarium nitidum</i> A.W.Benn. <i>Canarium parvifolium</i> A.W.Benn. <i>Canarium patentinervium</i> Miq. var. <i>meizocarpum</i> Hochr. <i>Canarium patentinervium</i> Miq. var. <i>nitidum</i> Cretz.	Magnoliophyta	Burseraceae	Endangered					✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Canarium subrepandum</i> Miq.											
193.	<i>Canarium pilosum</i> A.W.Benn.	<i>Canarium grandiflorum</i> A.W.Benn. <i>Canarium hirtellum</i> A.W.Benn. <i>Canarium motleyanum</i> Engl. <i>Canarium pilosum</i> A.W.Benn. var. <i>hirtellum</i> Ridl.	Magnoliophyta	Burseraceae	Endangered					✓		✓	
194.	<i>Canthium confertum</i> Korth.	<i>Canthium confertum</i> Korth. f. <i>sumatranum</i> Miq. <i>Canthium glomerulatum</i> Miq. <i>Plectronia conferta</i> (Korth.) Merr.	Magnoliophyta	Rubiaceae	Endangered					✓			
195.	<i>Canthium glabrum</i> Blume	<i>Canthium carinatum</i> Pierre ex Pit. <i>Canthium glabrum</i> Blume var. <i>pedunculatum</i> Pit. <i>Plectronia glabra</i> (Blume) Benth. & Hook.f. ex Kurz <i>Plectronia glabra</i> (Blume) Koord. & Valetton	Magnoliophyta	Rubiaceae	Endangered					✓		✓	
196.	<i>Canthium horridum</i> Blume	<i>Canthium horridum</i> Blume var. <i>xanthocaulon</i> (Miq.) Miq. <i>Canthium pauciflorum</i> Blanco <i>Canthium scandens</i> Blume var. <i>xanthocaulon</i> Miq. <i>Canthium zizyphinum</i> Wall. <i>Dondisia horrida</i> (Blume) Korth. <i>Hyptianthera rhamnoides</i> Zoll. & Moritzi <i>Plectronia horrida</i> (Blume) K.Schum. <i>Plectronia horrida</i> (Blume) Benth. & Hook.f. ex Kurz	Magnoliophyta	Rubiaceae	Endangered	✓				✓			
197.	<i>Carallia brachiata</i> (Lour.) Merr.	<i>Barraldeia madagascariensis</i> Spreng. <i>Barraldeia madagascariensis</i> DC. <i>Carallia arguta</i> Koord. & Valetton <i>Carallia baraldeia</i> Arn. <i>Carallia barraldeia</i> Wight & Arn. <i>Carallia calycina</i> Benth. <i>Carallia celebica</i> Blume <i>Carallia cerisopsitolia</i> Miq.	Magnoliophyta	Rhizophoraceae	Endangered	✓	✓		✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Carallia ceylanica</i> Arn. <i>Carallia confinis</i> Blume <i>Carallia corymbosa</i> Arn. <i>Carallia cuprea</i> Ridl. <i>Carallia cuspidata</i> Blume <i>Carallia densiflora</i> Griff. <i>Carallia diplopetala</i> Hand.-Mazz. <i>Carallia floribunda</i> Miq. <i>Carallia integerrima</i> DC. <i>Carallia integrifolia</i> J.Graham <i>Carallia lanceifolia</i> Roxb. <i>Carallia lanceolaria</i> Wall. <i>Carallia lucida</i> Roxb. <i>Carallia madagascariensis</i> (DC.) Tul. <i>Carallia multiflora</i> Blume <i>Carallia multiflora</i> Miq. <i>Carallia obcordata</i> Wight ex Walp. <i>Carallia octopetala</i> F.Muell. ex Benth. <i>Carallia scortechinii</i> King <i>Carallia sinensis</i> Arn. <i>Carallia spinulosa</i> Ridl. <i>Carallia symmetria</i> Blume <i>Carallia timorensis</i> Blume <i>Carallia viridiflora</i> Ridl. <i>Carallia zeylanica</i> Arn. <i>Demidofia nodosa</i> Dennst. <i>Diatoma brachiata</i> Lour. <i>Eugenia cupulifera</i> H.Perrier <i>Petalotoma brachiata</i> (Lour.) DC. <i>Symmetria obovata</i> Blume											
198.	<i>Cardiospermum halicacabum</i> L.	<i>Cardiospermum acuminatum</i> Miq. <i>Cardiospermum corycodes</i> Kunze <i>Cardiospermum corycodes</i> Kuntze <i>Cardiospermum glabrum</i> Schumach. & Thonn. <i>Cardiospermum inflatum</i> Salisb.	Magnoliophyta	Sapindaceae	Exotic								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Cardiospermum luridum</i> Blume <i>Cardiospermum moniliferum</i> Sw. ex Steud. <i>Cardiospermum pumilum</i> Blume <i>Cardiospermum truncatum</i> A.Rich. <i>Corindum halicacabum</i> (L.) Medik. <i>Physalis corymbosa</i> Noronha <i>Physalis halicacabum</i> Noronha											
199.	<i>Caryota mitis</i> Lour.	<i>Caryota furfuracea</i> Blume ex Mart. <i>Caryota griffithii</i> Becc. <i>Caryota griffithii</i> Becc. var. <i>selebica</i> Becc. <i>Caryota javanica</i> Zipp. ex Miq. <i>Caryota nana</i> Linden <i>Caryota propinqua</i> Blume ex Mart. <i>Caryota sobolifera</i> Wall. ex Mart. <i>Caryota sobolifera</i> Wall. <i>Caryota speciosa</i> Linden <i>Drymophloeus zippellii</i> Hassk. <i>Thuessinkia speciosa</i> Korth.	Magnoliophyta	Arecaceae	Common			✓	✓	✓		✓	
200.	<i>Casearia capitellata</i> Blume		Magnoliophyta	Salicaceae	Critically endangered	✓		✓					
201.	<i>Casearia clarkei</i> King var. <i>clarkei</i>		Magnoliophyta	Salicaceae	Presumed nationally extinct							✓	
202.	<i>Casearia lobbiana</i> Turcz.		Magnoliophyta	Salicaceae	Critically endangered			✓	✓	✓			
203.	<i>Cassine viburnifolia</i> (Juss.) Ding Hou	<i>Elaeodendron subrotundum</i> King <i>Elaeodendron viburnifolium</i> (Juss.) Merr. <i>Euonymus viburnifolius</i> (Juss.) Merr.	Magnoliophyta	Celastraceae	Critically endangered			✓					
204.	<i>Castanopsis lucida</i> (Nees) Soepadmo	<i>Alseodaphne lucida</i> Nees <i>Castanopsis hullettii</i> King ex Hook.f.	Magnoliophyta	Fagaceae	Critically endangered					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Laurus lucida</i> Wall.											
205.	<i>Castanopsis malaccensis</i> Gamble		Magnoliophyta	Fagaceae	Critically endangered				✓				
206.	<i>Castanopsis nephelioides</i> King ex Hook.f.		Magnoliophyta	Fagaceae	Critically endangered	✓	✓						
207.	<i>Castanopsis wallichii</i> King ex Hook.f.		Magnoliophyta	Fagaceae	Critically endangered	✓		✓	✓				
208.	<i>Caudalejeunea recurvistipula</i> (Gottsche) Schiffner	<i>Caudalejeunea lessonii</i> Stephani <i>Caudalejeunea madagassa</i> Stephani	Marchantio-phyta	Lejeuneaceae	Data deficient				✓				
209.	<i>Cayratia mollissima</i> (Wall.) Gagnep.	<i>Cayratia mollissima</i> Wall.	Magnoliophyta	Vitaceae	Endangered			✓	✓	✓	✓		
210.	<i>Cayratia novemfolia</i> (Wall. ex Laws.) Burk.		Magnoliophyta	Vitaceae	Critically endangered			✓	✓	✓			
211.	<i>Centotheca lappacea</i> (L.) Desv.	<i>Andropogon latifolius</i> (L.) Kunth <i>Anthoxanthum pulchellum</i> D.Dietr. <i>Anthoxanthum pulcherrimum</i> Lour. <i>Cenchrus lappaceus</i> L. <i>Centosteca lappacea</i> (L.) Desv. <i>Centosteca lappacea</i> (L.) Desv. subsp. <i>inermis</i> (Rendle) T.Koyama <i>Centosteca lappacea</i> (L.) Desv. var. <i>inermis</i> Rendle <i>Centosteca lappacea</i> (L.) Desv. var. <i>longilamina</i> (Ohwi) Bor <i>Centotheca latifolia</i> Trin. <i>Centotheca latifolia</i> Trin. var. <i>inermis</i> (Rendle) Sasaki <i>Centotheca longilamina</i> Ohwi <i>Centotheca parviflora</i> Andersson	Magnoliophyta	Poaceae	Critically endangered					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Cynosurus ciliaris</i> Raspail <i>Festuca blepharophora</i> Roem. & Schult. <i>Festuca ciliaris</i> B.Heyne ex Roem. & Schult. <i>Festuca latifolia</i> Roth <i>Festuca virgata</i> B.Heyne ex Steud. <i>Hierochloe latifolia</i> (L.) Kunth <i>Holcus latifolius</i> Osbeck <i>Melica diandra</i> Roxb. <i>Melica lappacea</i> (L.) Raspail <i>Melica philippensis</i> Llanos <i>Melica refracta</i> Roxb. <i>Oplismenus magellanicus</i> (Lam.) Roem. & Schult. <i>Panicum festuciforme</i> Hochst. ex Hook.f. <i>Panicum magellanicum</i> Lam. <i>Poa latifolia</i> (Osbeck) G.Forst. <i>Torresia biflora</i> Roem. & Schult. <i>Torresia latifolia</i> (Osbeck) P.Beauv. ex Roem. & Schult. <i>Uniola lappacea</i> (L.) Trin.											
212.	<i>Cephalomanes obscurum</i> (Blume) K.Iwats.	<i>Selenodesmium obscurum</i> (Blume) Copel. <i>Selenodesmium recurvum</i> Ching & Chiu in Chien & Chun <i>Selenodesmium siamense</i> (H.Christ) Ching & Chu H. Wang <i>Selenodesmium tereticaulum</i> (Ching) Copel. <i>Trichomanes englerianum</i> Brause <i>Trichomanes latipinnum</i> Copel. <i>Trichomanes obscurum</i> Blume <i>Trichomanes papillatum</i> K.Muell. <i>Trichomanes racemulosum</i> Bosch <i>Trichomanes rigidum</i> Ogata <i>Trichomanes saxatile</i> T.Moore <i>Trichomanes siamense</i> H.Christ <i>Trichomanes tereticaulum</i> Ching	Filicinophyta	Hymenophyllaceae	Endangered	✓	✓	✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
213.	<i>Chamaecrista mimosoides</i> (L.) Greene	<i>Cassia angustissima</i> Lam. <i>Cassia mimosoides</i> DC. <i>Cassia mimosoides</i> L. <i>Cassia nictitans</i> "sensu Stickman, non L." <i>Cassia procumbens</i> "sensu Stickman, non L." <i>Cassia sensitiva</i> Roxb.	Magnoliophyta	Fabaceae	Exotic					✓			
214.	<i>Champereia manillana</i> (Blume) Merr.	<i>Cansjera manillana</i> Blume <i>Cansjera martabanica</i> Wall. <i>Champereia cumingiana</i> (Baill.) Merr. <i>Champereia gaudichaudiana</i> (Baill.) Tiegh. <i>Champereia gnetocarpa</i> Kurz <i>Champereia griffithiana</i> Planch. ex Kurz <i>Champereia lanceolata</i> Merr. <i>Champereia oblongifolia</i> Merr. <i>Champereia platyphylla</i> Merr. <i>Govantesia malulucban</i> Llanos <i>Nallogia gaudichaudiana</i> Baill. <i>Opilia cumingiana</i> Baill. <i>Opilia manillana</i> Baill.	Magnoliophyta	Opiliaceae	Common				✓			✓	
215.	<i>Chassalia chartacea</i> Craib		Magnoliophyta	Rubiaceae	Vulnerable	✓							
216.	<i>Chionanthus ramiflorus</i> Roxb.	<i>Chionanthus effusiflorus</i> F.Muell. <i>Chionanthus intermedius</i> (Wight) F.Muell. <i>Chionanthus macrophyllus</i> (Wall. & G.Don) Blume <i>Chionanthus macrophyllus</i> (Wall. & G.Don) Blume var. <i>attenuatus</i> (C.B.Clarke) K.K.N.Nair & K.P.Janardh. <i>Chionanthus palembanicus</i> Miq. <i>Chionanthus paniculatus</i> (Roxb.) K.K.N.Nair & K.P.Janardh. <i>Chionanthus pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada	Magnoliophyta	Oleaceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore							
					A	B	C	D	E	F	G	H
		<i>Chionanthus pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada var. <i>evolutior</i> (C.B.Clarke) K.K.N.Nair & K.P.Janardh.										
		<i>Chionanthus pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada var. <i>palembanicus</i> (Miq.) Bennet & Raizada										
		<i>Chionanthus picrophloius</i> F.Muell.										
		<i>Chionanthus ramiflorus</i> Roxb. var. <i>grandiflorus</i> B.M.Miao										
		<i>Chionanthus ramiflorus</i> Roxb. var. <i>palembanicus</i> (Miq.) P.Daniel										
		<i>Chionanthus ramiflorus</i> Roxb. var. <i>peninsularis</i> K.Ravik. & Lakshm.										
		<i>Chionanthus roxburghii</i> (Spreng.) S.K.Srivast. & S.L.Kapoor										
		<i>Chionanthus roxburghii</i> (Spreng.) S.K.Srivast. & S.L.Kapoor var. <i>intermedius</i> (Wight) S.K.Srivast. & S.L.Kapoor										
		<i>Chionanthus tenuiflora</i> Wall. ex DC.										
		<i>Linociera cumingiana</i> S.Vidal										
		<i>Linociera effusiflora</i> F.Muell.										
		<i>Linociera intermedia</i> Wight										
		<i>Linociera intermedia</i> Wight var. <i>roxburghii</i> (Spreng.) C.B.Clarke										
		<i>Linociera macrophylla</i> Wall. & G.Don										
		<i>Linociera macrophylla</i> Wall. & G.Don var. <i>attenuata</i> (Wall. & G.Don) C.B.Clarke										
		<i>Linociera oblonga</i> Wall. & G.Don										
		<i>Linociera pauciflora</i> (Wall. ex G.Don) C.B.Clarke										
		<i>Linociera pauciflora</i> (Wall. ex G.Don) C.B.Clarke var. <i>evolutior</i> C.B.Clarke										
		<i>Linociera pauciflora</i> (Wall. ex G.Don) C.B.Clarke var. <i>palembanica</i> (Miq.) C.B.Clarke										
		<i>Linociera picrophloia</i> (F.Muell.) F.M.Bailey										
		<i>Linociera ramiflora</i> (Roxb.) Wall.										

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Linociera ramiflora</i> (Roxb.) Wall. var. <i>grandiflora</i> (B.M.Miao) B.M.Miao <i>Linociera ramiflora</i> (Roxb.) Wall. f. <i>pubisepala</i> L.C.Chia <i>Mayepea cumingiana</i> (S.Vidal) Merr. <i>Mayepea intermedia</i> (Wight) Kuntze <i>Mayepea palembanica</i> (Miq.) Kuntze <i>Mayepea pauciflora</i> (Wall. ex G.Don) Kuntze <i>Mayepea picrophloia</i> (F.Muell.) F.Muell. <i>Mayepea ramiflora</i> (Roxb.) F.Muell. <i>Olea attenuata</i> Wall. & G.Don <i>Olea floribunda</i> Benth. <i>Olea paniculata</i> Roxb. <i>Olea pauciflora</i> Wall. ex G.Don <i>Olea roxburghiana</i> Schult. <i>Olea roxburghii</i> Spreng. <i>Phillyrea ramiflora</i> Roxb. ex C.B.Clarke											
217.	<i>Chisocheton erythrocarpus</i> Hiern		Magnoliophyta	Meliaceae	Critically endangered				✓				
218.	<i>Chloranthus elatior</i> Link	<i>Chloranthus elatior</i> R.Br. <i>Chloranthus erectus</i> (Buch.-Ham.) Sweet ex Wall. <i>Chloranthus erectus</i> (Buch.-Ham.) Verdc. <i>Chloranthus erectus</i> Sweet <i>Chloranthus inconspicuus</i> Blanco <i>Chloranthus officinalis</i> Blume <i>Chloranthus salicifolius</i> C.Presl <i>Chloranthus sumatranus</i> Miq. <i>Cryphaea erecta</i> Buch.-Ham.	Magnoliophyta	Chloranthaceae	Critically endangered				✓				
219.	<i>Chonemorpha fragrans</i> (Moon) Alston	<i>Chonemorpha elliptica</i> Merr. & Rolfe <i>Chonemorpha grandieriana</i> Pierre ex Spire <i>Chonemorpha grandiflora</i> G.Don <i>Chonemorpha griffithii</i> Hook.f. <i>Chonemorpha macrantha</i> Pit.	Magnoliophyta	Apocynaceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Chonemorpha macrophylla</i> G.Don <i>Chonemorpha macrophylla</i> G.Don var. <i>grandis</i> A.DC. <i>Chonemorpha penangensis</i> Ridl. <i>Chonemorpha rheedei</i> Ridl. <i>Chonemorpha valvata</i> Chatterjee <i>Chonemorpha yersinii</i> Vernet <i>Echites fragrans</i> Moon <i>Echites grandiflorus</i> Roth <i>Echites grandis</i> Wall. <i>Echites latifolius</i> Buch.-Ham. ex Wall. <i>Echites macranthus</i> Spreng. <i>Echites macrophyllus</i> Roxb. <i>Epichysianthus macrophyllus</i> (G.Don) Voigt <i>Rhynchodia macrantha</i> Pharm. ex Wehmer <i>Tabernaemontana elliptica</i> Blanco											
220.	<i>Christella dentata</i> (Forsk.) Brownsey & Jermy	<i>Cyclosorus dentatus</i> (Forssk.) Ching <i>Dryopteris parasitica</i> Tardieu <i>Dryopteris parasitica</i> Tardieu var. <i>coriacea</i> Bonap.	Filicinophyta	Thelypteridaceae	Cryptogenic				✓				
221.	<i>Cincinnulus argutus</i> (Nees & Mont. ex Nees) Dumort.	<i>Calypogeia arguta</i> Nees & Mont. ex Nees	Marchantiophyta	Calypogeiaceae	Data deficient				✓				
222.	<i>Cinnamomum iners</i> Reinw. ex Blume	<i>Cinnamomum aromaticum</i> Zoll. <i>Cinnamomum curtisii</i> Lukman. <i>Cinnamomum gracile</i> Miq. <i>Cinnamomum griffithii</i> Meisn. <i>Cinnamomum iners</i> Reinw. ex Blume var. <i>angustifolium</i> Ridl. <i>Cinnamomum manillarum</i> Lukman. <i>Cinnamomum pseudosintok</i> Miq. <i>Cinnamomum rauwolfii</i> Blume <i>Cinnamomum reinwardtii</i> Miq. <i>Laurus caryophyllata</i> Reinw. ex Meisn. <i>Laurus iners</i> Reinw. ex Nees	Magnoliophyta	Lauraceae	Common								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Laurus malabathrica</i> Roxb. <i>Laurus malabathrum</i> Wall. <i>Laurus malabatrums</i> Lam. <i>Persea nitida</i> Spreng.												
223.	<i>Cinnamomum javanicum</i> Blume	<i>Cinnamomum neglectum</i> Blume <i>Laurus malabatrums</i> Burm.f.	Magnoliophyta	Lauraceae	Critically endangered				✓					
224.	<i>Cissus hastata</i> Miq.	<i>Cissus glaberrima</i> Steud. <i>Vitis hastata</i> (Miq.) Miq.	Magnoliophyta	Vitaceae	Cryptogenic					✓				
225.	<i>Cissus nodosa</i> Blume	<i>Cissus glaberrima</i> (Wall.) Planch. <i>Vitis glaberrima</i> Wall. <i>Vitis nodosa</i> (Blume) Miq.	Magnoliophyta	Vitaceae	Critically endangered			✓		✓		✓		
226.	<i>Cissus repens</i> Lam.	<i>Cissus cordata</i> Roxb. <i>Cissus diffusa</i> (Miq.) Amshoff <i>Cissus glauca</i> Roxb. <i>Cissus glaucoramea</i> Planch. <i>Cissus modesta</i> (Miq.) Amshoff <i>Cissus purpurea</i> Roxb. ex Steud. <i>Cissus repens</i> Lam. var. <i>sinensis</i> Hand.-Mazz. <i>Cissus vesicatoria</i> Blanco <i>Vitis diffusa</i> Miq. <i>Vitis glauca</i> (Roxb.) Wight & Arn. <i>Vitis modesta</i> Miq. <i>Vitis repens</i> (Lam.) Wight & Arn. <i>Vitis vitiginea</i> (L.) W.L.Theob. var. <i>repens</i> (Lam.) Kuntze	Magnoliophyta	Vitaceae	Critically endangered	✓								
227.	<i>Claderia viridiflora</i> Hook.f.		Magnoliophyta	Orchidaceae	Critically endangered				✓					
228.	<i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk.	<i>Claoxylon caerulescens</i> Ridl. <i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk.f. <i>gracilius</i> J.J.Sm.	Magnoliophyta	Euphorbiaceae	Common								✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk. var. <i>macrophyllum</i> (Hassk.) Müll.Arg. <i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk. var. <i>spathulatum</i> Müll.Arg. <i>Claoxylon macrophyllum</i> Bojer <i>Claoxylon macrophyllum</i> Hassk. <i>Claoxylon minus</i> (Blume) Hassk. <i>Claoxylon molle</i> (Blume) Miq. <i>Claoxylon parviflorum</i> Hook. & Arn. <i>Claoxylon polot</i> Merr. <i>Croton halecum</i> Roxb. <i>Croton pigmentarius</i> Noronha <i>Croton tabacifolius</i> Geiseler <i>Erythrochilus indicus</i> Reinw. ex Blume <i>Erythrochilus minor</i> Blume <i>Erythrochilus mollis</i> Blume <i>Niota globosa</i> Blanco											
229.	<i>Claoxylon longifolium</i> (Blume) Endl. ex Hassk.	<i>Erythrochilus longifolius</i> Blume	Magnoliophyta	Euphorbiaceae	Presumed nationally extinct			✓					
230.	<i>Cleistanthus malaccensis</i> Hook.f.	<i>Kaluhaburunghos malaccensis</i> (Hook.f.) Kuntze	Magnoliophyta	Phyllanthaceae	Presumed nationally extinct			✓					
231.	<i>Cleistanthus oblongifolius</i> (Roxb.) Müll.Arg.	<i>Amanoa chartacea</i> Baill. ex Müll.Arg. <i>Bridelia attenuata</i> Wall. ex Voigt <i>Bridelia chartacea</i> Wall. <i>Bridelia oblongifolius</i> (Roxb.) Hook. & Arn. <i>Cleistanthus apiculatus</i> C.B.Rob. <i>Cleistanthus castus</i> S.Moore <i>Cleistanthus chartaceus</i> Müll.Arg. <i>Cleistanthus cupreus</i> Vidal <i>Cleistanthus mindanaensis</i> C.B.Rob. <i>Cleistanthus misamisensis</i> C.B.Rob.	Magnoliophyta	Phyllanthaceae	Critically endangered			✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Cleistanthus myrianthus</i> (Hassk.) Kurz <i>Cleistanthus myrianthus</i> (Hassk.) Kurz subsp. <i>attenuatus</i> Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz var. <i>concinus</i> Airy Shaw <i>Cleistanthus myrianthus</i> (Hassk.) Kurz subsp. <i>cupreus</i> (Vidal) Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz f. <i>ovalis</i> Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz f. <i>scortechinii</i> Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz var. <i>spicatus</i> Airy Shaw <i>Cleistanthus pseudocanescens</i> Elmer <i>Cleistanthus pseudomyrianthus</i> Jabl. <i>Clutia oblongifolia</i> Roxb. <i>Kaluhaburunghos chartaceus</i> (Müll.Arg.) Kuntze <i>Kaluhaburunghos myrianthus</i> (Hassk.) Kuntze <i>Kaluhaburunghos nanopetalus</i> Kuntze <i>Kaluhaburunghos oblongifolius</i> (Roxb.) Kuntze <i>Nanopetalum myrianthum</i> Hassk.											
232.	<i>Cleistanthus sumatranus</i> (Miq.) Müll.Arg.	<i>Cleistanthus blancoi</i> Vidal <i>Cleistanthus blancoi</i> Rolfe <i>Cleistanthus euphlebius</i> Merr. <i>Cleistanthus ferrugineus</i> Fern.-Vill. <i>Cleistanthus heterophyllus</i> Hook.f. <i>Cleistanthus laevigatus</i> Jabl. <i>Cleistanthus laevis</i> Hook.f. <i>Cleistanthus minahassae</i> Koord. <i>Cleistanthus oligophlebius</i> Merr. <i>Cleistanthus orgyalis</i> (Blanco) Merr. <i>Cleistanthus vidalii</i> C.B.Rob. <i>Gluta orgyalis</i> Blanco <i>Kaluhaburunghos blancoi</i> (Rolfe) Kuntze <i>Kaluhaburunghos heterophyllus</i> (Hook.f.) Kuntze	Magnoliophyta	Phyllanthaceae	Vulnerable				✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Kaluhaburunghos laevis</i> (Hook.f.) Kuntze <i>Kaluhaburunghos sumatranus</i> (Miq.) Kuntze <i>Leiopyxis sumatrana</i> Miq. <i>Paracleisthus subgracilis</i> Gagnep.											
233.	<i>Clerodendrum deflexum</i> Wall.	<i>Clerodendrum deflexum</i> Wall. var. <i>bracteatum</i> Ridl. <i>Clerodendrum deflexum</i> Wall. var. <i>villosulum</i> Moldenke	Magnoliophyta	Lamiaceae	Vulnerable			✓	✓			✓	
234.	<i>Clerodendrum disparifolium</i> Blume	<i>Clerodendrum eriosiphon</i> Schauer <i>Clerodendrum obtusidens</i> Miq.	Magnoliophyta	Lamiaceae	Critically endangered			✓				✓	
235.	<i>Clerodendrum laevifolium</i> Blume	<i>Clerodendrum ellipticum</i> Zipp. ex Span. <i>Clerodendrum laevifolium</i> Blume var. <i>pubiflorum</i> Bakh. ex Moldenke	Magnoliophyta	Lamiaceae	Common	✓		✓					
236.	<i>Clerodendrum paniculatum</i> L.	<i>Caprifolium paniculatum</i> Noronha <i>Cleianthus coccineus</i> Lour. ex B.A.Gomes <i>Clerodendron pyramidale</i> Andrews <i>Clerodendrum diversifolium</i> Vahl <i>Clerodendrum pyramidale</i> Andrews <i>Clerodendrum splendidum</i> Wall. ex Griff. <i>Volkameria angulata</i> Lour. <i>Volkameria diversifolia</i> Vahl	Magnoliophyta	Lamiaceae	Exotic	✓							
237.	<i>Clerodendrum villosum</i> Blume	<i>Clerodendrum ferrugineum</i> Turcz. <i>Clerodendrum infortunatum</i> Dennst. <i>Clerodendrum molle</i> Jack <i>Clerodendrum velutinum</i> B.Thomas	Magnoliophyta	Lamiaceae	Vulnerable			✓	✓			✓	
238.	<i>Clidemia hirta</i> (L.) D.Don	<i>Clidemia elegans</i> (Aubl.) D.Don <i>Clidemia hirta</i> (L.) D.Don var. <i>chrysantha</i> Cogn. <i>Clidemia hirta</i> (L.) D.Don var. <i>elegans</i> (Aubl.) Griseb. <i>Melastoma elegans</i> Aubl. <i>Melastoma hirtum</i> L. <i>Staphidium elegans</i> (Aubl.) Naudin	Magnoliophyta	Melastomat-aceae	Exotic	✓				✓		✓	

See [Corrigenda of 13 May 2013](#).

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
239.	<i>Clitoria laurifolia</i> Poir.	<i>Clitoria cajanifolia</i> (C.Presl) Benth. <i>Clitoria cajanifolia</i> (C.Presl) Benth.f. <i>glabrior</i> Benth. <i>Clitoria erecta</i> Roxb. <i>Clitoria parviflora</i> Pittier <i>Clitoria parvifolia</i> Pittier <i>Lotus fluminensis</i> Wall. <i>Martiusia laurifolia</i> (Poir.) Britton <i>Neurocarpum blanchetianum</i> DC. <i>Neurocarpum blanchetianum</i> Moric. <i>Neurocarpum cajanifolium</i> C.Presl <i>Neurocarpum emarginatum</i> Moric. <i>Neurocarpum erectum</i> (Roxb.) Voigt <i>Neurocarpum janensis</i> Desv. <i>Neurocarpum laurifolium</i> (Poir.) Desv. <i>Neurocarpum retusum</i> Hassk. <i>Ternatea laurifolia</i> (Poir.) Kuntze	Magnoliophyta	Fabaceae	Exotic			✓					
240.	<i>Cnestis palala</i> (Lour.) Merr.	<i>Cnestis annamensis</i> Gagnep. <i>Cnestis diffusa</i> Blanco <i>Cnestis flaminea</i> Griff. <i>Cnestis flammea</i> Kurz <i>Cnestis foliosa</i> Planch. ex Kurz <i>Cnestis ignea</i> Planch. ex Kurz <i>Cnestis palala</i> (Lour.) Merr. subsp. <i>diffusa</i> (Blanco) Andreas <i>Cnestis platantha</i> Griff. <i>Cnestis ramiflora</i> Griff. <i>Connarus foliosus</i> Jack <i>Rourea dasyphylla</i> Miq. <i>Thysanus palala</i> Lour.	Magnoliophyta	Connaraceae	Common								✓
241.	<i>Coelogyne mayeriana</i> Rchb.f.		Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
242.	<i>Coelogyne rochussenii</i> de Vriese	<i>Coelogyne macrobulbon</i> Hook.f. <i>Coelogyne plantaginea</i> Lindl. <i>Coelogyne steffiensis</i> Schltr. <i>Coelogyne stellaris</i> Rchb.f. <i>Pleione macrobulbon</i> (Hook.f.) Kuntze <i>Pleione plantaginea</i> (Lindl.) Kuntze <i>Pleione rochussenii</i> (de Vriese) Kuntze	Magnoliophyta	Orchidaceae	Critically endangered								NIS
243.	<i>Coelogyne testacea</i> Lindl.	<i>Coelogyne sumatrana</i> J.J.Sm. <i>Pleione testacea</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
244.	<i>Coelostegia griffithii</i> Benth.	<i>Coelostegia sumatrana</i> Becc.	Magnoliophyta	Malvaceae	Critically endangered					✓			
245.	<i>Coffea liberica</i> Hiern		Magnoliophyta	Rubiaceae	Exotic				✓	✓			
246.	<i>Coffea stenophylla</i> G.Don		Magnoliophyta	Rubiaceae	Presumed nationally extinct					✓			
247.	<i>Cololejeunea grossepapillosa</i> (Horik.) Pócs	<i>Aphanolejeunea grossepapillosa</i> Horik. <i>Cololejeunea grossepapillosa</i> (Horik.) N.Kitag.	Marchantio-phyta	Lejeuneaceae	Data deficient				✓				
248.	<i>Cololejeunea siamensis</i> (Stephani) Mizut.	<i>Physocolea siamensis</i> Stephani	Marchantio-phyta	Lejeuneaceae	Data deficient				✓				
249.	<i>Cololejeunea trichomanis</i> (Gottsche) Stephani	<i>Lejeunea trichomanis</i> Gottsche	Marchantio-phyta	Lejeuneaceae	Data deficient				✓				
250.	<i>Cololejeunea wightii</i> Stephani		Marchantio-phyta	Lejeuneaceae	Data deficient				✓				
251.	<i>Combretum indicum</i> (L.) DeFilipps	<i>Combretum indicum</i> (L.) Jongkind <i>Kleinia quadricolor</i> Crantz	Magnoliophyta	Combretaceae	Exotic	✓		✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Mekistus sinensis</i> Lour. ex B.A.Gomes <i>Quisqualis ebracteata</i> P.Beauv. <i>Quisqualis glabra</i> Burm.f. <i>Quisqualis grandiflora</i> Miq. <i>Quisqualis indica</i> L. <i>Quisqualis indica</i> L. var. <i>oxypetala</i> Kurz <i>Quisqualis indica</i> L. var. <i>villosa</i> C.B.Clarke <i>Quisqualis longiflora</i> C.Presl <i>Quisqualis loureiroi</i> G.Don <i>Quisqualis madagascariensis</i> Bojer <i>Quisqualis obovata</i> Schumach. & Thonn. <i>Quisqualis pubescens</i> Burm.f. <i>Quisqualis sinensis</i> Lindl. <i>Quisqualis spinosa</i> Blanco <i>Quisqualis villosa</i> Roxb.											
252.	<i>Combretum sundaicum</i> Miq.		Magnoliophyta	Combretaceae	Vulnerable	✓		✓	✓		✓		
253.	<i>Combretum tetralophum</i> C.B.Clarke	<i>Combretum tetragonocarpum</i> Kurz var. <i>tetralophum</i> (C.B.Clarke) M.G.Gangop. & Chakrab. <i>Combretum wrayi</i> King	Magnoliophyta	Combretaceae	Critically endangered								✓
254.	<i>Commersonia bartramia</i> (L.) Merr.	<i>Commersonia echinata</i> J.R.Forst. & G.Forst. <i>Commersonia echinata</i> J.R.Forst. & G.Forst. var. <i>bancroftii</i> F.M.Bailey <i>Commersonia echinata</i> var. <i>javana</i> Gagnep. <i>Commersonia javensis</i> G.Don <i>Muntingia bartramia</i> L. <i>Restiaria echinata</i> Kuntze <i>Ricinus odoratus</i> Noronha	Magnoliophyta	Malvaceae	Common	✓							
255.	<i>Connarus ferrugineus</i> Jack		Magnoliophyta	Connaraceae	Critically endangered	✓			✓				
256.	<i>Connarus grandis</i> Jack	<i>Anisostemon trifolius</i> Turcz.	Magnoliophyta	Connaraceae	Critically	✓			✓			✓	G&T

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Connarus diversifolius</i> (Hassk.) Scheff. ex Backer <i>Connarus ellipticus</i> King <i>Connarus lunulatus</i> Schellenb. <i>Connarus polyanthus</i> Planch. <i>Connarus rolfei</i> Vidal <i>Connarus trifolius</i> (Turcz.) Rolfe <i>Connarus villosus</i> Planch. <i>Erythrostigma diversifolia</i> Hassk. <i>Erythrostigma ellipticum</i> Zoll.			endangered								
257.	<i>Connarus monocarpus</i> L. subsp. <i>malayensis</i> Leenh.	<i>Cnestis pentaphylla</i> Span. <i>Connarus carnosus</i> Elmer <i>Connarus celebicus</i> Schellenb. <i>Connarus falcatus</i> Blume <i>Connarus fragrans</i> Elmer <i>Connarus hallieri</i> Merr. <i>Connarus hasseltii</i> Blume <i>Connarus maingayi</i> Hook.f. <i>Connarus oligophyllus</i> Planch. <i>Connarus palawanensis</i> Elmer <i>Connarus pentaphyllus</i> (Span.) Schellenb. <i>Connarus pinnatus</i> Hasselt ex Blume <i>Connarus spanoghei</i> Blume <i>Connarus stictophyllus</i> Kurz <i>Omphalobium carneum</i> Zipp. ex Span.	Magnoliophyta	Connaraceae	Critically endangered			✓					
258.	<i>Connarus paniculatus</i> Roxb.	<i>Connarus hainanensis</i> Merr. <i>Connarus harmandianus</i> Pierre <i>Connarus paniculatus</i> Roxb. subsp. <i>tonkinensis</i> (Lecomte) Y.M.Shui <i>Connarus pentandrus</i> Roxb. <i>Connarus rufulus</i> Pierre <i>Connarus tonkinensis</i> Lecomte	Magnoliophyta	Connaraceae	Critically endangered				✓				
259.	<i>Connarus semidecandrus</i> Jack	<i>Connarus amplifolius</i> Pierre <i>Connarus balsahanensis</i> Elmer	Magnoliophyta	Connaraceae	Critically endangered			✓			✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Connarus borneensis</i> Merr. <i>Connarus ellipticus</i> Schellenb. <i>Connarus floribundus</i> Wall. ex Hook.f. <i>Connarus furfuraceus</i> Blume <i>Connarus gaudichaudii</i> (DC.) Planch. <i>Connarus gibbosus</i> Wall. ex Planch. <i>Connarus gracilis</i> Bakh.f. <i>Connarus griffithii</i> Hook.f. <i>Connarus jackianus</i> Schellenb. <i>Connarus mekongensis</i> Pierre <i>Connarus moluccanus</i> Zipp. ex Blume <i>Connarus mutabilis</i> Blume <i>Connarus neurocalyx</i> Planch. <i>Connarus nigropunctua</i> Gagnep. <i>Connarus nitidus</i> Hassk. <i>Connarus obtusifolius</i> Planch. <i>Connarus pyrrhocarpus</i> Miq. <i>Connarus quocensis</i> Pierre <i>Connarus semidecandrus</i> Jack var. <i>gaudichaudii</i> (DC.) Fosberg <i>Connarus wallichii</i> Planch. <i>Omphalobium gaudichaudii</i> DC.											
260.	<i>Coptosapelta flavescens</i> Korth.	<i>Coptosapelta flavescens</i> Korth. var. <i>dongnaiensis</i> Pierre ex Pit. <i>Coptosapelta tomentosa</i> Valetton ex K.Heyne	Magnoliophyta	Rubiaceae	Presumed nationally extinct								✓
261.	<i>Coptosapelta griffithii</i> Hook.f.		Magnoliophyta	Rubiaceae	Presumed nationally extinct	✓							✓
262.	<i>Corchorus capsularis</i> L.	<i>Corchorus cordifolius</i> Salisb. <i>Corchorus marua</i> Buch.-Ham. <i>Rhizanota cannabina</i> Lour. ex Gomes Mach.	Magnoliophyta	Malvaceae	Critically endangered							✓	
263.	<i>Cordia dichotoma</i> G.Forst.	<i>Cordia brownii</i> A.DC.	Magnoliophyta	Boraginaceae	Critically							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Cordia griffithii</i> C.B.Clarke <i>Cordia indica</i> Lam. <i>Cordia latifolia</i> Roxb. <i>Cordia loureiroi</i> Roem. & Schult. <i>Cordia lowriana</i> Brandis <i>Cordia obliqua</i> Willd. <i>Cordia obliqua</i> Willd. var. <i>wallichii</i> (G.Don) C.B.Clarke <i>Cordia premnifolia</i> Ridl. <i>Cordia suaveolens</i> Blume <i>Cordia tomentosa</i> Wall. <i>Cordia tremula</i> Griseb. <i>Cordia wallichii</i> G.Don <i>Gerascanthus dichotomus</i> (G.Forst.) Borhidi <i>Gerascanthus griffithii</i> (C.B.Clarke) Borhidi <i>Gerascanthus suaveolens</i> (Blume) Borhidi <i>Lithocardium griffithii</i> Kuntze <i>Lithocardium obliquum</i> Kuntze <i>Lithocardium suaveolens</i> Kuntze <i>Lithocardium tremulum</i> Kuntze <i>Varronia integerrima</i> Stokes <i>Varronia sinensis</i> Lour.			endangered								
264.	<i>Cordiglottis filiformis</i> (Hook.f.) Garay	<i>Cheirorchis filiformis</i> (Hook.f.) Carr <i>Dendrocolla filiformis</i> (Hook.f.) Ridl. <i>Sarcochilus filiformis</i> Hook.f. <i>Thrixspermum filiforme</i> (Hook.f.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
265.	<i>Corymborkis veratrifolia</i> (Reinw.) Blume	<i>Arundina tahitensis</i> Nadeaud <i>Chloidia confusa</i> Ames <i>Corymbis angusta</i> Ridl. <i>Corymbis angustifolia</i> Miq. <i>Corymbis batjanica</i> J.J.Sm. <i>Corymbis brevistylis</i> Hook.f. <i>Corymbis confusa</i> (Ames) Schltr. <i>Corymbis disticha</i> (Breda) Lindl.	Magnoliophyta	Orchidaceae	Presumed nationally extinct		✓		✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Corymbis exaltata</i> Schltr. <i>Corymbis lauterbachii</i> Schltr. <i>Corymbis ledermannii</i> Schltr. <i>Corymbis longiflora</i> Hook.f. <i>Corymbis minor</i> Schltr. <i>Corymbis rhytidocarpa</i> Hook.f. <i>Corymbis sakisimensis</i> (Fukuy.) Masam. <i>Corymbis subdensa</i> Schltr. <i>Corymbis trukensis</i> Tuyama <i>Corymbis veratrifolia</i> (Reinw.) Rchb.f. <i>Corymborkis angustifolia</i> (Miq.) Kuntze <i>Corymborkis angustissima</i> J.J.Sm. <i>Corymborkis assamica</i> Blume <i>Corymborkis batjanica</i> (J.J.Sm.) J.J.Sm. <i>Corymborkis brevistylis</i> (Hook.f.) Holttum <i>Corymborkis confusa</i> (Ames) Ames <i>Corymborkis ledermannii</i> (Schltr.) Fukuy. <i>Corymborkis longiflora</i> (Hook.f.) Burkill <i>Corymborkis parviflora</i> J.J.Sm. <i>Corymborkis rhytidocarpa</i> (Hook.f.) Holttum <i>Corymborkis ruttanii</i> J.J.Sm. <i>Corymborkis sakisimensis</i> Fukuy. <i>Corymborkis subdensa</i> (Schltr.) Fukuy. <i>Corymborkis tropidiifolia</i> J.J.Sm. <i>Corymborkis trukensis</i> (Tuyama) Fukuy. <i>Corymborkis veratrifolia</i> (Reinw.) Blume var. <i>lauterbachii</i> (Schltr.) F.N.Rasm. <i>Hysteria veratrifolia</i> Reinw. <i>Macrostylis disticha</i> Breda <i>Rhynchanthera paniculata</i> Blume											
266.	<i>Coscinium fenestratum</i> (Gaertn.) Colebr.	<i>Coscinium maingayi</i> Pierre <i>Coscinium miosepalum</i> Diels <i>Coscinium peltatum</i> Merr. <i>Coscinium usitatum</i> Pierre <i>Coscinium wallichianum</i> Miers	Magnoliophyta	Menispermaceae	Endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Coscinium wightianum</i> Miers ex Diels <i>Menispermum fenestratum</i> Gaertn.											
267.	<i>Cratoxylum arborescens</i> (Vahl) Blume	<i>Cratoxylum arborescens</i> var. <i>miquelii</i> King <i>Cratoxylum cuneatum</i> Miq. <i>Hypericum arborescens</i> Vahl	Magnoliophyta	Hypericaceae	Vulnerable								✓
268.	<i>Cratoxylum cochinchinense</i> (Lour.) Blume	<i>Ancistrolobus ligustrinus</i> Spach <i>Cratoxylum biflorum</i> (Lam.) Turcz. <i>Cratoxylum chinense</i> (Hance) Merr. <i>Cratoxylum hypoleuca</i> Elmer <i>Cratoxylum lanceolatum</i> Miq. <i>Cratoxylum ligustrinum</i> (Spach) Blume <i>Cratoxylum myrtifolium</i> Blume <i>Cratoxylum petiolatum</i> Blume <i>Cratoxylum polyanthum</i> Korth. <i>Cratoxylum polyanthum</i> Korth. var. <i>ligustrinum</i> (Spach) Dyer <i>Cratoxylum wightii</i> Blume <i>Elodea chinensis</i> Hance <i>Elodes chinensis</i> (Retz.) Hance <i>Hypericum biflorum</i> Lam. <i>Hypericum chinense</i> Retz. <i>Hypericum cochinchinense</i> Lour. <i>Oxycarpus cochinchinensis</i> Lour. <i>Stalagmites erosipetala</i> Miq.	Magnoliophyta	Hypericaceae	Endangered					✓			✓
269.	<i>Cratoxylum formosum</i> (Jacq.) Benth. & Hook.f. ex Dyer	<i>Cratoxylum prunifolium</i> Dyer <i>Elodes formosa</i> Jack	Magnoliophyta	Hypericaceae	Endangered								✓
270.	<i>Cratoxylum maingayi</i> Dyer	<i>Cratoxylum acuminatum</i> Merr. <i>Cratoxylum harmandii</i> Pierre <i>Cratoxylum parvifolium</i> Merr. <i>Cratoxylum subglaucum</i> Merr. <i>Cratoxylum thorelii</i> Pierre ex Gagnep.	Magnoliophyta	Hypericaceae	Critically endangered					✓			✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
271.	<i>Crepidium micranthum</i> (Hook.f.) Szlach.	<i>Crepidium trinervium</i> (Ridl.) Szlach. <i>Malaxis micrantha</i> (Hook.f.) Kuntze <i>Microstylis flavoviridis</i> Ridl. <i>Microstylis micrantha</i> Hook.f. <i>Microstylis trinervia</i> Ridl.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓								
272.	<i>Crepidomanes proliferum</i> Bostock	<i>Trichomanes proliferum</i> Blume ex Hook.	Filicinophyta	Hymenophyllaceae	Critically endangered					✓				
273.	<i>Croton caudatus</i> Geiseler	<i>Croton aromaticus</i> Gaertn. <i>Croton caudatus</i> Geiseler var. <i>denticulatus</i> Müll.Arg. <i>Croton caudatus</i> Geiseler var. <i>harmandii</i> Gagnep. <i>Croton caudatus</i> Geiseler var. <i>klotzschianus</i> Müll.Arg. <i>Croton caudatus</i> Geiseler var. <i>malaccanus</i> Hook.f. <i>Croton caudatus</i> Geiseler var. <i>oblongifolius</i> Müll.Arg. <i>Croton caudatus</i> Geiseler var. <i>obovoideus</i> N.P.Balakr. & Chakrab. <i>Croton denticulatus</i> Blume <i>Croton drupaceus</i> Roxb. <i>Croton malvifolius</i> Griff. <i>Croton racemosus</i> Burm.f. <i>Oxydectes caudata</i> (Geiseler) Kuntze <i>Oxydectes denticulata</i> Kuntze <i>Tigium klotzschianum</i> Wight	Magnoliophyta	Euphorbiaceae	Common				✓					
274.	<i>Croton oblongus</i> Burm.f.	<i>Croton confusus</i> Gage <i>Croton diadenus</i> Miq. <i>Croton korthalsii</i> Müll.Arg. <i>Croton laevifolius</i> Blume <i>Croton oreoborneicus</i> Croizat <i>Croton tiglioides</i> Blume <i>Mallotus minahassae</i> Koord. <i>Oxydectes korthalsii</i> (Müll.Arg.) Kuntze	Magnoliophyta	Euphorbiaceae	Endangered			✓	✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Oxydectes laevifolia</i> (Blume) Kuntze											
275.	<i>Crypteronia griffithii</i> C.B.Clarke		Magnoliophyta	Crypteroni- aceae	Critically endangered				✓				
276.	<i>Cryptocarya costata</i> Blume	<i>Caryodaphne costata</i> Miq. <i>Cryptocarya acutiflora</i> Blume ex Nees <i>Laurus flava</i> Reinw. ex Blume	Magnoliophyta	Lauraceae	Critically endangered				✓				
277.	<i>Cryptocarya ferrea</i> Blume	<i>Cryptocarya glaucescens</i> Hassk. <i>Cryptocarya tomentosa</i> Blume <i>Cryptocarya tomentosa</i> Blume var. <i>rugosa</i> Gamble	Magnoliophyta	Lauraceae	Critically endangered	✓	✓	✓	✓	✓		✓	
278.	<i>Cryptocarya griffithiana</i> Wight	<i>Cryptocarya caudata</i> Meisn.	Magnoliophyta	Lauraceae	Critically endangered				✓				
279.	<i>Cryptocoryne cordata</i> Griff.		Magnoliophyta	Araceae	Presumed nationally extinct					✓			
280.	<i>Cryptocoryne griffithii</i> Schott		Magnoliophyta	Araceae	Critically endangered	✓	✓	✓	✓			✓	
281.	<i>Cyathea latebrosa</i> (Wall. ex Hook.) Copel.	<i>Alsophila latebrosa</i> Wall. ex Hook. <i>Dichorexia latebrosa</i> (Wall. ex Hook.) C.Presl	Filicinophyta	Cyatheaceae	Vulnerable								✓
282.	<i>Cyathea squamulata</i> (Blume) Copel.	<i>Alsophila squamulata</i> (Blume) Hook. <i>Gymnosphaera squamulata</i> Blume	Filicinophyta	Cyatheaceae	Endangered								✓
283.	<i>Cyathocalyx ramuliflorus</i> (Maingay ex Hook.f. & Thomson) Scheff.	<i>Cyathocalyx bancanus</i> Boerl. <i>Drepananthus ramuliflorus</i> Maingay ex Hook.f.	Magnoliophyta	Annonaceae	Common	✓	✓		✓	✓	✓	✓	
284.	<i>Cyathocalyx ridleyi</i> (King) J.Sinclair	<i>Xylopiia ridleyi</i> King	Magnoliophyta	Annonaceae	Vulnerable				✓		✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
285.	<i>Cyathostemma viridiflorum</i> Griff.	<i>Cyathostemma scortechinii</i> King	Magnoliophyta	Annonaceae	Vulnerable				✓	✓	✓		
286.	<i>Cyclea laxiflora</i> Miers		Magnoliophyta	Menispermaceae	Critically endangered					✓			
287.	<i>Cyclosorus heterocarpus</i> (Blume) Ching	<i>Aspidium heterocarpum</i> Blume <i>Dryopteris heterocarpa</i> (Blume) Kuntze <i>Nephrodium heterocarpum</i> (Blume) T.Moore <i>Sphaerostephanos heterocarpus</i> (Blume) Holttum <i>Thelypteris heterocarpa</i> (Blume) C.V.Morton	Filicinophyta	Thelypteridaceae	Common	✓		✓	✓				
288.	<i>Cyclosorus parasiticus</i> (L.) Farw.	<i>Christella parasitica</i> (L.) H.Lév.	Filicinophyta	Thelypteridaceae	Cryptogenic	✓						✓	
289.	<i>Cyclosorus subpubescens</i> (Blume) Ching	<i>Aspidium subpubescens</i> Blume <i>Christella subpubescens</i> (Blume) Holttum <i>Cyclosorus parasiticus</i> (L.) Farw. var. <i>subpubescens</i> (Blume) Tardieu & C.Chr. <i>Dryopteris subpubescens</i> (Blume) C.Chr. <i>Thelypteris subpubescens</i> (Blume) K.Iwats.	Filicinophyta	Thelypteridaceae	Common			✓					
290.	<i>Cymbidium finlaysonianum</i> Lindl.	<i>Cymbidium tricolor</i> Miq. <i>Cymbidium wallichii</i> Lindl.	Magnoliophyta	Orchidaceae	Critically endangered	✓		✓	✓				
291.	<i>Cyperus haspan</i> L. subsp. <i>haspan</i>		Magnoliophyta	Cyperaceae	Cryptogenic					✓			
292.	<i>Cyperus pilosus</i> Vahl	<i>Cyperus amuricus</i> Maxim. var. <i>japonicus</i> Kük. <i>Cyperus donianus</i> A.Dietr. <i>Cyperus fimbriatus</i> Nees <i>Cyperus hebes</i> Steud. <i>Cyperus heyneanus</i> Boeckeler <i>Cyperus honestus</i> Kunth <i>Cyperus marginellus</i> Nees <i>Cyperus obliquus</i> Nees	Magnoliophyta	Cyperaceae	Cryptogenic			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Cyperus paniculatus</i> D.Don <i>Cyperus pauciflorus</i> Steud. <i>Cyperus pilosus</i> Vahl f. <i>badius</i> Kuntze <i>Cyperus pilosus</i> Vahl var. <i>contractus</i> (Miq.) Kük. <i>Cyperus pilosus</i> Vahl var. <i>fimbriatus</i> (Nees) Kük. <i>Cyperus pilosus</i> Vahl var. <i>laevirhachis</i> Kük. <i>Cyperus pilosus</i> Vahl var. <i>muticus</i> Boeckeler <i>Cyperus pilosus</i> Vahl var. <i>obliquus</i> (Nees) C.B.Clarke <i>Cyperus pilosus</i> Vahl f. <i>pallidus</i> Kuntze <i>Cyperus pilosus</i> Vahl var. <i>pauciflorus</i> L.K.Dai <i>Cyperus pilosus</i> Vahl var. <i>polyanthus</i> C.B.Clarke <i>Cyperus pilosus</i> Vahl var. <i>pseudobabakensis</i> Kük. <i>Cyperus pilosus</i> Vahl var. <i>purpurascens</i> L.K.Dai <i>Cyperus piptolepis</i> Steud. <i>Cyperus piptolepis</i> Steud. var. <i>contractus</i> Miq. <i>Cyperus piptolepis</i> Steud. var. <i>pyrophytus</i> Miq. <i>Cyperus pyrophilus</i> Reinw. ex de Vriese <i>Cyperus quinqueflorus</i> Hochst. ex Steud. <i>Cyperus subalatus</i> Steud. <i>Duval-jouvea pilosa</i> (Vahl) Palla												
293.	<i>Cyrtosperma merkusii</i> (Hassk.) Schott	<i>Arisacontis chamissonis</i> Schott <i>Cyrtosperma bantamense</i> Koord. <i>Cyrtosperma chamissonis</i> (Schott) Merr. <i>Cyrtosperma cuspidilobum</i> Schott <i>Cyrtosperma dubium</i> Schott <i>Cyrtosperma edule</i> Schott <i>Cyrtosperma ferox</i> N.E.Br. & Linden <i>Cyrtosperma intermedium</i> Schott <i>Cyrtosperma lasioides</i> Griff. <i>Cyrtosperma merkusii</i> (Hassk.) Schott var. <i>giganteum</i> Nadeaud <i>Cyrtosperma merkusii</i> (Hassk.) Schott var. <i>intermedium</i> (Schott) Engl. <i>Cyrtosperma nadeaudianum</i> J.W.Moore	Magnoliophyta	Araceae	Vulnerable	✓	✓	✓	✓	✓		✓	NIS	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Lasia merkusii</i> Hassk.											
294.	<i>Cystorchis variegata</i> Blume	<i>Hetaeria variegata</i> (Blume) Miq.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓	✓				NIS
295.	<i>Dacryodes costata</i> (A.W.Benn.) H.J.Lam	<i>Canarium costatum</i> (Benn.) Ridl. <i>Santiria costata</i> A.W.Benn.	Magnoliophyta	Burseraceae	Endangered		✓				✓		
296.	<i>Dacryodes puberula</i> (A.W.Benn.) H.J.Lam	<i>Santiria puberula</i> A.W.Benn.	Magnoliophyta	Burseraceae	Critically endangered					✓			
297.	<i>Dacryodes rostrata</i> (Blume) H.J.Lam	<i>Canarium articulatum</i> Engl. ex Koord. <i>Canarium caudatifolium</i> Merr. <i>Canarium crassifolium</i> Merr. <i>Canarium cuspidatum</i> Merr. <i>Canarium gilvescens</i> Miq. <i>Canarium kadondon</i> A.W.Benn. <i>Canarium minahassae</i> Koord. <i>Canarium montanum</i> Korth. ex Blume <i>Canarium reticulatum</i> Ridl. <i>Canarium rostriferum</i> Miq. <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>cuspidata</i> (Blume) H.J.Lam <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>pallida</i> H.J.Lam <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>pubescens</i> H.J.Lam <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>samarensis</i> H.J.Lam <i>Dracontomelon cuspidatum</i> Blume <i>Santiria rostrata</i> Blume	Magnoliophyta	Burseraceae	Vulnerable			✓					
298.	<i>Daemonorops angustifolia</i> (Griff.) Mart.	<i>Calamus angustifolius</i> Griff. <i>Calamus hygrophilus</i> Griff. <i>Daemonorops angustispatha</i> Furtado	Magnoliophyta	Arecaceae	Vulnerable	✓		✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in							
						A	B	C	D	E	F	G	H
		<i>Daemonorops carcharodon</i> Ridl. <i>Daemonorops hygrophila</i> (Griff.) Mart. <i>Palmijuncus hygrophilus</i> (Griff.) Kuntze											
299.	<i>Daemonorops didymophylla</i> Becc.	<i>Calamus cochleatus</i> Miq. <i>Calamus didymophyllus</i> (Becc.) Ridl. <i>Daemonorops cochleata</i> Teijsm. & Binn. ex Miq. <i>Daemonorops mattanensis</i> Becc. <i>Daemonorops motleyi</i> Becc. <i>Palmijuncus cochleatus</i> (Miq.) Kuntze	Magnoliophyta	Arecaceae	Vulnerable	✓		✓	✓				
300.	<i>Daemonorops grandis</i> (Griff.) Mart.	<i>Calamus acanthopis</i> Griff. <i>Calamus grandis</i> Griff. <i>Calamus intermedius</i> Griff. <i>Daemonorops grandis</i> (Griff.) Mart. var. <i>megacarpus</i> Furtado <i>Daemonorops intermedia</i> (Griff.) Mart. <i>Daemonorops kirtong</i> Griff. <i>Daemonorops laciniata</i> Furtado <i>Daemonorops malaccensis</i> Mart. <i>Palmijuncus grandis</i> (Griff.) Kuntze <i>Palmijuncus intermedius</i> (Griff.) Kuntze <i>Palmijuncus malaccensis</i> (Mart.) Kuntze	Magnoliophyta	Arecaceae	Endangered			✓					
301.	<i>Daemonorops hirsuta</i> Blume	<i>Calamus hirsutus</i> (Blume) Miq. <i>Calamus hystrix</i> Griff. <i>Daemonorops hystrix</i> (Griff.) Mart. <i>Daemonorops hystrix</i> (Griff.) Mart. var. <i>exulans</i> Becc. <i>Daemonorops hystrix</i> (Griff.) Mart. var. <i>minor</i> Becc. <i>Palmijuncus hirsutus</i> (Blume) Kuntze <i>Palmijuncus hystrix</i> (Griff.) Kuntze	Magnoliophyta	Arecaceae	Vulnerable	✓		✓	✓				
302.	<i>Daemonorops kunstleri</i> Becc.	<i>Daemonorops vagans</i> Becc.	Magnoliophyta	Arecaceae	Critically endangered	✓		✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
303.	<i>Daemonorops longipes</i> (Griff.) Mart.	<i>Calamus longipes</i> Griff. <i>Calamus ramosissimus</i> Griff. <i>Calamus strictus</i> (Blume) Miq. <i>Daemonorops calothyrsa</i> Furtado <i>Daemonorops longipedunculata</i> Furtado <i>Daemonorops ramosissima</i> (Griff.) Mart. <i>Daemonorops sabensis</i> Becc. ex Gibbs <i>Daemonorops stricta</i> Blume <i>Daemonorops virescens</i> Becc. <i>Palmijuncus ramosissimus</i> (Griff.) Kuntze <i>Rotang longipes</i> (Griff.) Baill.	Magnoliophyta	Areaceae	Vulnerable	✓		✓	✓				
304.	<i>Daemonorops sabut</i> Becc.	<i>Daemonorops annulata</i> Becc. <i>Daemonorops pseudomirabilis</i> Becc. <i>Daemonorops turbinata</i> Becc.	Magnoliophyta	Areaceae	Critically endangered	✓		✓	✓			✓	
305.	<i>Dalbergia candenatensis</i> (Dennst.) Prain	<i>Amerimnon tortum</i> (Graham) Kuntze <i>Cassia candenatensis</i> Dennst. <i>Dalbergia monosperma</i> Dalzell <i>Dalbergia torta</i> Graham <i>Dalbergia torta</i> A.Gray <i>Drepanocarpus monospermus</i> (Dalzell) Kurz	Magnoliophyta	Fabaceae	Common				✓				
306.	<i>Dalbergia havilandii</i> Prain	<i>Dalbergia havilandi</i> Prain	Magnoliophyta	Fabaceae	Presumed nationally extinct			✓					
307.	<i>Dalbergia junghuhnii</i> Benth.	<i>Dalbergia phyllanthoides</i> Miq.	Magnoliophyta	Fabaceae	Critically endangered					✓			
308.	<i>Dalbergia parviflora</i> Roxb.	<i>Amerimnon cumingii</i> (Benth.) Kuntze <i>Amerimnon parviflorum</i> (Roxb.) Kuntze <i>Dalbergia cumingii</i> Benth. <i>Drepanocarpus cumingii</i> Kurz	Magnoliophyta	Fabaceae	Presumed nationally extinct							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
309.	<i>Dalbergia pseudo-sissoo</i> Miq.	<i>Amerimnon championii</i> (Thwaites) Kuntze <i>Amerimnon pseudo-sissoo</i> (Miq.) Kuntze <i>Dalbergia championii</i> Thwaites <i>Dalbergia diversifolia</i> Miq. <i>Dalbergia radiata</i> Prain <i>Dalbergia rostrata</i> Prain <i>Dalbergia sissoo sensu</i> Miq.	Magnoliophyta	Fabaceae	Common							✓	
310.	<i>Dalbergia rostrata</i> Hassk.	<i>Dalbergia simplicifolia</i> Merr. <i>Dalbergia subalternifolia</i> (Elmer) Merr. <i>Derris subalternifolia</i> Elmer	Magnoliophyta	Fabaceae	Common	✓					✓	✓	
311.	<i>Dalbergia velutina</i> Benth.		Magnoliophyta	Fabaceae	Critically endangered				✓			✓	
312.	<i>Dasymaschalon blumei</i> Finet & Gagnep.	<i>Dasymaschalon blumei</i> Finet & Gagnep. var. <i>suratense</i> Bân <i>Dasymaschalon blumei</i> Finet & Gagnep. var. <i>wallichii</i> (Hook.f. & Thomson) Bân <i>Dasymaschalon cleistogamum</i> (Burck ex Boerl.) Merr. <i>Dasymaschalon coelophloeum</i> (Scheff.) Merr. <i>Dasymaschalon dasymaschalum</i> (Blume) I.M.Turner <i>Dasymaschalon dasymaschalum</i> (Blume) I.M.Turner var. <i>wallichii</i> (Hook.f. & Thomson) I.M.Turner <i>Desmos dasymaschalus</i> (Blume) Saff. <i>Unona cleistogama</i> Burck ex Boerl. <i>Unona coelophloea</i> Scheff. <i>Unona dasymaschala</i> Blume <i>Uvaria alphonsii</i> Müll.Berol. <i>Uvaria discolor</i> Müll.Berol.	Magnoliophyta	Annonaceae	Critically endangered			✓	✓	✓			
313.	<i>Davallia angustata</i> Wall		Filicinophyta	Davalliaceae	Endangered	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
314.	<i>Decaspermum fruticosum</i> J.R.Forst. & G.Forst.	<i>Decaspermum forsteri</i> Seem. <i>Nelitris forsteri</i> Seem. <i>Nelitris fruticosa</i> (J.R.Forst. & G.Forst.) A.Gray <i>Nelitris jambosella</i> Gaertn. <i>Psidium decaspermum</i> L.f.	Magnoliophyta	Myrtaceae	Vulnerable				✓	✓				
315.	<i>Decaspermum parviflorum</i> (Lam.) A.J.Scott subsp. <i>parviflorum</i>	<i>Decaspermum alternifolium</i> (Miq.) Nied. <i>Decaspermum confinis</i> (Blume) Nied. <i>Decaspermum myrsinoides</i> (Blume) Nied. <i>Decaspermum paniculatum</i> (Lindl.) Kurz <i>Decaspermum paniculatum</i> (Lindl.) Kurz var. <i>finlaysonianum</i> Duthie <i>Decaspermum paniculatum</i> (Lindl.) Kurz var. <i>khasianum</i> Duthie <i>Decaspermum paniculatum</i> (Lindl.) Kurz var. <i>caudatum</i> A.J.Scott <i>Decaspermum pyrifolium</i> (Miq.) Koord. & Valetton <i>Decaspermum sericeum</i> Hance <i>Eugenia polygama</i> Roxb.	Magnoliophyta	Myrtaceae	Critically endangered						✓			
316.	<i>Decaspermum parviflorum</i> (Lam.) A.J.Scott subsp. <i>quadripartitum</i> J.Parn. & NicLugh.		Magnoliophyta	Myrtaceae	Critically endangered				✓					
317.	<i>Dendrobium aloifolium</i> (Blume) Rchb.f.	<i>Aporum aloifolium</i> (Blume) Brieger <i>Aporum cochinchinense</i> (Ridl.) Rauschert <i>Aporum lobbii</i> M.A.Clem. <i>Aporum micranthum</i> Griff. <i>Aporum serra</i> Lindl. <i>Callista aloifolia</i> (Blume) Kuntze <i>Dendrobium cochinchinense</i> Ridl. <i>Dendrobium lobbii</i> Lindl. <i>Dendrobium serra</i> (Lindl.) Lindl. <i>Oxystophyllum macrostoma</i> Hassk	Magnoliophyta	Orchidaceae	Critically endangered							✓	NIS	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
318.	<i>Dendrobium indivisum</i> (Blume) Miq.	<i>Aporum indivisum</i> Blume <i>Callista indivisa</i> (Blume) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
319.	<i>Dendrobium lamellatum</i> (Blume) Lindl.	<i>Callista lamellata</i> (Blume) Kuntze <i>Eurycaulis lamellatus</i> (Blume) M.A.Clem. & D.L.Jones <i>Onychium lamellatum</i> Blume <i>Pedilonum lamellatum</i> (Blume) Brieger	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
320.	<i>Dendrobium leonis</i> (Lindl.) Rchb.f.	<i>Aporum leonis</i> Lindl. <i>Callista leonis</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
321.	<i>Dendrobium planibulbe</i> Lindl.	<i>Aporum planibulbe</i> (Lindl.) Rauschert <i>Ceraia planibulbis</i> (Lindl.) M.A.Clem.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
322.	<i>Dendrobium pulchellum</i> Roxb. ex Lindl.	<i>Callista pulchella</i> (Roxb. ex Lindl.) Kuntze <i>Dendrobium brevifolium</i> Lindl. <i>Dendrobium dalhousieanum</i> Wall. <i>Dendrobium moschatum</i> Griff. <i>Dendrobium pulchellum</i> Roxb.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
323.	<i>Dendrobium setifolium</i> Ridl.	<i>Aporum setifolium</i> (Ridl.) Rauschert <i>Ceraia setifolia</i> (Ridl.) M.A.Clem.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
324.	<i>Dendrobium stuposum</i> Lindl.	<i>Callista flavidula</i> (Ridl. ex Hook.f.) Kuntze <i>Callista stuposa</i> (Lindl.) Kuntze <i>Dendrobium exsculptum</i> Teijsm. & Binn. <i>Dendrobium flavidulum</i> Ridl. ex Hook.f. <i>Dendrobium pristinum</i> Ames <i>Dendrobium sphegidoqlossum</i> Rchb.f.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
325.	<i>Dendrolejeunea fruticosa</i> (Lindenb. & Gottsche) Lacout.	<i>Thysananthus densus</i> Stephani <i>Thysananthus lauterbachii</i> Stephani <i>Thysananthus ovistipulus</i> Stephani <i>Thysanolejeunea lanceolata</i> Stephani	Marchantio-phyta	Lejeuneaceae	Data deficient			✓						
326.	<i>Dendrotrophe varians</i> (Blume) Miq.	<i>Dendrotrophe buxifolia</i> (Blume) Miq. var. <i>minor</i> (Ridl.) Stauffer <i>Dendrotrophe cassiifolia</i> (Blume) Miq. <i>Dendrotrophe frutescens</i> (Benth.) Danser <i>Dendrotrophe frutescens</i> (Benth.) Danser var. <i>subquinquenervia</i> (P.C.Tam) P.C.Tam <i>Dendrotrophe lobbiana</i> (A.DC.) Miq. <i>Dendrotrophe minor</i> (Ridl.) Danser <i>Dendrotrophe palawanensis</i> (Elmer) Danser <i>Dendrotrophe philippinensis</i> (A.DC.) Miq. <i>Dendrotrophe punctata</i> C.Y.Wu ex D.D.Tao <i>Dendrotrophe punctata</i> C.Y.Wu & D.D.Tao <i>Dendrotrophe ridleyi</i> (Gamble) Danser <i>Dendrotrophe spicata</i> (Blume) Miq. <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>arfakensis</i> Stauffer <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>gracilior</i> Stauffer <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>minor</i> (Ridl.) Stauffer <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>multinervis</i> Stauffer <i>Dendrotrophe wrayi</i> (Gamble) Danser <i>Exocarpos amboinensis</i> Merr. <i>Henslowia frutescens</i> Champ. ex Benth. <i>Henslowia frutescens</i> Champ. ex Benth. var. <i>subquinquenervia</i> P.C.Tam <i>Henslowia palawanensis</i> Elmer <i>Henslowia sessiliflora</i> Hemsl. <i>Henslowia varians</i> Blume	Magnoliophyta	Santalaceae	Vulnerable			✓	✓				✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
327.	<i>Derris maingayana</i> Baker	<i>Deguelia maingayana</i> (Baker) Taub. <i>Derris amoena</i> Benth. var. <i>maingayana</i> Prain <i>Pterocarpus maingayanus</i> (Baker) Kuntze	Magnoliophyta	Fabaceae	Vulnerable	✓			✓			✓	
328.	<i>Derris malaccensis</i> Prain	<i>Derris cuneifolia</i> Benth. var. <i>malaccensis</i> Benth.	Magnoliophyta	Fabaceae	Presumed nationally extinct				✓				
329.	<i>Derris trifoliata</i> Lour.	<i>Dalbergia heterophylla</i> Willd. <i>Deguelia trifoliata</i> (Lour.) Taub. <i>Deguelia uliginosa</i> (Willd.) Baill. <i>Deguelia uliginosa</i> (Willd.) Baill. var. <i>loureiri</i> Benth. <i>Derris affinis</i> Benth. <i>Derris floribunda</i> Prain <i>Derris forsteniana</i> Miq. <i>Derris heterophylla</i> (Willd.) K. Heyne <i>Derris heteropylla</i> (Willd.) Backer <i>Derris uliginosa</i> (Willd.) Benth. <i>Galedupa uliginosa</i> (Willd.) Roxb. <i>Pongamia madagascariensis</i> Baker <i>Pongamia madagascariensis</i> Bojer ex Oliver <i>Pongamia uliginosa</i> (Willd.) DC. <i>Pterocarpus frutescens</i> Blanco <i>Pterocarpus uliginosus</i> Roxb. <i>Robinia uliginosa</i> Willd.	Magnoliophyta	Fabaceae	Common	✓		✓					
330.	<i>Desmodium heterocarpon</i> (L.) DC.	<i>Desmodium buergeri</i> Miq. <i>Desmodium buergeri</i> Miq. var. <i>patulepilosum</i> Ohwi <i>Desmodium heterocarpon</i> (L.) DC. var. <i>buergeri</i> (Miq.) Hosok. <i>Desmodium heterocarpon</i> (L.) DC. var. <i>patulepilosum</i> (Ohwi) Ohwi <i>Desmodium heterocarpum</i> (L.) DC.	Magnoliophyta	Fabaceae	Cryptogenic				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Desmodium heterophyllum</i> (Willd.) DC. var. <i>buergeri</i> (Miq.) Hosok. <i>Desmodium ovalifolium</i> (Prain) Wallich ex Ridley <i>Desmodium polycarpum</i> sensu R.O.Williams <i>Desmodium polycarpum</i> (Poir.) DC. <i>Hedysarum heterocarpon</i> L. <i>Hedysarum polycarpum</i> Poir. <i>Hedysarum siliquosum</i> Burm.f. <i>Meibomia heterocarpa</i> (L.) Kuntze											
331.	<i>Desmodium heterophyllum</i> (Willd.) DC.	<i>Desmodium triflorum</i> (L.) DC. var. <i>majus</i> Wight & Arn. <i>Hedysarum heterophyllum</i> Willd. <i>Hedysarum reptans</i> Roxb. <i>Hedysarum triflorum</i> L. var. <i>oblongifolium</i> Desv. <i>Meibomia heterophylla</i> (Willd.) Kuntze	Magnoliophyta	Fabaceae	Cryptogenic			✓					
332.	<i>Desmos chinensis</i> Lour.	<i>Desmos chinensis</i> Lour. var. <i>brevifolius</i> (Teijsm. & Binn. ex Boerl.) Bân <i>Desmos chinensis</i> Lour. var. <i>laevigatus</i> (Hook.f. & Thomson) D.Mitra <i>Desmos chinensis</i> Lour. var. <i>lawii</i> (Hook.f. & Thomson) Bân <i>Desmos chinensis</i> Lour. var. <i>macropetalus</i> (Teijsm. & Binn. ex Boerl.) Bân <i>Desmos chinensis</i> Lour. var. <i>pubescens</i> (Hook.f. & Thomson) Deb <i>Desmos dunalii</i> (Wall. ex Hook.f. & Thomson) Saff. <i>Desmos lawii</i> (Hook.f. & Thomson) Saff. <i>Unona chinensis</i> DC. <i>Unona discolor</i> Vahl <i>Unona dunalii</i> Hook.f. & Thomson	Magnoliophyta	Annonaceae	Critically endangered						✓		
333.	<i>Desmos dumosus</i> (Roxb.) Saff.	<i>Desmos subbiglandulosus</i> (Miq.) Merr. <i>Unona dumosa</i> Roxb.	Magnoliophyta	Annonaceae	Critically endangered					✓	✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
334.	<i>Dialium indum</i> L. var. <i>indum</i>	<i>Dialium indum</i> L. var. <i>laurinum</i> (Baker) Rojo <i>Dialium laurinum</i> Baker <i>Dialium marginatum</i> de Wit <i>Dialium turbinatum</i> de Wit	Magnoliophyta	Fabaceae	Critically endangered				✓				
335.	<i>Dialium platysepalum</i> Baker	<i>Dialium ambiguum</i> Prain <i>Dialium havilandii</i> Ridl. <i>Dialium kingii</i> Prain <i>Dialium maingayi</i> Baker <i>Dialium triste</i> de Wit <i>Dialium wallichii</i> Prain	Magnoliophyta	Fabaceae	Critically endangered				✓				
336.	<i>Dichapetalum sordidum</i> (Hook.f.) Leenh.	<i>Chailletia sordida</i> (Hook.f.) Ridl.	Magnoliophyta	Dichapetalaceae	Presumed nationally extinct							✓	
337.	<i>Dicranopteris linearis</i> (Burm.f.) Underw.	<i>Dicranopteris dichotoma</i> (Thunb.) Bernh. <i>Gleichenia dichotoma</i> (Thunb.) Hook. <i>Gleichenia ferruginea</i> Blume <i>Gleichenia hermanni</i> R.Br. <i>Gleichenia lanigera</i> D.Don <i>Gleichenia linearis</i> (Burm.f.) C.B.Clarke <i>Gleichenia rigida</i> J.Sm. <i>Mertensia dichotoma</i> (Thunb.) Willd. <i>Mertensia lessonii</i> A.Rich. <i>Mertensia linearis</i> (Burm.f.) Fritsch <i>Mertensia rufinervis</i> Mart. <i>Polypodium dichotomum</i> Thunb. <i>Polypodium lineare</i> Burm.f. <i>Polypodium pedatum</i> Houtt.	Filicinophyta	Gleicheniaceae	Common						✓	✓	
338.	<i>Didymoplexis pallens</i> Griff.	<i>Apetalon minutum</i> Wight <i>Arethusa bengalensis</i> Hemsl. <i>Arethusa ecristata</i> Griff. <i>Cheirostylis kanarensis</i> Blatt. & McCann <i>Didymoplexis brevipes</i> Ohwi	Magnoliophyta	Orchidaceae	Critically endangered	✓		✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Didymoplexis subcampanulata</i> Hayata <i>Didymoplexis sylvatica</i> (Blume) Garay <i>Epiphanes pallens</i> (Griff.) Rchb.f. <i>Gastrodia pallens</i> (Griff.) F.Muell. <i>Leucorchis minuta</i> (Wight) Blume <i>Leucorchis sylvatica</i> Blume												
339.	<i>Dienia ophrydis</i> (J.König) Seidenf.	<i>Anaphora liparioides</i> Gagnep. <i>Crepidium ophrydis</i> (J.König) M.A.Clem. & D.L.Jones <i>Dienia congesta</i> Lindl. <i>Dienia curranii</i> (Ames) M.A.Clem. & D.L.Jones <i>Dienia fusca</i> Lindl. <i>Dienia latifolia</i> (Sm.) M.A.Clem. & D.L.Jones <i>Dienia montana</i> (Blume) M.A.Clem. & D.L.Jones <i>Epidendrum ophrydis</i> J.König <i>Gastroglottis latifolia</i> (Sm.) Szlach. <i>Gastroglottis montana</i> Blume <i>Glossochilopsis carnosula</i> (Rolfe ex Downie) Szlach. & Marg. <i>Gyrostachys plantaginea</i> (Spreng.) Kuntze <i>Liparis bernaysii</i> (F.Muell.) F.M.Bailey <i>Liparis krempfii</i> Gagnep. <i>Liparis turfosa</i> Gagnep. <i>Malaxis carnosula</i> (Rolfe ex Downie) Seidenf. & Smitinand <i>Malaxis congesta</i> (Lindl.) Deb <i>Malaxis curranii</i> Ames <i>Malaxis kizanensis</i> (Masam.) S.Y.Hu <i>Malaxis latifolia</i> J.E.Sm. <i>Malaxis latifolia</i> J.E.Sm. var. <i>nana</i> S.S.Ying <i>Malaxis ophrydis</i> (J.König) Ormerod <i>Malaxis parvissima</i> S.Y.Hu & Barretto <i>Malaxis plicata</i> Roxb. <i>Malaxis shuicae</i> S.S.Ying <i>Malaxis vietnamensis</i> T.B.Nguyen & D.H.Duong	Magnoliophyta	Orchidaceae	Critically endangered	✓		✓						NIS

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Microstylis bernaysii</i> F.Muell. <i>Microstylis carnosula</i> Rolfe ex Downie <i>Microstylis congesta</i> (Lindl.) Rchb.f. <i>Microstylis dalatensis</i> Guillaumin <i>Microstylis fusca</i> (Lindl.) Rchb.f. <i>Microstylis ishigakensis</i> Ohwi <i>Microstylis kizanensis</i> Masam. <i>Microstylis latifolia</i> (Sm.) J.J.Sm. <i>Microstylis trilobulata</i> Kurz <i>Neottia plantaginea</i> D.Don <i>Spiranthes plantaginea</i> Spreng.											
340.	<i>Dillenia excelsa</i> (Jack) Martelli ex Gilg.	<i>Dillenia excelsa</i> (Jack) Martelli ex Gilg. var. <i>borneensis</i> (Miq.) Merr. <i>Dillenia excelsa</i> (Jack) Martelli ex Gilg. var. <i>pubescens</i> (Cornel.) Cornel. ex Masam. <i>Dillenia excelsa</i> (Jack) Martelli ex Gilg. var. <i>tomentella</i> (Martelli) Cornel. ex Masam. <i>Dillenia glabra</i> Martelli <i>Dillenia magnoliifolia</i> Martelli <i>Dillenia mattadensis</i> Martelli <i>Dillenia oblonga</i> (Wall. ex Hook.f. & Thomson) Martelli <i>Dillenia pauciflora</i> (Zoll. & Moritzi) Gilg <i>Dillenia secunda</i> Hunter ex Ridl. <i>Dillenia tomentella</i> Martelli	Magnoliophyta	Dilleniaceae	Critically endangered								✓
341.	<i>Dillenia ovata</i> Wall. ex Hook.f. & Thomson	<i>Dillenia grandifolia</i> Wall. ex Hook.f. & Thomson	Magnoliophyta	Dilleniaceae	Endangered				✓				
342.	<i>Dillenia reticulata</i> King		Magnoliophyta	Dilleniaceae	Critically endangered								✓
343.	<i>Dillenia suffruticosa</i> (Griff.) Martelli	<i>Dillenia burbidgei</i> (Hook.f.) Martelli <i>Dillenia suffruticosa</i> (Griff.) Martelli var. <i>borneensis</i> (Ridl.) Ridl.	Magnoliophyta	Dilleniaceae	Common								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Wormia burbidgei</i> Hook.f. <i>Wormia suffruticosa</i> Griff.											
344.	<i>Dimeria ornithopoda</i> Trin.	<i>Andropogon filiformis</i> Roxb. <i>Andropogon roxburghianus</i> Schult. <i>Andropogon stipiformis</i> Steud. <i>Chrysopogon filiformis</i> Voigt <i>Didactylon ramosum</i> Zoll. & Moritzi <i>Didactylon simplex</i> Zoll. & Morltzi <i>Dimeria diandra</i> Griff. <i>Dimeria filiformis</i> Hochst. ex Miq. <i>Dimeria glabra</i> Ridl. <i>Dimeria higoensis</i> Honda <i>Dimeria hirtella</i> B.S.Sun <i>Dimeria mikii</i> Honda <i>Dimeria ornithopoda</i> Trin. var. <i>filiformis</i> Hack. <i>Dimeria ornithopoda</i> Trin. var. <i>glabra</i> (Ridl.) Jansen <i>Dimeria ornithopoda</i> Trin. var. <i>gracillima</i> Bor <i>Dimeria ornithopoda</i> Trin. var. <i>khasiana</i> Bor <i>Dimeria ornithopoda</i> Trin. var. <i>megalantha</i> Bor <i>Dimeria ornithopoda</i> Trin. var. <i>nana</i> Courtois ex Keng f. & Y.L.Yang <i>Dimeria ornithopoda</i> Trin. var. <i>nana</i> (Keng & Y.L.Yang) S.L.Chen & G.Y.Sheng <i>Dimeria ornithopoda</i> Trin. var. <i>parva</i> Keng f. & Y.L.Yang <i>Dimeria ornithopoda</i> Trin. var. <i>plurinodis</i> Keng f. & Y.L.Yang <i>Dimeria ornithopoda</i> Trin. var. <i>plurinodis</i> (Keng & Y.L.Yang) S.L.Chen & G.Y.Sheng <i>Dimeria ornithopoda</i> Trin. var. <i>ramosa</i> (Zoll. & Moritzi) Hack. <i>Dimeria ornithopoda</i> Trin. f. <i>subrobusta</i> (Hack.) Ohwi	Magnoliophyta	Poaceae	Common						✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Dimeria ornithopoda</i> Trin. subsp. <i>subrobusta</i> (Hack.) S.L.Chen & G.Y.Sheng <i>Dimeria ornithopoda</i> Trin. var. <i>subrobusta</i> Hack. <i>Dimeria ornithopoda</i> Trin. var. <i>tenera</i> (Trin.) Hack. <i>Dimeria ornithopoda</i> Trin. var. <i>yakushimensis</i> Honda <i>Dimeria ornithopodioides</i> Ridl. <i>Dimeria parva</i> (Keng & Y.L.Yang) S.L.Chen & G.Y.Sheng <i>Dimeria psilobasis</i> F.Muell. <i>Dimeria stipiformis</i> (Steud.) Miq. <i>Dimeria tenera</i> Trin. <i>Psilostachys filiformis</i> (Voight) Dalzell & A.Gibson											
345.	<i>Dimocarpus longan</i> Lour. subsp. <i>malesianus</i> Leenh.	<i>Dimocarpus informis</i> Lour. <i>Dimocarpus litchi</i> Lour.	Magnoliophyta	Sapindaceae	Exotic			✓					
346.	<i>Dioscorea laurifolia</i> Wall. ex Hook.f.	<i>Dioscorea laurifolia</i> Wall. ex Hook.f. var. <i>hookeri</i> R.Knuth	Magnoliophyta	Dioscoreaceae	Common	✓				✓	✓	✓	
347.	<i>Dioscorea orbiculata</i> Hook.f. var. <i>tenuifolia</i> (Ridl.) Thapyai	<i>Dioscorea tenuifolia</i> Ridl.	Magnoliophyta	Dioscoreaceae	Critically endangered						✓		
348.	<i>Dioscorea polyclados</i> Hook.f.	<i>Dioscorea polyclados</i> Hook.f. var. <i>oblongifolia</i> Uline ex R.Knuth	Magnoliophyta	Dioscoreaceae	Critically endangered	✓		✓				✓	
349.	<i>Dioscorea prainiana</i> R.Knuth	<i>Dioscorea deflexa</i> Hook.f. <i>Dioscorea maliliensis</i> R.Knuth	Magnoliophyta	Dioscoreaceae	Critically endangered						✓		
350.	<i>Dioscorea pyrifolia</i> Kunth	<i>Dioscorea diepenhorstiana</i> Miq. <i>Dioscorea ferruginea</i> Thunb. ex Prain & Burkill <i>Dioscorea preangeriana</i> Uline ex R.Knuth <i>Dioscorea pyrifolia</i> Kunth var. <i>diepenhorstii</i> Prain & Burkill	Magnoliophyta	Dioscoreaceae	Common			✓		✓	✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Dioscorea pyrifolia</i> Kunth var. <i>ferruginea</i> Prain & Burkill <i>Dioscorea sandakanensis</i> R.Knuth <i>Dioscorea zollingeriana</i> Kunth											
351.	<i>Diospyros argentea</i> Griff.		Magnoliophyta	Ebenaceae	Endangered			✓					
352.	<i>Diospyros buxifolia</i> (Blume) Hiern	<i>Diospyros elegantissima</i> Bakh. <i>Diospyros microphylla</i> Bedd. <i>Diospyros munda</i> Hiern <i>Ebenus buxifolia</i> (Blume) Kuntze <i>Leucoxylum buxifolium</i> Blume <i>Maba elegans</i> Ridl.	Magnoliophyta	Ebenaceae	Vulnerable							✓	
353.	<i>Diospyros coriacea</i> Hiern		Magnoliophyta	Ebenaceae	Critically endangered			✓				✓	
354.	<i>Diospyros lanceifolia</i> Roxb.	<i>Diospyros amoena</i> Wall. ex G.Don <i>Diospyros clavigera</i> C.B.Clarke var. <i>pachyphylla</i> (C.B.Clarke) Ridl. <i>Diospyros grata</i> Wall. ex A.DC. <i>Diospyros hirsuta</i> Hiern <i>Diospyros lanceifolia</i> Roxb.f. <i>cagayanensis</i> Bakh. <i>Diospyros lanceifolia</i> Roxb.f. <i>wenzelii</i> Bakh. <i>Diospyros lonchophylla</i> Hiern <i>Diospyros lucida</i> Wall. ex A.DC. <i>Diospyros multiflora</i> Wall. ex A.DC. <i>Diospyros pachyphylla</i> C.B.Clarke <i>Diospyros sabtanense</i> Merr.	Magnoliophyta	Ebenaceae	Common	✓	✓		✓	✓	✓	✓	
355.	<i>Diospyros maingayi</i> (Hiern) Bakh.	<i>Diospyros bilocularis</i> Oliv. <i>Ebenus maingayi</i> (Hiern) Kuntze <i>Maba maingayi</i> Hiern	Magnoliophyta	Ebenaceae	Critically endangered	✓	✓					✓	
356.	<i>Diospyros oblonga</i> Wall. ex G.Don	<i>Diospyros pilosanthera</i> Blanco var. <i>oblonga</i> (Wall. ex G.Don) Ng	Magnoliophyta	Ebenaceae	Vulnerable	✓	✓		✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Diospyros sapotoides</i> Kurz											
357.	<i>Diospyros pilosanthera</i> Blanco	<i>Diospyros carthei</i> Hiern <i>Diospyros cubica</i> Bakh. <i>Diospyros elmeri</i> Merr. <i>Diospyros helferi</i> C.B.Clarke <i>Diospyros hiernii</i> Koord. <i>Diospyros moonii</i> Hiern <i>Diospyros nidus-avis</i> Kosterm. <i>Diospyros pilosanthera</i> Blanco var. <i>chikusensis</i> Ng <i>Diospyros pilosanthera</i> Blanco var. <i>elmeri</i> (Merr.) Ng <i>Diospyros pilosanthera</i> Blanco var. <i>helferi</i> (C.B.Clarke) Bakh. <i>Diospyros pilosanthera</i> Blanco var. <i>nurii</i> Ng <i>Diospyros pilosanthera</i> Blanco var. <i>polyalthioides</i> (Hiern) Ng <i>Diospyros pilosanthera</i> Blanco var. <i>tayabensis</i> (Merr.) Bakh. <i>Diospyros plicata</i> Merr. <i>Diospyros polyalthioides</i> Hiern <i>Diospyros rubescens</i> Koord. & Valetton <i>Diospyros tayabensis</i> Merr.	Magnoliophyta	Ebenaceae	Vulnerable					✓			
358.	<i>Diospyros styraciformis</i> King & Gamble	<i>Diospyros clavipes</i> Bakh. <i>Diospyros sarawakana</i> Bakh. <i>Diospyros styraciformis</i> King & Gamble var. <i>sarawakana</i> (Bakh.) Ng	Magnoliophyta	Ebenaceae	Vulnerable								✓
359.	<i>Diospyros subrhomboidea</i> King & Gamble	<i>Diospyros boerlagei</i> Valetton <i>Diospyros confusa</i> Bakh. <i>Diospyros jaheri</i> Bakh.	Magnoliophyta	Ebenaceae	Critically endangered								✓
360.	<i>Diospyros sumatrana</i> Miq.	<i>Diospyros beccarii</i> Hiern <i>Diospyros clavigera</i> C.B.Clarke <i>Diospyros decipiens</i> C.B.Clarke	Magnoliophyta	Ebenaceae	Critically endangered	✓			✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Diospyros dumosa</i> King & Gamble <i>Diospyros flavicans</i> Hiern <i>Diospyros glomerulata</i> King & Gamble <i>Diospyros graciliflora</i> Hiern <i>Diospyros hendersonii</i> Ridl. <i>Diospyros koordersii</i> Hiern ex Koord. <i>Diospyros monticola</i> Kosterm. <i>Diospyros tubicalyx</i> Ridl. <i>Ebenus beccarii</i> (Hiern) Kuntze <i>Ebenus sumatrana</i> (Miq.) Kuntze											
361.	<i>Diospyros undulata</i> Wall. ex G.Don	<i>Diospyros cratericalyx</i> Craib	Magnoliophyta	Ebenaceae	Presumed nationally extinct					✓			
362.	<i>Diplacrum caricinum</i> R.Br.	<i>Diplacrum caricinum</i> R.Br. subsp. <i>sumatranum</i> Miq. <i>Diplacrum tridentatum</i> Brongn. <i>Diplacrum zeylanicum</i> Nees <i>Scleria axillaris</i> Moon <i>Scleria caricina</i> (R.Br.) Benth. <i>Scleria onoei</i> Makino	Magnoliophyta	Cyperaceae	Cryptogenic					✓	✓		
363.	<i>Diplazium crenato-serratum</i> (Blume) Moore		Filicinophyta	Woodsiaceae	Vulnerable	✓							
364.	<i>Diplectria divaricata</i> (Willd.) Kuntze		Magnoliophyta	Melastomat-aceae	Critically endangered					✓			
365.	<i>Diplectria viminalis</i> (Jack) Kuntze		Magnoliophyta	Melastomat-aceae	Critically endangered					✓			
366.	<i>Diplospora malaccensis</i> Hook.f.	<i>Discospermum malaccense</i> (Hook.f.) Kuntze <i>Tricalysia malaccensis</i> (Hook.f.) Merr.	Magnoliophyta	Rubiaceae	Critically endangered	✓	✓		✓			✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
367.	<i>Dipterocarpus sublamellatus</i> Foxw.		Magnoliophyta	Dipterocarpaceae	Vulnerable	✓		✓					
368.	<i>Dischidia albiflora</i> Griff.	<i>Collyris major</i> Vahl <i>Dischidia borneensis</i> Becc. <i>Dischidia collyris</i> Wall.	Magnoliophyta	Apocynaceae	Presumed nationally extinct			✓					
369.	<i>Dischidia hirsuta</i> (Blume) Decne.	<i>Dischidia brunoniana</i> Griff. <i>Dischidia euryloma</i> Schltr. <i>Dischidia fasciculata</i> (Blume) Decne. <i>Dischidia pulchella</i> Schltr. <i>Dischidia subpelligera</i> Schltr. <i>Dischidia verruculosa</i> Schltr. <i>Leptostemma fasciculatum</i> Blume <i>Leptostemma hirsutum</i> Blume	Magnoliophyta	Apocynaceae	Presumed nationally extinct			✓					
370.	<i>Dissochaeta echinulata</i> (Naudin) Clausing		Magnoliophyta	Melastomataceae	Critically endangered				✓	✓	✓		
371.	<i>Dissochaeta gracilis</i> Jack (Blume)		Magnoliophyta	Melastomataceae	Vulnerable						✓	✓	
372.	<i>Dissochaeta monticola</i> Blume		Magnoliophyta	Melastomataceae	Critically endangered				✓				
373.	<i>Dissochaeta pallida</i> (Jack) Blume		Magnoliophyta	Melastomataceae	Endangered			✓	✓	✓			
374.	<i>Dissochaeta punctulata</i> Hook.f. ex Triana		Magnoliophyta	Melastomataceae	Vulnerable				✓	✓			
375.	<i>Dracaena cantleyi</i> Baker	<i>Dracaena aurantiaca</i> (Baker) Wall. ex Hook.f. <i>Dracaena marmorata</i> Baker <i>Dracaena spicata</i> Roxb. var. <i>aurantiaca</i> Baker <i>Pleomele aurantiaca</i> (Baker) N.E.Br. <i>Pleomele cantleyi</i> (Baker) N.E.Br.	Magnoliophyta	Asparagaceae	Vulnerable	✓			✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Pleomele marmorata</i> (Baker) N.E.Br.												
376.	<i>Dracaena elliptica</i> Thunb.	<i>Calodracon sieboldii</i> Planch. <i>Cordyline atropurpurea</i> (Roxb.) Planch. <i>Cordyline maculata</i> (Roxb.) Planch. <i>Cordyline sieboldii</i> Planch. <i>Dracaena atropurpurea</i> Roxb. <i>Dracaena atropurpurea</i> Roxb. var. <i>gracilis</i> Baker <i>Dracaena atropurpurea</i> Roxb. var. <i>kurzii</i> Baker <i>Dracaena elliptica</i> Thunb. & Dalm. var. <i>gracilis</i> Baker <i>Dracaena elliptica</i> Thunb. & Dalm. var. <i>maculata</i> (Roxb.) Baker <i>Dracaena gracilis</i> (Baker) Wall. ex Hook.f. <i>Dracaena javanica</i> (Blume) Kunth <i>Dracaena javanica</i> (Blume) Kunth var. <i>maculata</i> (Roxb.) Regel <i>Dracaena maculata</i> Roxb. <i>Dracaena sieboldii</i> Planch. <i>Dracaena terniflora</i> Wall. <i>Draco atropurpurea</i> (Roxb.) Kuntze <i>Draco elliptica</i> (Thunb. & Dalm.) Kuntze	Magnoliophyta	Asparagaceae	Critically endangered	✓		✓		✓		✓		
377.	<i>Dracaena maingayi</i> Hook.f.	<i>Pleomele maingayi</i> (Hook.f.) N.E.Br.	Magnoliophyta	Asparagaceae	Vulnerable				✓					
378.	<i>Dracaena porteri</i> Baker	<i>Draco porteri</i> (Baker) Kuntze <i>Pleomele porteri</i> (Baker) N.E.Br.	Magnoliophyta	Asparagaceae	Common			✓		✓		✓		
379.	<i>Dracaena singaporensis</i> Ridl.		Magnoliophyta	Asparagaceae	Presumed nationally extinct	✓		✓						
380.	<i>Dracaena umbratica</i> Ridl.		Magnoliophyta	Asparagaceae	Vulnerable	✓								
381.	<i>Dracontomelon dao</i> (Blanco) Merr. & Rolfe	<i>Comeurya cumingiana</i> Baill. <i>Dracontomelon brachyphyllum</i> Ridl.	Magnoliophyta	Anacardiaceae	Exotic								✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Dracontomelon celebicum</i> Koord. <i>Dracontomelon cumingianum</i> (Baill.) Baill. <i>Dracontomelon edule</i> (Blanco) Skeels <i>Dracontomelon edule</i> Merr. <i>Dracontomelon lamiyo</i> (Blanco) Merr. <i>Dracontomelon laxum</i> K.Schum. <i>Dracontomelon mangiferum</i> (Blume) Blume <i>Dracontomelon puberulum</i> Miq. <i>Dracontomelon sylvestre</i> Blume <i>Paliurus dao</i> Blanco <i>Paliurus edulis</i> Blanco <i>Paliurus lamujo</i> Blanco <i>Poupartia mangifera</i> Blume											
382.	<i>Drepanolejeunea ternatensis</i> (Gottsche) Stephani	<i>Lejeunea ternatensis</i> Gottsche	Marchantio-phyta	Lejeuneaceae	Data deficient				✓				
383.	<i>Drypetes longifolia</i> (Blume) Pax & K.Hoffm.	<i>Aporosa calocarpa</i> Kurz ex Hook.f. <i>Cyclostemon bordenii</i> Merr. <i>Cyclostemon calocarpus</i> Hook.f. <i>Cyclostemon coriaceus</i> Baill. <i>Cyclostemon incarnatus</i> Elmer <i>Cyclostemon longifolius</i> Blume <i>Cyclostemon macrophyllus</i> Blume <i>Cyclostemon macrophyllus</i> Blume var. <i>malaccensis</i> Hook.f. <i>Cyclostemon merrittii</i> Elmer <i>Cyclostemon zeylanicus</i> (Thwaites) Baill. <i>Drypetes bordenii</i> (Merr.) Pax & K.Hoffm. <i>Drypetes calocarpa</i> (Hook.f.) Pax & K.Hoffm. <i>Drypetes coriacea</i> (Baill.) Pax & K.Hoffm. <i>Drypetes macrophylla</i> (Blume) Pax & K.Hoffm. <i>Drypetes myrmecophila</i> Merr. <i>Sphragidia zeylanica</i> Thwaites	Magnoliophyta	Putranjivaceae	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
384.	<i>Drypetes pendula</i> Ridl.	<i>Drypetes gigantifolia</i> J.J.Sm.	Magnoliophyta	Putranjivaceae	Critically endangered				✓				
385.	<i>Durio singaporensis</i> Ridl.		Magnoliophyta	Malvaceae	Vulnerable				✓			✓	
386.	<i>Durio zibethinus</i> L.	<i>Durio acuminatissimus</i> Merr. <i>Durio stercoraceus</i> Noronha	Magnoliophyta	Malvaceae	Exotic				✓				
387.	<i>Dyera costulata</i> (Miq.) Hook.f.	<i>Alstonia costulata</i> Miq. <i>Alstonia eximia</i> Miq. <i>Alstonia grandifolia</i> Miq. <i>Dyera laxiflora</i> Hook.f.	Magnoliophyta	Apocynaceae	Common				✓				
388.	<i>Dysoxylum cauliflorum</i> Hiern	<i>Alliaria beccariana</i> Kuntze <i>Alliaria cuneata</i> Kuntze <i>Alliaria hiernii</i> Kuntze <i>Dysoxylum angustifoliolum</i> Merr. <i>Dysoxylum beccarianum</i> C.DC. <i>Dysoxylum cauliflorum</i> Hiern var. <i>tomentellum</i> Stapf <i>Dysoxylum cuneatum</i> Hiern <i>Dysoxylum foxworthyi</i> Elmer <i>Epicharis angustifoliola</i> (Merr.) Harms <i>Epicharis cuneata</i> (Hiern) Harms <i>Epicharis foxworthyi</i> (Elmer) Harms <i>Epicharis hierniana</i> (Hiern) Harms	Magnoliophyta	Meliaceae	Vulnerable	✓	✓		✓	✓	✓	✓	
389.	<i>Dysoxylum cyrtobotryum</i> Miq.	<i>Alliaria cyrtobotrya</i> Kuntze <i>Alliaria lobbii</i> Kuntze <i>Alliaria multijuga</i> Kuntze <i>Dysoxylum alternatum</i> Ridl. <i>Dysoxylum andamanicum</i> King <i>Dysoxylum aurantiacum</i> Elmer <i>Dysoxylum bakeri</i> Elmer <i>Dysoxylum benguetense</i> Elmer <i>Dysoxylum biloculare</i> Koord. & Valetton	Magnoliophyta	Meliaceae	Presumed nationally extinct	✓							

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Dysoxylum blumei</i> Miq. <i>Dysoxylum cochinchinense</i> Pierre <i>Dysoxylum cyrtobotryum</i> Miq. f. <i>borneense</i> Miq. <i>Dysoxylum harmandianum</i> Pierre <i>Dysoxylum hexandrum</i> Merr. <i>Dysoxylum heyneanum</i> Valetton ex K.Heyne <i>Dysoxylum kinabaluense</i> Merr. <i>Dysoxylum lobbii</i> C.DC. <i>Dysoxylum multifoliolatum</i> P.T.Li & X.M.Chen <i>Dysoxylum multijugum</i> (Blume) Adelb. <i>Dysoxylum oblongifoliolum</i> Quisumb. & Merr. <i>Dysoxylum panayense</i> Merr. <i>Dysoxylum racemosum</i> King <i>Dysoxylum tpongense</i> Pierre <i>Dysoxylum venulosum</i> King <i>Heynea multijuga</i> Blume											
390.	<i>Dysoxylum densiflorum</i> (Blume) Miq.	<i>Alliaria densiflora</i> Kuntze <i>Alliaria griffithii</i> Kuntze <i>Alliaria trichostyla</i> Kuntze <i>Dysoxylum densiflorum</i> (Blume) Miq. var. <i>minus</i> Koord. & Valetton <i>Dysoxylum elmeri</i> Merr. <i>Dysoxylum griffithii</i> Hiern <i>Dysoxylum trichostylum</i> Miq. <i>Dysoxylum trichostylum</i> Miq. f. <i>pubescens</i> Miq. <i>Epicharis altissima</i> Blume <i>Epicharis densiflora</i> Blume <i>Guarea densiflora</i> Spreng. <i>Hartighsea ramiflora</i> Griff.	Magnoliophyta	Meliaceae	Critically endangered	✓	✓						
391.	<i>Dysoxylum excelsum</i> Blume	<i>Alliaria procera</i> Kuntze <i>Dysoxylon gobara</i> (Buch.-Ham.) Merr. <i>Dysoxylum altissimum</i> Merr. <i>Dysoxylum arnoldianum</i> K.Schum. <i>Dysoxylum excelsum</i> Blume var. <i>hasseltii</i> Miq.	Magnoliophyta	Meliaceae	Critically endangered	✓	✓	✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Dysoxylum excelsum</i> Blume var. <i>parvifolium</i> Koord. & Valetton											
		<i>Dysoxylum excelsum</i> Blume var. <i>pedicellatum</i> Koord. & Valetton											
		<i>Dysoxylum gobara</i> (Buch.-Ham.) Merr.											
		<i>Dysoxylum hasseltii</i> (Miq.) Koord. & Valetton											
		<i>Dysoxylum havilandii</i> Ridl.											
		<i>Dysoxylum hubertii</i> Harms											
		<i>Dysoxylum macgregorii</i> C.DC.											
		<i>Dysoxylum microbotrys</i> King											
		<i>Dysoxylum motleyanum</i> (C.DC.) Ridl.											
		<i>Dysoxylum pallidum</i> Merr.											
		<i>Dysoxylum peerisiae</i> Kosterm.											
		<i>Dysoxylum procerum</i> Hiern											
		<i>Dysoxylum procerum</i> Hiern var. <i>integrum</i> C.DC.											
		<i>Dysoxylum procerum</i> Hiern var. <i>macranthum</i> C.DC.											
		<i>Dysoxylum procerum</i> Hiern var. <i>motleyanum</i> C.DC.											
		<i>Dysoxylum turbinatum</i> King											
		<i>Epicharis procera</i> (Hiern) Pierre											
		<i>Guarea acuminata</i> Wall.											
		<i>Guarea gobara</i> Buch.-Ham.											
		<i>Guarea oblonga</i> Wall.											
		<i>Hartighsea excelsa</i> A.Juss.											
		<i>Hartighsea gobara</i> Wight & Arn. ex Voigt											
392.	<i>Dysoxylum flavescens</i> Hiern	<i>Alliaria flavescens</i> Kuntze	Magnoliophyta	Meliaceae	Critically endangered	✓			✓				
393.	<i>Ectropothecium incubans</i> (Reinw. & Hornsch.) A.Jaeger	<i>Hypnum incubans</i> Reinw. & Hornsch.	Bryophyta	Hypnaceae	Data deficient				✓				
394.	<i>Elaeocarpus acmosepalus</i> Ridl.		Magnoliophyta	Elaeocarpaceae	Critically endangered	✓			✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
395.	<i>Elaeocarpus ferrugineus</i> (Jacq.) Steud.	<i>Elaeocarpus borneensis</i> Knuth <i>Elaeocarpus jackianus</i> Wall. ex King <i>Elaeocarpus jackii</i> F.Muell. <i>Monocera ferruginea</i> Jack	Magnoliophyta	Elaeocarpaceae	Common	✓		✓	✓	✓		✓	
396.	<i>Elaeocarpus floribundus</i> Blume	<i>Elaeocarpus floribundus</i> Blume var. <i>tahanensis</i> (Hend.) Ng <i>Elaeocarpus grossus</i> Wall. <i>Elaeocarpus lobbianus</i> Turcz. <i>Elaeocarpus pseudosepicanus</i> O.C.Schmidt <i>Elaeocarpus tahanensis</i> M.R.Hend.	Magnoliophyta	Elaeocarpaceae	Endangered	✓			✓				
397.	<i>Elaeocarpus griffithii</i> (Wight) A.Gray	<i>Elaeocarpus argyroides</i> Hance <i>Elaeocarpus leucobotrys</i> (Miq.) F.Muell. <i>Elaeocarpus paniculatus</i> Wall. ex Müll.Berol. <i>Elaeocarpus trichanthera</i> (Griff.) W.Theob. <i>Monocera griffithii</i> Wight <i>Monocera griffithii</i> Müll.Berol. <i>Monocera holopetala</i> Turcz. <i>Monocera leucobotrya</i> Miq. <i>Monocera paniculata</i> Wall. ex A.Gray <i>Monocera tricanthera</i> Griff.	Magnoliophyta	Elaeocarpaceae	Presumed nationally extinct			✓					
398.	<i>Elaeocarpus mastersii</i> King		Magnoliophyta	Elaeocarpaceae	Common							✓	✓
399.	<i>Elaeocarpus nitidus</i> Jack	<i>Elaeocarpus gracilipes</i> Knuth <i>Elaeocarpus nigropunctatus</i> Merr. <i>Elaeocarpus parvifolius</i> Wall. ex Müll.Berol. <i>Vallea calomala</i> Blanco	Magnoliophyta	Elaeocarpaceae	Vulnerable			✓	✓				
400.	<i>Elaeocarpus obtusus</i> Blume subsp. <i>apiculatus</i> (Mast.) Coode	<i>Elaeocarpus apiculatus</i> Mast. <i>Elaeocarpus apiculatus</i> Mast. var. <i>annamensis</i> Gagnep. <i>Elaeocarpus rugosus</i> Roxb. ex G.Don var. <i>singaporensis</i> Ridl.	Magnoliophyta	Elaeocarpaceae	Exotic							✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
401.	<i>Elaeocarpus petiolatus</i> (Jacq.) Wall.	<i>Elaeocarpus integer</i> Wall. ex Müll.Berol. <i>Ganitrus obtusus</i> Raf. <i>Monocera integra</i> Müll.Berol.	Magnoliophyta	Elaeocarp-aceae	Common	✓	✓		✓	✓		✓	
402.	<i>Elaeocarpus polystachyus</i> Wall. ex Müll.Berol.		Magnoliophyta	Elaeocarp-aceae	Vulnerable				✓	✓			
403.	<i>Elaeocarpus salicifolius</i> King	<i>Elaeocarpus nitidus</i> Jack var. <i>salicifolius</i> (King) Ng <i>Elaeocarpus stenophyllus</i> Merr.	Magnoliophyta	Elaeocarp-aceae	Critically endangered	✓			✓	✓	✓	✓	
404.	<i>Elaeocarpus stipularis</i> Blume	<i>Elaeocarpus fissistipulus</i> Miq. <i>Elaeocarpus helferi</i> Kurz ex Mast. <i>Elaeocarpus tomentosus</i> Blume	Magnoliophyta	Elaeocarp-aceae	Vulnerable	✓		✓	✓	✓		✓	
405.	<i>Eleiodoxa conferta</i> (Griff.) Burret	<i>Eleiodoxa microcarpa</i> Burret <i>Eleiodoxa orthoschista</i> Burret <i>Eleiodoxa scortechinii</i> (Becc.) Burret <i>Eleiodoxa xantholepis</i> Burret <i>Salacca conferta</i> Griff. <i>Salacca scortechinii</i> Becc.	Magnoliophyta	Arecaceae	Vulnerable			✓	✓			✓	
406.	<i>Eleocharis ochrostachys</i> Steud.	<i>Eleocharis laxiflora</i> (Thwaites) H.Pfeiff. <i>Eleocharis subulata</i> Boeckeler <i>Eleocharis variegata</i> (Poir.) C.Presl var. <i>laxiflora</i> (Thwaites) C.B.Clarke <i>Eleocharis variegata</i> (Poir.) C.Presl var. <i>laxiflora</i> (Thwaites) Ridl. <i>Scirpus laxiflorus</i> Thwaites <i>Scirpus ochrostachys</i> (Steud.) Kuntze	Magnoliophyta	Cyperaceae	Cryptogenic				✓				
407.	<i>Ellipanthus tomentosus</i> Kurz	<i>Connarus monophyllus</i> Wall. <i>Connarus urdanetensis</i> Elmer <i>Ellipanthus burebidensis</i> Elmer <i>Ellipanthus cinereus</i> Pierre <i>Ellipanthus curtisii</i> King <i>Ellipanthus gibbosus</i> King	Magnoliophyta	Connaraceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ellipanthus griffithii</i> Hook.f. <i>Ellipanthus helferi</i> Kurz <i>Ellipanthus longifolius</i> Merr. <i>Ellipanthus luzoniensis</i> S.Vidal <i>Ellipanthus mindanaensis</i> Merr. <i>Ellipanthus monophyllus</i> Hook.f. ex B.D.Jacks. <i>Ellipanthus neglectus</i> Gamble <i>Ellipanthus sarawakensis</i> Schellenb. <i>Ellipanthus subrufus</i> Pierre <i>Ellipanthus tomentosus</i> Kurz var. <i>gibbosus</i> (King) Leenh. <i>Ellipanthus tomentosus</i> Kurz var. <i>luzoniensis</i> (King) Leenh. <i>Ellipanthus urdanetensis</i> (Elmer) Merr. <i>Ellipanthus vidalii</i> Elmer											
408.	<i>Ellipeia cuneifolia</i> Hook.f. & Thomson		Magnoliophyta	Annonaceae	Critically endangered				✓				
409.	<i>Elytranthe globosa</i> (Roxb.) G.Don		Magnoliophyta	Loranthaceae	Presumed nationally extinct					✓			
410.	<i>Embelia canescens</i> Jack ex Roxb.	<i>Embelia canescens</i> Jack ex Roxb. var. <i>glabrescens</i> Ridl. <i>Ribesiodes canescens</i> (Jack ex Wall.) Kuntze	Magnoliophyta	Myrsinaceae	Endangered	✓		✓	✓				
411.	<i>Embelia ribes</i> Burm.f.	<i>Antidesma grossularia</i> Raeusch. <i>Antidesma ribes</i> (Burm.f.) Raeusch. <i>Ardisia tenuiflora</i> Blume <i>Calispermum scandens</i> Lam. <i>Embelia burmanni</i> Retz. <i>Embelia dentata</i> Buch.-Ham. ex Wall. <i>Embelia garciniifolia</i> Wall. ex Ridl. <i>Embelia glandulifera</i> Wight <i>Embelia indica</i> J.F.Gmel.	Magnoliophyta	Myrsinaceae	Common					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Embelia paniculata</i> Moon <i>Embelia sumatrana</i> Miq.											
412.	<i>Endospermum diadenum</i> (Miq.) Airy Shaw	<i>Endospermum beccarianum</i> Pax & K.Hoffm. <i>Endospermum borneense</i> Benth. ex Müll.Arg. <i>Endospermum chinense</i> Benth. var. <i>malayanum</i> Pax & K.Hoffm. <i>Endospermum malaccense</i> Benth. ex Müll.Arg. <i>Endospermum malayanum</i> (Pax & K.Hoffm.) Chatterjee <i>Endospermum ovalifolium</i> Pax & K.Hoffm. <i>Mallotus diadenus</i> (Miq.) Müll.Arg. <i>Melanolepis diadema</i> Miq. <i>Rottlera diadema</i> (Miq.) Scheff.	Magnoliophyta	Euphorbiaceae	Vulnerable				✓	✓			
413.	<i>Enkleia malaccensis</i> Griff.	<i>Enkleia andamanica</i> (Hutch. ex C.E.Parkinson) N.P.Balakr. <i>Enkleia coriacea</i> Hallier f. <i>Enkleia malayana</i> Griff. <i>Enkleia riouwensis</i> Hallier f. <i>Enkleia siamensis</i> (Kurz) Nevling <i>Lasiosiphon scandens</i> Endl. <i>Linostoma scandens</i> (Endl.) Kurz <i>Linostoma scandens</i> (Endl.) Kurz var. <i>cambodiana</i> Lecomte <i>Linostoma scandens</i> (Endl.) Kurz var. <i>oblongifolia</i> Lecomte <i>Linostoma siamensis</i> Kurz	Magnoliophyta	Thymelaeaceae	Critically endangered	✓				✓	✓	✓	
414.	<i>Entada spiralis</i> Ridl.	<i>Entada schefferi</i> "sensu auct., non Ridl." <i>Entada scheffleri</i> "Ridl., p.p."	Magnoliophyta	Fabaceae	Common	✓			✓	✓	✓		
415.	<i>Epigynum griffithianum</i> Wight	<i>Argyronerium odoratum</i> Pit. <i>Epigynum curtisii</i> King & Gamble <i>Epigynum maingayi</i> Hook.f. <i>Epigynum odoratum</i> (Pit.) Kerr	Magnoliophyta	Apocynaceae	Presumed nationally extinct					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Epigynum perakense</i> King & Gamble <i>Legouixia amabilis</i> Van Heurck & Müll.Arg.											
416.	<i>Epigynum ridleyi</i> King & Gamble	<i>Epigynum beccarii</i> K.Schum. <i>Epigynum borneense</i> Merr. <i>Epigynum forbesii</i> King & Gamble	Magnoliophyta	Apocynaceae	Critically endangered				✓				
417.	<i>Eragrostis atrovirens</i> (Desf.) Trin. ex Steud.	<i>Briza elegans</i> Osbeck <i>Eragrostis atrovirens</i> (Desf.) Trin. ex Steud. (Desf.) Nees <i>Eragrostis atrovirens</i> (Desf.) Trin. ex Steud. var. <i>hesperidum</i> Maire <i>Eragrostis atroviridis</i> Maire <i>Eragrostis biformis</i> (Kunth) Benth. <i>Eragrostis bromoides</i> Jedwabn. <i>Eragrostis luzoniensis</i> Steud. <i>Eragrostis multiflora</i> Trin. var. <i>biformis</i> (Kunth) A.Chev. <i>Eragrostis multinodis</i> B.S.Sun & S.Wang <i>Eragrostis sudanica</i> A.Chev. <i>Poa atrovirens</i> Desf. <i>Poa biformis</i> Kunth	Magnoliophyta	Poaceae	Common			✓	✓	✓			
418.	<i>Eragrostis unioloides</i> (Retz.) Nees ex Steud.	<i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>contracta</i> Buse <i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>effusa</i> Buse <i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>prostrata</i> Buse <i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>scabriuscula</i> Buse <i>Eragrostis euchroa</i> Steud. <i>Eragrostis formosana</i> Hayata <i>Eragrostis rubens</i> (Lam.) Hochst. ex Miq. <i>Eragrostis rubens</i> (Lam.) Steud.	Magnoliophyta	Poaceae	Common								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Eragrostis rubens</i> (Lam.) Steud. var. <i>contracta</i> (Buse) Miq. <i>Eragrostis rubens</i> (Lam.) Steud. var. <i>effusa</i> (Buse) Miq. <i>Eragrostis rubens</i> (Lam.) Steud. f. <i>linearis</i> Boerl. <i>Eragrostis rubens</i> (Lam.) Steud. var. <i>scabriuscula</i> (Buse) Miq. <i>Eragrostis tenella</i> Nees <i>Eragrostis unioloides</i> (Retz.) Nees ex Steud. var. <i>ongiemensis</i> A.Camus <i>Poa rubens</i> Lam. <i>Poa unioloides</i> Retz. <i>Uniola indica</i> Spreng.											
419.	<i>Eria bractescens</i> Lindl.	<i>Dendrobium subterrestre</i> Gagnep. <i>Eria bractescens</i> Lindl. var. <i>latipetala</i> Leav. <i>Eria dillwynii</i> Hook. <i>Eria griffithii</i> Rchb.f. <i>Eria kurzii</i> Anderson ex Hook.f. <i>Eria littoralis</i> Teijsm. & Binn. <i>Eria pulchella</i> Griff. <i>Eria pulchella</i> Lindl. <i>Pinalia bractescens</i> (Lindl.) Kuntze <i>Pinalia pulchella</i> Kuntze <i>Tropilis subterrestris</i> (Gagnep.) Rauschert	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
420.	<i>Eria floribunda</i> Lindl.	<i>Eria euryantha</i> Schltr. <i>Eria giungii</i> Guillaumin <i>Eria leucostachya</i> Lindl. <i>Eria subaliens</i> Gagnep. <i>Pinalia floribunda</i> (Lindl.) Kuntze <i>Urostachya euryantha</i> (Schltr.) Brieger <i>Urostachya floribunda</i> (Lindl.) Brieger	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
421.	<i>Eria pannea</i> Lindl.	<i>Eria calamifolia</i> Hook.f. <i>Eria nivosa</i> Ridl. <i>Eria odoratissima</i> Teijsm. & Binn. <i>Eria teretifolia</i> Griff. <i>Mycaranthes pannea</i> (Lindl.) S.C.Chen & J.J.Wood <i>Pinalia calamifolia</i> (Hook.f.) Kuntze <i>Pinalia pannea</i> (Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
422.	<i>Eriocaulon truncatum</i> Buch.-Ham. ex Mart.	<i>Eriocaulon merrillii</i> Ruhland ex Perkins var. <i>merrillii</i> <i>Eriocaulon nigrum</i> Lecomte var. <i>suishaense</i> (Hayata) Hatus. & Koyama	Magnoliophyta	Eriocaulaceae	Cryptogenic			✓	✓				
423.	<i>Eriocaulon willdenovianum</i> Moldenke	<i>Eriocaulon longifolium</i> Nees ex Kunth <i>Eriocaulon longifolium</i> Nees ex Kunth f. <i>viviparum</i> Moldenke <i>Eriocaulon sexangulare</i> Willd. ex Link <i>Eriocaulon sexangulare</i> Willd. ex Link var. <i>longifolium</i> Hook.f. <i>Eriocaulon sexangulare</i> Willd. ex Link f. <i>viviparum</i> Moldenke	Magnoliophyta	Eriocaulaceae	Cryptogenic					✓			
424.	<i>Erycibe leucoxyloides</i> King ex Prain		Magnoliophyta	Convolvulaceae	Cryptogenic			✓	✓	✓	✓	✓	
425.	<i>Erycibe maingayi</i> C.B.Clarke		Magnoliophyta	Convolvulaceae	Presumed nationally extinct				✓			✓	
426.	<i>Erycibe malaccensis</i> C.B.Clarke		Magnoliophyta	Convolvulaceae	Critically endangered			✓	✓		✓		
427.	<i>Erycibe tomentosa</i> Blume var. <i>tomentosa</i>		Magnoliophyta	Convolvulaceae	Common	✓		✓	✓		✓	✓	
428.	<i>Eryngium foetidum</i> L.	<i>Eryngium antihystericum</i> Rottler	Magnoliophyta	Apiaceae	Exotic			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Eryngium antithycticum</i> Rottb.											
429.	<i>Erythralum scandens</i> Blume	<i>Dactylium vagum</i> Griff. <i>Decastrophia inconspicua</i> Griff. <i>Erythralum grandifolium</i> Elmer <i>Erythralum populifolium</i> Mast. <i>Erythralum vagum</i> (Griff.) Mast. <i>Mackaya populifolia</i> Arn. <i>Modeccopsis vaga</i> Griff. <i>Passiflora heyneana</i> Wall.	Magnoliophyta	Olacaceae	Vulnerable	✓		✓	✓	✓	✓		
430.	<i>Etlingera elatior</i> (Jack) R.M.Sm.	<i>Achasma yunnanensis</i> T.L.Wu & S.J.Chen <i>Alpinia acrostachya</i> Steud. <i>Alpinia diracodes</i> Loes. <i>Alpinia elatior</i> Jack <i>Alpinia javanica</i> (Blume) D.Dietr. <i>Alpinia magnifica</i> Roscoe <i>Alpinia speciosa</i> (Blume) D.Dietr. <i>Amomum magnificum</i> (Roscoe) Benth. & Hook.f. ex B.D.Jacks. <i>Amomum tridentatum</i> (Kuntze) K.Schum. <i>Bojeria magnifica</i> (Roscoe) Raf. <i>Cardamomum magnificum</i> (Roscoe) Kuntze <i>Cardamomum speciosum</i> (Blume) Kuntze <i>Cardamomum tridentatum</i> Kuntze <i>Diracodes javanica</i> Blume <i>Elettaria speciosa</i> Blume <i>Etlingera elatior</i> (Jack) R.M.Sm. var. <i>alba</i> Todam & C.K.Lim <i>Etlingera elatior</i> (Jack) R.M.Sm. var. <i>pileng</i> Ongsakul & C.K.Lim <i>Geanthus speciosus</i> Reinw. ex Blume <i>Hornstedtia imperialis</i> (Lindl.) Ridl. <i>Nicolaia elatior</i> (Jack) Horan. <i>Nicolaia imperialis</i> Horan. <i>Nicolaia intermedia</i> Valetton	Magnoliophyta	Zingiberaceae	Exotic							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Nicolaia magnifica</i> (Roscoe) K.Schum. ex Valetton <i>Nicolaia speciosa</i> (Blume) Horan. <i>Phaeomeria imperialis</i> Lindl. <i>Phaeomeria magnifica</i> (Roscoe) K.Schum. <i>Phaeomeria speciosa</i> (Blume) Koord.											
431.	<i>Etlingera punicea</i> (Roxb.) R.M.Sm.	<i>Achasma puniceum</i> (Roxb.) Loes. <i>Alpinia punicea</i> Roxb. <i>Elettaria punicea</i> (Roxb.) Schult. <i>Gethyra punicea</i> (Roxb.) Sweet <i>Hornstedtia punicea</i> (Roxb.) K.Schum.	Magnoliophyta	Zingiberaceae	Critically endangered	✓			✓				
432.	<i>Eulophia spectabilis</i> (Dennst.) Suresh	<i>Cyrtopera bicolor</i> (Ridl.) Ridl. <i>Cyrtopera fusca</i> Wight <i>Cyrtopera gardneri</i> Thwaites <i>Cyrtopera godefroyi</i> Rchb.f. <i>Cyrtopera laxiflora</i> Gardner ex Thwaites <i>Cyrtopera mysorensis</i> Lindl. <i>Cyrtopera nuda</i> (Lindl.) Rchb.f. <i>Cyrtopera plicata</i> Lindl. <i>Cyrtopera regnieri</i> Rchb.f. <i>Cyrtopera squalida</i> (Lindl.) Rchb.f. <i>Cyrtopodium bicolor</i> Ridl. <i>Cyrtopodium fuscum</i> Trimen <i>Cyrtopodium squalidum</i> (Lindl.) Vidal <i>Eulophia bicolor</i> Dalzell <i>Eulophia bicolor</i> Blume <i>Eulophia bicolor</i> Dalzell var. <i>celebica</i> J.J.Sm. <i>Eulophia burkei</i> Rolfe ex Downie <i>Eulophia celebica</i> Blume <i>Eulophia elata</i> Hook.f. <i>Eulophia elongata</i> Blume <i>Eulophia fusca</i> (Wight) Blume <i>Eulophia hildebrandii</i> Schltr. <i>Eulophia holochila</i> Collett & Hemsl. <i>Eulophia lutea</i> Blume	Magnoliophyta	Orchidaceae	Critically endangered			✓					NIS

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Eulophia macgregorii</i> Ames <i>Eulophia mucronata</i> Blume <i>Eulophia nuda</i> Lindl. <i>Eulophia regnieri</i> (Rchb.f.) Guillaumin <i>Eulophia squalida</i> Lindl. <i>Eulophia sumatrana</i> Blume <i>Geodorum pierrei</i> Gagnep. <i>Graphorchis elata</i> (Hook.f.) Kuntze <i>Graphorchis holochila</i> (Collett & Hemsl.) Kuntze <i>Graphorchis nuda</i> (Lindl.) Kuntze <i>Graphorchis squalida</i> (Lindl.) Kuntze <i>Graphorchis sumatrana</i> (Blume) Kuntze <i>Graphorkis elata</i> (Hook.f.) Kuntze <i>Graphorkis holochila</i> (Collett & Hemsl.) Kuntze <i>Graphorkis nuda</i> (Lindl.) Kuntze <i>Graphorkis squalida</i> (Lindl.) Kuntze <i>Graphorkis sumatrana</i> (Blume) Kuntze <i>Phaius steppicolus</i> Hand.-Mazz. <i>Semiphajus chevalieri</i> Gagnep. <i>Wolfia spectabilis</i> Dennst.											
433.	<i>Euonymus indicus</i> Blume	<i>Euonymus alatus</i> Elmer <i>Euonymus bancanus</i> Miq. <i>Euonymus coriaceus</i> Ridl. <i>Euonymus elmeri</i> Merr. <i>Euonymus goughii</i> Wight <i>Euonymus horsfieldii</i> Turcz. <i>Euonymus javanicus</i> Blume <i>Euonymus javanicus</i> Blume var. <i>coriaceus</i> (Ridl.) Blakelock <i>Euonymus javanicus</i> Blume var. <i>elmeri</i> (Merr.) Blakelock <i>Euonymus javanicus</i> Blume var. <i>sphaerocarpus</i> Hassk. <i>Euonymus javanicus</i> Blume var. <i>timorensis</i> (Zipp.) Miq.	Magnoliophyta	Celastraceae	Presumed nationally extinct			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Euonymus micropetalus</i> Ridl. <i>Euonymus sphaerocarpus</i> Hassk. <i>Euonymus sumatranus</i> Miq. <i>Euonymus sumatranus</i> Merr <i>Euonymus timorensis</i> Zipp. ex Span.											
434.	<i>Eurya acuminata</i> DC.	<i>Diospyros serrata</i> Buch.-Ham. ex D.Don <i>Eurya acuminata</i> DC. var. <i>euprasta</i> (Korth.) Dyer <i>Eurya acuminata</i> DC. var. <i>monticola</i> Ridl. <i>Eurya acuminata</i> DC. var. <i>multiflora</i> (DC.) Blume <i>Eurya acuminata</i> DC. var. <i>wallichiana</i> (Steud.) Dyer <i>Eurya angustifolia</i> Wall. <i>Eurya angustifolia</i> (Blume) Walp. <i>Eurya arisanensis</i> Hayata <i>Eurya bifaria</i> Wall. <i>Eurya blumeana</i> Korth. <i>Eurya clandestina</i> Blume <i>Eurya confinis</i> Blume <i>Eurya euprista</i> Korth. <i>Eurya grandis</i> Choisy <i>Eurya hirsutula</i> Miq. <i>Eurya japonica</i> Thunb. var. <i>phyllanthoides</i> (Blume) Dyer <i>Eurya lucida</i> Wall. <i>Eurya matsudae</i> Hayata <i>Eurya membranacea</i> Gardner <i>Eurya monticola</i> (Ridl.) Ridl. <i>Eurya multiflora</i> DC. <i>Eurya rostrata</i> Blume <i>Eurya salicifolia</i> Blume <i>Eurya serrata</i> (Blume) Walp. <i>Eurya suzukii</i> Yamam. <i>Eurya wallichiana</i> Steud. <i>Eurya wrayi</i> King <i>Geeria angustifolia</i> <i>Geeria angustifolia</i> <i>Ternstroemia bifaria</i> Buch.-Ham. ex D.Don	Magnoliophyta	Pentaphyl- acaceae	Common	✓	✓		✓	✓	✓	✓	
		<i>Geeria angustifolia</i> Blume <i>Geeria serrata</i> Blume											

See [Corrigenda of 13 May 2013](#).

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Tristylum matsudae</i> (Hayata) Koidz.											
435.	<i>Eurycoma longifolia</i> Jack	<i>Eurycoma latifolia</i> Ridl. <i>Eurycoma longifolia</i> Jack var. <i>cochinchinensis</i> Pierre <i>Eurycoma merguensis</i> Planch. <i>Eurycoma tavoyana</i> Wall.	Magnoliophyta	Simaroubaceae	Critically endangered								✓
436.	<i>Fagraea ceilanica</i> Thunb.	<i>Fagraea coromandelina</i> Wight <i>Fagraea gardneri</i> Thwaites <i>Fagraea khasiana</i> Benth. <i>Fagraea malabarica</i> Blume <i>Fagraea malabarica</i> Wight <i>Fagraea obovata</i> Wall. <i>Fagraea prainii</i> Gand. <i>Fagraea rostrata</i> Blume <i>Fagraea sasakii</i> Hayata <i>Gardenia heteroclyta</i> J.König ex Blume <i>Hillia longiflora</i> hort. ex Lem. <i>Solandra oppositifolia</i> Moon <i>Willughbeia ceilanica</i> Spreng. <i>Willughbeia obovata</i> Spreng. <i>Winchia cirrhifera</i> Gardner ex Thwaites	Magnoliophyta	Gentianaceae	Presumed nationally extinct								✓
437.	<i>Fagraea fragrans</i> Roxb	<i>Cyrtophyllum fragrans</i> (Roxb.) DC. <i>Cyrtophyllum giganteum</i> Ridl. <i>Cyrtophyllum lanceolatum</i> DC. <i>Cyrtophyllum peregrinum</i> Reinw. <i>Fagraea peregrina</i> (Reinw.) Blume <i>Fagraea ridleyi</i> Gand. <i>Willughbeia fragrans</i> Spreng.	Magnoliophyta	Gentianaceae	Common								✓
438.	<i>Fagraea racemosa</i> Jack	<i>Fagraea malayana</i> Mart. <i>Fagraea pauciflora</i> (King & Gamble) Ridl.	Magnoliophyta	Gentianaceae	Endangered								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Fagraea racemosa</i> Jack var. <i>pauciflora</i> King & Gamble <i>Fagraea thwaitesii</i> F.Muell. <i>Kentia morindifolia</i> Steud. <i>Willughbeia racemosa</i> Spreng. <i>Willughbeia volubilis</i> Spreng.											
439.	<i>Fagraea splendens</i> Blume	<i>Fagraea acuminatissima</i> Merr. <i>Fagraea heterophylla</i> Blume <i>Fagraea longicuspis</i> Gand.	Magnoliophyta	Gentianaceae	Critically endangered							✓	✓
440.	<i>Fagraea volubilis</i> Wall.	<i>Fagraea appendiculata</i> Blume <i>Fagraea coarctata</i> Blume <i>Fagraea grandifolia</i> Merr. <i>Fagraea latifolia</i> Miq. <i>Fagraea morindifolia</i> Blume <i>Fagraea rodatzii</i> K.Schum. & Lauterb. <i>Fagraea scholaris</i> Blanco <i>Fagraea subreticulata</i> Blume	Magnoliophyta	Gentianaceae	Critically endangered				✓				
441.	<i>Fibraurea tinctoria</i> Lour.	<i>Cocculus fibraurea</i> DC. <i>Fibraurea chloroleuca</i> Miers <i>Fibraurea fasciculata</i> Miers <i>Fibraurea laxa</i> Miers <i>Fibraurea manipurensis</i> Brace ex Diels <i>Fibraurea trotteri</i> Watt ex Diels <i>Menispermum tinctorium</i> Spreng.	Magnoliophyta	Menispermaceae	Common	✓			✓	✓	✓	✓	
442.	<i>Ficus apiocarpa</i> (Miq.) Miq.	<i>Ficus apiocarpa</i> (Miq.) Miq. var. <i>villosa</i> Corner <i>Ficus tetangis</i> Miq. <i>Urostigma apiocarpum</i> Miq.	Magnoliophyta	Moraceae	Endangered				✓		✓	✓	
443.	<i>Ficus aurata</i> Miq. var. <i>aurata</i>		Magnoliophyta	Moraceae	Vulnerable				✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
444.	<i>Ficus binnendijkii</i> Miq.	<i>Ficus ngii</i> Kochummen <i>Ficus peracuta</i> (Miq.) Miq. <i>Urostigma binnendijkii</i> Miq.	Magnoliophyta	Moraceae	Critically endangered			✓	✓				
445.	<i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King	<i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King var. <i>lanceolata</i> Corner <i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King var. <i>torulosa</i> King <i>Ficus lamponga</i> Miq. var. <i>chartacea</i> Wall. ex Kurz	Magnoliophyta	Moraceae	Vulnerable				✓				
446.	<i>Ficus consociata</i> Blume	<i>Ficus consociata</i> Blume var. <i>murtonii</i> King <i>Urostigma consociatum</i> Miq.	Magnoliophyta	Moraceae	Critically endangered				✓	✓			
447.	<i>Ficus crassiramea</i> (Miq.) Miq. subsp. <i>stupenda</i> (Miq.) C.C.Berg	<i>Ficus stupenda</i> Miq.	Magnoliophyta	Moraceae	Critically endangered			✓					
448.	<i>Ficus delosyce</i> Corner	<i>Ficus delosyce</i> Corner var. <i>obtusa</i> Corner	Magnoliophyta	Moraceae	Critically endangered							✓	
449.	<i>Ficus excavata</i> King		Magnoliophyta	Moraceae	Critically endangered							✓	
450.	<i>Ficus fistulosa</i> Reinw. ex Blume	<i>Covellia subopposita</i> Miq. <i>Covellia tuberculata</i> Miq. <i>Ficus condensa</i> King <i>Ficus curranii</i> Merr. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>angustifolia</i> Miq. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>cincta</i> Hochr. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>lucbanensis</i> (Elmer) Corner <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>obliqua</i> Miq. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>tengerensis</i> (Miq.) Kuntze <i>Ficus grandidens</i> Merr.	Magnoliophyta	Moraceae	Common			✓			✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus harlandii</i> Benth. <i>Ficus lucbanensis</i> Elmer <i>Ficus millingtonifolia</i> Griff. <i>Ficus polysyce</i> Ridl. <i>Ficus repandifolia</i> Elmer <i>Ficus rubrovenia</i> Merr. <i>Ficus tenerensis</i> Miq. <i>Ficus tuberculata</i> (Miq.) Miq.											
451.	<i>Ficus glandulifera</i> (Wall. ex Miq.) King	<i>Ficus aurantiaca</i> (Miq.) Miq. <i>Ficus glandulifera</i> (Wall. ex Miq.) King var. <i>villosa</i> Corner <i>Ficus hasskarlii</i> Merr. <i>Ficus henschelii</i> Merr. <i>Pogonotrophe aurantiaca</i> Miq. <i>Pogonotrophe glandulifera</i> Miq. <i>Pogonotrophe sumatrana</i> Miq.	Magnoliophyta	Moraceae	Critically endangered					✓			
452.	<i>Ficus globosa</i> Blume	<i>Ficus globosa</i> Blume var. <i>manok</i> (Miq.) King <i>Ficus manok</i> (Miq.) Miq. <i>Ficus onusta</i> (Miq.) Wall. ex Miq. <i>Urostigma onustum</i> Miq.	Magnoliophyta	Moraceae	Endangered				✓	✓	✓	✓	
453.	<i>Ficus grossularioides</i> Burm.f.	<i>Ficus alba</i> Reinw. ex Blume <i>Ficus alba</i> Reinw. ex Blume var. <i>gossypina</i> (Wall. ex Miq.) Kuntze <i>Ficus alba</i> Reinw. ex Blume var. <i>mappan</i> (Miq.) Miq. <i>Ficus alba</i> Reinw. ex Blume var. <i>nudinervis</i> Kuntze <i>Ficus bicolor</i> Hook. ex Miq. <i>Ficus chloroleuca</i> Miq. <i>Ficus gossypina</i> Wall. ex Miq. <i>Ficus gossypina</i> Wall. ex Miq. f. <i>integrifolia</i> Miq. <i>Ficus gossypina</i> Wall. ex Miq. f. <i>lobata</i> Miq. <i>Ficus hunteri</i> Miq. <i>Ficus lobata</i> Hunter ex Ridl.	Magnoliophyta	Moraceae	Common				✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus mappan</i> Miq. <i>Ficus nivea</i> Blume <i>Ficus palamoides</i> Voigt <i>Ficus palmata</i> Roxb.											
454.	<i>Ficus heteropleura</i> Blume	<i>Ficus acuminata</i> Kunth & C.D.Bouché <i>Ficus caudatifolia</i> Warb. <i>Ficus caudatifolia</i> Warb. var. <i>eucaudata</i> (Elmer) Sata <i>Ficus caudatifolia</i> Warb. var. <i>ovata</i> Sata <i>Ficus crenulata</i> Hassk. <i>Ficus eucaudata</i> Elmer <i>Ficus euryifolia</i> Kunth & C.D.Bouché <i>Ficus heteropleura</i> Blume var. <i>mindanaensis</i> (Warb.) Corner <i>Ficus intermedia</i> Griff. <i>Ficus mindanaensis</i> Warb. <i>Ficus radicans</i> Roxb. <i>Ficus radicans</i> Roxb. var. <i>brevifolia</i> Miq. <i>Ficus rostrata</i> Lam. var. <i>urophylla</i> (Wall. ex Miq.) Valetton <i>Ficus urophylla</i> Wall. ex Miq.	Magnoliophyta	Moraceae	Common	✓			✓	✓	✓	✓	
455.	<i>Ficus laevis</i> Blume	<i>Ficus ceylanica</i> (Miq.) Miq. <i>Ficus emodi</i> (Wall. ex Miq.) Miq. <i>Ficus jamini</i> H.Lév. & Vaniot <i>Ficus laevis</i> Blume var. <i>assamica</i> (Miq.) Miq. <i>Ficus laevis</i> Blume var. <i>dasyphylla</i> (Miq.) King <i>Ficus laevis</i> Blume var. <i>tomentosa</i> King <i>Ficus subpedunculata</i> Miq. <i>Ficus vagans</i> Roxb. <i>Ficus zeylanica</i> Trimen <i>Pogonotrophe assamica</i> Miq. <i>Pogonotrophe ceylanica</i> Miq. <i>Pogonotrophe dasyphylla</i> Miq. <i>Pogonotrophe emodi</i> Miq.	Magnoliophyta	Moraceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Pogonotrophe laevis</i> Miq. <i>Pogonotrophe vagans</i> Miq. <i>Pogonotrophe zeylanica</i> Walp.												
456.	<i>Ficus microsyce</i> Ridl.		Magnoliophyta	Moraceae	Critically endangered			✓						
457.	<i>Ficus obscura</i> Blume	<i>Covellia dasycaula</i> Miq. <i>Ficus anonnifolia</i> Zipp. ex Miq. <i>Ficus dasycaula</i> (Miq.) Valetton <i>Ficus obscura</i> Blume var. <i>lanata</i> Kochummen <i>Ficus pisifera</i> Wall. ex Voigt var. <i>obscura</i> (Blume) Valetton <i>Urostigma zollingerianum</i> Miq.	Magnoliophyta	Moraceae	Critically endangered			✓	✓	✓				
458.	<i>Ficus pisifera</i> Wall. ex Voigt	<i>Covellia subdenticulata</i> Miq. <i>Ficus acuminatissima</i> Miq. <i>Ficus celebica</i> Reinw. ex Blume var. <i>kunstleri</i> King <i>Ficus celebica</i> Reinw. ex Blume var. <i>lanceolata</i> Sata <i>Ficus celebica</i> Reinw. ex Blume var. <i>ovata</i> Sata <i>Ficus flavocortica</i> Elmer <i>Ficus lancea</i> Miq. <i>Ficus lancifolia</i> Miq. <i>Ficus leucoxylon</i> Miq. <i>Ficus microtus</i> Miq. <i>Ficus microtus</i> Miq. var. <i>borneensis</i> Miq. <i>Ficus microtus</i> Miq. var. <i>parvifolia</i> Miq. <i>Ficus obscura</i> Blume var. <i>borneensis</i> (Miq.) Corner <i>Ficus obscura</i> Blume var. <i>kunstleri</i> (King) Corner <i>Ficus obscura</i> Blume var. <i>leucoxylon</i> (Miq.) Miq. <i>Ficus obscura</i> Blume var. <i>scaberrima</i> (Blume) Miq. <i>Ficus pisifera</i> Wall. ex Voigt var. <i>microtus</i> (Miq.) Kuntze <i>Ficus pisifera</i> Wall. ex Voigt var. <i>scaberrima</i> (Blume) Valetton <i>Ficus scaberrima</i> Blume	Magnoliophyta	Moraceae	Critically endangered					✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus scaberrima</i> Blume var. <i>angustata</i> Miq. <i>Ficus scaberrima</i> Blume var. <i>pisifera</i> (Wall. ex Voigt) Hochr. <i>Ficus subdenticulata</i> (Miq.) Miq. <i>Ficus tremblas</i> Miq. <i>Ficus viridifolia</i> Merr.											
459.	<i>Ficus pisocarpa</i> Blume	<i>Ficus cycloneura</i> (Miq.) King <i>Ficus episima</i> Corner <i>Ficus microstoma</i> Wall. ex King <i>Urostigma cycloneuron</i> Miq. <i>Urostigma pisocarpum</i> (Blume) Miq.	Magnoliophyta	Moraceae	Critically endangered	✓			✓				
460.	<i>Ficus pumila</i> L.	<i>Ficus hanceana</i> Maxim. <i>Ficus longipedicellata</i> H.Perrier <i>Ficus repens</i> auct. <i>Ficus repens</i> auct. var. <i>lutchuensis</i> Koidz. <i>Ficus scandens</i> Lam. <i>Ficus stipulata</i> Thunb. <i>Ficus stipulata</i> Lem. <i>Ficus vestita</i> Desf. <i>Plagiostigma pumila</i> Zucc. <i>Plagiostigma stipulata</i> Zucc. <i>Tenorea heterophylla</i> Gasp. <i>Urostigma scandens</i> (Lam.) Liebm. <i>Varinga repens</i> Raf.	Magnoliophyta	Moraceae	Exotic					✓			
461.	<i>Ficus punctata</i> Thunb.	<i>Ficus aurantiacea</i> Griff. <i>Ficus aurantiacea</i> Griff. var. <i>angustifolia</i> (Corner) Corner <i>Ficus aurantiacea</i> Griff. var. <i>parvifolia</i> (Corner) Corner <i>Ficus callicarpa</i> Miq. <i>Ficus callicarpa</i> Miq. var. <i>angustifolia</i> Corner <i>Ficus callicarpa</i> Miq. var. <i>parvifolia</i> Corner <i>Ficus elliptica</i> Miq.	Magnoliophyta	Moraceae	Exotic				✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus falcata</i> Thunb. <i>Ficus gibbosa</i> Blume var. <i>pygmaea</i> Miq. <i>Ficus indica</i> B.Heyne ex Roth <i>Ficus kallicarpa</i> Miq. <i>Ficus lanyuensis</i> S.S.Ying <i>Ficus macrocarpa</i> Blume <i>Ficus megacarpa</i> Merr. <i>Ficus megacarpa</i> Merr. var. <i>angustifolia</i> Sata <i>Ficus megacarpa</i> Merr. var. <i>rotundifolia</i> Sata <i>Ficus pomifera</i> Kurz <i>Ficus punctulata</i> Thunb. <i>Ficus simiae</i> H.J.P.Winkl. <i>Ficus terasoensis</i> Hayata <i>Pogonotrophe macrocarpa</i> Miq.											
462.	<i>Ficus recurva</i> Blume var. <i>ribesoides</i> (Miq.) King	<i>Ficus bulusanensis</i> Elmer <i>Ficus recurva</i> Blume var. <i>bridelioides</i> Corner <i>Ficus ribesoides</i> (Miq.) Wall. ex Miq. <i>Ficus strigosa</i> Blume f. <i>longifolia</i> Miq.	Magnoliophyta	Moraceae	Critically endangered			✓	✓	✓	✓	✓	
463.	<i>Ficus sagittata</i> Vahl	<i>Ficus adhaerens</i> Miq. <i>Ficus bordenii</i> Merr. <i>Ficus carophylla</i> Miq. <i>Ficus coccinella</i> Zipp. ex Miq. <i>Ficus compressicaulis</i> Blume <i>Ficus crininervia</i> Miq. <i>Ficus lanoensis</i> Merr. ex Sata <i>Ficus leptocarpa</i> Steud. var. <i>adhaerens</i> (Miq.) Miq. <i>Ficus leptocarpa</i> Steud. var. <i>borneensis</i> Miq. <i>Ficus leptocarpa</i> Steud. var. <i>crassa</i> Miq. <i>Ficus leptocarpa</i> Steud. var. <i>oligosperma</i> (Miq.) Miq. <i>Ficus leptocarpa</i> Steud. var. <i>subglabra</i> Miq. <i>Ficus leptocarpa</i> Steud. var. <i>timorensis</i> Miq. <i>Ficus oligosperma</i> Miq. <i>Ficus radicans</i> Desf.	Magnoliophyta	Moraceae	Critically endangered			✓	✓	✓	✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus ramentacea</i> Roxb. <i>Ficus ramosii</i> Merr. ex Sata <i>Ficus rigescens</i> Miq. <i>Ficus rubrocarpa</i> Elmer <i>Ficus sagittata</i> Vahl var. <i>adhaerens</i> (Miq.) Corner <i>Ficus sagittata</i> Vahl var. <i>minor</i> Corner <i>Ficus sagittata</i> Vahl var. <i>oligosperma</i> (Miq.) Corner <i>Ficus subrigida</i> Miq. <i>Ficus tayabensis</i> Elmer <i>Pogonotrophe rigida</i> Miq.											
464.	<i>Ficus scortechinii</i> King	<i>Ficus fasciculata</i> King ex Hook.f.	Magnoliophyta	Moraceae	Critically endangered	✓			✓				
465.	<i>Ficus sinuata</i> Thunb.	<i>Ficus angulidens</i> Miq. <i>Ficus cuspidata</i> Reinw. ex Blume var. <i>sinuata</i> (Thunb.) King <i>Ficus marginalis</i> Buch.-Ham. ex Miq. <i>Ficus obtusidens</i> Miq. <i>Ficus quercifolia</i> Blume <i>Ficus radicans</i> Desf.var. <i>angulosa</i> Miq. <i>Ficus raridens</i> Miq. <i>Ficus rostrata</i> Lam. <i>Ficus sinuata</i> Thunb. var. <i>oblonga</i> Corner	Magnoliophyta	Moraceae	Critically endangered	✓							
466.	<i>Ficus soepadmoi</i> Kochummen		Magnoliophyta	Moraceae	Presumed nationally extinct								✓
467.	<i>Ficus sundaica</i> Blume var. <i>sundaica</i>		Magnoliophyta	Moraceae	Critically endangered				✓	✓			
468.	<i>Ficus trichocarpa</i> Blume	<i>Ficus ahernii</i> Merr. <i>Ficus aspera</i> G.Forst. var. <i>volubilis</i> Blanco <i>Ficus filiformis</i> Blume	Magnoliophyta	Moraceae	Critically endangered					✓	✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus nodulosa</i> Zipp. ex Miq. <i>Ficus obtusa</i> Hassk. <i>Ficus obtusa</i> Hassk.var. <i>gedehensis</i> Koord. & Valetton <i>Ficus obtusa</i> Hassk.var. <i>genuina</i> Koord. & Vala <i>Ficus obtusa</i> Hassk.var. <i>piperifolia</i> (Miq.) Koord. & Valetton <i>Ficus phaeopoda</i> (Miq.) Miq. <i>Ficus piperifolia</i> (Miq.) Miq. <i>Ficus piperifolia</i> (Miq.) Miq. var. <i>borneensis</i> (Miq.) Miq. <i>Ficus platycaula</i> Miq. <i>Ficus pyrrhopoda</i> (Miq.) King <i>Ficus tawaensis</i> Merr. <i>Ficus trichocarpa</i> Blume var. <i>borneensis</i> (Miq.) Corner <i>Ficus trichocarpa</i> Blume var. <i>obtusa</i> (Hassk.) Corner <i>Ficus trichocarpa</i> Blume var. <i>piperifolia</i> (Miq.) Corner <i>Pogonotrophe alnifolia</i> Miq. <i>Pogonotrophe bornensis</i> Miq. <i>Pogonotrophe javana</i> Miq. <i>Pogonotrophe phaeopoda</i> Miq.											
469.	<i>Ficus variegata</i> Blume	<i>Covellia racemifera</i> (Roxb.) Miq. <i>Ficus agusanensis</i> Elmer <i>Ficus amboinensis</i> Kostel. <i>Ficus cerifera</i> Blume <i>Ficus ceriflua</i> Jungh. <i>Ficus chlorocarpa</i> Benth. <i>Ficus compressitora</i> Elmer <i>Ficus cordifolia</i> Blume <i>Ficus domestica</i> Zipp. ex Miq. <i>Ficus ehretioides</i> F.Muell. ex Benth. <i>Ficus garciae</i> Elmer	Magnoliophyta	Moraceae	Common								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus glochidiifolia</i> Hayata <i>Ficus gummiflua</i> Miq. <i>Ficus ilangoides</i> Elmer <i>Ficus integrifolia</i> Elmer <i>Ficus konishii</i> Hayata <i>Ficus laevigata</i> Blanco <i>Ficus latsonii</i> Elmer <i>Ficus paucinervia</i> Merr. <i>Ficus racemifera</i> Roxb. <i>Ficus subopaca</i> Miq. <i>Ficus subracemosa</i> Blume <i>Ficus sum</i> Gagnep. <i>Ficus sycomoroides</i> Miq. <i>Ficus tenimbrensis</i> S.Moore <i>Ficus variegata</i> Blume var. <i>chlorocarpa</i> King <i>Ficus variegata</i> Blume var. <i>garciae</i> (Elmer) Corner <i>Ficus variegata</i> Blume var. <i>ilangoides</i> (Elmer) Corner <i>Ficus variegata</i> Blume f. <i>paucinervia</i> (Merr.) Sata <i>Ficus variegata</i> Blume var. <i>pilosior</i> Miq. <i>Ficus variegata</i> Blume f. <i>rotundata</i> Sata <i>Ficus variegata</i> Blume var. <i>sycomoroides</i> (Miq.) Corner <i>Ficus viridicarpa</i> Corner <i>Sycomorus gummiflua</i> Miq. <i>Urostigma javanicum</i> Miq.											
470.	<i>Ficus vasculosa</i> Wall. ex Miq.	<i>Ficus championii</i> Benth. <i>Ficus renitens</i> Miq. <i>Ficus variabilis</i> Miq. <i>Ficus vasculosa</i> var. <i>acuminata</i> Miq.	Magnoliophyta	Moraceae	Endangered			✓		✓			
471.	<i>Ficus villosa</i> Blume	<i>Ficus barbata</i> Wall. ex Miq. <i>Ficus barbata</i> Wall. ex Miq. var. <i>glabriuscula</i> Miq. <i>Ficus dives</i> Miq. <i>Ficus grossivenis</i> Miq.	Magnoliophyta	Moraceae	Critically endangered			✓	✓	✓	✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Ficus hirsuta</i> Wall. ex Miq. <i>Ficus jaroensis</i> Merr. <i>Ficus lagunensis</i> Merr. <i>Ficus propinqua</i> Merr. <i>Ficus rupestris</i> Blume <i>Ficus villosa</i> Blume var. <i>appressa</i> Corner <i>Ficus villosa</i> Blume var. <i>subglobosa</i> Corner <i>Ficus villosa</i> Blume var. <i>tonsa</i> Corner												
472.	<i>Ficus virens</i> Aiton	<i>Ficus aegeiophylla</i> (Miq.) Miq. <i>Ficus ampla</i> Kunth & C.D.Bouché <i>Ficus apiculata</i> (Miq.) Miq. <i>Ficus carolinensis</i> Warb. <i>Ficus caulobotrya</i> (Miq.) Miq. var. <i>fraseri</i> (Miq.) Miq. <i>Ficus cunninghamii</i> (Miq.) Miq. <i>Ficus fraseri</i> (Miq.) F.Muell <i>Ficus glabella</i> Blume <i>Ficus glabella</i> Blume f. <i>grandifolia</i> (Miq.) Miq. <i>Ficus glabella</i> Blume var. <i>nesophila</i> (Miq.) K.Schum. <i>Ficus infectoria</i> (Miq.) Miq. <i>Ficus infectoria</i> (Miq.) Miq. var. <i>aegeiophylla</i> (Miq.) Miq. <i>Ficus infectoria</i> (Miq.) Miq. var. <i>cunninghamii</i> (Miq.) Domin <i>Ficus infectoria</i> (Miq.) Miq. var. <i>forbesii</i> King <i>Ficus infectoria</i> (Miq.) Miq. var. <i>fraseri</i> (Miq.) Domin <i>Ficus infectoria</i> (Miq.) Miq. var. <i>lambertiana</i> (Miq.) King <i>Ficus infectoria</i> (Miq.) Miq. var. <i>psychotriifolium</i> (Miq.) Domin <i>Ficus infectoria</i> (Miq.) Miq. var. <i>wightiana</i> (Wall. ex Miq.) King <i>Ficus infrafoliacea</i> Buch.-Ham. ex Sm.	Magnoliophyta	Moraceae	Critically endangered	✓		✓						

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ficus lacor</i> Buch.-Ham. var. <i>cunninghamii</i> (Miq.) M.F.Barrett											
		<i>Ficus lacor</i> Buch.-Ham. var. <i>lambertiana</i> (Miq.) M.F.Barrett											
		<i>Ficus lambertiana</i> (Miq.) Miq.											
		<i>Ficus monticola</i> Miq.											
		<i>Ficus nesophila</i> (Miq.) F.Muell.											
		<i>Ficus nitentifolia</i> S.Moore											
		<i>Ficus pilhasi</i> Sm.											
		<i>Ficus prolixa</i> G.Forst. var. <i>carolinensis</i> (Warb.) Fosberg											
		<i>Ficus psychotriifolia</i> (Miq.) Miq.											
		<i>Ficus saxophila</i> Blume var. <i>sublanceolata</i> Miq.											
		<i>Ficus scandens</i> Buch.-Ham.											
		<i>Ficus syringifolia</i> C.Fraser ex C.Moore											
		<i>Ficus terminalioides</i> Griff.											
		<i>Ficus terminalis</i> B.Heyne ex Roth											
		<i>Ficus timorensis</i> Decne.											
		<i>Ficus timorensis</i> (Miq.) Miq.											
		<i>Ficus virens</i> Aiton var. <i>glabella</i> (Blume) Corner											
		<i>Ficus virens</i> Aiton var. <i>sublanceolata</i> (Miq.) Corner											
		<i>Urostigma cunninghamii</i> Miq.											
		<i>Urostigma fraseri</i> Miq.											
		<i>Urostigma glabellum</i> Miq.											
		<i>Urostigma infectarium</i> Miq.											
		<i>Urostigma lambertiana</i> Miq.											
		<i>Urostigma moritzianum</i> Miq.											
		<i>Urostigma nesophilum</i> Miq.											
		<i>Urostigma psychotriifolium</i> Miq.											
473.	<i>Fimbristylis acuminata</i> Vahl	<i>Eleogiton scabra</i> (Roxb.) A.Dietr. <i>Fimbristylis nutans</i> (Retz.) Vahl var. <i>minor</i> E.G.Camus <i>Fimbristylis scabra</i> (Roxb.) Schult. <i>Iria acuminata</i> (Vahl) Kuntze <i>Scirpus scaber</i> Roxb.	Magnoliophyta	Cyperaceae	Cryptogenic								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H									
474.	<i>Fimbristylis complanata</i> (Retz.) Link	<i>Cyperus complanatus</i> (Retz.) Willd. <i>Fimbristylis autumnalis</i> (L.) Roem. & Schult. var. <i>complanata</i> (Retz.) Kük. <i>Fimbristylis autumnalis</i> (L.) Roem. & Schult. var. <i>complanata</i> (Retz.) Barros <i>Isolepis complanata</i> (Retz.) Roem. & Schult. <i>Scirpus complanatus</i> Retz. <i>Trichelostylis complanata</i> (Retz.) Nees	Magnoliophyta	Cyperaceae	Common					✓					
475.	<i>Fimbristylis dichotoma</i> (L.) Vahl	<i>Eleocharis dichotoma</i> (L.) H.Karst. <i>Fimbristylis diphylla</i> (Retz.) Vahl var. <i>annua</i> (All.) C.B.Clarke <i>Fimbristylis diphylla</i> (Retz.) Vahl var. <i>tomentosa</i> (Vahl) Benth. <i>Fimbristylis serratula</i> Vahl <i>Isolepis dichotoma</i> (L.) Kunth <i>Scirpus depauperatus</i> Muhl. <i>Scirpus dichotomus</i> L.	Magnoliophyta	Cyperaceae	Cryptogenic					✓					
476.	<i>Fimbristylis ferruginea</i> (L.) Vahl	<i>Iria ferruginea</i> (L.) Kuntze <i>Isolepis ferruginea</i> (L.) Schldl. <i>Scirpus ferrugineus</i> L.	Magnoliophyta	Cyperaceae	Common			✓			✓				
477.	<i>Fimbristylis pauciflora</i> R.Br.	<i>Fimbristylis filiformis</i> (Nees) Kunth <i>Fimbristylis malaccana</i> Boeckeler <i>Fimbristylis pumila</i> Benth. <i>Iria pauciflora</i> (R.Br.) Kuntze <i>Scirpus pauciflorus</i> (R.Br.) Poir. <i>Trichelostylis filiformis</i> Nees	Magnoliophyta	Cyperaceae	Critically endangered				✓						
478.	<i>Fimbristylis umbellaris</i> (L.) Vahl	<i>Dichostylis torresiana</i> Gaudich. <i>Fimbristylis efoliata</i> Steud. <i>Fimbristylis globulosa</i> (Retz.) Kunth <i>Fimbristylis globulosa</i> (Retz.) Kunth var. <i>torresiana</i> (Gaudich.) C.B.Clarke	Magnoliophyta	Cyperaceae	Cryptogenic						✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Fimbristylis globulosa</i> (Retz.) Kunth var. <i>vicaryi</i> C.B.Clarke <i>Fimbristylis hypsocolea</i> Hosok. <i>Fimbristylis torresiana</i> Gaudich. <i>Fimbristylis umbellaris</i> (Lam.) Vahl var. <i>vicaryi</i> (C.B.Clarke) Karthik. <i>Fimbristylis utilis</i> Elmer <i>Iria globulosa</i> (Retz.) Kuntze <i>Isolepis globulosa</i> (Retz.) Schult. <i>Scirpus globulosus</i> Retz. <i>Scirpus umbellaris</i> Lam. <i>Trichelostylis globulosa</i> (Retz.) Nees											
479.	<i>Fissistigma fulgens</i> (Hook.f. & Thomson) Merr.		Magnoliophyta	Annonaceae	Vulnerable				✓		✓	✓	
480.	<i>Fissistigma lanuginosum</i> (Hook.f. & Thomson) Merr.	<i>Melodorum lanuginosum</i> Hook.f. & Thomson	Magnoliophyta	Annonaceae	Endangered							✓	
481.	<i>Fissistigma latifolium</i> (Dunal) Merr. var. <i>latifolium</i>		Magnoliophyta	Annonaceae	Presumed nationally extinct						✓		
482.	<i>Fissistigma latifolium</i> (Dunal) Merr. var. <i>ovoideum</i> (King) Sinclair	<i>Fissistigma ovoideum</i> (King) Merr.	Magnoliophyta	Annonaceae	Vulnerable			✓	✓		✓	✓	
483.	<i>Fissistigma manubriatum</i> (Hook.f. & Thomson) Merr.		Magnoliophyta	Annonaceae	Vulnerable						✓	✓	
484.	<i>Flacourtia inermis</i> Roxb.		Magnoliophyta	Salicaceae	Exotic					✓			
485.	<i>Flacourtia rukam</i> Zoll. & Moritzi		Magnoliophyta	Salicaceae	Vulnerable			✓	✓	✓		✓	
486.	<i>Flagellaria indica</i> L.	<i>Flagellaria angustifolia</i> Wall.	Magnoliophyta	Flagellariaceae	Common			✓		✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Flagellaria catenata</i> Lour. ex B.A.Gomes <i>Flagellaria indica</i> L. var. <i>gracilicaulis</i> F.M.Bailey <i>Flagellaria indica</i> L. var. <i>minor</i> Hook.f. <i>Flagellaria loureiroi</i> Steud. <i>Flagellaria minor</i> Blume <i>Flagellaria philippinensis</i> Elmer											
487.	<i>Freycinetia angustifolia</i> Blume	<i>Freycinetia brunoniana</i> Wall. <i>Freycinetia debregasiana</i> Gaudich. <i>Freycinetia insipida</i> Martelli <i>Freycinetia malaccensis</i> Ridl.	Magnoliophyta	Pandanaceae	Critically endangered								✓
488.	<i>Freycinetia javanica</i> Blume var. <i>javanica</i>	<i>Freycinetia bennettii</i> Miq. <i>Freycinetia lucens</i> Ridl. <i>Freycinetia montana</i> Ridl.	Magnoliophyta	Pandanaceae	Critically endangered					✓			✓
489.	<i>Freycinetia sumatrana</i> Hemsl. var. <i>sumatrana</i>		Magnoliophyta	Pandanaceae	Common				✓				
490.	<i>Friesodielsia biglandulosa</i> (Blume) Steenis	<i>Guatteria biglandulosa</i> Blume <i>Richella biglandulosa</i> (Blume) R.E.Fr.	Magnoliophyta	Annonaceae	Vulnerable				✓				✓
491.	<i>Friesodielsia borneensis</i> (Miq.) Steenis	<i>Oxymitra borneensis</i> Miq.	Magnoliophyta	Annonaceae	Vulnerable				✓		✓	✓	
492.	<i>Friesodielsia excisa</i> (Miq.) Steenis		Magnoliophyta	Annonaceae	Vulnerable					✓			
493.	<i>Friesodielsia glauca</i> (Hook.f. & Thomson) Steenis	<i>Oxymitra glauca</i> Hook.f. & Thomson	Magnoliophyta	Annonaceae	Critically endangered				✓		✓	✓	
494.	<i>Friesodielsia latifolia</i> (Hook.f. & Thomson) Steenis	<i>Oxymitra latifolia</i> Hook.f. & Thomson	Magnoliophyta	Annonaceae	Common	✓		✓	✓	✓			✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name		Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
495.	<i>Frullania gaudichaudii</i> Nees & Mont.	<i>Jubula gaudichaudii</i> Nees & Mont.		Marchantio-phyta	Jubulaceae	Presumed nationally extinct			✓					
496.	<i>Frullania intermedia</i> (Reinw., Blume & Nees) Dumort.	<i>Jungermannia intermedia</i> Reinw., Blume & Nees		Marchantio-phyta	Jubulaceae	Data deficient			✓					
497.	<i>Frullania nodulosa</i> (Reinw., Nees & Blume) Nees	<i>Jungermannia nodulosa</i> Reinw., Nees & Blume		Marchantio-phyta	Jubulaceae	Data deficient			✓					
498.	<i>Fuirena umbellata</i> Rottb.	<i>Fuirena canescens</i> Vahl <i>Fuirena complotricha</i> C.Wright <i>Fuirena glomerata</i> Bojer <i>Fuirena guianensis</i> Klotzsch <i>Fuirena haemaglottis</i> Steud. <i>Fuirena hildebrandtii</i> Boeckeler <i>Fuirena mahouxii</i> Cherm. <i>Fuirena mauritiana</i> Nees ex Kunth <i>Fuirena mauritiana</i> Nees <i>Fuirena mauritiana</i> Nees var. <i>angustifolia</i> Kunth <i>Fuirena paniculata</i> L.f. <i>Fuirena pentagona</i> Wight & Arn. ex Nees <i>Fuirena pentagona</i> Schumach. <i>Fuirena philippinensis</i> Gand. <i>Fuirena quinguangularis</i> Hassk. <i>Fuirena rivularis</i> Nees <i>Fuirena seriata</i> C.B.Clarke <i>Fuirena tereticulmis</i> J.Presl & C.Presl <i>Fuirena thouarsiana</i> Kunth <i>Fuirena umbellata</i> Rottb. var. <i>americana</i> H.Pfeiff. <i>Fuirena umbellata</i> Rottb. var. <i>pilosa</i> Domin <i>Fuirena umbellata</i> Rottb. var. <i>unguiculata</i> Kük. <i>Scirpus fuirena</i> T.Koyama <i>Scirpus rivularis</i> D.Don. ex Nees <i>Scirpus umbellatus</i> (Rottb.) Kuntze	Magnoliophyta	Cyperaceae	Cryptogenic			✓	✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
499.	<i>Gaertnera grisea</i> Hook.f. ex C.B.Clarke	<i>Sykesia grisea</i> (Hook.f. ex C.B.Clarke) Kuntze	Magnoliophyta	Rubiaceae	Vulnerable				✓					
500.	<i>Gaertnera obesa</i> Hook.f. ex C.B.Clarke	<i>Psychotria obesa</i> Wall.	Magnoliophyta	Rubiaceae	Endangered				✓	✓				
501.	<i>Galearia fulva</i> (Tul.) Miq.	<i>Bennettia affinis</i> R.Br. <i>Bennettia finlaysoniana</i> R.Br. <i>Bennettia fulva</i> (Tul.) Müll.Arg. <i>Bennettia jackiana</i> R.Br. <i>Bennettia javanica</i> R.Br. <i>Bennettia lindleyana</i> (Tul.) Müll.Arg. <i>Bennettia pedicellata</i> R.Br. <i>Bennettia phlebocarpa</i> R.Br. <i>Bennettia splendens</i> (Miq.) Müll.Arg. <i>Bennettia subulata</i> Müll.Arg. <i>Bennettia wallichii</i> R.Br. <i>Cremostachys fulva</i> Tul. <i>Cremostachys lindlaeana</i> Tul. <i>Galearia affinis</i> (R.Br.) Miq. <i>Galearia angustifolia</i> Miq. <i>Galearia caudata</i> Forman <i>Galearia dolichobotrys</i> Merr. <i>Galearia dongnaiensis</i> Pierre ex Gagnep. <i>Galearia elliptica</i> Miq. <i>Galearia finlaysoniana</i> (R.Br.) Miq. <i>Galearia fusca</i> Ridl. <i>Galearia helferi</i> Hook.f. <i>Galearia jackiana</i> (R.Br.) Miq. <i>Galearia lindlaeana</i> (Tul.) Hook.f. <i>Galearia minor</i> Gage <i>Galearia pedicellata</i> (R.Br.) Miq. <i>Galearia philippinensis</i> Merr. <i>Galearia phlebocarpa</i> (R.Br.) Miq. <i>Galearia ridleyi</i> Gage <i>Galearia sessiliflora</i> Merr.	Magnoliophyta	Pandaceae	Vulnerable				✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Galearia splendens</i> Miq. <i>Galearia subulata</i> (Müll.Arg.) Hook.f. <i>Galearia sumatrana</i> Miq. <i>Galearia wallichii</i> (R.Br.) Kurz											
502.	<i>Galeola nudifolia</i> Lour.	<i>Cranichis nudifolia</i> (Lour.) Pers. <i>Epidendrum galeola</i> Raeusch. <i>Erythrorchis kuhlii</i> Rchb.f. <i>Galeola hydra</i> Rchb.f. <i>Galeola kuhlii</i> (Rchb.f.) Rchb.f. <i>Galeola pterosperma</i> (Lindl.) Schltr. <i>Galeola torana</i> J.J.Sm. <i>Vanilla pterosperma</i> Wall. ex Lindl. <i>Vanilla pterosperma</i> Wall. <i>Vanilla rubiginosa</i> Griff.	Magnoliophyta	Orchidaceae	Critically endangered			✓					
503.	<i>Ganua motleyana</i> (de Vriese) Pierre ex Dubard	<i>Bassia motleyana</i> (de Vriese) C.B.Clarke <i>Ganua motleyana</i> (de Vriese) Pierre ex Dubard var. <i>scortechinii</i> King & Gamble <i>Ganua scortechinii</i> H.J.Lam <i>Illipe motleyana</i> (de Vriese) Engl. <i>Isonandra motleyana</i> de Vriese <i>Payena bankensis</i> Burck <i>Payena latifolia</i> Burck <i>Payena longipetiolata</i> Kurz <i>Payena rubropedicellata</i> Burck <i>Sideroxylon glabrescens</i> Miq. <i>Vidoricum motleyanum</i> (de Vriese) Kuntze	Magnoliophyta	Sapotaceae	Critically endangered	✓	✓						
504.	<i>Garcinia bancana</i> Miq.	<i>Garcinia cymulosa</i> Miq. <i>Garcinia hookeri</i> Pierre <i>Garcinia lamponga</i> Miq. <i>Garcinia leucandra</i> Pierre <i>Garcinia oxyedra</i> Miq. <i>Garcinia oxyphylla</i> Miq. <i>Stalagmitis lamponga</i> Miq.	Magnoliophyta	Clusiaceae	Critically endangered			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
505.	<i>Garcinia eugeniifolia</i> Wall. ex T.Anderson	<i>Garcinia eugeniifolia</i> Wall. ex T.Anderson <i>Garcinia gitingensis</i> Elmer <i>Hebradendron eugeniifolium</i> Choisy	Magnoliophyta	Clusiaceae	Vulnerable	✓	✓	✓			✓	✓	
506.	<i>Garcinia forbesii</i> King		Magnoliophyta	Clusiaceae	Critically endangered	✓	✓		✓	✓	✓	✓	
507.	<i>Garcinia griffithii</i> T.Anderson		Magnoliophyta	Clusiaceae	Endangered	✓			✓	✓			
508.	<i>Garcinia hombroniana</i> Pierre		Magnoliophyta	Clusiaceae	Endangered	✓		✓				✓	
509.	<i>Garcinia maingayi</i> Hook.f.		Magnoliophyta	Clusiaceae	Critically endangered				✓			✓	
510.	<i>Garcinia malaccensis</i> Hook.f.		Magnoliophyta	Clusiaceae	Exotic			✓					
511.	<i>Garcinia mangostana</i> L.	<i>Mangostana garcinia</i> Gaertn.	Magnoliophyta	Clusiaceae	Exotic	✓							
512.	<i>Garcinia nervosa</i> Miq.	<i>Garcinia andersonii</i> Hook.f. ex T.Anderson <i>Garcinia macrophylla</i> T.Anderson	Magnoliophyta	Clusiaceae	Critically endangered	✓	✓		✓	✓		✓	
513.	<i>Garcinia nigrolineata</i> Planch. ex T.Anderson	<i>Garcinia kunstleri</i> King	Magnoliophyta	Clusiaceae	Critically endangered							✓	
514.	<i>Garcinia parvifolia</i> (Miq.) Miq.	<i>Garcinia globulosa</i> Ridl. <i>Garcinia tetangies</i> Boerl. <i>Rhinostigma parvifolium</i> Miq.	Magnoliophyta	Clusiaceae	Common	✓	✓	✓	✓	✓	✓	✓	
515.	<i>Garcinia rostrata</i> Hassk. ex Hook.f.	<i>Discostigma caudatum</i> A.Gray <i>Discostigma rostratum</i> Hassk. <i>Garcinia wrayi</i> King	Magnoliophyta	Clusiaceae	Critically endangered			✓	✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
516.	<i>Garcinia scortechinii</i> King		Magnoliophyta	Clusiaceae	Critically endangered			✓	✓			✓	
517.	<i>Gardenia griffithii</i> Hook.f.	<i>Gardenia griffithii</i> Hook.f. var. <i>maingayi</i> Hook.f.	Magnoliophyta	Rubiaceae	Presumed nationally extinct	✓		✓					
518.	<i>Gastrodia javanica</i> (Blume) Lindl.	<i>Epiphanes javanica</i> Blume <i>Gastrodia hasseltii</i> Blume <i>Gastrodia javanica</i> (Blume) Lindl. f. <i>thalassina</i> Yokota <i>Gastrodia lutea</i> Fukuy. <i>Gastrodia malayana</i> Ridl. <i>Gastrodia stapfii</i> Hayata	Magnoliophyta	Orchidaceae	Critically endangered								NIS
519.	<i>Gironniera nervosa</i> Planch.	<i>Antidesma nervosum</i> Wall. <i>Gironniera penangiana</i> Gand. <i>Gironniera sponioides</i> Gand.	Magnoliophyta	Cannabaceae	Common		✓		✓		✓	✓	
520.	<i>Gironniera subaequalis</i> Planch.	<i>Gironniera amboinensis</i> Lauterb. <i>Gironniera blumei</i> Gand. <i>Gironniera borneensis</i> Gand. <i>Gironniera chinensis</i> Benth. <i>Gironniera costata</i> Miq. <i>Gironniera ferruginea</i> Gand. <i>Gironniera korthalsii</i> Gand. <i>Gironniera longifolia</i> Craib <i>Gironniera mollissima</i> Gagnep. <i>Gironniera nervosa</i> Planch. var. <i>subaequalis</i> (Planch.) Kurz <i>Gironniera subaequalis</i> Planch. var. <i>brevistylis</i> Blume <i>Gironniera subaequalis</i> Planch. var. <i>papuana</i> J.J.Sm. <i>Gironniera subaequalis</i> Planch. var. <i>scabrida</i> Blume	Magnoliophyta	Cannabaceae	Endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Gironniera subaequalis</i> Planch. var. <i>serrulata</i> Blume <i>Gironniera sumatrana</i> Gand. <i>Helminthospermum scabridum</i> Thwaites <i>Sponia annulata</i> Teijsm. & Binn.											
521.	<i>Gleichenia truncata</i> (Willd.) Nakai	<i>Gleichenia truncata</i> (Willd.) Spreng. <i>Mertensia truncata</i> Willd.	Filicinophyta	Gleicheniaceae	Vulnerable								✓
522.	<i>Globba leucantha</i> Miq.		Magnoliophyta	Zingiberaceae	Presumed nationally extinct		✓						
523.	<i>Globba leucantha</i> Miq. var. <i>peninsularis</i> Holttum		Magnoliophyta	Zingiberaceae	Critically endangered			✓	✓				
524.	<i>Globba pendula</i> Roxb.	<i>Ceratanthera pendula</i> (Roxb.) T.Lestib.	Magnoliophyta	Zingiberaceae	Presumed nationally extinct			✓					
525.	<i>Glochidion borneense</i> (Müll.Arg.) Boerl.	<i>Diasperus borneensis</i> (Müll.Arg.) Kuntze <i>Diasperus microbotrys</i> (Hook.f.) Kuntze <i>Diasperus polycarpus</i> (Müll.Arg.) Kuntze <i>Glochidion microbotrys</i> Hook.f. <i>Glochidion trilobum</i> Ridl. <i>Phyllanthus borneensis</i> Müll.Arg. <i>Phyllanthus polycarpus</i> Müll.Arg.	Magnoliophyta	Phyllanthaceae	Critically endangered			✓	✓				
526.	<i>Glochidion littorale</i> Blume	<i>Agyneia imuber</i> Wall. <i>Bradleia littorea</i> (Blume) Steud. <i>Bradleia obtusa</i> Wall. <i>Diasperus litoralis</i> (Blume) Kuntze <i>Glochidion littorale</i> Blume var. <i>caudatum</i> Airy Shaw <i>Glochidion littorale</i> Blume var. <i>culminicola</i> Airy Shaw	Magnoliophyta	Phyllanthaceae	Endangered			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Phyllanthus littoralis</i> (Blume) Müll.Arg.											
527.	<i>Glochidion lutescens</i> Blume	<i>Anisonema hypoleucum</i> Miq. <i>Bradleia laevigata</i> Wall. <i>Bradleia lutescens</i> (Blume) Steud. <i>Diasperus glaucifolius</i> (Müll.Arg.) Kuntze <i>Diasperus kollmannianus</i> (Müll.Arg.) Kuntze <i>Diasperus laevigatus</i> (Müll.Arg.) Kuntze <i>Diasperus lutescens</i> (Blume) Kuntze <i>Glochidion breynioides</i> C.B.Rob. <i>Glochidion glaucifolium</i> Müll.Arg. <i>Glochidion hollandianum</i> J.J.Sm. <i>Glochidion hypoleucum</i> (Miq.) Boerl. <i>Glochidion kollmannianum</i> (Müll.Arg.) J.J.Sm. <i>Anisonema hypoleucum</i> Miq. <i>Bradleia laevigata</i> Wall. <i>Bradleia lutescens</i> (Blume) Steud. <i>Diasperus glaucifolius</i> (Müll.Arg.) Kuntze <i>Diasperus kollmannianus</i> (Müll.Arg.) Kuntze <i>Diasperus laevigatus</i> (Müll.Arg.) Kuntze <i>Diasperus lutescens</i> (Blume) Kuntze <i>Glochidion breynioides</i> C.B.Rob. <i>Glochidion glaucifolium</i> Müll.Arg. <i>Glochidion hollandianum</i> J.J.Sm. <i>Glochidion hypoleucum</i> (Miq.) Boerl. <i>Glochidion kollmannianum</i> (Müll.Arg.) J.J.Sm. <i>Glochidion laevigatum</i> (Müll.Arg.) Hook.f. <i>Glochidion pusilliflorum</i> S.Moore <i>Phyllanthus kollmannianus</i> Müll.Arg. <i>Phyllanthus laevigatus</i> Müll.Arg. <i>Phyllanthus lutescens</i> (Blume) Müll.Arg.	Magnoliophyta	Phyllanthaceae	Critically endangered			✓	✓	✓	✓		
528.	<i>Glochidion rubrum</i> Blume var. <i>rubrum</i>	<i>Bradleia coronata</i> Wall. <i>Bridelia glauca</i> Wall.	Magnoliophyta	Phyllanthaceae	Critically endangered			✓	✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Diasperus coronatus</i> (Müll.Arg.) Kuntze <i>Diasperus leiostylus</i> (Kurz) Kuntze <i>Glochidion coronatum</i> Hook.f. <i>Glochidion diversifolium</i> (Miq.) Merr. <i>Glochidion foliosum</i> S.Moore <i>Glochidion grave</i> S.Moore <i>Glochidion insulare</i> Hook.f. <i>Glochidion leiostylum</i> Kurz <i>Glochidion penangense</i> (Müll.Arg.) Airy Shaw <i>Glochidion rubrum</i> Blume f. <i>longistylis</i> J.J.Sm. <i>Glochidion thorelii</i> Beille <i>Glochidion versicolor</i> S.Moore <i>Phyllanthus diversifolius</i> Miq. <i>Phyllanthus penangensis</i> Müll.Arg.											
529.	<i>Glochidion sericeum</i> Hook.f.	<i>Diasperus sericeus</i> (Blume) Kuntze <i>Glochidionopsis sericea</i> Blume <i>Phyllanthus sericeus</i> (Blume) Müll.Arg.	Magnoliophyta	Phyllanthaceae	Critically endangered			✓	✓				
530.	<i>Glochidion singaporense</i> Gage		Magnoliophyta	Phyllanthaceae	Critically endangered				✓				
531.	<i>Glochidion superbum</i> Baill.	<i>Bradleia finlaysoniana</i> Wall. <i>Glochidion dasyphyllum</i> Miq. <i>Phyllanthus finlaysonianus</i> Wall. <i>Phyllanthus superbus</i> (Baill. ex Müll.Arg.) Müll.Arg.	Magnoliophyta	Phyllanthaceae	Common	✓			✓	✓			
532.	<i>Glochidion zeylanicum</i> (Gaertn.) A.Juss. var. <i>zeylanicum</i>	<i>Agyneia flexuosa</i> B.Heyne ex Wall. <i>Agyneia obliqua</i> Willd. <i>Bradleia nitida</i> Roxb. <i>Bradleia obliqua</i> (Willd.) Spreng. <i>Bradleia timoriensis</i> Steud. <i>Diasperus brunneus</i> (Hook.f.) Kuntze <i>Diasperus hongkongensis</i> (Müll.Arg.) Kuntze <i>Diasperus nitidus</i> (Roxb.) Kuntze	Magnoliophyta	Phyllanthaceae	Vulnerable			✓				✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore							
					A	B	C	D	E	F	G	H
		<i>Diasperus obliquus</i> (Willd.) Kuntze										
		<i>Diasperus perakensis</i> (Hook.f.) Kuntze										
		<i>Diasperus subscandens</i> (Zoll. & Moritzi) Kuntze										
		<i>Glochidion brunneum</i> Hook.f.										
		<i>Glochidion brunneum</i> Hook.f. subsp. <i>andamanicum</i> N.P.Balakr. & Chakrab.										
		<i>Glochidion canaranum</i> (Müll.Arg.) Bedd.										
		<i>Glochidion ferdinandii</i> (Müll.Arg.) F.M.Bailey var. <i>supra-axillare</i> (Benth.) F.M.Bailey										
		<i>Glochidion glaberrimum</i> Ridl.										
		<i>Glochidion hongkongense</i> Müll.Arg.										
		<i>Glochidion lanceolatum</i> Hayata var. <i>liukiuense</i> (Hayata) Hurus.										
		<i>Glochidion littorale</i> Benth.										
		<i>Glochidion liukiuense</i> Hayata										
		<i>Glochidion nitidum</i> (Roxb.) Voigt										
		<i>Glochidion obliquum</i> (Willd.) Decne.										
		<i>Glochidion pedunculatum</i> Merr.										
		<i>Glochidion perakense</i> Hook.f.										
		<i>Glochidion perakense</i> Hook.f. var. <i>supra-axillare</i> (Benth.) Airy Shaw										
		<i>Glochidion subscandens</i> Zoll. & Moritzi										
		<i>Glochidion sumatranum</i> Miq.										
		<i>Glochidion supra-axillare</i> (Benth.) Domin										
		<i>Glochidion zeylanicum</i> (Gaertn.) A.Juss. var. <i>malayanum</i> J.J.Sm.										
		<i>Glochidion zeylanicum</i> (Gaertn.) A.Juss. var. <i>nitidum</i> (Roxb.) Haines										
		<i>Phyllanthus canaranus</i> Müll.Arg.										
		<i>Phyllanthus ferdinandii</i> Müll.Arg. var. <i>supra-axillaris</i> Benth.										
		<i>Phyllanthus hongkongensis</i> (Müll.Arg.) Müll.Arg.										
		<i>Phyllanthus nitidus</i> (Roxb.) Reinw. ex Blume										
		<i>Phyllanthus obliquus</i> (Willd.) Müll.Arg.										
		<i>Phyllanthus subscandens</i> (Zoll. & Moritzi) Müll.Arg.										

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
533.	<i>Gluta renghas</i> L.		Magnoliophyta	Anacardiaceae	Presumed nationally extinct					✓			
534.	<i>Gluta wallichii</i> (Hook.f.) Ding Hou	<i>Melanorrhoea wallichii</i> Hook.f.	Magnoliophyta	Anacardiaceae	Common	✓	✓	✓	✓	✓		✓	
535.	<i>Glycosmis chlorosperma</i> (Blume) Spreng. var. <i>chlorosperma</i>		Magnoliophyta	Rutaceae	Vulnerable	✓		✓					
536.	<i>Glycosmis lanceolata</i> (Blume) Teijsm. & Binn. ex Kurz	<i>Glycosmis angularis</i> Elmer <i>Glycosmis greenei</i> Elmer var. <i>cymosa</i> Tanaka <i>Glycosmis greenei</i> Elmer var. <i>simplex</i> B.C.Stone <i>Glycosmis hainanensis</i> C.C.Huang <i>Glycosmis montana</i> Pierre <i>Glycosmis simplicifolia</i> Spreng. <i>Glycosmis zippelii</i> B.C.Stone <i>Helie lanceolata</i> M.Roem. <i>Sclerostylis lanceolata</i> Blume <i>Tetracronia cymosa</i> Pierre	Magnoliophyta	Rutaceae	Critically endangered					✓			
537.	<i>Gmelina elliptica</i> Sm.	<i>Gmelina asiatica</i> L. var. <i>villosa</i> (Roxb.) Bakh. <i>Gmelina villosa</i> Roxb.	Magnoliophyta	Lamiaceae	Endangered			✓					
538.	<i>Gnetum gnemon</i> L. var. <i>gnemon</i>	<i>Gnemon ovalifolia</i> (Poir.) Kuntze <i>Gnetum acutatum</i> Miq. <i>Gnetum domestica</i> Rumph. <i>Gnetum gnemon</i> L. var. <i>domesticum</i> Markgr. <i>Gnetum gnemon</i> L. var. <i>laurinum</i> Blume <i>Gnetum gnemon</i> L. var. <i>lucidum</i> Blume <i>Gnetum gnemon</i> L. var. <i>majusculum</i> Blume <i>Gnetum gnemon</i> L. var. <i>ovalifolium</i> (Poir.) Blume <i>Gnetum gnemon</i> L. f. <i>stipitatum</i> Markgr. <i>Gnetum gnemon</i> L. var. <i>sylvestris</i> (Brongn.) Parl. <i>Gnetum gnemon</i> L. f. <i>volubile</i> Markgr.	Gnetophyta	Gnetaceae	Critically endangered	✓	✓						

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Gnetum ovalifolium</i> Poir. <i>Gnetum polystachyum</i> Reinw. ex Blume <i>Gnetum silvestris</i> Rumph. <i>Gnetum silvestris</i> Brongn. <i>Gnetum sylvestre</i> Brongn. <i>Gnetum vinosum</i> Elmer											
539.	<i>Gnetum gnemonoides</i> Brongn.	<i>Gnetum edule</i> Hassk. <i>Gnetum kerstingii</i> K.Schum. & Lauterb. <i>Gnetum macrocarpum</i> Becc. <i>Gnetum moluccense</i> H.Karst. ex Markgr. <i>Gnetum ovalifolium</i> H.Karst. <i>Gnetum rumphianum</i> Becc. <i>Gnetum verrucosum</i> H.Karst. <i>Gnetum wrayi</i> Gamble	Gnetophyta	Gnetaceae	Critically endangered			✓	✓	✓			
540.	<i>Gnetum latifolium</i> Blume var. <i>funiculare</i> Markgr.	<i>Gnemon edulis</i> (Blume) Kuntze <i>Gnetum edule</i> (Willd.) Blume <i>Gnetum funiculare</i> Blume <i>Gnetum kingianum</i> Gamble <i>Gnetum neglectum</i> H.Karst. <i>Gnetum ula</i> H.Karst. <i>Thoa edulis</i> Willd.	Gnetophyta	Gnetaceae	Critically endangered							✓	✓
541.	<i>Gnetum macrostachyum</i> Hook.f.		Gnetophyta	Gnetaceae	Critically endangered	✓		✓	✓			✓	
542.	<i>Gnetum microcarpum</i> Blume	<i>Gnetum apiculatum</i> Griff. <i>Gnetum campestre</i> (Ridl.) Gamble ex Ridl. <i>Gnetum microcarpum</i> Blume f. <i>campestre</i> (Ridl.) Markgr. <i>Gnetum microcarpum</i> Blume var. <i>campestre</i> Ridl. <i>Gnetum microcarpum</i> Blume var. <i>sylvestre</i> Ridl. <i>Gnetum microcarpum</i> Blume f. <i>sylvestre</i> (Ridl.) Markgr.	Gnetophyta	Gnetaceae	Critically endangered				✓			✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Gnetum neglectum</i> Blume var. <i>microcarpum</i> (Blume) Parl.											
543.	<i>Gomphandra quadrifida</i> (Blume) Sleum.	<i>Gomphandra affinis</i> (Miers) Mast. var. <i>floribunda</i> Ridl. <i>Gomphandra lanceolata</i> (Miers) King var. <i>tenuifolia</i> Craib <i>Gomphandra maingayi</i> (Mart.) King var. <i>pubescens</i> Ridl. <i>Gomphandra oppositifolia</i> Pierre ex Gagnep. <i>Gomphandra penangiana</i> (Miers) Wall. ex Mast. <i>Gomphandra prasina</i> (Blume) Becc. <i>Gomphandra puberula</i> Ridl. <i>Gomphandra scorpioidea</i> Gagnep. <i>Stemonurus oppositifolius</i> (Pierre ex Gagnep.) R.A. Howard <i>Stemonurus penangianus</i> Miers <i>Stemonurus quadrifidus</i> Blume	Magnoliophyta	Stemonuraceae	Vulnerable							✓	
544.	<i>Gomphandra quadrifida</i> (Blume) Sleum. var. <i>ovalifolia</i> (Ridl.) Sleumer	<i>Gomphandra affinis</i> (Miers) Mast. <i>Gomphandra lanceolata</i> (Miers) King <i>Gomphandra lanceolata</i> (Miers) King var. <i>ovalifolia</i> Ridl. <i>Gomphandra ophirensis</i> Ridl. <i>Gomphandra pubescens</i> Ridl. <i>Lasianthera prasina</i> Miq. <i>Stemonurus affinis</i> Miers <i>Stemonurus prasinus</i> Blume	Magnoliophyta	Stemonuraceae	Critically endangered							✓	
545.	<i>Goniophlebium percussum</i> (Cav.) Wagner & Grether	<i>Cyathea percussa</i> Cav.	Filicinophyta	Polypodiaceae	Vulnerable						✓		✓
546.	<i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson	<i>Goniothalamus forbesii</i> Baker f. <i>Goniothalamus lanceolatus</i> (Bân) Mat-Salleh <i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson var. <i>kerrii</i> Bân	Magnoliophyta	Annonaceae	Vulnerable		✓				✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson var. <i>lanceolatus</i> Bân <i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson var. <i>siamensis</i> J.Sinclair <i>Polyalthia macrophylla</i> (Blume) Blume <i>Unona macrophylla</i> Blume											
547.	<i>Goniothalamus malayanus</i> Hook.f. & Thomson	<i>Goniothalamus malayanus</i> Hook.f. & Thomson var. <i>slingerlandtianus</i> (Scheff.) Boerl. <i>Goniothalamus puncticulatus</i> Boerl. & Koord. <i>Goniothalamus slingerlandtianus</i> Scheff. <i>Goniothalamus ventristylus</i> Boerl. & Koord.	Magnoliophyta	Annonaceae	Vulnerable					✓			
548.	<i>Goniothalamus ridleyi</i> King	<i>Goniothalamus fasciculatus</i> Boerl. <i>Goniothalamus prainianus</i> King <i>Goniothalamus prainianus</i> King var. <i>angustipetalus</i> King	Magnoliophyta	Annonaceae	Vulnerable			✓					
549.	<i>Goniothalamus tapis</i> Miq.	<i>Goniothalamus umbrosus</i> J.Sinclair	Magnoliophyta	Annonaceae	Vulnerable			✓	✓				
550.	<i>Gonystylus confusus</i> Airy Shaw		Magnoliophyta	Thymelaeaceae	Endangered				✓			✓	
551.	<i>Gonystylus maingayi</i> Hook.f.		Magnoliophyta	Thymelaeaceae	Critically endangered	✓	✓						
552.	<i>Gordonia penangensis</i> Ridl.		Magnoliophyta	Theaceae	Critically endangered	✓		✓					
553.	<i>Grenacheria amentacea</i> (C.B.Clarke) Mez	<i>Embelia amentacea</i> C.B.Clarke <i>Ribesiodes amentaceum</i> (C.B.Clarke) Kuntze	Magnoliophyta	Myrsinaceae	Presumed nationally extinct				✓		✓	✓	
554.	<i>Grenacheria lampani</i> (Scheff.) Mez		Magnoliophyta	Myrsinaceae	Endangered					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
555.	<i>Grewia laevigata</i> Vahl	<i>Grewia acuminata</i> Juss. <i>Grewia mallococa</i> Blanco <i>Grewia multiflora</i> Blanco <i>Grewia odorata</i> Blume <i>Grewia ovalifolia</i> Juss. <i>Grewia pedicellata</i> Roxb. <i>Grewia scabrida</i> Wall. ex Kurz <i>Grewia umbellata</i> Roxb. ex DC. <i>Leptonychia acuminata</i> Burret <i>Mallococca parva</i> Blanco	Magnoliophyta	Malvaceae	Vulnerable				✓	✓	✓	✓	
556.	<i>Guioa pleuropteris</i> (Blume) Radlk.	<i>Cupania griffithiana</i> Kurz <i>Cupania pleuropteris</i> Blume <i>Cupania pleuropteris</i> Blume var. <i>apiculata</i> Hiern <i>Guioa aptera</i> Radlk. <i>Guioa forbesii</i> Baker f. <i>Guioa lasiothyrsa</i> Radlk. <i>Guioa lasiothyrsa</i> Radlk. f. <i>elmeri</i> Radlk. <i>Guioa subapiculata</i> Radlk. <i>Quassia tricarpa</i> Blanco	Magnoliophyta	Sapindaceae	Vulnerable			✓					
557.	<i>Guioa pubescens</i> (Zoll. & Moritzi) Radlk.	<i>Arytera silaka</i> Miq. <i>Cupania pallidula</i> Hiern <i>Guioa diplopetala</i> (Hassk.) Radlk. f. <i>dentata</i> Radlk. <i>Sapindus pubescens</i> Zoll. & Moritzi	Magnoliophyta	Sapindaceae	Vulnerable							✓	
558.	<i>Gymnacranthera bancana</i> (Miq.) Sinclair		Magnoliophyta	Myristicaceae	Critically endangered	✓	✓			✓			
559.	<i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb.	<i>Gymnacranthera eugeniiifolia</i> (A.DC.) J.Sinclair var. <i>griffithii</i> (Hook.f.) J.Sinclair <i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb. var. <i>griffithii</i> (Hook.f.) Warb. <i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb. var. <i>major</i> (King) Gamble	Magnoliophyta	Myristicaceae	Critically endangered	✓	✓	✓	✓				✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
560.	<i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb. var. <i>eugeniifolia</i> (A.DC.) R.T.A. Schouten	<i>Gymnacranthera eugeniifolia</i> (A.DC.) J.Sinclair <i>Myristica eugeniifolia</i> A.DC.	Magnoliophyta	Myristicaceae	Critically endangered					✓			
561.	<i>Gymnacranthera forbesii</i> (King) Warb.		Magnoliophyta	Myristicaceae	Critically endangered	✓			✓	✓			
562.	<i>Gynochthodes coriacea</i> Blume	<i>Coelospermum barbatum</i> Span.	Magnoliophyta	Rubiaceae	Vulnerable						✓	✓	
563.	<i>Gynochthodes sublanceolata</i> Miq.	<i>Gynochthodes tetrandra</i> Kuntze <i>Paederia tetrandra</i> Wall.	Magnoliophyta	Rubiaceae	Common	✓			✓	✓	✓	✓	
564.	<i>Gynotroches axillaris</i> Blume	<i>Dryptopetalum coriaceum</i> Arn. <i>Gynotroches dryptopetalum</i> Blume <i>Gynotroches lanceolata</i> Merr. <i>Gynotroches micrantha</i> Blume <i>Gynotroches parvifolia</i> Merr. <i>Gynotroches puberula</i> Merr. <i>Gynotroches reticulata</i> A.Gray <i>Microtropis coriacea</i> Wall.	Magnoliophyta	Rhizophoraceae	Common	✓	✓	✓	✓	✓	✓	✓	M,S
565.	<i>Hanguana malayana</i> (Jack) Merr.	<i>Hanguana anthelminthica</i> (Blume) Masam. <i>Hanguana aquatica</i> Kaneh. <i>Hanguana kassintu</i> Blume <i>Hanguana malayana</i> (Jack) Merr. var. <i>anthelminthica</i> (Blume) Bakh. <i>Hanguana malayana</i> (Jack) Merr. subsp. <i>anthelminthica</i> (Blume) Backer <i>Hanguana malayana</i> (Jack) Merr. subsp. <i>kassintu</i> (Blume) Backer <i>Susum anthelminthicum</i> Blume <i>Susum kassintu</i> (Blume) Kurz <i>Susum malayanum</i> (Jack) Planch. ex Hook.f.	Magnoliophyta	Hanguanaceae	Vulnerable			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Susum malayanum</i> (Jack) Planch. ex Hook.f. f. <i>aquatica</i> Backer <i>Susum minus</i> Miq. <i>Veratronia malayana</i> (Jack) Miq. <i>Veratrum malayanum</i> Jack											
566.	<i>Hedyotis capitellata</i> Wall. ex G.Don	<i>Oldenlandia capitellata</i> (Wall. ex G.Don) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered	✓				✓			
567.	<i>Hedyotis pinifolia</i> Wall. ex G.Don	<i>Hedyotis pinifolia</i> Wall. ex G.Don <i>Hedyotis pinifolia</i> Wall. ex G.Don var. <i>caespitosa</i> (Miq.) Hook.f. <i>Hedyotis pinifolia</i> Wall. ex G.Don var. <i>horridula</i> (Pit.) N.N.Tran <i>Hedyotis pinifolia</i> Wall. ex G.Don var. <i>macrocalyx</i> (Pit.) N.N.Tran <i>Oldenlandia horridula</i> Pierre ex Pit. <i>Oldenlandia macrocalyx</i> Pierre ex Pit. <i>Oldenlandia pinifolia</i> (Wall. ex G.Don) Kuntze var. <i>horridula</i> Pit. <i>Oldenlandia pinifolia</i> (Wall. ex G.Don) Kuntze var. <i>macrocalyx</i> Pit. <i>Scleromitron caespitosum</i> Miq.	Magnoliophyta	Rubiaceae	Vulnerable					✓			
568.	<i>Hedyotis verticillata</i> (L.) Lam.	<i>Hedyotis crassifolia</i> Blume <i>Hedyotis hispida</i> Roth <i>Hedyotis hispida</i> Retz. <i>Hedyotis verticillata</i> (L.) Lam. var. <i>barlettii</i> Fosberg & Sachet <i>Hedyotis verticillata</i> (L.) Lam. var. <i>scaberrima</i> Hatus. <i>Hedyotis wallichii</i> Walp. <i>Oldenlandia angustifolia</i> Benth. <i>Oldenlandia hispida</i> (Retz.) Lam. <i>Scleromitron crassifolium</i> Miq. <i>Scleromitron hispidum</i> (Retz.) Korth.	Magnoliophyta	Rubiaceae	Cryptogenic					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
569.	<i>Helicia excelsa</i> (Roxb.) Blume	<i>Alseodaphne crassipes</i> Hook.f. <i>Helicia salicifolia</i> C.Presl <i>Roupala excelsa</i> Roxb.	Magnoliophyta	Proteaceae	Critically endangered				✓			✓		
570.	<i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl.	<i>Hemigraphis acaulis</i> Bremek. <i>Hemigraphis batantensis</i> Bremek. <i>Hemigraphis cardiophylla</i> Quisumb. <i>Hemigraphis chamaedrys</i> Bremek. <i>Hemigraphis diffusa</i> Bremek. <i>Hemigraphis dorensis</i> S.Moore var. <i>pilosibracteata</i> Bremek. <i>Hemigraphis keiensis</i> Bremek. <i>Hemigraphis lamiifolia</i> Bremek. <i>Hemigraphis lanaensis</i> Bremek. <i>Hemigraphis nemorosa</i> (Zoll.) Boerl. <i>Hemigraphis oblongifolia</i> Merr. <i>Hemigraphis pacifica</i> Hosok. <i>Hemigraphis parabolica</i> (Nees) Fern.-Vill. <i>Hemigraphis parvifolia</i> Bremek. <i>Hemigraphis physalifolia</i> Bremek. <i>Hemigraphis polillensis</i> Bremek. <i>Hemigraphis primulifolia</i> (Nees) Fern.-Vill. <i>Hemigraphis rapifera</i> Hallier f. ex Koord. <i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl. var. <i>glaucescens</i> Hallier f. <i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl. var. <i>gracilis</i> Hallier f. <i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl. var. <i>primulifolia</i> (Nees) Hallier f. <i>Hemigraphis robinsonii</i> Bremek. <i>Hemigraphis saxicola</i> Bremek. <i>Hemigraphis solomonensis</i> Bremek. <i>Hemigraphis sorongensis</i> Bremek. <i>Hemigraphis sublobata</i> Elmer <i>Hemigraphis suborbicularis</i> S.Moore <i>Hemigraphis tayabensis</i> Bremek.	Magnoliophyta	Acanthaceae	Exotic						✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Hemigraphis undulata</i> Bremek. <i>Hemigraphis villosa</i> Bremek. <i>Hemigraphis waigeensis</i> Bremek. <i>Ruellia parabolica</i> Nees <i>Ruellia primulifolia</i> Nees <i>Ruellia reptans</i> G.Forst.											
571.	<i>Henckelia platypus</i> (C.B.Clarke) A.Weber	<i>Didymocarpus platypus</i> C.B.Clarke <i>Roettlera platypus</i> Kuntze	Magnoliophyta	Gesneriaceae	Critically endangered				✓				
572.	<i>Heritiera elata</i> Ridl.		Magnoliophyta	Malvaceae	Endangered								✓
573.	<i>Hetaeria obliqua</i> Blume	<i>Dossinia obliqua</i> Miq.	Magnoliophyta	Orchidaceae	Presumed nationally extinct				✓				
574.	<i>Heteroscyphus argutus</i> (Nees) Schiffner	<i>Chiloscyphus argutus</i> (Reinw., Nees & Blume) Nees <i>Jungermannia arguta</i> Reinw., Nees & Blume	Marchantio-phyta	Geocalycaceae	Data deficient				✓				
575.	<i>Heterosmilax japonica</i> A.DC.	<i>Heterosmilax arisanensis</i> Hayata <i>Heterosmilax indica</i> A.DC. <i>Heterosmilax raishaensis</i> Hayata <i>Heterosmilax tsaii</i> F.T.Wang & Tang <i>Smilax bockii</i> Warb. ex Diels <i>Smilax planipeduncula</i> Hayata <i>Smilax planipedunculata</i> Hayata <i>Smilax stemonifolia</i> H.Lév. & Vaniot	Magnoliophyta	Smilacaceae	Critically endangered				✓				
576.	<i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg.	<i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>acreana</i> (Ule) Ducke <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>acreana</i> Ule <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>angustifolia</i> (Ule ex Huber) Ule	Magnoliophyta	Euphorbiaceae	Exotic						✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>angustifolia</i> Ule ex Huber <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>janeirensis</i> (Müll.Arg.) Pax <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>latifolia</i> (Ule ex Huber) Ule <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>latifolia</i> Ule ex Huber <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>randiana</i> (Huber) Ducke <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>randiana</i> (Huber) Pax <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>stylosa</i> Huber <i>Hevea camargoana</i> Pires <i>Hevea granthamii</i> Bartlett <i>Hevea janeirensis</i> Müll.Arg. <i>Hevea randiana</i> Huber <i>Hevea sieberi</i> Warb. <i>Siphonia brasiliensis</i> Willd. ex A.Juss. <i>Siphonia brasiliensis</i> Kunth <i>Siphonia janeirensis</i> (Müll.Arg.) O.F.Cook <i>Siphonia ridleyana</i> O.F.Cook											
577.	<i>Homalanthus populneus</i> (Geiseler) Pax	<i>Carumbium populifolium</i> Reinw. ex Blume <i>Carumbium populneum</i> (Geiseler) Müll.Arg. <i>Carumbium populneum</i> (Geiseler) Müll.Arg. var. <i>minus</i> Müll.Arg. <i>Excoecaria laevis</i> Blanco <i>Homalanthus leschenaultianus</i> A.Juss. <i>Homalanthus populneus</i> (Geiseler) Pax var. <i>laevis</i> (Blanco) Merr. <i>Homalanthus populneus</i> (Geiseler) Pax var. <i>minor</i> (Müll.Arg.) Merr. <i>Homalanthus sulawesianus</i> Airy Shaw <i>Stillingia populnea</i> Geiseler	Magnoliophyta	Euphorbiaceae	Critically endangered								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
578.	<i>Homalomena deltoidea</i> Hook.f.		Magnoliophyta	Araceae	Presumed nationally extinct			✓					
579.	<i>Homalomena griffithii</i> (Schott) Hook.f.	<i>Chamaecladon griffithii</i> Schott	Magnoliophyta	Araceae	Vulnerable	✓		✓					
580.	<i>Homalomena humilis</i> (Jack) Hook.f.	<i>Calla humilis</i> Jack <i>Chamaecladon humile</i> (Jack) Miq.	Magnoliophyta	Araceae	Endangered			✓					
581.	<i>Hopea mengarawan</i> Miq.		Magnoliophyta	Dipterocarpaceae	Endangered	✓	✓	✓					
582.	<i>Hopea sangal</i> Korth.	<i>Doona javanica</i> Burck <i>Doona micrantha</i> (Hassk.) Burck <i>Doona odorata</i> (Roxb.) Burck <i>Dryobalanops sericea</i> Korth. <i>Hopea javanica</i> F.Heim <i>Hopea macrosepala</i> Boerl. ex Symington	Magnoliophyta	Dipterocarpaceae	Critically endangered				✓				
583.	<i>Hornstedtia leonurus</i> (J.König) Retz.	<i>Amomum leonurus</i> J.König <i>Amomum ridleyi</i> Baker <i>Cardamomum leonurus</i> (J.König) Kuntze <i>Greenwaya leonurus</i> (J.König) Giseke <i>Stenochasma convoluta</i> Griff.	Magnoliophyta	Zingiberaceae	Critically endangered			✓	✓				Gdn
584.	<i>Horsfieldia crassifolia</i> (Hook.f. & Thomson) Warb.	<i>Myristica crassifolia</i> Hook.f. & Thomson	Magnoliophyta	Myristicaceae	Critically endangered	✓	✓		✓	✓	✓		Gdn
585.	<i>Horsfieldia polyspherula</i> (Hook.f. emend. King) J.Sinclair var. <i>polyspherula</i>		Magnoliophyta	Myristicaceae	Vulnerable	✓	✓		✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
586.	<i>Horsfieldia polyspherula</i> (Hook.f. emend. King) J.Sinclair var. <i>sumatrana</i> (Miq.) W.J.de Wilde		Magnoliophyta	Myristicaceae	Critically endangered				✓		✓	✓	
587.	<i>Horsfieldia punctatifolia</i> J.Sinclair		Magnoliophyta	Myristicaceae	Critically endangered								✓
588.	<i>Horsfieldia sucosa</i> Warb.		Magnoliophyta	Myristicaceae	Endangered	✓	✓		✓		✓	✓	
589.	<i>Horsfieldia tomentosa</i> Warb.	<i>Myristica tomentosa</i> Hook.f. & Thomson	Magnoliophyta	Myristicaceae	Critically endangered				✓				
590.	<i>Horsfieldia wallichii</i> (Hook.f. & Thoms.) Warb.		Magnoliophyta	Myristicaceae	Critically endangered	✓	✓						
591.	<i>Hoya lacunosa</i> Blume	<i>Hoya suaveolens</i> Miq. <i>Otostemma lacunosum</i> (Blume) Blume	Magnoliophyta	Apocynaceae	Endangered				✓		✓		
592.	<i>Hoya latifolia</i> G.Don	<i>Hoya macrophylla</i> Wight <i>Hoya polystachya</i> Blume	Magnoliophyta	Apocynaceae	Endangered				✓			✓	
593.	<i>Hoya scortechinii</i> King & Gamble		Magnoliophyta	Apocynaceae	Exotic					✓			
594.	<i>Hoya verticillata</i> (Vahl) G.Don var. <i>verticillata</i>	<i>Sperlingia verticillata</i> Vahl	Magnoliophyta	Apocynaceae	Common				✓				
595.	<i>Huperzia nummulariifolia</i> (Blume) T.C.Chambers		Lycophyta	Lycopodiaceae	Presumed nationally extinct	✓			✓				
596.	<i>Huperzia phlegmaria</i> (L.) Rothm.	<i>Lepidotis phlegmaria</i> (L.) P.Beauv. <i>Lycopodium phlegmaria</i> L. <i>Phlegmariurus phlegmaria</i> (L.) Holub <i>Phlegmariurus phlegmaria</i> (L.) U.Sen & T.Sen	Lycophyta	Lycopodiaceae	Endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Urostachys phlegmaria</i> (L.) Herter ex Nessel												
597.	<i>Hydnophytum formicarum</i> Jack	<i>Hydnophytum blumei</i> Becc. <i>Hydnophytum borneense</i> Becc. <i>Hydnophytum formicarum</i> Jack subsp. <i>blumei</i> Boerl. <i>Hydnophytum formicarum</i> Jack var. <i>borneense</i> (Becc.) Becc. <i>Hydnophytum formicarum</i> Jack f. <i>borneense</i> (Becc.) Becc. <i>Hydnophytum formicarum</i> Jack var. <i>buxifolium</i> Becc. <i>Hydnophytum formicarum</i> Jack var. <i>cochincinese</i> Becc. <i>Hydnophytum formicarum</i> Jack subsp. <i>dubium</i> (Becc.) Boerl. <i>Hydnophytum formicarum</i> Jack var. <i>latifolium</i> (Miq.) Becc. <i>Hydnophytum formicarum</i> Jack f. <i>latifolium</i> (Miq.) Becc. <i>Hydnophytum formicarum</i> Jack var. <i>longifolium</i> Becc. <i>Hydnophytum formicarum</i> Jack var. <i>lucidum</i> Becc. <i>Hydnophytum formicarum</i> Jack var. <i>minor</i> Becc. <i>Hydnophytum formicarum</i> Jack subsp. <i>siamense</i> (Becc.) Boerl. <i>Hydnophytum formicarum</i> Jack subsp. <i>zollingeri</i> (Becc.) Boerl. <i>Hydnophytum montanum</i> Blume <i>Hydnophytum montanum</i> Blume var. <i>latifolia</i> Miq. <i>Lasiostoma formicarum</i> (Jack) Spreng.	Magnoliophyta	Rubiaceae	Critically endangered									NIS
598.	<i>Hygrophila ringens</i> (L.) R.Br. ex Steud.	<i>Ruellia ringens</i> L.	Magnoliophyta	Acanthaceae	Cryptogenic	✓								

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
599.	<i>Hylophila mollis</i> Lindl.		Magnoliophyta	Orchidaceae	Critically endangered			✓	✓				
600.	<i>Hymenophyllum denticulatum</i> Sw.	<i>Didymoglossum aculeatum</i> (J.Sm.) Bosch <i>Didymoglossum denticulatum</i> (Sw.) Hassk. <i>Didymoglossum ferox</i> Hassk. <i>Didymoglossum neesii</i> (Blume) C.Presl <i>Hymenophyllum aculeatum</i> (J.Sm.) Racib. <i>Hymenophyllum denticulatum</i> Sw. <i>Hymenophyllum neesii</i> (Blume) Hook. <i>Hymenophyllum subrotundum</i> Alderw. <i>Leptocionium aculeatum</i> (J.Sm.) Bosch <i>Leptocionium denticulatum</i> (Sw.) Bosch <i>Leptocionium neesii</i> (Blume) Bosch <i>Trichomanes aculeatum</i> J.Sm. <i>Trichomanes denticulatum</i> (Sw.) Poir. <i>Trichomanes neesii</i> Blume	Filicinophyta	Hymenophyllaceae	Endangered			✓					
601.	<i>Hypnodendron arborescens</i> (Mitt.) Lindb.	<i>Hypnodendron subarborescens</i> Müll.Hal.	Bryophyta	Hypnodendraceae	Presumed nationally extinct			✓					
602.	<i>Hypolytrum capitulatum</i> Suringar ex C.B.Clarke		Magnoliophyta	Cyperaceae	Presumed nationally extinct					✓			
603.	<i>Hypolytrum nemorum</i> (Vahl) Spreng.	<i>Hypaelyptum nemorum</i> (Vahl) P.Beauv. <i>Schoenus nemorum</i> Vahl	Magnoliophyta	Cyperaceae	Common	✓		✓	✓			✓	
604.	<i>Hypolytrum nemorum</i> (Vahl) Spreng. var. <i>proliferum</i> (Boeckeler) J.Kern	<i>Hypolytrum proliferum</i> Boeckeler	Magnoliophyta	Cyperaceae	Critically endangered					✓			
605.	<i>Hypserpa nitida</i> Miers	<i>Hypserpa cuspidata</i> (Hook.f. & Thomson) Miers <i>Hypserpa laevifolia</i> Diels	Magnoliophyta	Menispermaceae	Critically endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Limacia cuspidata</i> Hook.f. & Thomson											
606.	<i>Iguanura geonomiformis</i> Mart.	<i>Iguanura geonomiformis</i> Mart. var. <i>malaccensis</i> (Becc.) Ridl. <i>Iguanura geonomiformis</i> Mart. var. <i>ramosa</i> Ridl. <i>Iguanura malaccensis</i> Becc. <i>Iguanura wallichiana</i> (Mart.) Becc. var. <i>elatior</i> Kiew <i>Iguanura wallichiana</i> (Mart.) Becc. subsp. <i>malaccensis</i> (Becc.) Kiew <i>Iguanura wallichiana</i> (Mart.) Becc. var. <i>malaccensis</i> (Becc.) Kiew <i>Slackia geonomiformis</i> (Mart.) Griff.	Magnoliophyta	Arecaceae	Presumed nationally extinct			✓					
607.	<i>Iguanura wallichiana</i> (Mart.) Becc.	<i>Areca wallichiana</i> Mart.	Magnoliophyta	Arecaceae	Critically endangered	✓		✓	✓				
608.	<i>Ilex cymosa</i> Blume	<i>Ilex singapuriana</i> Wall. <i>Prinos cymosa</i> Hassk.	Magnoliophyta	Aquifoliaceae	Common			✓	✓			✓	
609.	<i>Indorouchera griffithiana</i> (Planch.) Hallier f.	<i>Roucheria griffithiana</i> Planch	Magnoliophyta	Linaceae	Common				✓	✓	✓	✓	
610.	<i>Iodes cirrhosa</i> Turcz.		Magnoliophyta	Icacinaceae	Critically endangered	✓						✓	
611.	<i>Iodes ovalis</i> Blume	<i>Iodes oblonga</i> Planch. ex Mast. <i>Natsiatum oppositifolium</i> Planch.	Magnoliophyta	Icacinaceae	Endangered	✓		✓	✓	✓	✓	✓	
612.	<i>Iodes velutina</i> King		Magnoliophyta	Icacinaceae	Common				✓				
613.	<i>Ipomoea mauritiana</i> Jacq.	<i>Batatas paniculata</i> (L.) Choisy <i>Convolvulus paniculatus</i> L. <i>Ipomoea digitata</i> Baker & Rendle <i>Ipomoea ennealoba</i> P.Beauv. <i>Ipomoea eriosperma</i> P.Beauv.	Magnoliophyta	Convolvulaceae	Common			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Ipomoea paniculata</i> (L.) R.Br. <i>Ipomoea paniculata</i> (L.) R.Br. var. <i>heterophylla</i> Kuntze												
614.	<i>Isachne globosa</i> (Thunb.) Kuntze	<i>Agrostis globosa</i> (Thunb.) Poir. <i>Aira ischoemoides</i> K.D.Koenig ex Kunth <i>Aira violacea</i> Willd. ex Steud. <i>Eriochloa globosa</i> (Thunb.) Kunth <i>Eriochloa japonica</i> Steud. <i>Helopus globosus</i> (Thunb.) Steud. <i>Isachne adstans</i> (Steud.) Miq. <i>Isachne atrovirens</i> (Trin.) Trin. <i>Isachne australis</i> R.Br. <i>Isachne australis</i> R.Br. var. <i>effusa</i> Trin. ex Hook.f. <i>Isachne dispar</i> Trin. <i>Isachne dispar</i> Trin. var. <i>villosa</i> C.E.C.Fisch. <i>Isachne geniculata</i> Griff. <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>brevispicula</i> Ohwi <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>ciliaris</i> Ohwi <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>compacta</i> W.Z.Fang ex S.L.Chen <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>daviumbuensis</i> Jansen <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>effusa</i> (Trin. ex Hook.f.) Senaratna <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>obscura</i> (Buse) Henrard <i>Isachne heterantha</i> Hayata <i>Isachne javana</i> Nees ex Steud. <i>Isachne javana</i> Nees ex Miq. <i>Isachne lepidota</i> (Steud.) Walp. <i>Isachne lutaria</i> Santos <i>Isachne miliacea</i> Roth var. <i>javanica</i> (Buse) Henrard <i>Isachne miliacea</i> Roth var. <i>madurensis</i> Jansen	Magnoliophyta	Poaceae	Cryptogenic						✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Isachne miliacea</i> Roth var. <i>minutula</i> (Gaudich.) Fosberg & Sachet											
		<i>Isachne miliacea</i> Roth var. <i>obscura</i> Buse											
		<i>Isachne miliacea</i> Roth var. <i>ovalifolia</i> Jansen											
		<i>Isachne miliacea</i> Roth var. <i>stricta</i> Ridl.											
		<i>Isachne minutula</i> (Gaudich.) Kunth											
		<i>Isachne minutula</i> (Gaudich.) Kunth var. <i>javanica</i> Buse											
		<i>Isachne muricata</i> Nees ex Steud.											
		<i>Isachne nodibarbata</i> (Hochst. ex Steud.) Henrard											
		<i>Isachne pangerangensis</i> Zoll. & Moritzi var. <i>rhabdina</i> (Steud.) Jansen											
		<i>Isachne pangerangensis</i> Zoll. & Moritzi var. <i>rhabdina</i> (Steud.) Henrard											
		<i>Isachne ponapensis</i> Hosok.											
		<i>Isachne rhabdina</i> (Steud.) Henrard											
		<i>Isachne rhabdina</i> (Steud.) Ohwi											
		<i>Isachne stigmatisa</i> Griff.											
		<i>Isachne subglobosa</i> Hatus. & T.Koyama											
		<i>Isachne virgata</i> Nees ex Steud.											
		<i>Milium globosum</i> Thunb.											
		<i>Panicum adstans</i> Steud.											
		<i>Panicum antipodum</i> Spreng.											
		<i>Panicum antipodum</i> Spreng. var. <i>atrovirens</i> (Trin.) Trin.											
		<i>Panicum atrovirens</i> Trin.											
		<i>Panicum australe</i> (R.Br.) Raspail											
		<i>Panicum batavicum</i> Steud.											
		<i>Panicum dispar</i> (Trin.) Steud.											
		<i>Panicum lepidotum</i> Steud.											
		<i>Panicum minutulum</i> Gaudich.											
		<i>Panicum nodibarbatum</i> Hochst. ex Steud.											
		<i>Panicum rhabdinum</i> Steud.											
		<i>Panicum stigmatosum</i> Drury											
		<i>Panicum violaceum</i> Klein ex Thiele											

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
615.	<i>Ischaemum muticum</i> L.	<i>Agrostis javanica</i> Burm. ex Kunth <i>Andropogon muticus</i> (L.) Steud. <i>Andropogon polymorphus</i> Steud. <i>Andropogon relictus</i> Steud. <i>Andropogon repens</i> Steud. <i>Ischaemum glabratum</i> J.Presl <i>Ischaemum involutum</i> Labill. ex Kunth <i>Ischaemum muticum</i> L. var. <i>aristuliferum</i> Fosberg & Sachet <i>Ischaemum muticum</i> L. var. <i>srilankense</i> Davidse <i>Ischaemum repens</i> Roxb. <i>Tripsacum ischaemum</i> Raspail <i>Tripsacum muticum</i> (L.) Raspail	Magnoliophyta	Poaceae	Common				✓				
616.	<i>Ischaemum timorense</i> Kunth	<i>Andropogon blumii</i> Steud. <i>Andropogon timorensis</i> (Kunth) Steud. <i>Ischaemum macrurum</i> Stapf ex Ridl. <i>Ischaemum timorense</i> Kunth var. <i>peguense</i> Hack. <i>Ischaemum timorense</i> Kunth var. <i>villosum</i> C.E.C.Fisch. <i>Ischaemum timorense</i> Kunth var. <i>zeylanicum</i> Hack. <i>Ischaemum villosissimum</i> Honda <i>Ischaemum zeylanicola</i> Bor <i>Spodiopogon blumii</i> Nees ex Steud. <i>Spodiopogon cuspidatus</i> Arn. ex Steud.	Magnoliophyta	Poaceae	Cryptogenic				✓				
617.	<i>Ixonanthes icosandra</i> Jack	<i>Brewstera crenata</i> M.Roem. <i>Gordonia peduncularis</i> Wall. <i>Hypericinea dentata</i> Wall. <i>Hypericum lucidum</i> Wall. ex Steud. <i>Macarisia icosandra</i> Planch. ex Hook.f.	Magnoliophyta	Ixonanthaceae	Vulnerable	✓			✓		✓	✓	
618.	<i>Ixonanthes reticulata</i> Jack	<i>Emmenanthus chinensis</i> Hook. & Arn. <i>Ixonanthes chinensis</i> (Hook. & Arn.) Champ. <i>Ixonanthes cochinchinensis</i> Pierre	Magnoliophyta	Ixonanthaceae	Common	✓					✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
						A	B	C	D	E	F	G	H
619.	<i>Ixora coccinea</i> Hook.f.	<i>Pavetta coccinea</i> (L.) Blume	Magnoliophyta	Rubiaceae	Presumed nationally extinct	✓							
620.	<i>Ixora congesta</i> Roxb.	<i>Ixora griffithii</i> Hook. <i>Pavetta congesta</i> (Roxb.) Miq.	Magnoliophyta	Rubiaceae	Common				✓	✓		✓	
621.	<i>Ixora grandifolia</i> Zoll. & Moritzi	<i>Pavetta macrophylla</i> Blume <i>Pavetta macrophylla</i> Blume f. <i>elongata</i> Miq.	Magnoliophyta	Rubiaceae	Presumed nationally extinct				✓				
622.	<i>Ixora lobbii</i> King & Gamble	<i>Pavetta lobbii</i> (Loudon) Teijsm. & Binn.	Magnoliophyta	Rubiaceae	Endangered	✓						✓	
623.	<i>Ixora pendula</i> Jack	<i>Pavetta pendula</i> (Jack) Miq.	Magnoliophyta	Rubiaceae	Endangered	✓							
624.	<i>Jackiopsis ornata</i> (Wall.) Ridsdale	<i>Jackia ornata</i> Wall. <i>Zuccarinia ornata</i> (Wall.) Spreng.	Magnoliophyta	Rubiaceae	Critically endangered	✓	✓		✓				
625.	<i>Jasminum elongatum</i> (P.J.Bergius) Willd.	<i>Jasminum acuminatissimum</i> Blume <i>Jasminum aemulum</i> R.Br. <i>Jasminum aemulum</i> R.Br. var. <i>brassii</i> P.S.Green <i>Jasminum aemulum</i> R.Br. var. <i>glaberrimum</i> Domin <i>Jasminum aemulum</i> R.Br. f. <i>glabrum</i> (C.B.Clarke) Kobuski <i>Jasminum aemulum</i> R.Br. f. <i>interstans</i> Domin <i>Jasminum affine</i> Blume <i>Jasminum amplexicaule</i> Buch.-Ham. ex Wall. & G.Don <i>Jasminum arenarium</i> Ridl. <i>Jasminum aristatum</i> Zipp. ex Span. <i>Jasminum aristatum</i> Wall. <i>Jasminum bifarium</i> Wall. & G.Don <i>Jasminum bifarium</i> Wall. & G.Don var. <i>glabrum</i> C.B.Clarke <i>Jasminum bracteatum</i> Roxb.	Magnoliophyta	Oleaceae	Endangered	✓			✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore							
					A	B	C	D	E	F	G	H
		<i>Jasminum coarctatum</i> Roxb. var. <i>caudatifolium</i> P.Y.Pai										
		<i>Jasminum cordifolium</i> Wall. & G.Don subsp. <i>andamanicum</i> S.K.Srivast. & S.L.Kapoor										
		<i>Jasminum distichum</i> Blume										
		<i>Jasminum ensatum</i> Blume										
		<i>Jasminum esquirolii</i> H.Lév.										
		<i>Jasminum evansii</i> Ridl.										
		<i>Jasminum forstenii</i> Blume										
		<i>Jasminum forstenii</i> Blume var. <i>ensatum</i> (Blume) Miq.										
		<i>Jasminum fraternum</i> Miq.										
		<i>Jasminum fulvum</i> Blume										
		<i>Jasminum gibbsiae</i> Ridl.										
		<i>Jasminum glabriusculum</i> Blume										
		<i>Jasminum glabrum</i> Willd. ex Link										
		<i>Jasminum heteropleurum</i> Blume										
		<i>Jasminum horsfieldii</i> Miq.										
		<i>Jasminum lancifolium</i> Decne.										
		<i>Jasminum lessertianum</i> A.DC.										
		<i>Jasminum ligustrinum</i> Blume										
		<i>Jasminum ligustroides</i> L.C.Chia										
		<i>Jasminum mixtinervium</i> Blume										
		<i>Jasminum multiflorum</i> (Burm.f.) Andrews f. <i>acuminatissimum</i> (Blume) Bakh.f.										
		<i>Jasminum multiflorum</i> (Burm.f.) Andrews f. <i>glabriusculum</i> (Blume) Bakh.f.										
		<i>Jasminum multiflorum</i> (Burm.f.) Andrews f. <i>subelongatum</i> (Blume) Bakh.f.										
		<i>Jasminum multinervium</i> Blume										
		<i>Jasminum nummularoides</i> Blume										
		<i>Jasminum pedale</i> Blume										
		<i>Jasminum pendulum</i> Blume										
		<i>Jasminum pubescens</i> (Retz.) Willd. var. <i>bracteatum</i> (Roxb.) C.B.Clarke										
		<i>Jasminum quinquenervium</i> Blume										

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Jasminum scandens</i> Griff. <i>Jasminum subelongatum</i> Blume <i>Jasminum subpubescens</i> Blume <i>Jasminum tonkinense</i> Gagnep. <i>Jasminum triandrum</i> C.E.C.Fisch. <i>Jasminum undulatum</i> Ker Gawl. <i>Jasminum vulcanicum</i> Blume <i>Mogorium elongatum</i> (P.J.Bergius) Lam. <i>Nyctanthes elongata</i> P.J.Bergius											
626.	<i>Jasminum griffithii</i> C.B.Clarke	<i>Jasminum griffithii</i> C.B.Clarke var. <i>cuspidatum</i> King & Gamble	Magnoliophyta	Oleaceae	Presumed nationally extinct			✓					
627.	<i>Justicia vasculosa</i> Wall.	<i>Adhatoda vasculosa</i> Nees <i>Ecboium vasculosum</i> (Wall.) Kuntze <i>Gendarussa vasculosa</i> Nees <i>Mananthes vasculosa</i> (Nees) Bremek. <i>Ruellia rivinifolia</i> Wall.	Magnoliophyta	Acanthaceae	Critically endangered	✓		✓	✓	✓			
628.	<i>Kibara coriacea</i> (Blume) Tulasne	<i>Brongniartia coriacea</i> Blume	Magnoliophyta	Monimiaceae	Critically endangered	✓	✓						
629.	<i>Kibatalia maingayi</i> (Hook.f.) Woodson	<i>Holarrhena daronensis</i> Elmer <i>Kibatalia daronensis</i> (Elmer) Woodson <i>Paravallaris maingayi</i> (Hook.f.) Kerr <i>Vallaris daronensis</i> (Elmer) Merr. <i>Vallaris maingayi</i> Hook.f.	Magnoliophyta	Apocynaceae	Critically endangered	✓	✓		✓	✓		✓	
630.	<i>Knema communis</i> J.Sinclair		Magnoliophyta	Myristicaceae	Endangered	✓	✓		✓			✓	
631.	<i>Knema conferta</i> (King) Warb.	<i>Myristica conferta</i> King	Magnoliophyta	Myristicaceae	Endangered	✓	✓		✓			✓	
632.	<i>Knema curtisii</i> (King) Warb.	<i>Knema curtisii</i> Warb.	Magnoliophyta	Myristicaceae	Critically endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in							
						A	B	C	D	E	F	G	H
633.	<i>Knema curtisii</i> (King) Warb. var. <i>paludosa</i> J.Sinclair		Magnoliophyta	Myristicaceae	Endangered	✓	✓						
634.	<i>Knema furfuracea</i> (Hook.f. & Thomson) Warb.	<i>Knema pierrei</i> Warb. <i>Myristica furfuracea</i> Hook.f. & Thomson <i>Myristica furfuracea</i> Hook.f. & Thomson var. <i>major</i> King	Magnoliophyta	Myristicaceae	Critically endangered				✓				
635.	<i>Knema glaucescens</i> Jack		Magnoliophyta	Myristicaceae	Presumed nationally extinct				✓				
636.	<i>Knema hookeriana</i> (Wall. ex Hook.f. & Thoms.) Warb.	<i>Knema hookeriana</i> Warb. <i>Palala hookeriana</i> Kuntze	Magnoliophyta	Myristicaceae	Critically endangered	✓	✓						
637.	<i>Knema intermedia</i> (Blume) Warb.	<i>Knema intermedia</i> Warb. <i>Palala intermedia</i> Kuntze <i>Sterculia decandra</i> Blanco	Magnoliophyta	Myristicaceae	Endangered		✓						
638.	<i>Knema latericia</i> Elmer		Magnoliophyta	Myristicaceae	Critically endangered	✓	✓		✓	✓	✓		
639.	<i>Knema latericia</i> Elmer subsp. <i>ridleyi</i> (Gandog.) de Wilde		Magnoliophyta	Myristicaceae	Endangered				✓			✓	
640.	<i>Knema laurina</i> (Blume) Warb.		Magnoliophyta	Myristicaceae	Endangered	✓	✓		✓				
641.	<i>Knema malayana</i> Warb.		Magnoliophyta	Myristicaceae	Endangered	✓	✓		✓	✓	✓	✓	
642.	<i>Koilocarpus longifolium</i> Hook.f.	<i>Koilocarpus glanduligerum</i> Pax & K.Hoffm. <i>Koilocarpus subcordatum</i> Gage <i>Nephrostylus poilanei</i> Gagnep.	Magnoliophyta	Euphorbiaceae	Vulnerable				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
643.	<i>Koompassia malaccensis</i> Maingay ex Benth.	<i>Koompassia beccariana</i> Taub. <i>Koompassia borneensis</i> Merr.	Magnoliophyta	Fabaceae	Endangered	✓	✓					✓	
644.	<i>Kopsia singaporensis</i> Ridl.		Magnoliophyta	Apocynaceae	Critically endangered	✓	✓		✓	✓		✓	Gdn
645.	<i>Korthalsia echinometra</i> Becc.	<i>Calamus ochreatus</i> Miq. <i>Daemonorops ochreata</i> Teijsm. & Binn. <i>Korthalsia angustifolia</i> Blume var. <i>gracilis</i> Miq. <i>Korthalsia horrida</i> Becc.	Magnoliophyta	Arecaceae	Critically endangered	✓		✓	✓	✓			
646.	<i>Korthalsia flagellaris</i> Miq.	<i>Korthalsia rubiginosa</i> Becc.	Magnoliophyta	Arecaceae	Critically endangered				✓				
647.	<i>Korthalsia scortechinii</i> Becc.		Magnoliophyta	Arecaceae	Presumed nationally extinct				✓				
648.	<i>Kunstleria ridleyi</i> Prain	<i>Kunstleria derryi</i> Prain <i>Kunstleria elmeri</i> Merr.	Magnoliophyta	Fabaceae	Endangered						✓	✓	
649.	<i>Labisia pumila</i> (Blume) Mez	<i>Ardisia pumila</i> Blume <i>Labisia pumila</i> (Blume) Fern.-Vill.	Magnoliophyta	Myrsinaceae	Vulnerable	✓			✓	✓		✓	
650.	<i>Lansium domesticum</i> Corrêa	<i>Aglaia aquea</i> (Jacq.) Kosterm. <i>Aglaia domestica</i> (Corrêa ex Jack) Pellegr. <i>Aglaia dookoo</i> Griff. <i>Aglaia intricatoreticulata</i> Kosterm. <i>Aglaia merrillii</i> Elmer <i>Aglaia sepalina</i> (Kosterm.) Kosterm. <i>Aglaia steenisii</i> Kosterm. <i>Amoora racemosa</i> Ridl. <i>Lachanodendron domesticum</i> Nees	Magnoliophyta	Meliaceae	Exotic	✓	✓						
651.	<i>Lasia spinosa</i> (L.) Thwaites	<i>Dracontium spinosum</i> L. <i>Lasia aculeata</i> Lour.	Magnoliophyta	Araceae	Vulnerable				✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Lasia crassifolia</i> Engl. <i>Lasia crassifolia</i> Engl. f. <i>angustisecta</i> Engl. <i>Lasia crassifolia</i> Engl. f. <i>latisecta</i> Engl. <i>Lasia desciscens</i> Schott <i>Lasia hermannii</i> Schott <i>Lasia heterophylla</i> (Roxb.) Schott <i>Lasia jenkinsii</i> Schott <i>Lasia loureiroi</i> Schott <i>Lasia roxburghii</i> Griff. <i>Lasia zollingeri</i> Schott <i>Pothos heterophyllus</i> Roxb. <i>Pothos lasia</i> Roxb. <i>Pothos spinosus</i> (L.) Buch.-Ham. ex Wall.											
652.	<i>Lasianthus appressus</i> Hook.f.	<i>Nonatelia appressa</i> (Hook.f.) Kuntze	Magnoliophyta	Rubiaceae	Vulnerable	✓							
653.	<i>Lasianthus attenuatus</i> Jack	<i>Lasianthus bordenii</i> Elmer ex Merr. <i>Lasianthus densifolius</i> Miq. <i>Lasianthus densifolius</i> Miq. var. <i>calycina</i> King & Gamble <i>Lasianthus densifolius</i> Miq. var. <i>latifolia</i> King & Gamble <i>Lasianthus plagiophyllus</i> Hance <i>Lasianthus setosus</i> Craib <i>Lasianthus thorelii</i> Pit. <i>Lasianthus tonkinensis</i> (Drake) Pit. <i>Lasianthus wallichii</i> Wight <i>Lasianthus wallichii</i> Wight var. <i>glabriusculus</i> Deb & M.G.Gangop. <i>Lasianthus wallichii</i> Wight var. <i>hispidocostatus</i> H.Zhu <i>Lasianthus wallichii</i> Wight subsp. <i>plagiophyllus</i> (Hance) C.Y.Wu & H.Zhu <i>Lasianthus wallichii</i> Wight var. <i>setosus</i> (Craib) C.Y.Wu & H.Zhu	Magnoliophyta	Rubiaceae	Vulnerable	✓			✓				✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Mephitidia attenuata</i> (Jack) DC. <i>Mephitidia inaequalis</i> Zoll. ex Miq. <i>Mephitidia plagiophylla</i> (Hance) Nakai <i>Mephitidia tonkinensis</i> Drake <i>Mephitidia wallichii</i> Wight & Arn. <i>Nonatelia attenuata</i> (Jack) Kuntze <i>Nonatelia densifolia</i> (Miq.) Kuntze <i>Nonatelia hispida</i> Wall.											
654.	<i>Lasianthus constrictus</i> Wight	<i>Mephitidia constricta</i> (Wight) Walp. <i>Nonatelia constricta</i> (Wight) Kuntze	Magnoliophyta	Rubiaceae	Endangered	✓				✓			
655.	<i>Lasianthus ellipticus</i> Wight	<i>Mephitidia elliptica</i> (Wight) Walp. <i>Nonatelia elliptica</i> (Wight) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered					✓			
656.	<i>Lasianthus maingayi</i> Hook.f.	<i>Lasianthus caloneurus</i> K.Schum. <i>Lasianthus flavicans</i> King & Gamble <i>Lasianthus flavicans</i> King & Gamble var. <i>subglabra</i> King <i>Lasianthus flavicans</i> King & Gamble var. <i>subglaber</i> (King) Ridl. <i>Nonatelia maingayi</i> (Hook.f.) Kuntze	Magnoliophyta	Rubiaceae	Presumed nationally extinct						✓		
657.	<i>Lasianthus ridleyi</i> King & Gamble	<i>Lasianthus maingayi</i> Hook.f. var. <i>hirtus</i> Ridl. <i>Lasianthus singaporensis</i> King & Gamble	Magnoliophyta	Rubiaceae	Vulnerable	✓				✓			
658.	<i>Lasianthus tomentosus</i> Blume	<i>Lasianthus chryseus</i> Ridl. <i>Mephitidia obscura</i> Zoll. ex Miq. <i>Mephitidia tomentosa</i> (Blume) DC. <i>Nonatelia tomentosa</i> (Blume) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered					✓			
659.	<i>Lavallea ceylanica</i> (Gardner) Baill.	<i>Strombosia ceylanica</i> Gardner <i>Strombosia maingayi</i> (Mast.) Whitmore <i>Strombosia multiflora</i> King <i>Strombosia rotundifolia</i> King	Magnoliophyta	Olacaceae	Vulnerable	✓	✓	✓	✓		✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
660.	<i>Lecanopteris sinuosa</i> (Wall. ex Hook.) Copel.	<i>Lecanopteris sinuosa</i> (Hook.) Copel. <i>Polypodium sinuosum</i> Hook.	Filicinophyta	Polypodiaceae	Common	✓							
661.	<i>Lecanorchis malaccensis</i> Ridl.	<i>Lecanorchis ridleyana</i> Schltr.	Magnoliophyta	Orchidaceae	Critically endangered	✓	✓						
662.	<i>Leea indica</i> (Burm.f.) Merr.	<i>Aquilicia otillis</i> Gaertn. <i>Aquilicia sambucina</i> L. <i>Leea biserrata</i> Miq. <i>Leea celebica</i> Clarke <i>Leea divaricata</i> T. & B. <i>Leea expansa</i> Craib <i>Leea fuliginosa</i> Miq. <i>Leea gigantea</i> Griff. <i>Leea gracilis</i> Lauterb. <i>Leea longifolia</i> Merr. <i>Leea naumannii</i> Engl. <i>Leea novoguineensis</i> Val. <i>Leea ottilis</i> (Gaertn.) DC. <i>Leea palambanica</i> Miq. <i>Leea pubescens</i> Zipp. ex Miquel <i>Leea ramosii</i> Merr. <i>Leea robusta</i> Blume <i>Leea roehrsiana</i> Sanders ex Masters <i>Leea sambucina</i> (L.) Willd. (L.) Willd. <i>Leea sambucina</i> (L.) Willd. var. <i>biserrata</i> (Miq.) Miq. <i>Leea sambucina</i> (L.) Willd. var. <i>heterophylla</i> Zipp. ex Miquel <i>Leea sambucina</i> (L.) Willd. var. <i>occidentalis</i> Clarke <i>Leea sambucina</i> (L.) Willd. var. <i>robusta</i> Miq. <i>Leea sambucina</i> (L.) Willd. var. <i>roehrsiana</i> (Sanders ex Masters) Chitt. <i>Leea sambucina</i> (L.) Willd. var. <i>simplex</i> Miq. <i>Leea sambucina</i> (L.) Willd. var. <i>sumatrana</i> (Miq.) Miq.	Magnoliophyta	Vitaceae	Common	✓			✓	✓			NIS

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Leea staphylea</i> Roxb. <i>Leea sumatrana</i> Miq. <i>Leea sambucifolia</i> Salisb. <i>Leea sundaica</i> Miq. <i>Leea sundaica</i> Miq.var. <i>fuliginosa</i> (Miq.) Miq. <i>Leea sundaica</i> Miq.var. <i>pilosiuscula</i> Span. ex Miq. <i>Leea sundaica</i> Miq.var. <i>subsessilis</i> Miq. <i>Leea umbraculifera</i> C.B.Clarke <i>Leea viridiflora</i> Planch. <i>Staphylea indica</i> Burm.f.											
663.	<i>Legazpia polygonoides</i> (Benth.) T. Yamaz.	<i>Torenia polygonoides</i> Benth.	Magnoliophyta	Linderniaceae	Cryptogenic								✓
664.	<i>Lejeunea papilionacea</i> Stephani	<i>Prionolejeunea aberrans</i> Stephani	Marchantio-phyta	Lejeuneaceae	Near threatened								✓
665.	<i>Lepionurus sylvestris</i> Blume	<i>Lepionurus javanicus</i> G.Don <i>Lepionurus oblongifolius</i> (Griff.) Mast. <i>Lepionurus oblongifolius</i> (Griff.) Mast. var. <i>angustifolius</i> Ridl. <i>Lepionurus sylvestris</i> Blume var. <i>lanceolatus</i> Valetton <i>Leptonium oblongifolium</i> Griff. <i>Opilia acuminata</i> Wall. ex Baill.	Magnoliophyta	Opiliaceae	Critically endangered								✓
666.	<i>Lepisanthes senegalensis</i> (Juss. ex Poir.) Leenh.	<i>Aphania angustifolia</i> Radlk. <i>Aphania bifoliata</i> (Thwaites) Radlk. <i>Aphania boerlagei</i> Valetton <i>Aphania cuspidata</i> (Blume) Radlk. <i>Aphania danura</i> (Roxb.) Radlk. <i>Aphania dasypetala</i> Radlk. <i>Aphania fascicularis</i> Radlk. <i>Aphania langsonensis</i> Gagnep. <i>Aphania loheri</i> Radlk. <i>Aphania longipes</i> Radlk.	Magnoliophyta	Sapindaceae	Critically endangered								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Aphania macrophylla</i> Radlk. <i>Aphania masakapu</i> Melch. <i>Aphania microcarpa</i> (Kurz) Radlk. <i>Aphania montana</i> Blume <i>Aphania nicobarica</i> Radlk. <i>Aphania ochnoides</i> Pierre ex Lecomte <i>Aphania oligophylla</i> (Merr. & Chun) H.S.Lo <i>Aphania paucijuga</i> (Hiern) Radlk. <i>Aphania philastreana</i> Pierre <i>Aphania philippinensis</i> Radlk. <i>Aphania rubra</i> Radlk. <i>Aphania senegalensis</i> (Juss. ex Poir.) Radlk. <i>Aphania sphaerococca</i> Radlk. <i>Aphania spirei</i> Lecomte <i>Aphania sylvatica</i> A.Chev. ex Hutch. & Dalziel <i>Aphania viridis</i> Pierre <i>Deinbollia claessensii</i> De Wild. <i>Euphoria verticillata</i> Lindl. <i>Pancovia thyrsoflora</i> Gilg ex Radlk. <i>Sapindus senegalensis</i> Poir.											
667.	<i>Leptolejeunea elliptica</i> (Lehm. & Lindenb.) Schiffner	<i>Jungermannia elliptica</i> Lehm. & Lindenb. <i>Lejeunea elliptica</i> (Lehm. & Lindenb.) Mont.	Marchantio-phyta	Lejeuneaceae	Common								✓
668.	<i>Leucobryum javense</i> (Brid.) Mitt.	<i>Dicranum megalophyllum</i> Brid. <i>Leucobryum aciculare</i> Müll.Hal. <i>Leucobryum brachyopus</i> Müll.Hal. <i>Leucobryum candidum</i> (Brid. ex P.Beauv.) Wilson var. <i>majus</i> A. Jaeger ex Dixon <i>Leucobryum cineraceum</i> Cardot & Thér. <i>Leucobryum confusum</i> Thér. <i>Leucobryum cyathifolium</i> Dixon <i>Leucobryum falcatum</i> Müll.Hal. <i>Leucobryum interruptum</i> Müll.Hal. <i>Leucobryum laticaula</i> Müll.Hal.	Bryophyta	Dicranaceae	Near threatened								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Leucobryum novae-guineae</i> E.B.Bartram <i>Leucobryum pseudocandidum</i> Broth. <i>Leucobryum spinidorsum</i> Müll.Hal. <i>Leucobryum strictifolium</i> Broth. <i>Leucobryum teysmannianum</i> Dozy & Molk. <i>Leucobryum teysmannii</i> Kindb. <i>Leucobryum translucens</i> Müll.Hal. <i>Leucobryum uncinatum</i> M.Fleisch. <i>Sphagnum iridans</i> Brid. <i>Sphagnum javanicum</i> Thunb. <i>Sphagnum javense</i> Brid.											
669.	<i>Leucobryum sanctum</i> (Nees ex Schwägr.) Hampe	<i>Dicranum glaucum</i> Hedw. var. <i>sanctum</i> Brid. <i>Dicranum sanctum</i> Nees ex Schwägr. <i>Leucobryum auriculatum</i> Müll.Hal. <i>Leucobryum brevisetum</i> Müll. Hal. <i>Leucobryum glaucissimum</i> Müll. Hal. <i>Leucobryum microcarpum</i> Müll.Hal. <i>Leucobryum papuense</i> Paris <i>Leucobryum subrectifolium</i> Broth. & Geh. <i>Leucobryum vesiculosum</i> Müll.Hal. ex Cardot	Bryophyta	Dicranaceae	Common			✓					
670.	<i>Leuconotis griffithii</i> Hook.f.	<i>Leuconotis elastica</i> Becc. <i>Leuconotis griffithii</i> Hook.f. var. <i>sumatrana</i> Markgr. <i>Leuconotis maingayi</i> Dyer ex Hook.f. <i>Leuconotis subavenis</i> Boerl. <i>Leuconotis subavenis</i> Boerl. var. <i>elastica</i> (Becc.) Markgr.	Magnoliophyta	Apocynaceae	Vulnerable	✓		✓			✓	✓	
671.	<i>Licania splendens</i> (Korth.) Prance	<i>Angelesia splendens</i> Korth. <i>Atuna nitida</i> (Hook.f.) Panigrahi & K.M.Purohit <i>Chrysobalanus splendens</i> (Korth.) Miq. <i>Coccomelia nitida</i> (Hook.f.) Ridl. <i>Ferolia nitida</i> (Hook.f.) Kuntze <i>Licania angelesia</i> Blume	Magnoliophyta	Chrysobalanaceae	Common	✓		✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Licania splendens</i> (Korth.) Prance & Kosterm. <i>Parinari fragilis</i> Teijsm. & Binn. <i>Parinari nitida</i> Hook.f. <i>Parinari philippinensis</i> Elmer <i>Trichocarya splendens</i> (Korth.) Miq.											
672.	<i>Licuala ferruginea</i> Becc.		Magnoliophyta	Arecaceae	Endangered	✓							
673.	<i>Limacia oblonga</i> Hook.f. & Thomson		Magnoliophyta	Menispermaceae	Endangered				✓				
674.	<i>Limacia scandens</i> Lour.		Magnoliophyta	Menispermaceae	Vulnerable	✓			✓	✓	✓	✓	
675.	<i>Limnophila aromatica</i> (Lam.) Merr.	<i>Ambulia aromatica</i> Lam. <i>Gratiola aromatica</i> (Lam.) Pers. <i>Limnophila aromaticoides</i> Yang & Yen <i>Limnophila chinensis</i> (Osbeck) Merr. subsp. <i>aromatica</i> (Lam.) T. Yamaz. <i>Limnophila gratissima</i> Blume <i>Limnophila punctata</i> Blume <i>Limnophila punctata</i> Blume var. <i>subracemosa</i> Benth.	Magnoliophyta	Plantaginaceae	Critically endangered					✓			
676.	<i>Limnophila sessiliflora</i> (Vahl) Blume	<i>Hottonia sessiliflora</i> Vahl <i>Limnophila taoyuanensis</i> Yang & Yen	Magnoliophyta	Plantaginaceae	Cryptogenic				✓				
677.	<i>Limnophila villosa</i> Blume		Magnoliophyta	Plantaginaceae	Cryptogenic				✓				
678.	<i>Lindera lucida</i> (Blume) Boerl	<i>Aperula lucida</i> Blume <i>Benzoin lucidum</i> (Blume) Kuntze <i>Litsea lucida</i> Blume <i>Polyadenia lucida</i> (Blume) Nees	Magnoliophyta	Lauraceae	Vulnerable				✓	✓	✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
679.	<i>Lindera malaccensis</i> Hook.f.	<i>Benzoin malaccense</i> (Hook.f.) Kuntze	Magnoliophyta	Lauraceae	Presumed nationally extinct					✓			
680.	<i>Lindernia antipoda</i> (L.) Alston	<i>Ilysanthes antipoda</i> (L.) Merr. <i>Lindernia veronicifolia</i> (Retz.) F. Muell. <i>Ruellia antipoda</i> L. <i>Vandellia antipoda</i> (L.) T. Yamaz. <i>Vandellia veronicifolia</i> (Retz.) Haines	Magnoliophyta	Linderniaceae	Cryptogenic				✓				
681.	<i>Lindernia crustacea</i> (L.) F.Muell.	<i>Antirrhinum hexandrum</i> Forssk. <i>Antirrhinum hexandrum</i> G.Forst. <i>Buchnera capillaris</i> Desv. ex Ham. <i>Capraria crustacea</i> L. <i>Gratiola aspera</i> Roth <i>Gratiola lucida</i> Willd. <i>Gratiola lucida</i> Vahl. <i>Hornemannia ovata</i> Link & Otto <i>Linaria hexandra</i> F.Dietr. <i>Mimulus javanicus</i> Blume <i>Morgania aspera</i> Spreng. <i>Morgania lucida</i> Spreng. <i>Pentsteira paniculata</i> Griff. <i>Pyxidaria crustacea</i> (L.) Kuntze <i>Tittmannia ovata</i> Rchb. <i>Tittmannia scabra</i> (R.Br.) Spreng. <i>Torenia crustacea</i> (L.) Cham. & Schltdl. <i>Torenia flaccida</i> R.Br. <i>Torenia lucida</i> Buch.-Ham. ex Wall. <i>Torenia ovata</i> Sweet <i>Torenia rubella</i> Buch.-Ham. <i>Torenia scabra</i> R.Br. <i>Torenia varians</i> Roxb. <i>Ucnopsolen cordatum</i> Raf. <i>Vandellia alba</i> Benth. <i>Vandellia bodinieri</i> H.Lév.	Magnoliophyta	Linderniaceae	Cryptogenic				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Vandellia crustacea</i> (L.) Benth.											
682.	<i>Lindsaea doryphora</i> K.U.Kramer		Filicinophyta	Dennstaedtiaceae	Endangered	✓							
683.	<i>Liparis barbata</i> Lindl.	<i>Diteilis wrayi</i> (Hook.f.) M.A.Clem. & D.L.Jones <i>Leptorchis barbata</i> (Lindl.) Kuntze <i>Leptorchis thwaitesii</i> (Hook.f.) Kuntze <i>Leptorchis wrayi</i> (Hook.f.) Kuntze <i>Leptorkis barbata</i> (Lindl.) Kuntze <i>Leptorkis thwaitesii</i> (Hook.f.) Kuntze <i>Leptorkis wrayi</i> (Hook.f.) Kuntze <i>Liparis fimbriata</i> Kerr <i>Liparis pectinifera</i> Ridl. <i>Liparis thwaitesii</i> Hook.f. <i>Liparis wrayi</i> Hook.f.	Magnoliophyta	Orchidaceae	Critically endangered								NIS
684.	<i>Liparis elegans</i> Lindl.	<i>Cestichis elegans</i> (Lindl.) M.A.Clem. & D.L.Jones <i>Cestichis gracilis</i> (Hook.f.) Ames <i>Disticholiparis gracilis</i> (Hook.f.) Marg. & Szlach. <i>Leptorchis gracilis</i> (Hook.f.) Kuntze <i>Leptorkis elegans</i> (Lindl.) Kuntze <i>Leptorkis gracilis</i> (Hook.f.) Kuntze <i>Liparis elegans</i> Lindl. <i>Liparis gracilis</i> Hook.f. <i>Liparis stricta</i> J.J.Sm.	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
685.	<i>Liparis tricallosa</i> Rchb.f.	<i>Liparis venosa</i> Ridl. <i>Leptorkis venosa</i> (Ridl.) Kuntze <i>Leptorkis tricallosa</i> (Rchb.f.) Kuntze <i>Leptorchis tricallosa</i> (Rchb. f.) Kuntze	Magnoliophyta	Orchidaceae	Critically endangered	✓		✓				✓	
686.	<i>Lipocarpha chinensis</i> (Osbeck) J.Kern	<i>Cyperus lipocarpha</i> T.Koyama <i>Cyperus submaculatus</i> T.Koyama <i>Hypaelyptum albidum</i> Willd. ex Kunth <i>Hypaelyptum argenteum</i> Vahl	Magnoliophyta	Cyperaceae	Common					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Hypaelyptum senegalense</i> (Lam.) K.Schum. <i>Hypolytrum albidum</i> Willd. ex Kunth <i>Hypolytrum argenteum</i> Kunth <i>Hypolytrum laevigatum</i> (Roxb.) Spreng. <i>Kyllinga albescens</i> Steud. <i>Lipocarpha argentea</i> (Kunth) R.Br. <i>Lipocarpha chinensis</i> (Osbeck) T.Tang & F.T.Wang <i>Lipocarpha debilis</i> Ridl. <i>Lipocarpha humboldtiana</i> Nees <i>Lipocarpha laevigata</i> (Roxb.) Nees <i>Lipocarpha senegalensis</i> (Lam.) T.Durand & H.Durand <i>Lipocarpha senegalensis</i> (Lam.) Dandy <i>Schoenus laevigatus</i> Roxb. ex Nees <i>Scirpus chinensis</i> Osbeck <i>Scirpus senegalensis</i> Lam. <i>Tunga laevigata</i> Roxb.											
687.	<i>Lipocarpha microcephala</i> (R.Br.) Kunth	<i>Ascolepis kyllingioides</i> Steud. <i>Ascolepis kyllingioides</i> Steud. ex Zoll. <i>Cyperus zollingerianus</i> (Boeckeler) T.Koyama <i>Hypaelyptum microcephalum</i> R.Br. <i>Isolepis squarrosa</i> Miq. ex T.Koyama <i>Kyllinga squarrosa</i> Steud. <i>Lipocarpha zollingeri</i> Boeck. <i>Lipocarpha zollingeriana</i> Boeckeler <i>Rikliella australiensis</i> J.Raynal <i>Scirpus dietrichiae</i> Boeckeler <i>Scirpus leptocarpus</i> F.Muell. <i>Scirpus squarrosus</i> L. var. <i>dietrichiae</i> (Boeckeler) Benth.	Magnoliophyta	Cyperaceae	Cryptogenic			✓					
688.	<i>Lithocarpus bennettii</i> (Miq.) Rehder	<i>Cyclobalanus bennettii</i> (Miq.) Oerst. <i>Pasania bennettii</i> (Miq.) Gamble <i>Quercus bennettii</i> Miq.	Magnoliophyta	Fagaceae	Critically endangered	✓	✓		✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Quercus miqueliana</i> Scheff. <i>Synaedrys bennettii</i> (Miq.) Koidz.											
689.	<i>Lithocarpus cantleyanus</i> (King ex Hook.f.) Rehder	<i>Pasania cantleyana</i> (King ex Hook.f.) Gamble <i>Quercus cantleyana</i> King ex Hook.f. <i>Synaedrys cantleyana</i> (King ex Hook.f.) Koidz.	Magnoliophyta	Fagaceae	Critically endangered				✓				
690.	<i>Lithocarpus conocarpus</i> (Oudem.) Rehd.	<i>Cyclobalanus conocarpa</i> (Oudem.) Oerst. <i>Lithocarpus conocarpus</i> (Oudem.) Rehd. subsp. <i>malaccensis</i> A.Camus <i>Pasania conocarpa</i> (Oudem.) Oerst. ex Schottky <i>Quercus conocarpa</i> Oudem. <i>Synaedrys conocarpa</i> (Oudem.) Koidz.	Magnoliophyta	Fagaceae	Critically endangered			✓	✓				
691.	<i>Lithocarpus elegans</i> (Blume) Hatus. ex Soepadmo	<i>Arcaula spicata</i> Raf. <i>Lithocarpus collettii</i> (King) A.Camus <i>Lithocarpus elegans</i> (Blume) Hatus. ex Soepadmo var. <i>collettii</i> (King) H.B.Naithani & S.N.Biswas <i>Lithocarpus finetii</i> (Hickel & A.Camus) A.Camus <i>Lithocarpus gelinicus</i> C.C.Huang & Y.T.Chang <i>Lithocarpus gracilipes</i> S.H.Huang & al. <i>Lithocarpus grandifolius</i> (D.Don) S.N.Biswas <i>Lithocarpus intermedius</i> Barnett <i>Lithocarpus microcalyx</i> (Korth.) A.Camus <i>Lithocarpus rhioensis</i> (Hance) A.Camus <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>collettii</i> (King ex Hook.f.) Hand.-Mazz. <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>elegans</i> (Blume) A.Camus <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>glaberrimus</i> (Blume) A.Camus <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>gracilipes</i> (Miq.) A.Camus <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>placentarius</i> (Blume) A.Camus	Magnoliophyta	Fagaceae	Critically endangered					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>poilaneana</i> A.Camus <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>polycarpus</i> A.Camus <i>Pasania finetii</i> Hickel & A.Camus <i>Pasania mixta</i> (A.DC.) Oerst. <i>Pasania placentaria</i> (Blume) Oerst. <i>Pasania pseudomolucca</i> (Morales ex A.DC.) Oerst. <i>Pasania spicata</i> Oerst. <i>Pasania spicata</i> Oerst. var. <i>brevipetiolata</i> (A.DC.) Hu <i>Quercus anceps</i> Korth. <i>Quercus arcaula</i> Buch.-Ham. ex D.Don var. <i>microcalyx</i> (Korth.) Blume <i>Quercus arcaula</i> Buch.-Ham. ex D.Don var. <i>racemosa</i> Blume <i>Quercus arcola</i> Buch.-Ham. ex Wall. <i>Quercus depressa</i> Blume <i>Quercus elegans</i> Blume <i>Quercus glaberrima</i> Blume <i>Quercus gracilipes</i> Miq. <i>Quercus grandifolia</i> D.Don <i>Quercus hystrix</i> Korth. var. <i>longispica</i> Gamble <i>Quercus microcalyx</i> Korth. <i>Quercus mixta</i> A.DC. <i>Quercus placentaria</i> Blume <i>Quercus pseudomolucca</i> Morales ex A.DC. <i>Quercus racemosa</i> Jack <i>Quercus rhioensis</i> Hance <i>Quercus sphacelata</i> Blume <i>Quercus spicata</i> Sm. <i>Quercus spicata</i> Sm. var. <i>collettii</i> King <i>Quercus spicata</i> Sm. var. <i>collettii</i> King ex Hook.f. <i>Quercus spicata</i> Sm. var. <i>depressa</i> (Blume) King <i>Quercus spicata</i> Sm. var. <i>glaberrima</i> (Blume) A.DC.												

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Quercus spicata</i> Sm. var. <i>gracilipes</i> (Miq.) A.DC. <i>Quercus spicata</i> Sm. var. <i>gracilipes</i> Hook.f. <i>Quercus spicata</i> Sm. var. <i>latifolia</i> Scheff. <i>Quercus spicata</i> Sm. var. <i>microcalyx</i> (Korth.) Miq. <i>Quercus spicata</i> Sm. var. <i>placentaria</i> (Blume) Miq. <i>Quercus spicata</i> Sm. var. <i>racemosa</i> Miq. <i>Quercus squamata</i> Roxb. <i>Synaedrys pseudomolucca</i> (Morales ex A.DC.) Koidz. <i>Synaedrys spicata</i> Koidz.											
692.	<i>Lithocarpus encleisocarpus</i> (Korth.) A.Camus	<i>Castanopsis encleisocarpa</i> (Korth.) Rehder <i>Cyclobalanus encleistocarpa</i> (Korth.) Oerst. <i>Pasania encleisocarpa</i> (Korth.) Gamble <i>Quercus encleisocarpa</i> Korth. <i>Quercus encleisocarpa</i> Korth. var. <i>aperta</i> H.W.Kung ex Hook.f. <i>Quercus encleisocarpa</i> Korth. var. <i>divergens</i> A.DC. <i>Synaedrys encleisocarpa</i> (Korth.) Koidz.	Magnoliophyta	Fagaceae	Critically endangered				✓				
693.	<i>Lithocarpus ewyckii</i> (Korth.) Rehder	<i>Cyclobalanus ewyckii</i> (Korth.) Oerst. <i>Lithocarpus pseudolamponga</i> A.Camus <i>Pasania ewyckii</i> (Korth.) Gamble <i>Quercus ewyckii</i> Korth. <i>Quercus ewyckii</i> Korth. var. <i>latifolia</i> King ex Hook.f. <i>Quercus lamponga</i> Miq. var. <i>ewyckioides</i> Gamble <i>Synaedrys ewyckii</i> (Korth.) Koidz.	Magnoliophyta	Fagaceae	Endangered				✓	✓		✓	
694.	<i>Lithocarpus hystrix</i> (Korth.) Rehder	<i>Castanea furfurella</i> Miq. <i>Cyclobalanus cyrtopoda</i> (Miq.) Oerst. <i>Cyclobalanus hystrix</i> (Korth.) Oerst. <i>Lithocarpus cyrtopodus</i> (Miq.) A.Camus <i>Pasania hystrix</i> (Korth.) Gamble <i>Quercus brevipetiolata</i> Scheff. <i>Quercus cyrtopoda</i> Miq.	Magnoliophyta	Fagaceae	Critically endangered				✓	✓	✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Quercus hystrix</i> Korth. <i>Quercus kajan</i> Miq. <i>Quercus korthalsii</i> Endl. var. <i>hystrix</i> (Korth.) Blume <i>Quercus mappacea</i> Korth. var. <i>hystrix</i> (Korth.) Miq. <i>Synaedrys hystrix</i> (Korth.) Koidz.											
695.	<i>Lithocarpus lucidus</i> (Roxb.) Rehder	<i>Cyclobalanus omalokos</i> (Korth.) Oerst. <i>Lithocarpus omalokos</i> (Korth.) Rehder <i>Pasania lucida</i> (Roxb.) Gamble <i>Pasania omalokos</i> (Korth.) Schottky <i>Quercus cuneata</i> Roxb. ex Wall. <i>Quercus hasseltii</i> Korth. ex Miq. <i>Quercus lucida</i> Roxb. <i>Quercus omalokos</i> Korth. <i>Synaedrys lucida</i> (Roxb.) Koidz. <i>Synaedrys omalokos</i> (Korth.) Koidz.	Magnoliophyta	Fagaceae	Endangered		✓		✓				
696.	<i>Lithocarpus sundaicus</i> (Blume) Rehder	<i>Castanea latifolia</i> Blume <i>Cyclobalanopsis muricata</i> (Roxb.) Oerst. <i>Cyclobalanus lamponga</i> (Miq.) Oerst. <i>Lithocarpus grandifrons</i> (King ex Hook.f.) A.Camus <i>Lithocarpus lampongus</i> (Miq.) Rehder <i>Lithocarpus plumbeus</i> (Blume) Soepadmo <i>Lithocarpus pruinosus</i> (Blume) Rehder <i>Pasania grandifrons</i> (King ex Hook.f.) Gamble <i>Pasania lamponga</i> (Miq.) Gamble <i>Pasania plumbea</i> (Blume) Oerst. <i>Pasania pruinosus</i> (Blume) Oerst. <i>Pasania sundaica</i> (Blume) Oerst. <i>Quercus grandifrons</i> King ex Hook.f. <i>Quercus hystrix</i> Korth. var. <i>mappacea</i> (Korth.) Merr. <i>Quercus korthalsii</i> Blume <i>Quercus korthalsii</i> Blume var. <i>kajan</i> Blume	Magnoliophyta	Fagaceae	Critically endangered		✓	✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Quercus korthalsii</i> Blume var. <i>mappacea</i> (Korth.) Blume <i>Quercus korthalsii</i> Blume var. <i>pachyphylla</i> Blume <i>Quercus lamponga</i> Miq. <i>Quercus macrophylla</i> Miq. <i>Quercus mappacea</i> Korth. <i>Quercus muricata</i> Roxb. <i>Quercus plumbea</i> Blume <i>Quercus pruinosa</i> Blume <i>Quercus pruinosa</i> Blume var. <i>alpina</i> Jungh. <i>Quercus pseudomolucca</i> Blume var. <i>korthalsii</i> (Blume) Wenz. <i>Quercus pseudomolucca</i> Blume var. <i>sundaica</i> (Blume) Wenz. <i>Quercus sunaica</i> Blume <i>Synaedrys grandifrons</i> (King ex Hook.f.) Koidz. <i>Synaedrys lamponga</i> (Miq.) Koidz. <i>Synaedrys pruinosa</i> (Blume) Koidz. <i>Synaedrys sunaica</i> (Blume) Koidz.											
697.	<i>Litsea castanea</i> Hook.f.	<i>Malapoenna castanea</i> Kuntze	Magnoliophyta	Lauraceae	Endangered						✓	✓	
698.	<i>Litsea costalis</i> (Blume) Kosterm.	<i>Alseodaphne costalis</i> Nees	Magnoliophyta	Lauraceae	Critically endangered						✓		
699.	<i>Litsea elliptica</i> Blume	<i>Litsea elliptica</i> Blume	Magnoliophyta	Lauraceae	Common	✓	✓	✓	✓	✓	✓	✓	
700.	<i>Litsea erectinervia</i> Kosterm.		Magnoliophyta	Lauraceae	Critically endangered	✓	✓		✓			✓	
701.	<i>Litsea ferruginea</i> Blume	<i>Actinodaphne blumii</i> Nees <i>Cryptocarya ferruginea</i> Blume <i>Cylicodaphne ferruginea</i> Blume <i>Cylicodaphne leefeana</i> F.Muell. <i>Lepidadenia ferruginea</i> Miq. <i>Malapoenna ferruginea</i> Kuntze	Magnoliophyta	Lauraceae	Critically endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Tetranthera blumii</i> Nees											
702.	<i>Litsea firma</i> (Blume) Hook.f.	<i>Tetranthera firma</i> Blume	Magnoliophyta	Lauraceae	Vulnerable				✓	✓	✓	✓	
703.	<i>Litsea grandis</i> (Nees) Hook.f.	<i>Polyadenia grandis</i> Nees	Magnoliophyta	Lauraceae	Endangered	✓	✓	✓	✓			✓	
704.	<i>Litsea lancifolia</i> (Roxb.) Hook.f.		Magnoliophyta	Lauraceae	Critically endangered	✓			✓	✓			
705.	<i>Litsea machilifolia</i> Gamble		Magnoliophyta	Lauraceae	Critically endangered				✓				✓
706.	<i>Litsea ridleyi</i> Gamble		Magnoliophyta	Lauraceae	Endangered	✓			✓	✓	✓		
707.	<i>Litsea robusta</i> Blume	<i>Cylicodaphne robusta</i> Blume <i>Laurus robusta</i> Reinw. ex Zoll. <i>Lepidadenia robusta</i> Miq. <i>Malapoenna robusta</i> Kuntze <i>Tetranthera robusta</i> Nees	Magnoliophyta	Lauraceae	Critically endangered				✓				
708.	<i>Litsea umbellata</i> (Lour.) Merr.	<i>Hexanthus umbellatus</i> Lour. <i>Litsea amara</i> Blume <i>Litsea hexantha</i> Juss. <i>Tetranthera amara</i> (Blume) Nees	Magnoliophyta	Lauraceae	Vulnerable				✓				
709.	<i>Lomariopsis lineata</i> (C.Presl) Holttum	<i>Olfersia lineata</i> C.Presl	Filicinophyta	Lomariopsidaceae	Critically endangered								✓
710.	<i>Lophatherum gracile</i> Brongn.	<i>Acroelytrum japonicum</i> Steud. <i>Acroelytrum urvillei</i> (Steud.) Steud. ex Miq. <i>Allelothea urvillei</i> Steud. <i>Lophatherum annulatum</i> Franch. & Sav. <i>Lophatherum dubium</i> Steud. <i>Lophatherum elatum</i> Zoll. & Moritzi ex Steud. <i>Lophatherum elatum</i> Zoll. & Moritzi	Magnoliophyta	Poaceae	Common	✓		✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
						A	B	C	D	E	F	G	H
		<i>Lophatherum gracile</i> Brongn. var. <i>annulatum</i> (Franch. & Sav.) Hack.											
		<i>Lophatherum gracile</i> Brongn. var. <i>cochinchinense</i> A.Camus											
		<i>Lophatherum gracile</i> Brongn. f. <i>elatum</i> (Steud.) T.Koyama											
		<i>Lophatherum gracile</i> Brongn. var. <i>elatum</i> (Steud.) Hack.											
		<i>Lophatherum gracile</i> Brongn. var. <i>intermedium</i> A.Camus											
		<i>Lophatherum gracile</i> Brongn. f. <i>musashiense</i> (Hiyama) T.Koyama											
		<i>Lophatherum gracile</i> Brongn. var. <i>musashiense</i> Hiyama											
		<i>Lophatherum gracile</i> Brongn. f. <i>pilosulum</i> (Steud.) T.Koyama											
		<i>Lophatherum gracile</i> Brongn. var. <i>pilosulum</i> (Steud.) Hack.											
		<i>Lophatherum gracile</i> Brongn. var. <i>pilosum</i> A.Camus											
		<i>Lophatherum gracile</i> Brongn. var. <i>zeylanicum</i> (Hook.f.) Bor											
		<i>Lophatherum gracile</i> Brongn. var. <i>zeylanicum</i> (Hook.f.) A.Camus											
		<i>Lophatherum humile</i> Miq.											
		<i>Lophatherum japonicum</i> (Steud.) Steud.											
		<i>Lophatherum lehmannii</i> Nees ex Steud.											
		<i>Lophatherum multiflorum</i> Steud.											
		<i>Lophatherum pilosulum</i> Steud.											
		<i>Lophatherum zeylanicum</i> Hook.f.											
711.	<i>Lophopetalum multinervium</i> Ridl.		Magnoliophyta	Celastraceae	Endangered	✓	✓		✓			✓	
712.	<i>Lophopetalum wightianum</i> Arn.		Magnoliophyta	Celastraceae	Vulnerable	✓	✓					✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
713.	<i>Ludwigia suffruticosa</i> Walter	<i>Isnardia capitata</i> (Walter) DC. <i>Isnardia suffruticosa</i> Kuntze <i>Ludwigia capitata</i> Michx.	Magnoliophyta	Onagraceae	Presumed nationally extinct			✓					
714.	<i>Lumnitzera littorea</i> (Jack) Voigt	<i>Laguncularia coccinea</i> Gaudich. <i>Laguncularia purpurea</i> Gaudich. <i>Lumnitzera coccinea</i> (Gaudich.) Wight & Arn. <i>Lumnitzera purpurea</i> (Gaudich.) C.Presl <i>Petaloma coccinea</i> (Gaudich.) Blanco <i>Pyrrhanthus littoreus</i> Jack	Magnoliophyta	Combretaceae	Endangered			✓					
715.	<i>Luvunga crassifolia</i> Tanaka		Magnoliophyta	Rutaceae	Critically endangered	✓			✓		✓	✓	
716.	<i>Lycopodiella cernua</i> (L.) Pic.Serm.	<i>Lycopodium capillaceum</i> Spring <i>Lycopodium cernuum</i> L. <i>Lycopodium cernuum</i> L. var. <i>capillaceum</i> Spring <i>Lycopodium cernuum</i> L. var. <i>cernuum</i> <i>Lycopodium cernuum</i> L. var. <i>panamense</i> Nessel <i>Lycopodium cernuum</i> L. var. <i>watsonianum</i> Nessel <i>Lycopodium heeschii</i> Müll.Hal. <i>Lycopodium moritzii</i> Muell. <i>Palhinhaea capillacea</i> (Spring) Holub <i>Palhinhaea cernua</i> (L.) Franco & Vasc.	Lycophyta	Lycopodiaceae	Common							✓	
717.	<i>Lygodium longifolium</i> (Willd.) Sw.	<i>Hydroglossum longifolium</i> Willd.	Filicinophyta	Schizaeaceae	Vulnerable	✓						✓	
718.	<i>Macaranga bancana</i> (Miq.) Müll.Arg.	<i>Macaranga tenuifolia</i> Müll.Arg. <i>Pachystemon bancanus</i> Miq. <i>Tanarius bancanus</i> (Miq.) Kuntze <i>Tanarius tenuifolius</i> (Müll.Arg.) Kuntze	Magnoliophyta	Euphorbiaceae	Common			✓	✓			✓	
719.	<i>Macaranga conifera</i> (Rchb.f. & Zoll.) Müll.Arg.	<i>Macaranga populifolia</i> (Miq.) Müll.Arg. <i>Mappa conifera</i> Rchb.f. & Zoll. <i>Mappa populifolia</i> (Miq.) Müll.Arg.	Magnoliophyta	Euphorbiaceae	Common	✓	✓	✓	✓	✓	✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Pachystemon populifolius</i> Miq. <i>Tanarius coniferus</i> (Rchb.f. & Zoll.) Kuntze <i>Tanarius populifolius</i> (Miq.) Kuntze											
720.	<i>Macaranga gigantea</i> (Rchb.f. & Zoll.) Müll.Arg.	<i>Macaranga incisa</i> Gage <i>Macaranga megalophylla</i> (Müll.Arg.) Müll.Arg. <i>Macaranga rugosa</i> (Müll.Arg.) Müll.Arg. <i>Mappa gigantea</i> Rchb.f. & Zoll. <i>Mappa macrophylla</i> Kurz ex Teijsm. & Binn. <i>Mappa megalophylla</i> Müll.Arg. <i>Mappa rugosa</i> Müll.Arg. <i>Rottlera gigantea</i> (Rchb.f. & Zoll.) Rchb.f. & Zoll. ex Kurz <i>Tanarius giganteus</i> (Rchb.f. & Zoll.) Kuntze <i>Tanarius megallophyllus</i> (Müll.Arg.) Kuntze <i>Tanarius rugosus</i> (Müll.Arg.) Kuntze	Magnoliophyta	Euphorbiaceae	Common				✓		✓	✓	
721.	<i>Macaranga griffithiana</i> Müll.Arg.	<i>Macaranga adenophila</i> Pax & K.Hoffm. <i>Macaranga motleyana</i> (Müll.Arg.) Müll.Arg. subsp. <i>griffithiana</i> (Müll.Arg.) Whitmore <i>Mappa triloba</i> Müll.Arg. <i>Tanarius griffithianus</i> (Müll.Arg.) Kuntze	Magnoliophyta	Euphorbiaceae	Vulnerable				✓				
722.	<i>Macaranga heynei</i> I.M.Johnst.	<i>Macaranga javanica</i> (Blume) Müll.Arg. var. <i>montana</i> Müll.Arg. <i>Macaranga montana</i> (Müll.Arg.) Pax & K.Hoffm. <i>Macaranga robiginosa</i> Ridl. <i>Rottlera montana</i> B.Heyne ex Baill.	Magnoliophyta	Euphorbiaceae	Common				✓	✓			
723.	<i>Macaranga lowii</i> King ex Hook.f.	<i>Macaranga auriculata</i> (Merr.) Airy Shaw <i>Macaranga lowii</i> King ex Hook.f. var. <i>kostermansii</i> Airy Shaw <i>Macaranga poilanei</i> Gagnep. <i>Mallotus affinis</i> Merr. <i>Mallotus auriculatus</i> Merr. <i>Mallotus tsiangii</i> Merr. & Chun	Magnoliophyta	Euphorbiaceae	Vulnerable				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Tanarius lowii</i> (King ex Hook.f.) Kuntze											
724.	<i>Macaranga recurvata</i> Gage		Magnoliophyta	Euphorbiaceae	Critically endangered				✓				✓
725.	<i>Macaranga trichocarpa</i> (Zoll.) Müll.Arg.	<i>Macaranga borneensis</i> Müll.Arg. <i>Macaranga helferi</i> Müll.Arg. <i>Macaranga minutiflora</i> Müll.Arg. <i>Mappa trichocarpa</i> Zoll. <i>Mappa zollingeriana</i> Miq. <i>Tanarius borneensis</i> (Müll.Arg.) Kuntze <i>Tanarius helferi</i> (Müll.Arg.) Kuntze <i>Tanarius minutiflorus</i> (Müll.Arg.) Kuntze <i>Tanarius trichocarpus</i> (Zoll.) Kuntze	Magnoliophyta	Euphorbiaceae	Endangered			✓	✓	✓			
726.	<i>Macaranga triloba</i> (Thunb.) Müll.Arg.	<i>Macaranga cornuta</i> Müll.Arg. <i>Macaranga quadricornis</i> Ridl. <i>Pachystemon trilobus</i> (Thunb.) Blume <i>Ricinus trilobus</i> Reinw. ex Blume <i>Ricinus trilobus</i> Thunb. <i>Rininus trilobus</i> Thunb. <i>Tanarius cornutus</i> (Müll.Arg.) Kuntze <i>Tanarius trilobus</i> (Thunb.) Kuntze	Magnoliophyta	Euphorbiaceae	Common	✓	✓				✓		
727.	<i>Maclurodendron porteri</i> (Hook.f.) T.G.Hartley		Magnoliophyta	Rutaceae	Vulnerable	✓				✓			
728.	<i>Macrolenes echinulata</i> (Naudin) Bakh.f.		Magnoliophyta	Melastomat-aceae	Critically endangered					✓	✓		
729.	<i>Macrosolen cochinchinensis</i> (Lour.) Tiegh.	<i>Elytranthe ampullacea</i> (Roxb.) G.Don var. <i>tonkinensis</i> Lecomte <i>Elytranthe cochinchinensis</i> (Lour.) G.Don var. <i>tonkinensis</i> (Lecomte) H.L.Li <i>Hillia longiflora</i> Blanco <i>Loranthus ampullaceus</i> Roxb. <i>Loranthus cochinchinensis</i> Lour.	Magnoliophyta	Loranthaceae	Common	✓				✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Loranthus fordii</i> Hance <i>Macrosolen fordii</i> (Hance) Danser <i>Tristerix viridiflorus</i> Mart.											
730.	<i>Madhuca malaccensis</i> (C.B.Clarke) H.J.Lam	<i>Bassia malaccensis</i> (C.B.Clarke) King & Gamble <i>Ceratophorus wightii</i> Maingay ex C.B.Clarke <i>Dasyaulus malaccensis</i> (C.B.Clarke) Dubard <i>Isonandra malaccensis</i> (C.B.Clarke) Baehni <i>Payena malaccensis</i> C.B.Clarke	Magnoliophyta	Sapotaceae	Critically endangered	✓			✓				
731.	<i>Madhuca sericea</i> (Miq.) S.Moore	<i>Bassia argentea</i> de Vriese ex C.B.Clarke <i>Bassia sericea</i> (Miq.) King ex S.Moore <i>Kakosmanthus argenteus</i> (de Vriese ex C.B.Clarke) Pierre ex Dubard <i>Madhuca sericea</i> (Miq.) S.Moore var. <i>ridleyi</i> (Gand.) Ng <i>Payena ridleyi</i> Gand. <i>Payena sericea</i> Miq.	Magnoliophyta	Sapotaceae	Critically endangered		✓	✓					
732.	<i>Madhuca</i> sp. Q		Magnoliophyta	Sapotaceae	Critically endangered								✓
733.	<i>Madhuca tomentosa</i> H.J.Lam	<i>Madhuca palustris</i> P.Royen	Magnoliophyta	Sapotaceae	Critically endangered								✓
734.	<i>Maesa ramentacea</i> (Roxb.) A.DC.	<i>Baeobotrys ramentacea</i> Roxb.	Magnoliophyta	Maesaceae	Common				✓				
735.	<i>Magnolia acuminata</i> (L.) L. var. <i>acuminata</i>	<i>Magnolia acuminata</i> (L.) L. f. <i>aurea</i> (Ashe) Hardin <i>Magnolia acuminata</i> (L.) L. var. <i>aurea</i> (Ashe) Ashe <i>Magnolia acuminata</i> (L.) L. var. <i>candollei</i> DC. <i>Magnolia acuminata</i> (L.) L. var. <i>ludoviciana</i> Sarg. <i>Magnolia acuminata</i> (L.) L. var. <i>maxima</i> Lodd. ex Loudon <i>Magnolia acuminata</i> (L.) L. var. <i>ozarkensis</i> Ashe	Magnoliophyta	Magnoliaceae	Presumed nationally extinct					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Magnolia acuminata</i> (L.) L. subsp. <i>ozarkensis</i> (Ashe) A.E.Murray <i>Magnolia candollei</i> Link <i>Magnolia decandollei</i> Savi <i>Magnolia pensylvanica</i> DC. <i>Magnolia rustica</i> DC. <i>Tulipastrum acuminatum</i> var. <i>aureum</i> Ashe <i>Tulipastrum acuminatum</i> (L.) Small var. <i>ludovicianum</i> (Sarg.) Ashe <i>Tulipastrum acuminatum</i> (L.) Small var. <i>ozarkense</i> (Ashe) Ashe <i>Tulipastrum americanum</i> Spach											
736.	<i>Magnolia singapurensis</i> (Ridl.) H.Keng	<i>Magnolia candollei</i> (Blume) J.Keng var. <i>singapurensis</i> (Ridl.) Noot. <i>Magnolia liliifera</i> (L.) Baill. var. <i>singapurensis</i> (Ridl.) Govaerts <i>Talauma kuteinensis</i> A.Agostini <i>Talauma peninsularis</i> Dandy <i>Talauma singapurensis</i> Ridl.	Magnoliophyta	Magnoliaceae	Endangered	✓	✓	✓	✓	✓			
737.	<i>Magnolia villosa</i> (Miq.) H.Keng	<i>Magnolia lanigera</i> (Hook.f. & Thomson) H.J.Chowdhery & P.Daniel <i>Talauma lanigera</i> Hook.f. & Thomson <i>Talauma rabaniana</i> Hook.f. & Thomson var. <i>villosa</i> (Miq.) P.Parm. <i>Talauma villosa</i> Miq.	Magnoliophyta	Magnoliaceae	Critically endangered								✓
738.	<i>Mallotus paniculatus</i> (Lam.) Müll.Arg.	<i>Croton paniculatus</i> Lam. <i>Mallotus chinensis</i> Müll.Arg. <i>Rottlera paniculata</i> (Lam.) A.Juss.	Magnoliophyta	Euphorbiaceae	Common					✓	✓		
739.	<i>Mangifera foetida</i> Lour.		Magnoliophyta	Anacardiaceae	Vulnerable	✓	✓						
740.	<i>Mangifera griffithii</i> Hook.f.		Magnoliophyta	Anacardiaceae	Endangered	✓	✓						

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
741.	<i>Mapania bancana</i> (Miq.) T.Koyama	<i>Hypolytrum borneense</i> Kurz <i>Lepironia bancana</i> Miq. <i>Mapania bancana</i> (Miq.) Benth. & Hook.f. ex B.D. Jacks. <i>Mapania bancana</i> (Miq.) Benth. & Hook.f. ex B.D. Jacks. var. <i>longispica</i> C.B.Clarke <i>Thoracostachyum bancanum</i> (Miq.) Kurz <i>Thoracostachyum ridleyi</i> C.B.Clarke <i>Thoracostachyum subcapitatum</i> J.V.Suringar	Magnoliophyta	Cyperaceae	Critically endangered					✓			
742.	<i>Mapania cuspidata</i> (Miq.) Uittien	<i>Lepironia cuspidata</i> Miq. <i>Mapania cuspidata</i> (Miq.) Holttum	Magnoliophyta	Cyperaceae	Vulnerable	✓	✓	✓					
743.	<i>Mapania palustris</i> (Hassk. ex Steud.) Fern.-Vill.	<i>Lepironia palustris</i> (Hassk. ex Steud.) Miq. <i>Mapania palustris</i> (Hassk. ex Steud.) Fern.-Vill. <i>Pandanophyllum palustre</i> Hassk. ex Steud.	Magnoliophyta	Cyperaceae	Endangered				✓				
744.	<i>Mapania squamata</i> (Kurz) C.B.Clarke	<i>Lepironia squamata</i> (Kurz) Miq. <i>Mapania heterocephala</i> Merr. <i>Pandanophyllum squamatum</i> Kurz	Magnoliophyta	Cyperaceae	Presumed nationally extinct	✓	✓						
745.	<i>Mastixia trichotoma</i> Blume var. <i>maingayi</i> (C.B.Clarke) Danser	<i>Mastixia maingayi</i> C.B.Clarke <i>Mastixia maingayi</i> C.B.Clarke var. <i>subtomentosa</i> King <i>Mastixia propinqua</i> Ridl.	Magnoliophyta	Cornaceae	Critically endangered	✓	✓			✓			
746.	<i>Matthaea sancta</i> Blume	<i>Mollinedia sancta</i> Baill.	Magnoliophyta	Monimiaceae	Endangered	✓		✓					
747.	<i>Melanochyla angustifolia</i> Hook.f.		Magnoliophyta	Anacardiaceae	Critically endangered								✓
748.	<i>Melanochyla auriculata</i> Hook.f.		Magnoliophyta	Anacardiaceae	Vulnerable			✓					
749.	<i>Melanochyla caesia</i> (Blume) Ding Hou		Magnoliophyta	Anacardiaceae	Vulnerable	✓	✓				✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
750.	<i>Melastoma malabathricum</i> L.	<i>Melastoma affine</i> D.Don <i>Melastoma candidum</i> D.Don <i>Melastoma cavaleriei</i> H.Lév. & Vaniot <i>Melastoma esquirolii</i> H.Lév. <i>Melastoma malabathricum</i> L. var. <i>normale</i> (D.Don) R.C.Srivast. <i>Melastoma malabathricum</i> L. subsp. <i>normale</i> (D.Don) K.Mey. <i>Melastoma normale</i> D.Don <i>Melastoma polyanthum</i> Blume	Magnoliophyta	Melastomat-aceae	Common					✓			
751.	<i>Melicope glabra</i> (Blume) T.G. Hartley	<i>Euodia glabra</i> (Blume) Blume	Magnoliophyta	Rutaceae	Vulnerable			✓	✓				
752.	<i>Meliosma lanceolata</i> Blume	<i>Millingtonia lanceolata</i> Schult.	Magnoliophyta	Sabiaceae	Critically endangered			✓	✓				
753.	<i>Meliosma pinnata</i> (Roxb.) Maxim.	<i>Millingtonia pinnata</i> Roxb.	Magnoliophyta	Sabiaceae	Critically endangered			✓	✓				
754.	<i>Meliosma pinnata</i> (Roxb.) Maxim. subsp. <i>ridleyi</i> (King) Beus.		Magnoliophyta	Sabiaceae	Critically endangered								✓
755.	<i>Meliosma simplicifolia</i> (Roxb.) Walp.	<i>Millingtonia simplicifolia</i> Roxb.	Magnoliophyta	Sabiaceae	Critically endangered			✓	✓				
756.	<i>Meliosma simplicifolia</i> (Roxb.) Walp. subsp. <i>fruticosa</i> (Blume) Beus.		Magnoliophyta	Sabiaceae	Critically endangered				✓				✓
757.	<i>Memecylon edule</i> Roxb.		Magnoliophyta	Melastomat-aceae	Endangered	✓	✓						
758.	<i>Memecylon garcinioides</i> Blume		Magnoliophyta	Melastomat-aceae	Critically endangered				✓				✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
759.	<i>Memecylon lilacinum</i> Zoll. & Mor.		Magnoliophyta	Melastomat-aceae	Critically endangered	✓	✓	✓	✓			✓	
760.	<i>Memecylon megacarpum</i> Furtado		Magnoliophyta	Melastomat-aceae	Endangered			✓	✓				
761.	<i>Merremia hirta</i> (L.) Merr.	<i>Convolvulus caespitosus</i> Roxb. <i>Convolvulus hirtus</i> L. <i>Convolvulus reptans</i> L. <i>Ipomoea linifolia</i> Blume <i>Ipomoea philippinensis</i> Choisy <i>Lepistemon decurrens</i> Hand.-Mazz. <i>Merremia caespitosa</i> (Roxb.) Hallier f. <i>Merremia decurrens</i> (Hand.-Mazz.) H.X.Qiu <i>Skinneria caespitosa</i> (Roxb.) Choisy	Magnoliophyta	Convolvul-aceae	Cryptogenic			✓					
762.	<i>Mesophlebion chlamydophorum</i> (Rosenst. ex C.Chr.) Holttum	<i>Dryopteris chlamydophora</i> Rosenst. ex C.Chr. <i>Mesoneuron chlamydophoron</i> (Rosenst. ex C.Chr.) Ching	Filicinophyta	Thelypterid-aceae	Vulnerable				✓			✓	
763.	<i>Microcos antidesmifolia</i> Burret	<i>Grewia antidesmifolia</i> King <i>Grewia antidesmifolia</i> King var. <i>hirsuta</i> King	Magnoliophyta	Malvaceae	Presumed nationally extinct					✓			
764.	<i>Microcos latifolia</i> Burret	<i>Grewia blattaefolia</i> Corner	Magnoliophyta	Malvaceae	Critically endangered				✓			✓	
765.	<i>Microcos tomentosa</i> Sm.	<i>Grewia affinis</i> Hassk. <i>Grewia blumei</i> Hassk. <i>Grewia paniculata</i> Roxb. <i>Grewia paniculata</i> DC.	Magnoliophyta	Malvaceae	Presumed nationally extinct					✓			
766.	<i>Microdesmis caseariifolia</i> Planch. ex Hook.	<i>Microdesmis caseariifolia</i> Planch. ex Hook. f. <i>sinensis</i> Pax <i>Microdesmis philippinensis</i> Elmer <i>Tetragyne acuminata</i> Miq.	Magnoliophyta	Pandaceae	Common		✓						

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
767.	<i>Microsaccus griffithii</i> (E.C.Parish & Rchb.f.) Seidenf.	<i>Gastrochilus griffithii</i> (E.C.Parish & Rchb.f.) Kuntze <i>Microsaccus brevifolius</i> J.J.Sm. <i>Saccolabium griffithii</i> E.C.Parish & Rchb.f.	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓						
768.	<i>Microsaccus javensis</i> Blume		Magnoliophyta	Orchidaceae	Presumed nationally extinct		✓							
769.	<i>Microsorium punctatum</i> (L.) Copel.	<i>Acrostichum punctatum</i> L.f. <i>Acrostichum punctatum</i> L. <i>Aspidium microcarpon</i> Blume <i>Colysis irioides</i> (Poir.) J.Sm. <i>Drynaria irioides</i> (Poir.) J.Sm. <i>Drynaria polycarpa</i> Brack. <i>Microsorium irioides</i> (Poir.) Fée <i>Microsorium irregulare</i> Link <i>Microsorium neoguineense</i> (Copel.) Copel. <i>Microsorium polycarpon</i> (Cav.) Tardieu <i>Microsorium sessile</i> (Kaulf. ex Kunze) Fée <i>Microsorium subirideum</i> (H.Christ) Copel. <i>Microsorium superficiale</i> (Blume) Ching var. <i>australiense</i> (F.M.Bailey) S.B.Andrews <i>Microsorium validum</i> (Copel.) Ching <i>Niphobolus polycarpus</i> (Cav.) Spreng. <i>Phymatodes irioides</i> (Poir.) C.Presl <i>Phymatodes lingulata</i> (Sw.) C.Presl <i>Phymatodes polycarpus</i> (Cav.) C.Presl <i>Phymatodes sessilis</i> (Kaulf. ex Kunze) C.Presl <i>Pleopeltis irioides</i> (Poir.) T.Moore <i>Pleopeltis millisora</i> (Baker) Alderw. <i>Pleopeltis neoguineensis</i> (Copel.) Alderw. <i>Pleopeltis polycarpa</i> (Cav.) T.Moore <i>Pleopeltis punctata</i> (L.) Bedd. <i>Pleopeltis sessilis</i> (Kaulf. ex Kunze) T.Moore <i>Pleopeltis valida</i> (Copel.) Alderw.	Filicinophyta	Polypodiaceae	Common	✓		✓						

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Polypodium ambiguum</i> Blume <i>Polypodium aspidistrifrons</i> Hayata <i>Polypodium crassinerve</i> Schumach. <i>Polypodium irioides</i> Poir. <i>Polypodium irioides</i> .Poir. f. <i>cristatum</i> F.M.Bailey <i>Polypodium lingulatum</i> Sw. <i>Polypodium millisorum</i> Baker <i>Polypodium neoguineense</i> Copel. <i>Polypodium polycarpon</i> Cav. <i>Polypodium punctatum</i> Spruce ex Hook. subsp. <i>subdrynariaceum</i> H.Christ <i>Polypodium punctatum</i> Spruce ex Hook. var. <i>subdrynariaceum</i> (H.Christ) Alderw. <i>Polypodium punctatum</i> Spruce ex Hook. subsp. <i>subirideum</i> H.Christ <i>Polypodium punctatum</i> Spruce ex Hook.var. <i>subirideum</i> (H.Christ) Alderw. <i>Polypodium sessile</i> Kaulf. ex Kunze <i>Polypodium superficiale</i> Blume var. <i>australiense</i> F.M.Bailey <i>Polypodium validum</i> Copel.											
770.	<i>Microstachys chamaelea</i> (L.) Müll.Arg.	<i>Cnemidostachys chamaelaea</i> (L.) Spreng. <i>Cnemidostachys linearifolia</i> Miq. <i>Elachocroton asperococcum</i> F.Muell. <i>Excoecaria chamelaea</i> (L.) Baill. <i>Sebastiania chamaelea</i> (L.) Müll.Arg. <i>Sebastiania chamaelea</i> (L.) Müll.Arg. var. <i>africana</i> Pax & K.Hoffm. <i>Sebastiania chamaelea</i> (L.) Müll.Arg var. <i>asperococca</i> (F.Muell.) Pax <i>Sebastiania chamaelea</i> (L.) Müll.Arg var. <i>chariensis</i> Beille <i>Stillingia asperococca</i> (F.Muell.) Baill. <i>Stillingia chamaelea</i> (L.) Müll.Arg. <i>Traqia chamaelea</i> L.	Magnoliophyta	Euphorbiaceae	Cryptogenic								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
771.	<i>Mitrella kentii</i> (Blume) Miq.	<i>Fissistigma clementis</i> Merr. <i>Fissistigma elegans</i> (Hook.f. & Thomson) Merr. <i>Fissistigma kentii</i> (Blume) Merr.	Magnoliophyta	Annonaceae	Common			✓	✓	✓	✓	✓	
772.	<i>Mitthyridium repens</i> (Harv.) H.Rob.	<i>Calymperes repens</i> (Harv.) Müll.Hal. <i>Syrrhopodon humile</i> Mitt. <i>Syrrhopodon lousiadus</i> Broth. <i>Syrrhopodon parvulus</i> Thwaites & Mitt. <i>Thyridium parvifolium</i> E.B.Bartram <i>Thyridium parvulum</i> A.Jaeger <i>Thyridium repens</i> (Harv.) Mitt.	Bryophyta	Calymperaceae	Near threatened			✓					
773.	<i>Molineria latifolia</i> (Dryand. ex W.T.Aiton) Herb. ex Kurz var. <i>latifolia</i>	<i>Curculigo agusanensis</i> Elmer <i>Curculigo borneensis</i> Merr. <i>Curculigo brevipedunculata</i> Elmer <i>Curculigo latifolia</i> Dryand. ex W.T.Aiton <i>Curculigo glabrescens</i> (Ridl.) Merr. <i>Curculigo latifolia</i> Dryand. ex W.T.Aiton var. <i>glabrescens</i> Ridl. <i>Curculigo senporeiensis</i> Yamam. <i>Curculigo sumatrana</i> Roxb. <i>Curculigo villosa</i> Wall. ex Kurz <i>Curculigo weberi</i> Elmer <i>Molineria longiflora</i> Kurz <i>Molineria plicata</i> Kurz <i>Molineria sumatrana</i> (Roxb.) Herb. <i>Molineria villosa</i> Kurz	Magnoliophyta	Hypoxidaceae	Vulnerable	✓		✓	✓	✓		✓	
774.	<i>Monochoria vaginalis</i> (Burm.f.) C.Presl	<i>Boottia mairei</i> H.Lév. <i>Gomphima vaginalis</i> (Burm.f.) Raf. <i>Monochoria junghuhniana</i> Hassk. <i>Monochoria linearis</i> (Hassk.) Miq. <i>Monochoria loureiroi</i> Kunth <i>Monochoria ovata</i> Kunth <i>Monochoria pauciflora</i> (Blume) Kunth <i>Monochoria plantaginea</i> (Roxb.) Kunth	Magnoliophyta	Pontederiaceae	Cryptogenic			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth var. <i>angustifolia</i> G.X.Wang <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth var. <i>pauciflora</i> (Blume) Merr. <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth var. <i>plantaginea</i> (Roxb.) Solms <i>Pontederia alba</i> Buch.-Ham. ex Wall. <i>Pontederia cordata</i> Lour. <i>Pontederia lanceolata</i> Wall. ex Kunth <i>Pontederia linearis</i> Hassk. <i>Pontederia loureiroana</i> Schult. & Schult.f. <i>Pontederia ovata</i> Hook. & Arn. <i>Pontederia pauciflora</i> Blume <i>Pontederia plantaginea</i> Roxb. <i>Pontederia racemosa</i> Buch.-Ham. ex Wall. <i>Pontederia vaginalis</i> Burm.f. <i>Pontederia vaginata</i> Royle											
775.	<i>Morella esculenta</i> (Buch.-Ham. ex D.Don) I.M.Turner	<i>Myrica esculenta</i> Buch.-Ham.	Magnoliophyta	Myricaceae	Common								✓
776.	<i>Morinda citrifolia</i> L.	<i>Morinda angustifolia</i> Roth <i>Morinda aspera</i> Wight & Arn. <i>Morinda bracteata</i> Roxb. <i>Morinda chachuca</i> Buch.-Ham. <i>Morinda chrysorrhiza</i> (Thonn.) DC. <i>Morinda citrifolia</i> L. var. <i>bracteata</i> (Roxb.) Kurz <i>Morinda citrifolia</i> L. var. <i>bracteata</i> (Roxb.) Hook.f. <i>Morinda citrifolia</i> L. var. <i>elliptica</i> Hook.f. <i>Morinda citrifolia</i> L. var. <i>potteri</i> O.Deg. <i>Morinda citrifolia</i> L. f. <i>potteri</i> (O.Deg.) H.St.John <i>Morinda coreia</i> Buch.-Ham. var. <i>stenophylla</i> (Spreng.) Chandrab. <i>Morinda elliptica</i> (Hook.f.) Ridl.	Magnoliophyta	Rubiaceae	Presumed nationally extinct								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Morinda ligulata</i> Blanco <i>Morinda littoralis</i> Blanco <i>Morinda macrophylla</i> Desf. <i>Morinda mudia</i> Buch.-Ham. <i>Morinda multiflora</i> Roxb. <i>Morinda nodosa</i> Buch.-Ham. <i>Morinda quadrangularis</i> G.Don <i>Morinda stenophylla</i> Spreng. <i>Morinda teysmanniana</i> Miq. <i>Morinda tinctoria</i> Noronha <i>Morinda tinctoria</i> Noronha var. <i>aspera</i> (Wight & Arn.) Hook.f. <i>Morinda tinctoria</i> Noronha var. <i>multiflora</i> (Roxb.) Hook.f. <i>Morinda tomentosa</i> B.Heyne ex Roth <i>Morinda zollingeriana</i> Miq. <i>Platanocephalus orientalis</i> Crantz <i>Psychotria chrysorhiza</i> Thonn. <i>Samama citrifolia</i> (L.) Kuntze <i>Sarcocephalus leichhardtii</i> F.Muell.											
777.	<i>Morinda rigida</i> Miq.		Magnoliophyta	Rubiaceae	Presumed nationally extinct								✓
778.	<i>Morinda umbellata</i> L.	<i>Guttenbergia umbellata</i> (L.) Zoll. & Moritzi <i>Morinda scandens</i> Roxb.	Magnoliophyta	Rubiaceae	Common	✓							✓
779.	<i>Murraya koenigii</i> (L.) Spreng.	<i>Bergera koenigii</i> L.	Magnoliophyta	Rutaceae	Presumed nationally extinct								✓
780.	<i>Mussaenda frondosa</i> L.	<i>Gardenia frondosa</i> (L.) Lam. <i>Mussaenda belilla</i> Buch.-Ham. <i>Mussaenda dovinia</i> Buch.-Ham. <i>Mussaenda flavescens</i> Buch.-Ham.	Magnoliophyta	Rubiaceae	Exotic								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Mussaenda formosa</i> L. <i>Mussaenda fruticosa</i> L. <i>Mussaenda ingrata</i> Wall. ex Hook.f. <i>Mussaenda macrophylla</i> Kurz <i>Mussaenda sumatrensis</i> B.Heyne ex Roth <i>Mussaenda tomentosa</i> Wight ex Hook.f. <i>Mussaenda villosa</i> Schltdl. ex Hook.f.											
781.	<i>Mussaenda glabra</i> Vahl	<i>Mussaenda andersonii</i> S.K.Basu & T.K.Paul <i>Mussaenda frondosa</i> L. var. <i>glabra</i> (Vahl) Miq. <i>Mussaenda penangensis</i> Miq. <i>Mussaenda setulosa</i> Klotzsch	Magnoliophyta	Rubiaceae	Endangered	✓				✓			
782.	<i>Mussaendopsis beccariana</i> Baill.	<i>Creaghia fagraeaopsis</i> Scort.	Magnoliophyta	Rubiaceae	Endangered	✓	✓		✓			✓	
783.	<i>Myrialepis paradoxa</i> (Kurz) J.Dransf.	<i>Bejaudia cambodiensis</i> Gagnep. <i>Calamus paradoxus</i> Kurz <i>Myrialepis floribunda</i> (Becc.) Gagnep. <i>Myrialepis scortechinii</i> Becc. <i>Palmijuncus paradoxus</i> (Kurz) Kuntze <i>Plectocomiopsis annulata</i> Ridl. <i>Plectocomiopsis floribunda</i> Becc. <i>Plectocomiopsis paradoxa</i> (Kurz) Becc. <i>Plectocomiopsis scortechinii</i> (Becc.) Ridl.	Magnoliophyta	Arecaceae	Critically endangered	✓		✓					
784.	<i>Myristica cinnamomea</i> King		Magnoliophyta	Myristicaceae	Critically endangered	✓	✓		✓			✓	
785.	<i>Myristica elliptica</i> Wall. ex Hook.f. & Thomson		Magnoliophyta	Myristicaceae	Endangered	✓	✓		✓	✓		✓	
786.	<i>Myristica iners</i> Blume	<i>Palala iners</i> Kuntze	Magnoliophyta	Myristicaceae	Critically endangered	✓	✓					✓	

S/No.	Taxon name		Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
787.	<i>Myristica lowiana</i> King			Magnoliophyta	Myristicaceae	Critically endangered	✓	✓						
788.	<i>Myristica maxima</i> Warb.			Magnoliophyta	Myristicaceae	Critically endangered	✓			✓				
789.	<i>Najas indica</i> (Willd.) Cham.	<i>Caulinia alternifolia</i> Willd. ex Cham. <i>Caulinia foveolata</i> (A.Braun ex Rendle) Nakai <i>Caulinia indica</i> Willd. <i>Fluvialis indica</i> (Willd.) Pers. <i>Najas falciculata</i> A.Braun <i>Najas foveolata</i> A.Braun ex Rendle <i>Najas foveolata</i> A.Br. ex Magnus <i>Najas foveolata</i> A.Br. ex Magnus var. <i>minor</i> Rendle <i>Najas kingii</i> Rendle <i>Najas lacerata</i> Rendle <i>Najas lobata</i> Blanco <i>Najas minor</i> All. var. <i>indica</i> (Cham.) A.Braun <i>Najas palustris</i> Blanco <i>Najas tenuis</i> Magnus	Magnoliophyta	Najadaceae	Vulnerable	✓			✓	✓				
790.	<i>Nauclea officinalis</i> (Pierre ex Pit.) Merr. & Chun	<i>Nauclea brunnea</i> Craib <i>Nauclea officinalis</i> (Pierre ex Pit.) N.N.Tran <i>Sarcocephalus officinalis</i> Pierre ex Pit.	Magnoliophyta	Rubiaceae	Critically endangered					✓				
791.	<i>Neesia malayana</i> Bakh.			Magnoliophyta	Malvaceae	Presumed nationally extinct			✓				✓	
792.	<i>Neesia synandra</i> Mast.			Magnoliophyta	Malvaceae	Vulnerable	✓							
793.	<i>Nenga pumila</i> (Mart.) H.Wendl.	<i>Areca pumila</i> Blume <i>Pinanga pumila</i> (Blume) Blume	Magnoliophyta	Arecaceae	Critically endangered				✓	✓			✓	
794.	<i>Neolitsea cassia</i> (L.) Kosterm.	<i>Neolitsea zeylanica</i> (Nees & T. Nees) Merr.	Magnoliophyta	Lauraceae	Vulnerable					✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
795.	<i>Neonauclea excelsa</i> (Blume) Merr.	<i>Bancalus obtusus</i> (Blume) Kuntze <i>Bancalus synkorynes</i> (Korth.) Kuntze <i>Nauclea excelsa</i> Blume <i>Nauclea glandulosa</i> Blanco <i>Nauclea latifolia</i> Blanco <i>Nauclea mollis</i> Blume <i>Nauclea morindifolia</i> Blume <i>Nauclea nicobarica</i> Havil. <i>Nauclea obtusa</i> Blume <i>Nauclea obtusa</i> Blume var. <i>major</i> Havil. <i>Nauclea obtusa</i> Blume var. <i>minor</i> Havil. <i>Nauclea obtusa</i> Blume var. <i>pubescens</i> Koord. & Valetton <i>Nauclea synkorynes</i> Korth. <i>Neonauclea mollis</i> (Blume) Merr. <i>Neonauclea morindifolia</i> (Blume) Merr. <i>Neonauclea nicobarica</i> (Havil.) Merr. <i>Neonauclea obtusa</i> (Blume) Merr. <i>Neonauclea synkorynes</i> (Korth.) Merr.	Magnoliophyta	Rubiaceae	Critically endangered								✓
796.	<i>Neoscortechinia kingii</i> (Hook.f.) Pax & K.Hoffm.	<i>Neoscortechinia kingii</i> (Hook.f.) Pax & K.Hoffm. var. <i>pedicellata</i> Airy Shaw <i>Scortechinia kingii</i> Hook.f.	Magnoliophyta	Euphorbiaceae	Critically endangered	✓	✓		✓				
797.	<i>Neoscortechinia sumatrensis</i> S.Moore		Magnoliophyta	Euphorbiaceae	Critically endangered				✓			✓	NIS
798.	<i>Nepenthes ampullaria</i> Jack		Magnoliophyta	Nepenthaceae	Vulnerable			✓	✓			✓	
799.	<i>Nepenthes gracilis</i> Korth.		Magnoliophyta	Nepenthaceae	Common				✓				
800.	<i>Nepenthes hookeriana</i> H.Low		Magnoliophyta	Nepenthaceae	Critically endangered			✓	✓				
801.	<i>Nepenthes rafflesiana</i> Jack ex Hook.f.		Magnoliophyta	Nepenthaceae	Vulnerable				✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
802.	<i>Nephelaphyllum pulchrum</i> Blume	<i>Tainia pulchra</i> (Blume) Gagnep.	Magnoliophyta	Orchidaceae	Critically endangered	✓			✓				NIS
803.	<i>Nephelium cuspidatum</i> Blume var. <i>eriopetalum</i> (Miq.) Leenh.		Magnoliophyta	Sapindaceae	Endangered	✓							
804.	<i>Nephelium lappaceum</i> L.	<i>Dimocarpus crinitus</i> Lour. <i>Euphoria crinita</i> Poir. <i>Euphoria nephelium</i> Poir. <i>Euphoria nephelium</i> DC. <i>Euphoria ramb-outan</i> Labill. <i>Nephelium glabrum</i> Noronha <i>Scytalia crinita</i> Raeusch. <i>Scytalia ramboutan</i> Roxb.	Magnoliophyta	Sapindaceae	Critically endangered			✓		✓		✓	
805.	<i>Nephelium laurinum</i> Blume		Magnoliophyta	Sapindaceae	Critically endangered			✓	✓	✓		✓	
806.	<i>Norrisia maior</i> Solered.		Magnoliophyta	Loganiaceae	Critically endangered				✓				
807.	<i>Nothaphoebe umbelliflora</i> (Blume) Blume	<i>Ocotea umbelliflora</i> Blume <i>Phoebe umbelliflora</i> (Blume) Nees	Magnoliophyta	Lauraceae	Common		✓		✓		✓	✓	
808.	<i>Oberonia ciliolata</i> Hook.f.	<i>Oberonia lampongensis</i> J.J.Sm.	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
809.	<i>Oberonia stenophylla</i> Ridl.		Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
810.	<i>Ochanostachys amentacea</i> Mast.		Magnoliophyta	Olacaceae	Vulnerable	✓	✓		✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
811.	<i>Oldenlandia cristata</i> (Willd. ex Roem. & Schult.) ined.	<i>Exallage congesta</i> (R.Br. ex G.Don) Bremek. <i>Exallage costata</i> (Roxb.) Bremek. <i>Exallage lineata</i> (DC.) Bremek. <i>Exallage philippensis</i> (Willd. ex Spreng.) Bremek. <i>Exallage rigida</i> (Blume) Bremek. <i>Hedyotis argentea</i> Wall. ex G.Don <i>Hedyotis asperrima</i> (Merr.) Merr. <i>Hedyotis caerulea</i> (Blume) Korth. <i>Hedyotis capituliflora</i> Miq. <i>Hedyotis carnososa</i> Korth. <i>Hedyotis congesta</i> R.Br. ex G.Don <i>Hedyotis congesta</i> R.Br. <i>Hedyotis congesta</i> R.Br. var. <i>longifolia</i> (Valeton) Merr. & L.M.Perry <i>Hedyotis congesta</i> R.Br. var. <i>nicobarica</i> King <i>Hedyotis costata</i> (Roxb.) Kurz <i>Hedyotis costata</i> (Roxb.) Kurz var. <i>lutescens</i> (Kaneh.) Fosberg <i>Hedyotis leucocarpa</i> Elmer <i>Hedyotis lutescens</i> Kaneh. <i>Hedyotis philippensis</i> (Willd. ex Spreng.) Merr. ex C.B.Rob. <i>Hedyotis philippensis</i> (Willd. ex Spreng.) Merr. ex C.B.Rob. var. <i>asperrima</i> Merr. <i>Hedyotis rigida</i> (Blume) Miq. <i>Hedyotis rigida</i> (Blume) Walp. <i>Hedyotis vestita</i> R.Br. ex G.Don <i>Hedyotis vestita</i> R.Br. <i>Hedyotis vestita</i> R.Br. var. <i>lutescens</i> (Kaneh.) Fosberg <i>Metabolos caeruleus</i> Blume <i>Metabolos lineatus</i> DC. <i>Metabolos rigidus</i> Blume <i>Oldenlandia caerulea</i> (Blume) Kuntze <i>Oldenlandia carnososa</i> Kuntze <i>Oldenlandia conqesta</i> (R.Br. ex G.Don) Kuntze	Magnoliophyta	Rubiaceae	Vulnerable	✓					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Oldenlandia costata</i> (Roxb.) K.Schum. <i>Oldenlandia rigida</i> (Blume) Kuntze <i>Oldenlandia rigida</i> (Blume) var. <i>longifolia</i> Valetton <i>Oldenlandia vestita</i> (R.Br. ex G.Don) Drake <i>Sclerococcus lineatus</i> Bartl. ex DC. <i>Scleromitrium rigidum</i> (Blume) Kurz <i>Spermacoce costata</i> Roxb. <i>Spermacoce cristata</i> Willd. ex Roem. & Schult. <i>Spermacoce philippensis</i> Willd. ex Spreng.											
812.	<i>Oldenlandia diffusa</i> (Willd.) Roxb.	<i>Hedyotis brachypoda</i> R.Br. ex Wall. <i>Hedyotis diffusa</i> Willd. <i>Hedyotis diffusa</i> Willd. var. <i>extensa</i> (Hook.f.) R.Dutta <i>Hedyotis extensa</i> R.Br. ex Wall. <i>Hedyotis polygonoides</i> Wall. <i>Hedyotis radicans</i> Bartl. ex DC. <i>Hedyotis ramosissima</i> Kurz <i>Oldenlandia angustifolia</i> (Michx.) A.Gray var. <i>pedicellata</i> Miq. <i>Oldenlandia brachypoda</i> G.Don <i>Oldenlandia corymbosa</i> L. var. <i>uniflora</i> (Benth.) Masam. <i>Oldenlandia diffusa</i> (Willd.) Roxb. var. <i>extensa</i> Hook.f. <i>Oldenlandia diffusa</i> (Willd.) Roxb. var. <i>polygonoides</i> Hook.f. <i>Oldenlandia herbacea</i> (L.) Roxb. var. <i>uniflora</i> Benth. <i>Oldenlandia pauciflora</i> Roxb. ex Wight & Arn.	Magnoliophyta	Rubiaceae	Presumed nationally extinct			✓					
813.	<i>Oncosperma horridum</i> (Griff.) Scheff.	<i>Areca horrida</i> Griff.	Magnoliophyta	Arecaceae	Vulnerable			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
814.	<i>Ophiorrhiza singaporensis</i> Ridl.		Magnoliophyta	Rubiaceae	Presumed nationally extinct	✓	✓		✓				
815.	<i>Orania sylvicola</i> (Griff.) H.E.Moore	<i>Macrocladus sylvicola</i> Griff. <i>Orania macrocladus</i> Mart.	Magnoliophyta	Arecaceae	Critically endangered	✓		✓					
816.	<i>Ormosia bancana</i> (Miq.) Merr.	<i>Macrotropis bancana</i> Miq. <i>Ormosia parvifolia</i> Baker	Magnoliophyta	Fabaceae	Endangered				✓				
817.	<i>Osmelia maingayi</i> King		Magnoliophyta	Salicaceae	Presumed nationally extinct					✓			
818.	<i>Osmelia philippina</i> (Turcz.) Benth.		Magnoliophyta	Salicaceae	Endangered	✓	✓	✓	✓	✓	✓	✓	
819.	<i>Oxyceros bispinosus</i> (Griff.) Tirveng.	<i>Oxyceros curtisii</i> (King & Gamble) K.M.Wong <i>Oxyceros fragrantissimus</i> (Ridl.) K.M.Wong <i>Randia bispinosa</i> (Griff.) Craib <i>Randia curtisii</i> King & Gamble <i>Randia fragrantissima</i> Ridl. <i>Randia incurva</i> Ridl. <i>Randia junghuhniana</i> (Miq.) Bakh.f. <i>Randia longiflora</i> Lam. var. <i>harmandiana</i> Pierre ex Pit. <i>Randia uncaria</i> Elmer ex Merr. <i>Randia williamsii</i> Elmer <i>Stylocoryna bispinosa</i> Griff. <i>Stylocoryna junghuhniana</i> Miq. <i>Webera junghuhniana</i> (Miq.) Boerl.	Magnoliophyta	Rubiaceae	Endangered						✓	✓	
820.	<i>Oxyceros drupaceus</i> (C.F.Gaertn.) Ridsdale	<i>Gardenia curvata</i> Teijsm. & Binn. <i>Griffithia curvata</i> (Teijsm. & Binn.) Kurz <i>Oxyceros scandens</i> (Blume) Tirveng. <i>Posoqueria drupacea</i> C.F.Gaertn.	Magnoliophyta	Rubiaceae	Critically endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Randia clarkei</i> King & Gamble <i>Randia curvata</i> (Teijsm. & Binn.) Valetton <i>Randia drupacea</i> (C.F.Gaertn.) DC. <i>Randia scandens</i> (Blume) DC. <i>Randia virosa</i> Buch.-Ham. <i>Tocoyena scandens</i> Blume <i>Webera curvata</i> (Teijsm. & Binn.) W.Theob.											
821.	<i>Oxystophyllum carnosum</i> Blume	<i>Anisopetala rigida</i> (Blume) M.A.Clem. <i>Aporum carnosum</i> (Blume) Rauschert <i>Aporum concinnum</i> Lindl. ex Rchb.f. <i>Aporum rigidum</i> (Blume) Brieger <i>Callista carnosa</i> (Blume) Kuntze <i>Callista oxystophylla</i> Kuntze <i>Callista rigescens</i> (Miq.) Kuntze <i>Dendrobium carnosum</i> (Blume) Rchb.f. <i>Dendrobium concinnum</i> Miq. <i>Dendrobium rigens</i> Rchb.f. <i>Dendrobium rigescens</i> Miq. <i>Dendrobium rigidum</i> Lindl. <i>Dendrobium rigidum</i> (Blume) Miq. <i>Oxystophyllum rigidum</i> Blume	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
822.	<i>Pachycentria maingayi</i> (C.B.Clarke) Maxw.		Magnoliophyta	Melastomat-aceae	Critically endangered			✓		✓			
823.	<i>Palaquium gutta</i> (Hook.) Burck	<i>Croixia gutta</i> (Hook.) Baehni <i>Dichopsis borneensis</i> (Burck) Fox <i>Dichopsis gutta</i> (Hook.) Benth. <i>Dichopsis oblongifolia</i> Burck <i>Dichopsis treubii</i> (Burck) Fox <i>Isonandra acuminata</i> Miq. <i>Isonandra gutta</i> Hook. <i>Isonandra gutta</i> Hook. var. <i>oblongifolia</i> de Vriese <i>Isonandra percha</i> Hook. <i>Palaquium acuminatum</i> Burck	Magnoliophyta	Sapotaceae	Critically endangered	✓		✓	✓	✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Palaquium borneense</i> Pierre <i>Palaquium borneense</i> Burck <i>Palaquium croixianum</i> Pierre ex Dubard <i>Palaquium ellipsoideum</i> Becc. <i>Palaquium formosum</i> Pierre <i>Palaquium fulvosericum</i> Engl. <i>Palaquium gloegoerense</i> Burck <i>Palaquium gutta</i> (Hook.) Burck f. <i>borneense</i> (Burck) H.J.Lam											
824.	<i>Palaquium hexandrum</i> (Griff.) Baill.	<i>Croixia hexandra</i> (Griff.) Baehni <i>Dichopsis hexandra</i> (Griff.) C.B.Clarke <i>Isonandra hexandra</i> Griff. <i>Palaquium hexandrum</i> (Griff.) Baill. var. <i>eriandrum</i> H.J.Lam <i>Palaquium hexandrum</i> (Griff.) Baill. f. <i>majus</i> H.J.Lam <i>Palaquium hexandrum</i> (Griff.) Baill. f. <i>minus</i> H.J.Lam <i>Palaquium hexandrum</i> (Griff.) Baill. var. <i>psilandrum</i> H.J.Lam <i>Palaquium pisang</i> Burck <i>Payena griffithii</i> Kurz	Magnoliophyta	Sapotaceae	Critically endangered	✓	✓		✓				
825.	<i>Palaquium impressionervium</i> Ng		Magnoliophyta	Sapotaceae	Critically endangered								✓
826.	<i>Palaquium obovatum</i> (Griff.) Engl.	<i>Dichopsis obovata</i> (Griff.) C.B.Clarke <i>Isonandra obovata</i> Griff.	Magnoliophyta	Sapotaceae	Vulnerable				✓	✓		✓	
827.	<i>Palaquium rostratum</i> (Miq.) Burck	<i>Croixia rostrata</i> (Miq.) Baehni <i>Isonandra rostrata</i> Miq. <i>Palaquium bancanum</i> Burck <i>Palaquium calophylloides</i> Ridl. <i>Palaquium linggense</i> Burck <i>Palaquium membranaceum</i> Burck	Magnoliophyta	Sapotaceae	Critically endangered	✓	✓		✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Palaquium parviflorum</i> Burck <i>Palaquium payenifolium</i> Pierre ex Becc. <i>Palaquium verstegii</i> Burck											
828.	<i>Palaquium xanthochymum</i> (de Vriese) Pierre ex Burck	<i>Croixia xanthochyma</i> (de Vriese) Baehni <i>Dichopsis rubens</i> C.B.Clarke <i>Isonandra xanthochyma</i> de Vriese <i>Palaquium lanceolatum</i> Burck <i>Palaquium rubens</i> (C.B.Clarke) Engl. <i>Palaquium xanthochymum</i> (de Vriese) Pierre ex Burck var. <i>montanum</i> H.J.Lam <i>Palaquium xanthochymum</i> (de Vriese) Pierre ex Burck var. <i>puberulum</i> H.J.Lam	Magnoliophyta	Sapotaceae	Critically endangered	✓	✓	✓	✓			✓	Gdn
829.	<i>Pandanus atrocarpus</i> Griff.		Magnoliophyta	Pandanaceae	Endangered								✓
830.	<i>Papillidiopsis bruchii</i> (Dozy & Molk.) W.R.Buck & B.C.Tan	<i>Hypnum bruchii</i> Dozy & Molk. <i>Rhaphidostichum bruchii</i> (Dozy & Molk.) M.Fleisch. <i>Sematophyllum bruchii</i> (Dozy & Molk.) A.Jaeger <i>Trichosteleum bruchii</i> (Dozy & Molk.) Broth.	Bryophyta	Sematophyllaceae	Critically endangered			✓					
831.	<i>Papillidiopsis luxurians</i> (Dozy & Molk.) W.R.Buck & B.C.Tan	<i>Hypnum luxurians</i> Dozy & Molk. <i>Rhaphidostichum luxurians</i> (Dozy & Molk.) M.Fleisch. <i>Sematophyllum luxurians</i> (Dozy & Molk.) A.Jaeger <i>Trichosteleum luxurians</i> (Dozy & Molk.) Broth.	Bryophyta	Sematophyllaceae	Critically endangered			✓					
832.	<i>Paraderris montana</i> (Benth.) Adema		Magnoliophyta	Fabaceae	Critically endangered			✓				✓	
833.	<i>Parameria laevigata</i> (Juss.) Moldenke	<i>Aegiphila laevigata</i> Juss. <i>Chonemorpha densiflora</i> (Blume) G.Don <i>Ecdysanthera barbata</i> (Blume) Miq. <i>Ecdysanthera barbata</i> (Blume) Miq. var. <i>angustior</i> Miq.	Magnoliophyta	Apocynaceae	Critically endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Ecdysanthera densiflora</i> (Blume) Miq. <i>Ecdysanthera glandulifera</i> (Wall. ex G.Don) A.DC. <i>Ecdysanthera griffithii</i> Wight <i>Echites barbatus</i> (Blume) D.Dietr. <i>Echites densiflorus</i> Blume <i>Echites glanduliferus</i> Wall. ex G.Don <i>Echites torosus</i> Llanos <i>Parameria angustior</i> (Miq.) Boerl. <i>Parameria barbata</i> (Blume) K.Schum. <i>Parameria barbata</i> (Blume) K.Schum. var. <i>pieirrei</i> (Pit.) Kerr <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz var. <i>philippinensis</i> (Radlk.) Stapf <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz var. <i>pieirrei</i> Pit. <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz var. <i>poilanei</i> Pit. <i>Parameria philippinensis</i> Radlk. <i>Parameria pierrei</i> Baill. <i>Parameria vulneraria</i> Radlk. <i>Parsonsia barbata</i> Blume											
834.	<i>Parameria polyneura</i> Hook.f.	<i>Microchites ovalifolius</i> Ridl. <i>Parameria griffithii</i> Pierre <i>Parameriopsis polyneura</i> (Hook.f.) Pichon	Magnoliophyta	Apocynaceae	Critically endangered								✓
835.	<i>Paramignya scandens</i> (Griff.) Craib var. <i>ridleyi</i> (Burkill) Swingle		Magnoliophyta	Rutaceae	Critically endangered					✓			
836.	<i>Paramignya scandens</i> Craib	<i>Atalantia griffithii</i> (Hook.f.) Guillaumin <i>Citrus scandens</i> Griff.	Magnoliophyta	Rutaceae	Critically endangered				✓		✓		

S/No.	Taxon name		Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
837.	<i>Parartocarpus bracteatus</i> (King) Becc.			Magnoliophyta	Moraceae	Critically endangered	✓	✓	✓					
838.	<i>Parastemon urophyllus</i> (Wall. ex A.DC.) A.DC.	<i>Angelesia racemosa</i> (Korth.) Kuntze <i>Diemenia racemosa</i> Korth. <i>Embelia urophylla</i> Wall. ex A.DC. <i>Licania diamenia</i> Blume <i>Parastemon spicatum</i> Ridl. <i>Trichocarya racemosa</i> (Korth.) Miq.		Magnoliophyta	Chrysobalanaceae	Endangered			✓		✓			
839.	<i>Parinari costata</i> (Korth.) Blume	<i>Ferolia costata</i> (Korth.) Kuntze <i>Lepidocarpa costata</i> Korth. <i>Parinari costata</i> (Korth.) Blume ex Fürnr.		Magnoliophyta	Chrysobalanaceae	Critically endangered			✓					
840.	<i>Parishia maingayi</i> Hook.f.			Magnoliophyta	Anacardiaceae	Vulnerable	✓	✓						
841.	<i>Parkia speciosa</i> Hassk.	<i>Inga pyriformis</i> Jungh. <i>Mimosa pedunculata</i> Hunter <i>Parkia biglobosa</i> ("ensu auct., non (Jacq.") R.Br. <i>Parkia harbesonii</i> Elmer <i>Parkia macropoda</i> Miq.		Magnoliophyta	Fabaceae	Vulnerable			✓	✓			✓	
842.	<i>Parsonsia alboflavescens</i> (Dennst.) Mabb.	<i>Aganosma concanensis</i> Hook. <i>Aganosma laevigata</i> (Moon) J.Graham <i>Apocynum reticulatum</i> L. <i>Apocynum reticulatum</i> Lour. <i>Apocynum vincifolium</i> Burm.f. <i>Chaetosus volubilis</i> Benth. <i>Cudicia trichotoma</i> Buch.-Ham. ex Dillwyn <i>Echites laevigatus</i> Moon <i>Echites spiralis</i> Blanco <i>Helicandra sinensis</i> Hook. & Arn. <i>Heligme javanica</i> (Blume) Blume <i>Heligme korthalsiana</i> Miq. <i>Heligme minahassae</i> Teijsm. & Binn. <i>Heligme rheedei</i> Wight		Magnoliophyta	Apocynaceae	Critically endangered					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Heligme spiralis</i> (Wall. ex G.Don) Thwaites <i>Helyga javanica</i> Blume <i>Lyonsia sumatrana</i> Ridl. <i>Lyonsia viridiflora</i> F.M.Bailey <i>Parsonsia acuminata</i> Wall. <i>Parsonsia aterinervia</i> Elmer <i>Parsonsia confusa</i> Merr. <i>Parsonsia cumingiana</i> A.DC. <i>Parsonsia helicandra</i> Hook. & Arn. <i>Parsonsia howii</i> Tsiang <i>Parsonsia javanica</i> (Blume) K.Schum. <i>Parsonsia korthalsiana</i> (Miq.) Boerl. <i>Parsonsia kunstleri</i> King & Gamble <i>Parsonsia laevigata</i> (Moon) Alston <i>Parsonsia longipedunculata</i> Merr. <i>Parsonsia magnifolia</i> Elmer <i>Parsonsia minahassae</i> (Teijsm. & Binn.) Koord. <i>Parsonsia momiensis</i> Kaneh. & Hatus. <i>Parsonsia oblancifolia</i> Merr. <i>Parsonsia oblonga</i> Wall. ex G.Don <i>Parsonsia oblongifolia</i> Merr. <i>Parsonsia panniculata</i> Pichon <i>Parsonsia pauciflora</i> Wall. <i>Parsonsia reticulata</i> (L.) Woodson <i>Parsonsia rheedei</i> Fern.-Vill. <i>Parsonsia spiralis</i> Wall. ex G.Don <i>Parsonsia spiralis</i> Vidal <i>Periploca alboflavescens</i> Dennst. <i>Spirostemon spiralis</i> Griff.												
843.	<i>Parsonsia curvisepala</i> K.Schum.	<i>Aganosma apoensis</i> Elmer <i>Lyonsia mollissima</i> Wernham <i>Parsonsia apoensis</i> (Elmer) Merr. <i>Parsonsia cyathocalyx</i> Markgr. <i>Parsonsia dallmannensis</i> Kaneh. & Hatus. <i>Parsonsia mollissima</i> (Wernham) Markgr.	Magnoliophyta	Apocynaceae	Presumed nationally extinct	✓			✓	✓				
See Corrigenda of 13 May 2013 .														

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H									
		<i>Parsonsia stenocarpa</i> King & Gamble <i>Parsonsia urdanetensis</i> Elmer <i>Parsonsia verticillata</i> K.Schum.													
844.	<i>Passiflora laurifolia</i> L.	<i>Granadilla laurifolia</i> (L.) Medik. <i>Passiflora laurifolia</i> L. var. <i>tinifolia</i> (Juss.) Bois <i>Passiflora oblongifolia</i> Pulle <i>Passiflora tinifolia</i> Juss.	Magnoliophyta	Passifloraceae	Exotic										✓
845.	<i>Pavetta indica</i> L.	<i>Ixora indica</i> (L.) Baill. <i>Ixora pavetta</i> Roxb.	Magnoliophyta	Rubiaceae	Critically endangered			✓	✓						
846.	<i>Payena maingayi</i> C.B.Clarke	<i>Diploknema grandiflora</i> (Ridl.) H.J.Lam <i>Madhuca maingayi</i> (C.B.Clarke) Baehni	Magnoliophyta	Sapotaceae	Critically endangered			✓							
847.	<i>Pelekium bifarium</i> (Bosch & Sande Lac.) M.Fleisch.		Bryophyta	Thuidiaceae	Near threatened			✓							
848.	<i>Peliosanthes teta</i> Andrews		Magnoliophyta	Asparagaceae	Critically endangered					✓					
849.	<i>Peliosanthes teta</i> Andrews subsp. <i>humilis</i> (Andrews) Jessop ex Gandhi	<i>Amaryllis ovigera</i> Schult. & Schult.f. <i>Bulbisperma ovigera</i> Reinw. ex Blume <i>Bulbospermum javanicum</i> Blume <i>Lourya campanulata</i> Baill. <i>Peliosanthes albida</i> Baker <i>Peliosanthes campanulata</i> (Baill.) L.Rodr. <i>Peliosanthes campanulata</i> Wall. ex Baker <i>Peliosanthes courtallensis</i> Wight <i>Peliosanthes dasystachys</i> Diels ex L.Rodr. <i>Peliosanthes grandifolia</i> Ridl. <i>Peliosanthes humilis</i> Andrews <i>Peliosanthes hypogyna</i> Ridl. <i>Peliosanthes stellaris</i> Ridl. <i>Peliosanthes sumatrensis</i> Ridl. <i>Peliosanthes teta</i> Andrews var. <i>humilis</i> (Andrews)	Magnoliophyta	Asparagaceae	Vulnerable	✓	✓		✓					✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		Jessop ex Gandhi <i>Peliosanthes violacea</i> Wall. ex Baker <i>Peliosanthes viridis</i> Ridl. <i>Teta humilis</i> (Andrews) Voigt											
850.	<i>Pellacalyx axillaris</i> Korth.	<i>Craterianthus fimbripetalus</i> Valetton ex K.Heyne	Magnoliophyta	Rhizophoraceae	Endangered	✓	✓		✓	✓		✓	M
851.	<i>Pellacalyx saccardianus</i> Scort.		Magnoliophyta	Rhizophoraceae	Endangered					✓			M
852.	<i>Pentace triptera</i> Mast.		Magnoliophyta	Malvaceae	Endangered	✓	✓		✓			✓	
853.	<i>Persicaria barbata</i> (L.) H.Hara var. <i>gracilis</i> (Danser) H.Hara	<i>Persicaria barbata</i> (L.) H. Hara subsp. <i>Gracilis</i> (Danser) Soják <i>Polygonum barbatum</i> L.	Magnoliophyta	Polygonaceae	Cryptogenic			✓					
854.	<i>Pertusadina eurhyncha</i> (Miq.) Ridsdale	<i>Adina minutiflora</i> Valetton <i>Adina rubescens</i> Hemsl. <i>Nauclea oxyphylla</i> Miq. <i>Uncaria eurhyncha</i> Miq.	Magnoliophyta	Rubiaceae	Vulnerable		✓						
855.	<i>Phaeanthus intermedius</i> (P.Parm.) I.M.Turner & Veldkamp	<i>Phaeanthus nutans</i> Hook.f. & Thomson	Magnoliophyta	Annonaceae	Critically endangered				✓	✓			
856.	<i>Phaius tancarvilleae</i> (L'Hér.) Blume	<i>Bletia tancarvilleae</i> (L'Hér.) R.Br. <i>Limodorum tancarvilleae</i> L'Hér. <i>Phaius tancarvilleae</i> (L'Hér.) Blume var. <i>superbus</i> (Van Houtte) S.Y. Hu	Magnoliophyta	Orchidaceae	Critically endangered				✓				
857.	<i>Phoebe grandis</i> (Nees) Merr.	<i>Alseodaphne grandis</i> Nees <i>Persea grandis</i> (Nees) Nees	Magnoliophyta	Lauraceae	Critically endangered	✓	✓						
858.	<i>Phytocrene bracteata</i> Wall.	<i>Gynoecephalum bracteatum</i> Trécul	Magnoliophyta	Icacinaceae	Vulnerable				✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
859.	<i>Pimelodendron griffithianum</i> (Müll.Arg.) Benth. ex Hook.f.	<i>Pimelodendron acuminatum</i> Merr. <i>Pimelodendron borneense</i> Warb. <i>Pimelodendron griffithianum</i> (J.Mueller-Arg. in Alph. de Candolle) Benth. <i>Pimelodendron papaveroides</i> J.J.Sm. <i>Stomatocalyx griffithianus</i> Müll.Arg.	Magnoliophyta	Euphorbiaceae	Vulnerable	✓	✓				✓	✓	
860.	<i>Pinanga limosa</i> Ridl.		Magnoliophyta	Arecaceae	Presumed nationally extinct				✓				
861.	<i>Pinanga malaiana</i> (Mart.) Scheff.	<i>Areca haematocarpon</i> Griff. <i>Areca malaiana</i> (Mart.) Griff. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>bangkana</i> Becc. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>barramensis</i> Becc. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>dusunensis</i> Becc. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>landakensis</i> Becc. <i>Ptychosperma malaianum</i> (Mart.) Miq. <i>Seaforthia malaiana</i> Mart.	Magnoliophyta	Arecaceae	Endangered	✓		✓	✓				
862.	<i>Pinanga simplicifrons</i> (Miq.) Becc.	<i>Ptychosperma simplicifrons</i> Miq.	Magnoliophyta	Arecaceae	Critically endangered								NIS
863.	<i>Piper caninum</i> Blume	<i>Cubeba canina</i> (Blume) Miq. <i>Cubeba lanata</i> Miq. <i>Piper kietanum</i> C.DC.	Magnoliophyta	Piperaceae	Common						✓	✓	
864.	<i>Piper flavimarginatum</i> C.DC.		Magnoliophyta	Piperaceae	Critically endangered				✓			✓	
865.	<i>Piper macropiper</i> Pennant	<i>Piper vaupelii</i> Lauterb.	Magnoliophyta	Piperaceae	Critically endangered				✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
866.	<i>Piper malaccense</i> C.DC.		Magnoliophyta	Piperaceae	Critically endangered				✓				
867.	<i>Piper muricatum</i> Blume		Magnoliophyta	Piperaceae	Critically endangered	✓			✓	✓			
868.	<i>Piper pedicellosum</i> Wall. ex C. DC.	<i>Cubeba neesii</i> Miq.	Magnoliophyta	Piperaceae	Critically endangered							✓	
869.	<i>Piper porphyrophyllum</i> (Lindl.) N.E.Br.	<i>Cissus porphyrophylla</i> Lindl.	Magnoliophyta	Piperaceae	Endangered				✓		✓	✓	
870.	<i>Piper retrofractum</i> Vahl	<i>Chavica officinarum</i> Miq. <i>Piper chaba</i> Hunter <i>Piper officinarum</i> (Miq.) C.DC.	Magnoliophyta	Piperaceae	Presumed nationally extinct				✓				
871.	<i>Plagiochila densifolia</i> Sande Lac.	<i>Plagiochila bantamensis</i> Dumort.	Marchantio-phyta	Plagiochil-aceae	Data deficient				✓				
872.	<i>Plagiostachys lateralis</i> (Ridl.) Ridl.	<i>Amomum laterale</i> Ridl.	Magnoliophyta	Zingiberaceae	Presumed nationally extinct	✓			✓				
873.	<i>Planchonella obovata</i> (R.Br.) Pierre	<i>Achras obovata</i> F.Muell. ex Benth. <i>Chrysophyllum acuminatum</i> Bojer <i>Chrysophyllum obovatum</i> Wall. ex A.DC. <i>Hormogyne cochinchinensis</i> Dubard <i>Planchonella argentea</i> Pierre <i>Planchonella attenuata</i> (A.DC.) Pierre <i>Planchonella bancana</i> (Burck) Pierre <i>Planchonella chrysophylla</i> (de Vriese) Pierre <i>Planchonella clarkeana</i> R.Kumari & Thoathathri <i>Planchonella cochinchinensis</i> Dubard <i>Planchonella ferruginea</i> (Hook. & Arn.) Pierre <i>Planchonella glabra</i> (Ridl.) H.J.Lam <i>Planchonella indica</i> (Burck) Pierre	Magnoliophyta	Sapotaceae	Vulnerable						✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Planchonella javensis</i> (Burck) Pierre											
		<i>Planchonella kingiana</i> R.Kumari & Thoathathri											
		<i>Planchonella kingiana</i> R.Kumari & Thoathathri var.											
		<i>andamanica</i> R.Kumari & Thoathathri											
		<i>Planchonella lanceolata</i> (Burck) Pierre											
		<i>Planchonella merrillii</i> Dubard											
		<i>Planchonella nodosa</i> (Burck) Pierre											
		<i>Planchonella philippensis</i> Dubard											
		<i>Planchonella polymorpha</i> Dubard											
		<i>Pouteria glabra</i> (Ridl.) I.M.Turner											
		<i>Pouteria obovata</i> (R.Br.) Baehni											
		<i>Pouteria obovata</i> (R.Br.) Baehni var. <i>dubia</i> (Koidz.											
		ex Nakai) H.Hara											
		<i>Sapota obovata</i> (R.Br.) Radlk. ex Holle											
		<i>Sersalisia ferruginea</i> (Hook. & Arn.) Nakai											
		<i>Sersalisia liukiuensis</i> (Nakai) Nakai											
		<i>Sersalisia obovata</i> R.Br.											
		<i>Sideroxylon ahernianum</i> Merr.											
		<i>Sideroxylon apoense</i> Elmer											
		<i>Sideroxylon argenteum</i> Spreng.											
		<i>Sideroxylon attenuatum</i> A.DC.											
		<i>Sideroxylon bancanum</i> Burck											
		<i>Sideroxylon brownii</i> F.Muell.											
		<i>Sideroxylon chrysophyllum</i> de Vriese											
		<i>Sideroxylon coriaceum</i> Merr.											
		<i>Sideroxylon dubium</i> Koidz. ex Nakai											
		<i>Sideroxylon ferrugineum</i> Hook. & Arn.											
		<i>Sideroxylon glabrum</i> Ridl.											
		<i>Sideroxylon glomeratum</i> Volkens											
		<i>Sideroxylon indicum</i> Burck											
		<i>Sideroxylon javense</i> Burck											
		<i>Sideroxylon lanceolatum</i> Burck											
		<i>Sideroxylon liukiuense</i> Nakai											
		<i>Sideroxylon merrillii</i> (Dubard) Merr.											
		<i>Sideroxylon nodosum</i> Burck											
		<i>Sideroxylon novoquineense</i> K.Schum.											

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Sideroxylon obovatum</i> (R.Br.) Sm. <i>Sideroxylon obovatum</i> Burck <i>Sideroxylon obovatum</i> Griff. <i>Sideroxylon obovatum</i> Griff. var. <i>ceramense</i> Burck <i>Sideroxylon philippense</i> (Dubard) Merr. <i>Sideroxylon timorensense</i> Blume ex Pierre <i>Sideroxylon undulatum</i> Burck											
874.	<i>Plectocomia elongata</i> Mart. ex Blume	<i>Rotang maximus</i> Baill.	Magnoliophyta	Arecaceae	Vulnerable				✓			✓	
875.	<i>Plectranthus scutellarioides</i> (L.) R.Br.	<i>Calchas acuminatus</i> (Benth.) P.V.Heath <i>Calchas atropurpureus</i> (Benth.) P.V.Heath <i>Calchas crispipilus</i> (Merr.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath var. <i>angustifolia</i> (Benth.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath var. <i>crispipilus</i> (Merr.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath var. <i>limnophila</i> (Benth.) P.V.Heath <i>Coleus acuminatus</i> Benth. <i>Coleus atropurpureus</i> Benth. <i>Coleus atropurpureus</i> Benth. var. <i>densiflorus</i> Benth. <i>Coleus atropurpureus</i> Benth. var. <i>javanicus</i> Benth. <i>Coleus atropurpureus</i> Benth. var. <i>ramosus</i> Benth. <i>Coleus blancoi</i> Benth. <i>Coleus blumei</i> Benth. <i>Coleus crispipilus</i> (Merr.) Merr. <i>Coleus formosanus</i> Hayata <i>Coleus gaudichaudii</i> Briq. <i>Coleus gibbsiae</i> S.Moore <i>Coleus grandifolius</i> Benth. <i>Coleus grandifolius</i> Blanco <i>Coleus hybridus</i> Cobeau	Magnoliophyta	Lamiaceae	Presumed nationally extinct			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore							
					A	B	C	D	E	F	G	H
		<i>Coleus</i> × <i>hybridus</i> Voss										
		<i>Coleus igolotorum</i> Briq.										
		<i>Coleus ingratus</i> (Blume) Benth.										
		<i>Coleus integrifolius</i> Elmer										
		<i>Coleus laciniatus</i> (Blume) Benth.										
		<i>Coleus macranthus</i> Merr. var. <i>crispipilus</i> Merr.										
		<i>Coleus multiflorus</i> Benth.										
		<i>Coleus petersianus</i> Vatke										
		<i>Coleus pubescens</i> Merr.										
		<i>Coleus pumilus</i> Blanco										
		<i>Coleus rehnelianus</i> A.Berger										
		<i>Coleus savannicola</i> K.Schum.										
		<i>Coleus scutellarioides</i> (L.) Benth.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>angustifolia</i> Benth.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>blumei</i> (Benth.) Miq.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>celebicus</i> Miq.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>crispipilus</i> (Merr.) H.Keng										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>gibbsiae</i> (S.Moore) Keng										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>gracilis</i> Miq.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>grandifolius</i> (Benth.) Keng										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>ingratus</i> (Blume) Miq.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>integrifolius</i> (Elmer) Keng										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>laciniatus</i> (Blume) Miq.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>laxa</i> Benth.										
		<i>Coleus scutellarioides</i> (L.) Benth.var. <i>limnophila</i> Benth.										
		<i>Coleus secundiflorus</i> Benth.										

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Coleus verschaffeltii</i> Lem. <i>Coleus zschokkei</i> Merr. <i>Germanea nudiflora</i> Poir. <i>Majana acuminata</i> (Benth.) Kuntze <i>Majana blancoi</i> (Benth.) Kuntze <i>Majana grandifolia</i> (Benth.) Kuntze <i>Majana multiflora</i> (Benth.) Kuntze <i>Majana pumila</i> (Blanco) Kuntze <i>Majana scutellariodes</i> (L.) Kuntze <i>Majana scutellariodes</i> (L.) Kuntze var. <i>atropurpureus</i> (Benth.) Kuntze <i>Majana scutellariodes</i> (L.) Kuntze var. <i>blumei</i> (Benth.) Kuntze <i>Majana secundiflora</i> (Benth.) Kuntze <i>Ocimum peltatum</i> Schweigg. ex Schrank <i>Ocimum scutellarioides</i> L. <i>Perilla nankinensis</i> Wender. <i>Plectranthus aromaticus</i> Roxb. <i>Plectranthus blumei</i> (Benth.) Launert <i>Plectranthus ingratus</i> Blume <i>Plectranthus laciniatus</i> Blume <i>Plectranthus nudiflorus</i> (Poir.) Willd. <i>Plectranthus scutellarioides</i> Blume <i>Solenostemon blumei</i> (Benth.) M.Gómez <i>Solenostemon scutellarioides</i> (L.) Codd											
876.	<i>Pleiocarpa mutica</i> Benth.	<i>Hunteria pleiocarpa</i> Hallier f. <i>Pleiocarpa bakueana</i> A.Chev. <i>Pleiocarpa salicifolia</i> Stapf <i>Pleiocarpa ternata</i> A.Chev. <i>Pleiocarpa tricarpellata</i> Stapf	Magnoliophyta	Apocynaceae	Exotic				✓				
877.	<i>Plocoglottis gigantea</i> (Hook.f.) J.J.Sm.	<i>Alismorchis gigantea</i> (Hook.f.) Kuntze <i>Alismorkis gigantea</i> (Hook.f.) Kuntze <i>Calanthe gigantea</i> Hook.f. <i>Plocoglottis foetida</i> Ridl.	Magnoliophyta	Orchidaceae	Critically endangered		✓		✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
878.	<i>Plocoglottis javanica</i> Blume	<i>Plocoglottis fimbriata</i> Teijsm. & Binn.	Magnoliophyta	Orchidaceae	Critically endangered	✓	✓	✓	✓	✓			NIS
879.	<i>Ploiarium alternifolium</i> (Vahl) Melch.	<i>Hypericum alternifolium</i> Vahl	Magnoliophyta	Bonnetiaceae	Common					✓			
880.	<i>Podochilus microphyllus</i> Lindl.	<i>Podochilus confuses</i> J.J.Sm.	Magnoliophyta	Orchidaceae	Presumed nationally extinct	✓		✓					
881.	<i>Podomitrium malaccense</i> (Stephani) Campb.	<i>Hymenophyton malaccense</i> Stephani	Marchantio-phyta	Pallaviciniaceae	Data deficient					✓			
882.	<i>Pogostemon auricularius</i> (L.) Hassk.	<i>Dysophylla auricularia</i> (L.) Blume <i>Mentha auricularia</i> L. <i>Mentha foetida</i> Burm.f.	Magnoliophyta	Lamiaceae	Cryptogenic			✓					
883.	<i>Poikilospermum suaveolens</i> (Blume) Merr.	<i>Poikilospermum sinense</i> (C.H.Wright) Merr.	Magnoliophyta	Urticaceae	Vulnerable	✓			✓				
884.	<i>Polyalthia cauliflora</i> Hook.f. & Thomson	<i>Desmos desmanthus</i> (Hook.f. & Thomson) Saff. <i>Guatteria palembanica</i> Miq. <i>Guatteria teysmannii</i> Miq. <i>Polyalthia beccarii</i> King <i>Polyalthia cauliflora</i> Hook.f. & Thomson var. <i>beccarii</i> (King) J.Sincl. <i>Polyalthia teysmannii</i> (Miq.) King <i>Uvaria cauliflora</i> Wall.	Magnoliophyta	Annonaceae	Vulnerable			✓					
885.	<i>Polyalthia glauca</i> (Hassk.) Muell.	<i>Monoon glaucum</i> (Hassk.) Miq. <i>Uvaria glauca</i> Hassk.	Magnoliophyta	Annonaceae	Endangered	✓	✓		✓	✓		✓	
886.	<i>Polyalthia hookeriana</i> King		Magnoliophyta	Annonaceae	Critically endangered								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
887.	<i>Polyalthia hypogaea</i> King		Magnoliophyta	Annonaceae	Critically endangered					✓			
888.	<i>Polyalthia lateriflora</i> (Blume) Kurz	<i>Guatteria lateriflora</i> Blume	Magnoliophyta	Annonaceae	Critically endangered				✓	✓	✓		
889.	<i>Polyalthia macropoda</i> King		Magnoliophyta	Annonaceae	Endangered		✓						
890.	<i>Polyalthia rumphii</i> Merr.	<i>Guatteria rumphii</i> Blume ex Hensch.	Magnoliophyta	Annonaceae	Critically endangered				✓				
891.	<i>Polystachya concreta</i> (Jacq.) Garay & Sweet	<i>Callista flavescens</i> (Blume) Kuntze <i>Cranichis luteola</i> Sw. <i>Dendrobium flavescens</i> (Blume) Lindl. <i>Dendrobium polystachyum</i> Sw. <i>Dendrorchis estrellensis</i> (Rchb.f.) Kuntze <i>Dendrorchis extinctoria</i> (Rchb.f.) Kuntze <i>Dendrorchis jussieuana</i> (Rchb.f.) Kuntze <i>Dendrorchis polystachyon</i> (Lindl.) Kuntze <i>Dendrorchis rufinula</i> (Rchb.f.) Kuntze <i>Dendrorchis shirensis</i> (Rchb.f.) Kuntze <i>Dendrorchis similus</i> (Rchb.f.) Kuntze <i>Dendrorchis tessellata</i> (Lindl.) Kuntze <i>Dendrorchis wightii</i> (Rchb.f.) Kuntze <i>Dendrorchis zollingeri</i> (Rchb.f.) Kuntze <i>Dendrorchis extinctoria</i> (Rchb.f.) Kuntze <i>Dendrorchis minuta</i> (Aubl.) Kuntze <i>Dendrorchis polystachyon</i> (Sw.) Kuntze <i>Dendrorchis purpurea</i> (Wight) Kuntze <i>Dendrorchis wightii</i> (Rchb.f.) Kuntze <i>Dendrorchis zollingeri</i> (Rchb.f.) Kuntze <i>Epidendrum concretum</i> Jacq. <i>Epidendrum minutum</i> Aubl. <i>Maxillaria luteola</i> Beer <i>Maxillaria purpurea</i> (Wight) Beer <i>Onychium flavescens</i> Blume	Magnoliophyta	Orchidaceae	Critically endangered				✓				NIS

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Polystachya caquetana</i> Schltr. <i>Polystachya colombiana</i> Schltr. <i>Polystachya cubensis</i> Schltr. <i>Polystachya extinctoria</i> Rchb.f. <i>Polystachya flavescens</i> (Blume) J.J.Sm. <i>Polystachya kraenzliana</i> Pabst <i>Polystachya kraenzliniana</i> Pabst <i>Polystachya luteola</i> Hook. <i>Polystachya minuta</i> (Aubl.) Frapp. ex Cordem. <i>Polystachya minuta</i> Britton <i>Polystachya penangensis</i> Ridl. <i>Polystachya pleistantha</i> Kraenzl. <i>Polystachya purpurea</i> Wight <i>Polystachya purpurea</i> Wight var. <i>lutescens</i> Gagnep. <i>Polystachya reichenbachiana</i> Kraenzl. <i>Polystachya siamensis</i> Ridl. <i>Polystachya singaporensis</i> Ridl. <i>Polystachya wightii</i> Rchb.f. <i>Polystachya zeylanica</i> Lindl. <i>Polystachya zollingeri</i> Rchb.f.											
892.	<i>Pomatocalpa diffusum</i> Breda	<i>Cleisostoma cumingii</i> Rchb.f. <i>Cleisostoma latifolium</i> Lindl. <i>Pomatocalpa hortense</i> (Ridl.) J.J.Sm. <i>Pomatocalpa latifolium</i> (Lindl.) J.J.Sm. <i>Saccolabium hortense</i> Ridl. <i>Saccolabium latifolium</i> (Lindl.) Schltr. <i>Saccolabium latifolium</i> (Lindl.) Ridl. <i>Sarcanthus cumingii</i> (Rchb.f.) J.J.Sm.	Magnoliophyta	Orchidaceae	Critically endangered				✓				NIS
893.	<i>Pometia pinnata</i> J.R.Forst. & G.Forst.	<i>Irina tomentosa</i> Blume <i>Pometia pinnata</i> J.R.Forst. & G.Forst. f. <i>tomentosa</i> (Blume) Jacobs <i>Pometia tomentosa</i> (Blume) Teijsm. & Binn.	Magnoliophyta	Sapindaceae	Endangered	✓	✓	✓	✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
894.	<i>Popowia tomentosa</i> Maingay ex Hook.f. & Thomson		Magnoliophyta	Annonaceae	Endangered				✓				
895.	<i>Porterandia anisophylla</i> (Jack ex Roxb.) Ridl.	<i>Gardenia anisophylla</i> Jack ex Roxb. <i>Randia anisophylla</i> (Jack ex Roxb.) Hook.f.	Magnoliophyta	Rubiaceae	Vulnerable	✓			✓	✓		✓	
896.	<i>Pouteria malaccensis</i> (C.B.Clarke) Baehni	<i>Fontbrunea malaccensis</i> (C.B.Clarke) Pierre <i>Lucuma malaccensis</i> (C.B.Clarke) Dubard <i>Sideroxylon malaccense</i> C.B.Clarke <i>Xantolis malaccensis</i> (C.B.Clarke) Baehni	Magnoliophyta	Sapotaceae	Vulnerable				✓			✓	
897.	<i>Pouzolzia zeylanica</i> (L.) Benn. & R.Br.	<i>Parietaria indica</i> L. <i>Pouzolzia indica</i> (L.) G.Benn. <i>Urtica glomerata</i> Klein ex Willd.	Magnoliophyta	Urticaceae	Cryptogenic				✓				
898.	<i>Premna corymbosa</i> Rottler & Willd.	<i>Gumira corymbosa</i> (Rottler & Willd.) Kuntze <i>Premna alstonii</i> Moldenke <i>Premna corymbosa</i> (Burm.f.) Merr. <i>Premna scandens</i> Bojer	Magnoliophyta	Lamiaceae	Exotic				✓				
899.	<i>Premna serratifolia</i> L.	<i>Citharexylum paniculatum</i> Poir. <i>Cornutia corymbosa</i> Burm.f. <i>Gumira abbreviata</i> (Miq.) Kuntze <i>Gumira attenuata</i> (R.Br.) Kuntze <i>Gumira integrifolia</i> Hassk. <i>Gumira laevigata</i> (Miq.) Kuntze <i>Gumira opulifolia</i> (Miq.) Kuntze <i>Gumira truncata</i> (Turcz.) Kuntze <i>Premna abbreviata</i> Miq. <i>Premna angustior</i> (C.B.Clarke) Ridl. <i>Premna attenuata</i> R.Br. <i>Premna benthamiana</i> Domin <i>Premna corymbosa</i> (Burm.f.) Schauer <i>Premna corymbosa</i> (Burm.f.) Schauer var. <i>obtusifolia</i> (R.Br.) H.R.Fletcher	Magnoliophyta	Lamiaceae	Vulnerable				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Premna corymbosa</i> (Burm.f.) Schauer var. <i>sambucina</i> (Wall. ex Schauer) Moldenke <i>Premna gaudichaudii</i> Schauer <i>Premna glabra</i> A.Gray ex Maxim. <i>Premna glycyococca</i> F.Muell. <i>Premna guillauminii</i> Moldenke var. <i>serrata</i> Moldenke <i>Premna hircina</i> Wall. <i>Premna integrifolia</i> Willd. <i>Premna integrifolia</i> L. <i>Premna integrifolia</i> L. var. <i>angustior</i> C.B.Clarke <i>Premna integrifolia</i> L. var. <i>minor</i> Ridl. <i>Premna integrifolia</i> L. var. <i>obtusifolia</i> (R.Br.) C.P'ei <i>Premna laevigata</i> Miq. <i>Premna littoralis</i> King & Gamble <i>Premna media</i> R.Br. <i>Premna obtusifolia</i> R.Br. <i>Premna obtusifolia</i> R.Br. var. <i>gaudichaudii</i> (Schauer) Moldenke <i>Premna obtusifolia</i> R.Br. var. <i>velutina</i> Benth. <i>Premna opulifolia</i> Miq. <i>Premna ovata</i> R.Br. <i>Premna sambucina</i> Wall. ex Schauer <i>Premna serratifolia</i> L. var. <i>minor</i> (Ridl.) A.Rajendran & P.Daniel <i>Premna spinosa</i> Roxb. <i>Premna subcordata</i> Turcz. <i>Premna tahitensis</i> Schauer var. <i>rapensis</i> F.Br. <i>Premna tahitensis</i> Schauer var. <i>rimatarensis</i> F.Br. <i>Premna truncata</i> Turcz. <i>Scrophularioides arborea</i> G.Forst.											
900.	<i>Prismatomeris glabra</i> (Korth.) Val.	<i>Coffea glabra</i> Korth. <i>Coffea lepidophloia</i> Miq. <i>Coffea neurophylla</i> Miq.	Magnoliophyta	Rubiaceae	Endangered								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Prismatomeris lepidophloia</i> (Miq.) Ridl. <i>Prismatomeris neurophylla</i> (Miq.) Ridl.											
901.	<i>Prunus arborea</i> (Blume) Kalkman		Magnoliophyta	Rosaceae	Critically endangered				✓	✓		✓	
902.	<i>Prunus grisea</i> (Blume ex Müll.Berol.) Kalkman		Magnoliophyta	Rosaceae	Critically endangered				✓			✓	
903.	<i>Prunus grisea</i> (Blume ex Müll.Berol.) Kalkman var. <i>tomentosa</i> (Koord. & Valetton) Kalkman		Magnoliophyta	Rosaceae	Critically endangered					✓			
904.	<i>Prunus polystachya</i> (Hook.f.) Kalkman		Magnoliophyta	Rosaceae	Common	✓	✓		✓		✓	✓	
905.	<i>Pseudoclausena chrysogyne</i> (Miq.) T.P.Clark	<i>Walsura chrysogyne</i> (Miq.) Bakh.f.	Magnoliophyta	Meliaceae	Critically endangered	✓			✓			✓	
906.	<i>Psychotria cantleyi</i> Ridl.		Magnoliophyta	Rubiaceae	Critically endangered					✓			
907.	<i>Psychotria helferiana</i> Kurz	<i>Uragoga helferiana</i> (Kurz) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered				✓	✓			
908.	<i>Psychotria ovoidea</i> Wall. ex Hook.f.		Magnoliophyta	Rubiaceae	Vulnerable							✓	
909.	<i>Psychotria penangensis</i> Hook.f.	<i>Uragoga penangensis</i> (Hook.f.) Kuntze	Magnoliophyta	Rubiaceae	Vulnerable	✓				✓	✓	✓	
910.	<i>Psychotria sarmentosa</i> Blume	<i>Mapouria sarmentosa</i> (Blume) K.Schum. <i>Psychotria obovata</i> Wall. <i>Uragoga sarmentosa</i> (Blume) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered					✓			

S/No.	Taxon name		Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
911.	<i>Psychotria</i> sp. 9			Magnoliophyta	Rubiaceae	Presumed nationally extinct	✓							
912.	<i>Psydrax dicoccos</i> Gaertn. var. <i>dicoccos</i>	<i>Canthium cymosum</i> (Poir.) Pers. <i>Canthium dicoccum</i> (Gaertn.) Merr. var. <i>abbreviatum</i> Craib <i>Canthium dicoccum</i> (Gaertn.) Merr. var. <i>impolitum</i> Craib <i>Canthium dicoccum</i> (Gaertn.) Merr. var. <i>obovatifolium</i> G.A.Fu <i>Canthium didymum</i> C.F.Gaertn. <i>Canthium lucidulum</i> (Miq.) Miq. <i>Canthium nitens</i> DC. <i>Canthium undulatum</i> Champ. ex Benth. <i>Cupia cymosa</i> (Poir.) DC. <i>Gardenia naumpapata</i> Roxb. ex Wight & Arn. <i>Gardenia sonneratii</i> Spreng. <i>Plectronia didyma</i> (C.F.Gaertn.) Bedd. <i>Plectronia didyma</i> (C.F.Gaertn.) Kurz <i>Plectronia nitens</i> (DC.) K.Schum. <i>Rondeletia cymosa</i> Poir. <i>Vangueria lucidula</i> Miq. <i>Vangueria spirostylis</i> Miq. <i>Webera cymosa</i> Willd.	Magnoliophyta	Rubiaceae	Presumed nationally extinct			✓						
913.	<i>Psydrax nitida</i> (Craib) K.M.Wong	<i>Canthium nitidum</i> Craib <i>Canthium nitidum</i> Craib var. <i>suboblique</i> Craib	Magnoliophyta	Rubiaceae	Vulnerable				✓					
914.	<i>Psydrax</i> sp. 10			Magnoliophyta	Rubiaceae	Critically endangered		✓				✓	✓	
915.	<i>Pterisanthes eriopoda</i> (Miq.) Planch			Magnoliophyta	Vitaceae	Critically endangered	✓		✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
916.	<i>Pterisanthes polita</i> (Miq.) Laws.		Magnoliophyta	Vitaceae	Critically endangered			✓	✓			✓	
917.	<i>Pternandra caerulea</i> Jack		Magnoliophyta	Melastomat-aceae	Vulnerable	✓	✓	✓	✓	✓	✓	✓	M
918.	<i>Pternandra echinata</i> Jack		Magnoliophyta	Melastomat-aceae	Vulnerable			✓		✓		✓	M
919.	<i>Pternandra tuberculata</i> (Korth.) Nayar		Magnoliophyta	Melastomat-aceae	Critically endangered			✓					
920.	<i>Pteroceras pallidum</i> (Blume) Holttum	<i>Aerides pallida</i> (Blume) Lindl. <i>Dendrocolla pallida</i> Blume <i>Phalaenopsis fugax</i> Kraenzl. <i>Pteroceras caligare</i> (Ridl.) Holttum <i>Sarcochilus caligaris</i> Ridl. <i>Sarcochilus pallidus</i> (Blume) Rchb.f. <i>Thrixspermum pallidum</i> (Blume) Rchb.f.	Magnoliophyta	Orchidaceae	Critically endangered	✓		✓					Gdn
921.	<i>Pterospermum sumatranum</i> Miq.		Magnoliophyta	Malvaceae	Presumed nationally extinct			✓					
922.	<i>Ptychopyxis caput-medusae</i> (Hook.f.) Ridl.	<i>Mallotus caput-medusae</i> Hook.f.	Magnoliophyta	Euphorbiaceae	Critically endangered				✓				
923.	<i>Ptychopyxis costata</i> Miq. var. <i>oblanceolata</i> Airy Shaw		Magnoliophyta	Euphorbiaceae	Critically endangered				✓				
924.	<i>Pyramidanthe prismatica</i> (Hook.f. & Thomson) J.Sinclair.		Magnoliophyta	Annonaceae	Endangered			✓	✓	✓	✓		

S/No.	Taxon name		Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
925.	<i>Pyrenaria acuminata</i> Planch.			Magnoliophyta	Theaceae	Endangered	✓	✓						
926.	<i>Pyrrhobryum spiniforme</i> (Hedw.) Mitt.	<i>Hypnum spiniforme</i> Hedw. <i>Mnium spiniforme</i> (Hedw.) Müll.Hal. <i>Rhizogonium boninense</i> Z.Iwats. <i>Rhizogonium pervilleanum</i> Besch. <i>Rhizogonium spiniferum</i> Brid. ex Hampe <i>Stereodon spiniformis</i> (Hedw.) Brid.		Magnoliophyta	Rhizogoniaceae	Endangered			✓					
927.	<i>Pyrrosia longifolia</i> (Burm.f.) Morton	<i>Acrostichum bicolor</i> Cav. <i>Acrostichum longifolium</i> Burm.f. <i>Candollea longifolia</i> (Burm.f.) Mirb. <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl var. <i>backeri</i> Alderw. <i>Cyclophorus acrostichoides</i> f. <i>carnosa</i> Alderw. <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl var. <i>fissum</i> (Blume) Bonap. <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl var. <i>gracilis</i> Copel. <i>Cyclophorus cinnamomeus</i> Alderw. <i>Cyclophorus induratus</i> H.Christ <i>Cyclophorus longifolius</i> (Burm.f.) Desv. <i>Cyclophorus macropodus</i> (Baker) C.Chr. <i>Cyclophorus scolopendrium</i> Desv. <i>Cyclophorus vallecuculosus</i> Alderw. <i>Gyrosorium fissum</i> (Blume) C.Presl <i>Niphobolus acrostichoides</i> (G.Forst.) Bedd. <i>Niphobolus fissus</i> Blume <i>Niphobolus longifolius</i> (Burm.f.) Spreng. <i>Niphobolus puberulus</i> Blume <i>Niphobolus scolopendrium</i> (Desv.) T.Moore <i>Polypodium acrostichoides</i> G.Forst. <i>Polypodium fissum</i> (Blume) Baker <i>Polypodium macropodum</i> Baker		Filicinophyta	Polypodiaceae	Common	✓		✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Pyrrosia acrostichoides</i> (G.Forst.) Ching <i>Pyrrosia coccideisquamata</i> Gilli <i>Pyrrosia fissa</i> (Blume) Mehra <i>Pyrrosia macropoda</i> (Baker) Ching												
928.	<i>Radermachera glandulosa</i> Miq.	<i>Bignonia porteriana</i> Wall. ex DC. <i>Lagaropyxis glandulosa</i> (Blume) Miq. <i>Radermachera stricta</i> Zoll. & Moritzi ex Zoll. <i>Spathodea glandulosa</i> Blume <i>Stereospermum glandulosum</i> (Blume) Miq.	Magnoliophyta	Bignoniaceae	Exotic				✓					
929.	<i>Radermachera pinnata</i> (Blanco) Seem.	<i>Bignonia banaibanai</i> (Bureau) Callery ex Burch. <i>Millingtonia pinnata</i> Blanco <i>Millingtonia quadripinnata</i> Blanco <i>Radermachera acuminata</i> Merr. <i>Radermachera banaibanai</i> Bureau <i>Radermachera brachybotrys</i> Merr. <i>Radermachera corymbosa</i> Steenis <i>Radermachera elegans</i> Steenis <i>Radermachera fenicis</i> Merr. <i>Radermachera fenicis</i> Merr. var. <i>acuminata</i> Steenis <i>Radermachera lobbii</i> (Teijsm. & Binn.) Miq. <i>Radermachera lobbii</i> (Teijsm. & Binn.) Miq. subsp. <i>acuminata</i> Steenis <i>Radermachera mindorensis</i> Merr. <i>Radermachera pinnata</i> (Blanco) Seem. subsp. <i>acuminata</i> (Steenis) Steenis <i>Radermachera pinnata</i> (Blanco) Seem. var. <i>glabra</i> (Seem.) Blanco <i>Radermachera quadripinna</i> Seem. <i>Radermachera sorsogonensis</i> Elmer ex Steenis <i>Radermachera whitfordii</i> Merr. <i>Spathodea lobbii</i> Teijsm. & Binn. <i>Stereospermum banaibanai</i> (Bureau) Rolfe <i>Stereospermum pinnatum</i> Fern.-Vill.	Magnoliophyta	Bignoniaceae	Critically endangered				✓				✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Stereospermum quadripinnatum</i> (Blanco) Fern.-Vill. <i>Stereospermum seemannii</i> Rolfe											
930.	<i>Radula borneensis</i> Stephani		Marchantio-phyta	Radulaceae	Data deficient			✓					
931.	<i>Renanthera elongata</i> (Blume) Lindl.	<i>Aerides elongata</i> Blume <i>Gastrochilus reflexus</i> (Lindl.) Kuntze <i>Porphyrodesme elongata</i> (Blume) Garay <i>Renanthera micrantha</i> Blume <i>Saccolabium reflexum</i> Lindl.	Magnoliophyta	Orchidaceae	Critically endangered								NIS
932.	<i>Rennellia elliptica</i> Korth.	<i>Ixora subcuneata</i> (Miq.) Kuntze <i>Morinda sumatrana</i> Miq. <i>Pavetta subcuneata</i> Miq. <i>Rennellia ovalis</i> Korth. <i>Rennellia speciosa</i> (Wall. ex Kurz) Hook.f. var. <i>angustifolia</i> Ridl.	Magnoliophyta	Rubiaceae	Critically endangered					✓			
933.	<i>Rhaphidophora korthalsii</i> Schott	<i>Epipremnum multicephalum</i> Elmer <i>Pothos bifarius</i> Wall. ex Hook.f. <i>Pothos celatocaulis</i> N.E.Br. <i>Rhaphidophora celatocaulis</i> (N.E.Br.) Alderw. <i>Rhaphidophora copelandii</i> Engl. <i>Rhaphidophora grandifolia</i> K.Krause <i>Rhaphidophora grandis</i> Ridl. <i>Rhaphidophora latifolia</i> Alderw. <i>Rhaphidophora maxima</i> Engl. <i>Rhaphidophora palawanensis</i> Merr. <i>Rhaphidophora ridleyi</i> Merr. <i>Rhaphidophora trinervia</i> Elmer <i>Rhaphidophora trukensis</i> Hosok. <i>Scindapsus anomalus</i> Carrière	Magnoliophyta	Araceae	Vulnerable	✓			✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
934.	<i>Rhaphidophora lobbii</i> Schott	<i>Scindapsus lobbii</i> (Schott) Ender	Magnoliophyta	Araceae	Vulnerable				✓			✓	
935.	<i>Rhaphidophora maingayi</i> Hook.f.	<i>Rhaphidophora apiculata</i> Alderw.	Magnoliophyta	Araceae	Vulnerable						✓		
936.	<i>Rhaphidophora minor</i> Hook.f.	<i>Rhaphidophora celebica</i> K.Krause	Magnoliophyta	Araceae	Vulnerable							✓	
937.	<i>Rhaphidophora montana</i> (Blume) Schott	<i>Anadendrum montanum</i> (Blume) Schott <i>Calla montana</i> Blume <i>Rhaphidophora angulata</i> (Miq.) Schott <i>Rhaphidophora burkilliana</i> Ridl. <i>Rhaphidophora fallax</i> Schott <i>Scindapsus angulatus</i> Miq. <i>Scindapsus montanus</i> (Blume) Kunth	Magnoliophyta	Araceae	Vulnerable				✓			✓	
938.	<i>Rhaphidophora sylvestris</i> (Blume) Engl.	<i>Calla sylvestris</i> Blume <i>Monstera lingulata</i> K.Koch ex Endler <i>Rhaphidophora angustifolia</i> Schott <i>Rhaphidophora gratissima</i> Becc. <i>Rhaphidophora lingulata</i> (Hassk.) Schott <i>Rhaphidophora motleyana</i> Engl. & K.Krause <i>Rhaphidophora nigrescens</i> Ridl. <i>Rhaphidophora wrayi</i> Hook.f. <i>Scindapsus angustifolius</i> Hassk. <i>Scindapsus aruensis</i> Engl. <i>Scindapsus fragilis</i> Elmer <i>Scindapsus lingulatus</i> Hassk. <i>Scindapsus sylvestris</i> (Blume) Kunth	Magnoliophyta	Araceae	Critically endangered	✓			✓				
939.	<i>Rhizophora mucronata</i> Lam.	<i>Mangium candelarium</i> Rumphius <i>Rhizophora candelaria</i> Wight & Arn. <i>Rhizophora longissima</i> Blanco <i>Rhizophora macrorrhiza</i> Griff.	Magnoliophyta	Rhizophoraceae	Common								S

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
940.	<i>Rhodamnia cinerea</i> Jack	<i>Monoxora spectabilis</i> (Blume) Wight <i>Myrtus globosa</i> Korth. <i>Myrtus spectabilis</i> Blume <i>Rhodamnia cinerea</i> Jack var. <i>concolor</i> (Miq.) Blume <i>Rhodamnia cinerea</i> Jack var. <i>laxiflora</i> Blume <i>Rhodamnia cinerea</i> Jack var. <i>macrophylla</i> Blume <i>Rhodamnia concolor</i> Miq. <i>Rhodamniaglobosa</i> (Korth.) Blume <i>Rhodamnia nageli</i> Miq. <i>Rhodamnia spectabilis</i> (Blume) Blume <i>Rhodamnia subtriflora</i> Blume <i>Rhodamnia trinervia</i> Reinw. ex Blume var. <i>concolor</i> (Miq.) King <i>Rhodamnia trinervia</i> Reinw. ex Blume var. <i>spectabilis</i> (Blume) King <i>Rhodamnia trinervia</i> Reinw. ex Blume var. <i>spectabilis</i> (Blume) Duthie	Magnoliophyta	Myrtaceae	Common	✓	✓			✓	✓	✓	
941.	<i>Rhopaloblaste singaporensis</i> (Becc.) Benth. & Hook.f.	<i>Drymophloeus singaporensis</i> (Becc.) Hook.f. <i>Ptychoraphis longiflora</i> Ridl. <i>Ptychoraphis singaporensis</i> (Becc.) Becc. <i>Ptychosperma singaporensis</i> Becc.	Magnoliophyta	Arecaceae	Critically endangered	✓		✓					
942.	<i>Rhynchospora corymbosa</i> (L.) Britton	<i>Calyptrostylis articulata</i> (Roxb.) Nees <i>Calyptrostylis asperula</i> Nees var. <i>minor</i> Nees <i>Calyptrostylis divergens</i> Nees <i>Calyptrostylis fascicularis</i> Nees <i>Calyptrostylis florida</i> (Rudge) Nees <i>Calyptrostylis gaudichaudii</i> Nees <i>Calyptrostylis rudgei</i> Nees <i>Cephaloschoenus articulatus</i> (Roxb.) Nees <i>Cephaloschoenus divergens</i> Nees <i>Chaetospora aurea</i> (Vahl) Kunth <i>Dichromena corymbosa</i> (L.) J.F.Macbr. <i>Rhynchospora articulata</i> (Roxb.) Schult.	Magnoliophyta	Cyperaceae	Common			✓		✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Rhynchospora aurea</i> Vahl <i>Rhynchospora aurea</i> Vahl f. <i>florida</i> (Rudge) Lindm. <i>Rhynchospora corymbifera</i> Nees <i>Rhynchospora corymbosa</i> (L.) Britton var. <i>angustirostris</i> (Barros) Guagl. <i>Rhynchospora corymbosa</i> (L.) Britton f. <i>angustirostris</i> Barros											
943.	<i>Rhynchosstylis gigantea</i> (Lindl.) Ridl.	<i>Anota gigantea</i> (Lindl.) Fukuy. <i>Gastrochilus giganteus</i> (Lindl.) Kuntze <i>Saccolabium giganteum</i> Lindl.	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
944.	<i>Ribesiodes garciniaefolium</i> (Miq.) Kuntze	<i>Embelia garciniaefolia</i> Miq.	Magnoliophyta	Myrsinaceae	Presumed nationally extinct					✓			
945.	<i>Ribesiodes lampani</i> (Scheff.) Kuntze	<i>Embelia lampanii</i> Scheff.	Magnoliophyta	Myrsinaceae	Common					✓			
946.	<i>Rinorea anguifera</i> (Lour.) Kuntze		Magnoliophyta	Violaceae	Critically endangered			✓					
947.	<i>Rothmannia macrophylla</i> (R.Br. ex Hook.f.) Bremek.	<i>Randia macrophylla</i> Hook.f.	Magnoliophyta	Rubiaceae	Vulnerable				✓	✓		✓	
948.	<i>Rourea acutipetala</i> Miq. subsp. <i>acutipetala</i>		Magnoliophyta	Connaraceae	Presumed nationally extinct							✓	
949.	<i>Rourea asplenifolia</i> (G.Schellenb.) Jongkind	<i>Roureopsis asplenifolia</i> G.Schellenb.	Magnoliophyta	Connaraceae	Critically endangered					✓			G&T
950.	<i>Rourea mimosoides</i> Planch.	<i>Cnestis mimosoides</i> (Vahl) Jack <i>Connarus mimosoides</i> Vahl	Magnoliophyta	Connaraceae	Endangered		✓		✓	✓	✓	✓	G&T

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
951.	<i>Rourea minor</i> (Gaertn.) Alston	<i>Aegiceras minus</i> Gaertn. <i>Cnestis acuminata</i> Wall. <i>Cnestis erecta</i> Blanco <i>Cnestis florida</i> Jack <i>Cnestis glabra</i> Blanco <i>Cnestis monadelpha</i> Roxb. <i>Connarus roxburghii</i> Hook. & Arn. <i>Connarus santaloides</i> Vahl <i>Rhizophora aegiceras</i> C.F.Gaertn. <i>Rourea afzelii</i> R.Br. ex Planch. <i>Rourea bamangensis</i> De Wild. <i>Rourea bipindensis</i> Gilg ex G.Schellenb. <i>Rourea erecta</i> Merr. <i>Rourea gudjuana</i> Gilg <i>Rourea millettii</i> Planch. <i>Rourea minor</i> (Gaertn.) Leenh. <i>Rourea platysepala</i> Baker <i>Rourea santaloides</i> (Vahl) Wight & Arn. <i>Rourea splendida</i> Gilg <i>Santalodes hermannianum</i> Kuntze <i>Santaloides afzelii</i> (R.Br. ex Planch.) G.Schellenb. <i>Santaloides erectum</i> (Blanco) G.Schellenb. <i>Santaloides floridum</i> (Jack) Kuntze <i>Santaloides gossweileri</i> Exell & Mendonça <i>Santaloides gudjuanum</i> (Gilg) G.Schellenb. <i>Santaloides minus</i> (Gaertn.) G.Schellenb. <i>Santaloides platysepalum</i> (Baker) G.Schellenb. <i>Santaloides roxburghii</i> (Hook. & Arn.) Kuntze <i>Santaloides splendidum</i> (Gilg) Schellenb. ex Engl. <i>Santaloides urophyllum</i> G.Schellenb.	Magnoliophyta	Connaraceae	Critically endangered								✓	
952.	<i>Rubus moluccanus</i> L.		Magnoliophyta	Rosaceae	Critically endangered			✓	✓					
953.	<i>Rubus moluccanus</i> L. var. <i>angulosus</i> Kalkman		Magnoliophyta	Rosaceae	Critically endangered								NIS	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
954.	<i>Rubus moluccanus</i> L. var. <i>glomeratus</i> Blume (Backer)	<i>Rubus glomeratus</i> Blume	Magnoliophyta	Rosaceae	Presumed nationally extinct					✓			
955.	<i>Ryparosa hullettii</i> King		Magnoliophyta	Achariaceae	Presumed nationally extinct				✓				
956.	<i>Salacca affinis</i> Griff.	<i>Salacca affinis</i> Griff. var. <i>borneensis</i> (Becc.) Furtado <i>Salacca borneensis</i> Becc. <i>Salacca dubia</i> Becc.	Magnoliophyta	Arecaceae	Critically endangered			✓					NIS
957.	<i>Salacia impressifolia</i> (Miers) A.C.Sm.	<i>Anthodon grandiflorum</i> Benth. <i>Raddia grandifolia</i> (Mart.) Miers <i>Raddia impressifolia</i> Miers <i>Salacia grandiflora</i> (Benth.) Peyr. <i>Salacia polyanthomaniaca</i> Barb.Rodr.	Magnoliophyta	Celastraceae	Critically endangered	✓		✓					
958.	<i>Salacia korthalsiana</i> Miq.		Magnoliophyta	Celastraceae	Critically endangered							✓	
959.	<i>Salacia maingayi</i> M.A.Lawson		Magnoliophyta	Celastraceae	Presumed nationally extinct								✓
960.	<i>Salacia miqueliana</i> Loes.	<i>Salacia costata</i> Miq. ex Pulle <i>Salacia macrophylla</i> Miq. <i>Salacia macrophylla</i> Blume <i>Thermophila macrophylla</i> (Blume) Miers	Magnoliophyta	Celastraceae	Vulnerable			✓	✓				
961.	<i>Salacia viminea</i> Wall. ex Laws.		Magnoliophyta	Celastraceae	Critically endangered				✓		✓		
962.	<i>Salomonina cantoniensis</i> Lour.	<i>Salomonina cantoniensis</i> Lour. var. <i>edentula</i> (DC.) C.Y.Wu	Magnoliophyta	Polygalaceae	Cryptogenic			✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
						A	B	C	D	E	F	G	H
		<i>Salomonina cantoniensis</i> Lour. var. <i>edentula</i> (DC.) Gagnep. <i>Salomonina edentula</i> DC.											
963.	<i>Salvinia adnata</i> Desv.	<i>Salvinia molesta</i> D.S.Mitch.	Filicinophyta	Salviniaceae	Exotic				✓				
964.	<i>Sandoricum beccarianum</i> Baill.		Magnoliophyta	Meliaceae	Critically endangered	✓	✓					✓	
965.	<i>Sandoricum koetjape</i> (Burm.f.) Merr.	<i>Azedarach edule</i> Noronha <i>Melia koetjape</i> Burm.f. <i>Sandoricum indicum</i> Cav. <i>Trichilia nervosa</i> Vahl <i>Trichilia venosa</i> Spreng.	Magnoliophyta	Meliaceae	Endangered				✓				
966.	<i>Santaloides filgens</i> (Planch.) Kuntze	<i>Rourea fulgens</i> Planch.	Magnoliophyta	Connaraceae	Vulnerable	✓			✓	✓	✓		
967.	<i>Santiria apiculata</i> A.W.Benn.	<i>Canarium parviflorum</i> Ridl.	Magnoliophyta	Burseraceae	Common					✓			
968.	<i>Santiria griffithii</i> Engl.		Magnoliophyta	Burseraceae	Common				✓				
969.	<i>Santiria laevigata</i> Blume	<i>Amoora roxburghiana</i> Korth. ex Blume <i>Canarium laevigatum</i> (Blume) Miq. <i>Canarium rufescens</i> (Blume) Miq.	Magnoliophyta	Burseraceae	Vulnerable				✓		✓		
970.	<i>Santiria rubiginosa</i> Blume	<i>Canarium planchonii</i> (Benn.) King <i>Canarium rubiginosum</i> (Blume) Miq.	Magnoliophyta	Burseraceae	Vulnerable	✓	✓		✓	✓		✓	
971.	<i>Santiria rugosa</i> Blume	<i>Hemisantiria rugosa</i> H.J.Lam	Magnoliophyta	Burseraceae	Critically endangered				✓				
972.	<i>Saraca thaipingensis</i> Cantley ex Prain	<i>Jonesia declinata</i> "sensu Binn., non Jack" <i>Saraca cauliflora</i> "sensu Prain, non Baker"	Magnoliophyta	Fabaceae	Exotic	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in							
						A	B	C	D	E	F	G	H
		<i>Saraca declinata</i> sensu auct.											
973.	<i>Sarcolobus globosus</i> Wall.		Magnoliophyta	Apocynaceae	Presumed nationally extinct			✓					
974.	<i>Sarcotheca griffithii</i> Hallier f.	<i>Connaropsis diversifolia</i> Kurz <i>Connaropsis griffithii</i> Planch. <i>Dapania griffithii</i> (Planch. ex Hook.f.) R.Knuth	Magnoliophyta	Oxalidaceae	Critically endangered	✓	✓						
975.	<i>Scaphium affine</i> (Mast.) Pierre	<i>Clompanus affinis</i> (Mast.) Kuntze <i>Firmiana affinis</i> (Mast.) A.Terracc. <i>Firmiana lychnophora</i> (Hance) K.Schum. <i>Scaphium beccarianum</i> Pierre <i>Scaphium lychnophorum</i> (Hance) Pierre <i>Sterculia affinis</i> Mast. <i>Sterculia beccariana</i> Pierre <i>Sterculia lychnophora</i> Hance	Magnoliophyta	Malvaceae	Critically endangered							✓	
976.	<i>Scaphium linearicarpum</i> (Mast.) Pierre	<i>Clompanus linearicarpa</i> (Mast.) Kuntze <i>Firmiana linearicarpa</i> (Mast.) A.Terracc. <i>Scaphium velutinosum</i> Kosterm. <i>Sterculia linearicarpa</i> Mast.	Magnoliophyta	Malvaceae	Critically endangered				✓				
977.	<i>Scaphium macropodum</i> (Miq.) Beumée ex K.Heyne	<i>Carpophyllum macropodum</i> Miq. <i>Firmiana borneensis</i> Merr. <i>Scaphium borneense</i> (Merr.) Kosterm. <i>Sterculia macropoda</i> (Miq.) Hook. ex Kloppenb.	Magnoliophyta	Malvaceae	Endangered	✓	✓		✓				
978.	<i>Schefflera hullettii</i> (King) R.Vig.	<i>Heptapleurum elegans</i> Ridl. <i>Heptapleurum hullettii</i> King <i>Heptapleurum scortechinii</i> King <i>Schefflera elegans</i> (Ridl.) Ridl. <i>Schefflera scortechinii</i> (King) R.Vig.	Magnoliophyta	Araliaceae	Critically endangered			✓	✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
979.	<i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi	<i>Alocasia neoguineensis</i> (Linden ex André) Sieber & Voss <i>Calla calyptrata</i> Roxb. <i>Colocasia humilis</i> Hassk. <i>Colocasia neoguineensis</i> Linden ex André <i>Homalomena calyptrata</i> (Roxb.) Kunth <i>Schismatoglottis acutangula</i> Engl. <i>Schismatoglottis angustifolia</i> Alderw. <i>Schismatoglottis bitaeniata</i> Engl. <i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi <i>f. minor</i> Engl. <i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi var. <i>ornata</i> Ridl. ex Engl. <i>Schismatoglottis calyptratoides</i> Alderw. <i>Schismatoglottis cordifolia</i> Ridl. <i>Schismatoglottis djamuensis</i> Engl. <i>Schismatoglottis dorensis</i> Gibbs <i>Schismatoglottis emarginata</i> Engl. <i>Schismatoglottis hellwigiana</i> Engl. <i>Schismatoglottis hellwigiana</i> Engl. var. <i>subcordata</i> Engl. <i>Schismatoglottis klossii</i> Ridl. <i>Schismatoglottis longipes</i> Miq. <i>Schismatoglottis maculata</i> Alderw. <i>Schismatoglottis muluensis</i> M.Hotta <i>Schismatoglottis neoguineensis</i> (Linden ex André) N.E.Br. <i>Schismatoglottis nieuwenhuisii</i> Engl. <i>Schismatoglottis parvifolia</i> Alderw. <i>Schismatoglottis picta</i> Schott <i>Schismatoglottis potamophila</i> Alderw. <i>Schismatoglottis pseudocalyptrata</i> Alderw. <i>Schismatoglottis riparia</i> Schott <i>Schismatoglottis ruttanii</i> Alderw. <i>Schismatoglottis subtaxiflora</i> Alderw. <i>Schismatoglottis tenuifolia</i> Engl.	Magnoliophyta	Araceae	Vulnerable				✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Schismatoglottis vanvuurenii</i> Alderw. <i>Schismatoglottis variegata</i> N.E.Br. <i>Zantedeschia calyptrata</i> (Roxb.) K.Koch											
980.	<i>Schismatoglottis wallichii</i> (Roxb.) Hook.f.	<i>Schismatoglottis conversa</i> Alderw. <i>Schismatoglottis longicuspis</i> Engl. <i>Schismatoglottis wallichii</i> (Roxb.) Hook.f. var. <i>fasciata</i> Ridl. <i>Schismatoglottis wallichii</i> (Roxb.) Hook.f. f. <i>oblongata</i> (Hook.f.) Engl. <i>Schismatoglottis wallichii</i> (Roxb.) Hook.f. var. <i>oblongata</i> Hook.f.	Magnoliophyta	Araceae	Vulnerable	✓		✓					
981.	<i>Schizaea digitata</i> (L.) Sm.	<i>Acrostichum digitatum</i> L. <i>Actinostachys boninensis</i> Nakai <i>Actinostachys digitata</i> (L.) Wall. ex J.Sm. <i>Actinostachys digitata</i> (L.) Wall. <i>Actinostachys digitata</i> (L.) Wall. ex J.Sm. var. <i>boninensis</i> (Nakai) Tagawa <i>Belvisia digitata</i> (L.) Mirb. <i>Schizaea boninensis</i> (Nakai) H.Ohba	Filicinophyta	Schizaeaceae	Endangered	✓			✓				
982.	<i>Schizostachyum jaculans</i> Holttum		Magnoliophyta	Poaceae	Exotic				✓				
983.	<i>Schradera membranacea</i> (King) Puff, R.Buchner & Greimler	<i>Lucinaea membranacea</i> King	Magnoliophyta	Rubiaceae	Critically endangered	✓			✓		✓	✓	
984.	<i>Scindapsus hederaceus</i> Schott	<i>Pothos hederaceus</i> Zoll. & Moritzi <i>Scindapsus inquinatus</i> Schott <i>Scindapsus poilanei</i> Gagnep. <i>Scindapsus pothoides</i> Miq.	Magnoliophyta	Araceae	Common	✓					✓	✓	
985.	<i>Scleria ciliaris</i> Nees	<i>Scleria bancana</i> Miq. <i>Scleria bancana</i> Miq. var. <i>nana</i> Ridl.	Magnoliophyta	Cyperaceae	Common					✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Scleria chinensis</i> Kunth <i>Scleria malaccensis</i> Boeckeler <i>Scleria scrobiculata</i> Moritzi											
986.	<i>Scleropyrum pentandrum</i> (Dennst.) Mabb.	<i>Antidesma parasiticum</i> Dillwyn <i>Bridelia horrida</i> Dillwyn <i>Heydia horrida</i> Dennst. <i>Myrobalanus indica</i> Buch.-Ham. ex Steud. <i>Pothos pentandrus</i> Dennst. <i>Pyrularia ceylanica</i> A.DC. <i>Pyrularia wallichiana</i> A.DC. <i>Scleropyrum wallichianum</i> Arn. <i>Terminalia horrida</i> Steud.	Magnoliophyta	Santalaceae	Critically endangered			✓					
987.	<i>Scorodocarpus borneensis</i> Becc.	<i>Ximenia borneensis</i> Baill.	Magnoliophyta	Olacaceae	Endangered			✓	✓	✓			
988.	<i>Selaginella argentea</i> (Wall.) Spring		Lycophyta	Selaginellaceae	Critically endangered			✓					
989.	<i>Selaginella ciliaris</i> (Retz.) Spring	<i>Lycopodium ciliare</i> Retz.	Lycophyta	Selaginellaceae	Common								✓
990.	<i>Setaria pumila</i> (Poir.) Roem. & Schult.	<i>Chaetochloa glauca</i> (L.) Scribn. var. <i>purpurea</i> Farw. <i>Chaetochloa lutescens</i> (Weigel) Stuntz var. <i>longispica</i> Honda <i>Oplismenus helvolus</i> (L.f.) P.Beauv. <i>Panicum flavescens</i> Moench <i>Panicum glaucum</i> L. var. <i>elongatum</i> Pers. <i>Panicum glaucum</i> L. var. <i>flavescens</i> Elliott <i>Panicum glaucum</i> L. var. <i>laevigatum</i> Torr. <i>Panicum glaucum</i> L. var. <i>pumilum</i> (Poir.) Asch. & Graebn. <i>Panicum helvolum</i> L.f. <i>Panicum holcoides</i> J.Jacq.	Magnoliophyta	Poaceae	Presumed nationally extinct			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Panicum imberbe</i> Poir. var. <i>pumilum</i> (Poir.) Nees											
		<i>Panicum lutescens</i> Weigel f. <i>pumilum</i> Poir.											
		<i>Panicum luteum</i> Gueldenst.											
		<i>Panicum pallidifusum</i> Schumach.											
		<i>Panicum pumilum</i> Poir.											
		<i>Panicum rubiginosum</i> Steud.											
		<i>Pennisetum helvolum</i> (L.f.) R.Br.											
		<i>Setaria aurea</i> Hochst. ex A.Braun var. <i>rubiginosa</i> (Steud.) Peter											
		<i>Setaria auricoma</i> Link ex A.Braun											
		<i>Setaria boninensis</i> Nakai											
		<i>Setaria breviglumis</i> St.-Lag.											
		<i>Setaria dasyura</i> Schlecht.											
		<i>Setaria erythraeae</i> Mattei											
		<i>Setaria glauca</i> (L.) P.Beauv. f. <i>abyssinica</i> Pilg.											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>breviseta</i> Buse											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>dura</i> (I.C.Chung) I.C.Chung											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>elongata</i> (Pers.) Raddi											
		<i>Setaria glauca</i> (L.) P.Beauv. subsp. <i>humifusa</i> Dumort.											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>ictura</i> Buse											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>longispica</i> (Honda) Makino & Nemoto											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>macrocarpa</i> Hook.f.											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>minutissima</i> F.M.Bailey											
		<i>Setaria glauca</i> (L.) P.Beauv. subsp. <i>pallidifusca</i> (Schumach.) B.K.Simon											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pallidifusca</i> (Schumach.) T.Koyama											
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pumila</i> (Poir.) Hegi											

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pumila</i> (Poir.) Podp. <i>Setaria glauca</i> (L.) P.Beauv. subsp. <i>subtesselata</i> Buse <i>Setaria helvola</i> (L.f.) Roem. & Schult. <i>Setaria laeta</i> de Wit <i>Setaria lutescens</i> (Weigel) F.T.Hubb. var. <i>dura</i> I.C.Chung <i>Setaria lutescens</i> (Weigel) F.T.Hubb. var. <i>longispica</i> (Honda) Honda <i>Setaria lutescens</i> (Weigel) F.T.Hubb. f. <i>pumila</i> (Poir.) Soó <i>Setaria pallidefusca</i> (Schumach.) Stapf & C.E.Hubb. <i>Setaria pallidefusca</i> (Schumach.) Stapf & C.E.Hubb. var. <i>breviseta</i> (Buse) Jansen <i>Setaria pallidefusca</i> (Schumach.) Stapf & C.E.Hubb. var. <i>ictura</i> (Buse) Jansen <i>Setaria pallidefusca</i> f. <i>penicillata</i> (Stapf & C.E.Hubb.) Stapf & C.E.Hubb. <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallide-fusca</i> (Schumach.) B.K. Simon <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallidifusca</i> (Schumach.) B.K.Simon <i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i> <i>Setaria rubiginosa</i> (Steud.) Miq. <i>Setaria rubiginosa</i> (Steud.) Miq. f. <i>penicillata</i> Stapf & C.E.Hubb. <i>Setaria sciuroidea</i> C.Muell. <i>Setaria ustilata</i> de Wit												
991.	<i>Shorea gratissima</i> (Wall. ex Kurz) Dyer		Magnoliophyta	Dipterocarpaceae	Critically endangered			✓						

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
992.	<i>Shorea leprosula</i> Miq.		Magnoliophyta	Dipterocarpaceae	Vulnerable							✓	
993.	<i>Shorea macroptera</i> Dyer subsp. <i>macroptera</i>		Magnoliophyta	Dipterocarpaceae	Vulnerable	✓	✓	✓	✓				
994.	<i>Shorea ovalis</i> Blume subsp. <i>ovalis</i>		Magnoliophyta	Dipterocarpaceae	Critically endangered	✓	✓						
995.	<i>Shorea parvifolia</i> Dyer	<i>Shorea scutulata</i> King	Magnoliophyta	Dipterocarpaceae	Endangered				✓				
996.	<i>Shorea pauciflora</i> King		Magnoliophyta	Dipterocarpaceae	Vulnerable		✓		✓		✓		
997.	<i>Shorea platycarpa</i> F.Heim	<i>Shorea palustris</i> Ridl.	Magnoliophyta	Dipterocarpaceae	Critically endangered	✓	✓		✓	✓	✓	✓	
998.	<i>Sida rhombifolia</i> L. subsp. <i>rhombifolia</i>		Magnoliophyta	Malvaceae	Cryptogenic			✓					
999.	<i>Sindora coriacea</i> Maingay ex Prain		Magnoliophyta	Fabaceae	Critically endangered		✓						
1000.	<i>Sindora echinocalyx</i> Prain	<i>Galedupa echinocalyx</i> Prain <i>Sindora fusca</i> Craib	Magnoliophyta	Fabaceae	Exotic				✓				
1001.	<i>Sindora velutina</i> Baker	<i>Galedupa velutina</i> Prain <i>Sindora mucronata</i> Pierre <i>Sindora parvifolia</i> Symington <i>Sindora parvifolia</i> B.Heyne	Magnoliophyta	Fabaceae	Presumed nationally extinct				✓				
1002.	<i>Smilax calophylla</i> Wall. ex A.DC.		Magnoliophyta	Smilacaceae	Endangered	✓		✓	✓	✓			
1003.	<i>Smilax leucophylla</i> Blume	<i>Smilax dulcis</i> Desf.	Magnoliophyta	Smilacaceae	Endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Smilax glycyphylla</i> Hassk. <i>Smilax latifolia</i> Blanco <i>Smilax leucophylla</i> Blume var. <i>retusa</i> (Blume) Kunth <i>Smilax retusa</i> Blume <i>Smilax vicaria</i> Kunth											
1004.	<i>Smilax megacarpa</i> A.DC.		Magnoliophyta	Smilacaceae	Presumed nationally extinct				✓				
1005.	<i>Smilax myosotiflora</i> A.DC.		Magnoliophyta	Smilacaceae	Vulnerable			✓	✓	✓			
1006.	<i>Smilax setosa</i> Miq.	<i>Smilax barbata</i> Wall. ex A.DC.	Magnoliophyta	Smilacaceae	Common	✓			✓	✓	✓	✓	
1007.	<i>Sonerila heterostemon</i> Naudin		Magnoliophyta	Melastomat-aceae	Critically endangered	✓							
1008.	<i>Sonerila moluccana</i> Roxb.		Magnoliophyta	Melastomat-aceae	Critically endangered				✓				
1009.	<i>Sonneratia ovata</i> Backer		Magnoliophyta	Lythraceae	Critically endangered			✓					
1010.	<i>Spatholobus ferrugineus</i> (Zoll. & Moritzi) Benth.		Magnoliophyta	Fabaceae	Common				✓		✓	✓	
1011.	<i>Spatholobus ridleyi</i> King	<i>Butea ridleyi</i> (King) Blatt.	Magnoliophyta	Fabaceae	Critically endangered	✓		✓			✓	✓	
1012.	<i>Spermacoce exilis</i> (L.O.Williams) C.D.Adams ex W.C.Burger & C.M.Taylor	<i>Borreria exilis</i> L.O.Williams <i>Borreria gracilis</i> L.O.Williams <i>Borreria setidens</i> (Miq.) Bold. <i>Borreria repens</i> DC. <i>Spermacoce mauritiana</i> Gideon <i>Spermacoce repens</i> (DC.) Fosberg & J.M.Powell	Magnoliophyta	Rubiaceae	Cryptogenic			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1013.	<i>Stachyphrynium latifolium</i> (Blume) K.Schum.	<i>Curcuma musacea</i> Wall. <i>Hitchenia musacea</i> Baker <i>Phrynium cylindricum</i> Ridl. <i>Phrynium griffithii</i> Baker <i>Phrynium latifolium</i> Blume <i>Phrynium spicatum</i> Griff. <i>Phyllodes laxifolia</i> (Blume) Kuntze <i>Stachyphrynium cylindricum</i> K.Schum. <i>Stachyphrynium griffithii</i> (Baker) K.Schum.	Magnoliophyta	Marantaceae	Endangered				✓				
1014.	<i>Staurogyne kingiana</i> C.B.Clarke		Magnoliophyta	Acanthaceae	Critically endangered				✓				
1015.	<i>Staurogyne setigera</i> (Nees) Kuntze	<i>Ebermaiera setigera</i> Nees <i>Ebermaiera trichocephala</i> Miq.	Magnoliophyta	Acanthaceae	Critically endangered	✓			✓				
1016.	<i>Stemonurus scorpioides</i> Becc.	<i>Urandra scorpioides</i> Pulle	Magnoliophyta	Stemonuraceae	Critically endangered	✓	✓	✓	✓				
1017.	<i>Stenochlaena palustris</i> (Burm.f.) Bedd.	<i>Acrostichum palustre</i> (Burm.f.) C.B.Clarke <i>Acrostichum scandens</i> (Sw.) Hook. <i>Lomaria scandens</i> (Sw.) Willd. <i>Lomariopsis palustris</i> (Burm.f.) Kuhn <i>Lomariopsis scandens</i> (Sw.) Mett. <i>Olfersia scandens</i> (Willd.) C.Presl <i>Onoclea scandens</i> Sw. <i>Polypodium palustre</i> Burm.f. <i>Pterisscandens</i> (Willd.) Roxb. <i>Stenochlaena scandens</i> J.Sm.	Filicinophyta	Blechnaceae	Common							✓	
1018.	<i>Stephania capitata</i> (Blume) Spreng.	<i>Clypea capitata</i> Blume	Magnoliophyta	Menispermaceae	Critically endangered	✓		✓	✓	✓	✓		
1019.	<i>Sterculia balanghas</i> L.	<i>Balanghas telabo</i> Raf. <i>Southwellia angustifolia</i> Wight <i>Southwellia balanghas</i> Spach	Magnoliophyta	Malvaceae	Exotic							✓	✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1020.	<i>Sterculia coccinea</i> Jack	<i>Clompanus coccinea</i> Kuntze <i>Clompanus hamiltonii</i> Kuntze <i>Southwellia coccinea</i> Voigt <i>Sterculia hamiltonii</i> (Kuntze) Adelb. <i>Sterculia lanceolata</i> Cav. var. <i>coccinea</i> (Jack) Phengklai	Magnoliophyta	Sterculiaceae	Critically endangered			✓	✓				
1021.	<i>Sterculia cordata</i> Blume	<i>Triplobus cordata</i> Raf.	Magnoliophyta	Sterculiaceae	Critically endangered	✓	✓					✓	
1022.	<i>Sterculia elongata</i> Ridl.		Magnoliophyta	Sterculiaceae	Presumed nationally extinct			✓					
1023.	<i>Sterculia gilva</i> Miq.		Magnoliophyta	Sterculiaceae	Critically endangered				✓				
1024.	<i>Sterculia lanceolata</i> Blume var. <i>coccinea</i> (Jack) C.Phengklai		Magnoliophyta	Malvaceae	Exotic							✓	
1025.	<i>Sterculia macrophylla</i> Vent.	<i>Clompanus macrophylla</i> Kuntze <i>Hildegardia macrophylla</i> Schott & Endl.	Magnoliophyta	Sterculiaceae	Critically endangered	✓	✓	✓	✓	✓		✓	
1026.	<i>Sterculia rubiginosa</i> Vent.	<i>Balanghas rubiginosa</i> Raf. <i>Clompanus rubiginosa</i> (Vent.) Kuntze	Magnoliophyta	Sterculiaceae	Vulnerable	✓	✓		✓				
1027.	<i>Stereospermum fimbriatum</i> (Wall. ex G.Don) DC.	<i>Bignonia fimbriata</i> Wall. ex G.Don <i>Stereospermum mekongense</i> Dop	Magnoliophyta	Bignoniaceae	Exotic							✓	
1028.	<i>Strychnos axillaris</i> Colebr.		Magnoliophyta	Loganiaceae	Critically endangered				✓		✓	✓	
1029.	<i>Strychnos ignatii</i> P.J.Bergius	<i>Ignatia amara</i> L.f. <i>Ignatiana philippinica</i> Lour. <i>Strychnos hainanensis</i> Merr. & Chun	Magnoliophyta	Loganiaceae	Vulnerable				✓		✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Strychnos ovalifolia</i> Wall. ex G.Don											
1030.	<i>Styrax benzoin</i> Dryand. var. <i>benzoin</i>		Magnoliophyta	Styracaceae	Critically endangered				✓	✓		✓	
1031.	<i>Symplocos barringtoniifolia</i> Brand		Magnoliophyta	Symplocaceae	Critically endangered				✓	✓			
1032.	<i>Symplocos fasciculata</i> Zoll.		Magnoliophyta	Symplocaceae	Vulnerable	✓	✓		✓		✓	✓	
1033.	<i>Symplocos odoratissima</i> (Blume) Choisy ex Zoll.	<i>Dicalix odoratissimus</i> Blume <i>Eugenioides odoratissimum</i> Kuntze	Magnoliophyta	Symplocaceae	Presumed nationally extinct				✓				
1034.	<i>Symplocos rubiginosa</i> Wall.	<i>Eugenioides rubiginosum</i> Kuntze <i>Lodhra rubiginosa</i> Miers	Magnoliophyta	Symplocaceae	Endangered				✓				
1035.	<i>Syngramma wallichii</i> Bedd.		Filicinophyta	Adiantaceae	Critically endangered				✓				
1036.	<i>Syrrhopodon confertus</i> Sande Lac.	<i>Leucophanella caespitosa</i> (Thwaites & Mitt.) M.Fleisch. <i>Syrrhopodon acutissimus</i> Dixon <i>Syrrhopodon albo-virens</i> E.B.Bartram <i>Syrrhopodon amoenus</i> Broth. <i>Syrrhopodon caespitosus</i> Thwaites & Mitt. <i>Syrrhopodon subconfertus</i> Broth. <i>Syrrhopodon subspiculosus</i> Müll.Hal. <i>Syrrhopodon subtheliphyllus</i> Müll.Hal.	Bryophyta	Calymperaceae	Common				✓				
1037.	<i>Syrrhopodon loreus</i> (Sande Lac.) W.D.Reese	<i>Calymperes angustatum</i> Broth. <i>Calymperes constrictum</i> Dixon <i>Calymperes cristatum</i> Hampe <i>Calymperes ebaloi</i> E.B.Bartram <i>Calymperes longifolium</i> Mitt. <i>Calymperes loreum</i> Sande Lac.	Bryophyta	Calymperaceae	Near threatened				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Calymperes setifolium</i> Hampe <i>Calymperes strictum</i> Müll.Hal. <i>Syrrhopodon calymperidioides</i> Broth. <i>Syrrhopodon longifolius</i> (Mitt.) Dixon <i>Syrrhopodon perlongifolius</i> W.Schultze-Motel <i>Syrrhopodon woropkensis</i> Zanten var. <i>longifolius</i> Zanten											
1038.	<i>Syzygium acuminatissimum</i> (Blume) DC.	<i>Acmena acuminatissima</i> (Blume) Merr. & L.M.Perry <i>Acmena dielsii</i> Merr. & L.M.Perry <i>Acmena laevifolia</i> (Ridl.) Merr. & L.M.Perry <i>Acmena polyantha</i> (K.Schum. & Lauterb.) Merr. & L.M.Perry <i>Eugenia acuminatissima</i> (Blume) Kurz <i>Eugenia attenuatifolia</i> Merr. <i>Eugenia cumingiana</i> Vidal <i>Eugenia cuspidato-obovata</i> Hayata <i>Eugenia eucaudata</i> Elmer ex Merr. <i>Eugenia gardneri</i> Fern.-Vill. <i>Eugenia laevifolia</i> Ridl. <i>Eugenia subdecurrens</i> (Miq.) Merr. & Chun <i>Jambosa acuminatissima</i> (Blume) Hassk. <i>Myrtus acuminatissima</i> Blume <i>Syzygium cumingianum</i> (Vidal) Gibbs <i>Syzygium cuspidato-obovatum</i> (Hayata) Mori <i>Syzygium subdecurrens</i> Miq. <i>Xenodendron polyanthum</i> K.Schum. & Lauterb.	Magnoliophyta	Myrtaceae	Endangered								✓
1039.	<i>Syzygium borneense</i> (Miq.) Miq.	<i>Eugenia borneensis</i> Miq. <i>Eugenia irregularis</i> Craib <i>Eugenia litseifolia</i> Merr. <i>Eugenia microcalyx</i> Duthie <i>Eugenia microcalyx</i> Duthie var. <i>obovata</i> King <i>Eugenia pseudosubtilis</i> King <i>Eugenia pseudosubtilis</i> King var. <i>platyphylla</i> King	Magnoliophyta	Myrtaceae	Common				✓			✓	✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Syzygium glaucescens</i> Miq. <i>Syzygium hackenbergii</i> Diels <i>Syzygium irregulare</i> (Craib) Merr. & L.M.Perry <i>Syzygium litseifolium</i> (Merr.) Merr. & L.M.Perry <i>Syzygium myrtillus</i> (Stapf) Merr. & L.M.Perry var. <i>borneense</i> (Miq.) Chantaran. & J.Parn.											
1040.	<i>Syzygium chloranthum</i> (Duthie) Merr. & L.M.Perry	<i>Eugenia chlorantha</i> Duthie	Magnoliophyta	Myrtaceae	Critically endangered	✓			✓			✓	
1041.	<i>Syzygium cinereum</i> (Kurz) Chantaran. & J.Parn.	<i>Eugenia cinerea</i> Kurz <i>Eugenia ixoroides</i> Elmer <i>Eugenia operculata</i> Roxb. var. <i>orientalis</i> Craib <i>Eugenia pseudosubtilis</i> King var. <i>subacuminata</i> King <i>Syzygium cinerascens</i> C.Presl <i>Syzygium cinereum</i> (Kurz) Wall. ex Merr. & L.M. Perry	Magnoliophyta	Myrtaceae	Critically endangered							✓	
1042.	<i>Syzygium claviflorum</i> (Roxb.) Wall. ex A.M.Cowan & Cowan	<i>Acmena claviflora</i> (Roxb.) Walp. <i>Acmena leptantha</i> Walp. <i>Acmenosperma claviflorum</i> (Roxb.) Kausel <i>Clavimyrthus claviflora</i> (Roxb.) Blume <i>Eugenia clavata</i> (Korth.) Merr. <i>Eugenia claviflora</i> Roxb. <i>Eugenia claviflora</i> Roxb. var. <i>excavata</i> King <i>Eugenia claviflora</i> Roxb. var. <i>glandulosa</i> King <i>Eugenia claviflora</i> Roxb. var. <i>leptantha</i> (Walp.) King <i>Eugenia claviflora</i> Roxb. var. <i>maingayi</i> (Duthie) King <i>Eugenia claviflora</i> Roxb. var. <i>montana</i> M.R.Hend. <i>Eugenia claviflora</i> Roxb. var. <i>riparia</i> M.R.Hend. <i>Eugenia fraseri</i> Ridl. <i>Eugenia leptalea</i> Craib <i>Eugenia leptantha</i> Wight	Magnoliophyta	Myrtaceae	Critically endangered							✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Eugenia maingayi</i> Duthie <i>Eugenia rhododendrifolia</i> Miq. <i>Eugenia rhododendrifolia</i> Miq var. <i>forma</i> Miq. <i>Eugenia ruminata</i> Koord. & Valetton <i>Eugenia viridifolia</i> Elmer <i>Jambosa borneensis</i> Miq. <i>Jambosa clavata</i> Korth. <i>Jambosa melanocarpa</i> Miq. <i>Syzygium clavatum</i> (Korth.) Merr. & L.M.Perry <i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. <i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>excavatum</i> (King) I.M.Turner <i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>glandulosum</i> (King) Chantaran. & J.Parn. <i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>maingayi</i> (Duthie) Chantaran. & J.Parn. <i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>montanum</i> (M.R.Hend.) I.M.Turner <i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>riparium</i> (M.R.Hend.) I.M.Turner <i>Syzygium fraseri</i> (Ridl.) Masam. <i>Syzygium leptanthum</i> (Walp.) Nied. <i>Syzygium</i> <i>rhododendrifolium</i> (Miq.) Masam. <i>Syzygium ruminatum</i> (Koord. & Valetton) Amshoff <i>Syzygium viridifolium</i> (Elmer) Merr. & L.M.Perry												
1043.	<i>Syzygium densiflorum</i> Wall. ex Wight & Arn.	<i>Eugenia arnottiana</i> Wight <i>Eugenia arnottiana</i> Wight var. <i>benthamiana</i> Wight ex Duthie <i>Syzygium arnottianum</i> (Wight) Walp. <i>Syzygium benthamianum</i> (Wight ex Duthie) Gamble	Magnoliophyta	Myrtaceae	Critically endangered				✓					
1044.	<i>Syzygium duthieanum</i> (King) Masam.	<i>Eugenia duthieana</i> King	Magnoliophyta	Myrtaceae	Critically endangered				✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
1045.	<i>Syzygium filiforme</i> Chantaran. & J.Parn.	<i>Eugenia clavimyrthus</i> (Korth.) Koord. & Valetton var. <i>minor</i> Koord. & Valetton <i>Eugenia filiformis</i> Wall. ex Duthie <i>Eugenia filiformis</i> Wall. ex Duthie var. <i>constricta</i> Kochummen <i>Eugenia filiformis</i> Wall. ex Duthie var. <i>clavimyrthus</i> (Koord. & Valetton) I.M.Turner <i>Eugenia filiformis</i> Wall. ex Duthie var. <i>constrictum</i> (Kochummen) I.M.Turner	Magnoliophyta	Myrtaceae	Endangered	✓					✓	✓	
1046.	<i>Syzygium flosculiferum</i> (M.R.Hend.) Sreek.	<i>Eugenia flosculifera</i> M.R.Hend.	Magnoliophyta	Myrtaceae	Presumed nationally extinct		✓						
1047.	<i>Syzygium foxworthianum</i> (Ridl.) Merr. & L.M.Perry	<i>Eugenia densiflora</i> (Blume) DC. var. <i>angustifolia</i> Ridl. <i>Eugenia foxworthiana</i> Ridl. <i>Eugenia foxworthyi</i> Ridl.	Magnoliophyta	Myrtaceae	Presumed nationally extinct					✓			
1048.	<i>Syzygium grande</i> (Wight) Walp.	<i>Eugenia cymosa</i> Roxb. <i>Eugenia grandis</i> Wight <i>Eugenia laosensis</i> Gagnep. <i>Eugenia laosensis</i> Gagnep. var. <i>quocensis</i> Gagnep. <i>Eugenia montana</i> Wight <i>Jambosa firma</i> Blume <i>Jambosa grandis</i> (Wight) Blume <i>Syzygium firmum</i> (Blume) Thwaites <i>Syzygium gadgilii</i> M.R.Almeida <i>Syzygium grande</i> (Wight) Walp. var. <i>parviflorum</i> Chantaran. & J.Parn. <i>Syzygium laosense</i> (Gagnep.) Merr. & L.M.Perry <i>Syzygium laosense</i> (Gagnep.) Merr. & L.M.Perry var. <i>quocense</i> (Gagnep.) H.T.Chang & R.H.Miao <i>Syzygium megalophyllum</i> Merr. & L.M.Perry <i>Syzygium montanum</i> Thwaites & Hook.f. <i>Syzygium tamilnadensis</i> Rathakr. & V.Chithra	Magnoliophyta	Myrtaceae	Common	✓			✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
						A	B	C	D	E	F	G	H
1049.	<i>Syzygium incarnatum</i> (Elmer) Merr. & L.M.Perry	<i>Eugenia cerina</i> M.R.Hend. <i>Eugenia cerina</i> M.R.Hend. var. <i>montana</i> M.R.Hend. <i>Eugenia cerina</i> M.R.Hend. var. <i>turbinata</i> M.R.Hend. <i>Eugenia incarnata</i> Elmer <i>Eugenia punctulata</i> King <i>Syzygium cerinum</i> (M.R.Hend.) I.M.Turner <i>Syzygium cerinum</i> (M.R.Hend.) I.M.Turner var. <i>montanum</i> (M.R.Hend.) I.M.Turner <i>Syzygium cerinum</i> (M.R.Hend.) I.M.Turner var. <i>turbinatum</i> (M.R.Hend.) I.M.Turner <i>Syzygium punctulatum</i> Wall.	Magnoliophyta	Myrtaceae	Endangered	✓	✓		✓		✓	✓	
1050.	<i>Syzygium kunstleri</i> (King) Bahadur & R.C.Gaur	<i>Eugenia albidiramea</i> Merr. <i>Eugenia kunstleri</i> King <i>Syzygium albidirameum</i> (Merr.) Merr. & L.M.Perry <i>Syzygium chrysanthum</i> Merr. & L.M.Perry <i>Syzygium stictophyllum</i> Merr. & L.M.Perry	Magnoliophyta	Myrtaceae	Presumed nationally extinct				✓				
1051.	<i>Syzygium leptostemon</i> (Korth.) Merr. & L.M.Perry	<i>Eugenia leptostemon</i> (Korth.) Miq. <i>Eugenia rotata</i> King ex Craib <i>Eugenia sandakanensis</i> Merr. <i>Eugenia subracemosa</i> Merr. <i>Eugenia urceolata</i> (Korth. ex Miq.) King <i>Jambosa leptostemon</i> Korth. <i>Jambosa urceolata</i> Korth. ex Miq. <i>Strongylocalyx leptostachyus</i> Blume ex Miq. <i>Strongylocalyx leptostemon</i> (Korth.) Blume <i>Syzygium sandakanense</i> (Merr.) Merr. & L.M.Perry <i>Syzygium subracemosum</i> (Merr.) Masam. <i>Syzygium urceolatum</i> (Korth. ex Miq.) Merr. & L.M.Perry	Magnoliophyta	Myrtaceae	Presumed nationally extinct	✓							
1052.	<i>Syzygium lineatum</i> (DC.) Merr. & L.M.Perry	<i>Clavimyrthus latifolia</i> Blume <i>Clavimyrthus lineata</i> (DC.) Blume	Magnoliophyta	Myrtaceae	Common				✓		✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
		<i>Clavimyrthus symphytocarpa</i> Blume <i>Eugenia lineata</i> (DC.) Duthie <i>Eugenia longicalyx</i> Ridl. <i>Eugenia longiflora</i> (C.Presl) Fern.-Vill. <i>Eugenia marivelesensis</i> Merr. <i>Eugenia miquelii</i> Elmer <i>Eugenia rubricaulis</i> (Miq.) Duthie <i>Eugenia teysmannii</i> (Miq.) Koord. & Valetton <i>Eugenia zippeliana</i> (Miq.) Koord. & Valetton <i>Jambosa latifolia</i> (Blume) Miq. <i>Jambosa lineata</i> DC. <i>Jambosa rubricaulis</i> Miq. <i>Jambosa symphytocarpa</i> (Blume) Korth. ex Miq. <i>Jambosa teysmannii</i> Miq. <i>Myrtus lineata</i> Blume <i>Syzygium longicalyx</i> (Ridl.) Masam. <i>Syzygium longiflorum</i> C.Presl <i>Syzygium teysmannii</i> (Miq.) Masam. <i>Syzygium zippelianum</i> Miq.											
1053.	<i>Syzygium maingayi</i> Chantaran. & J.Parn.	<i>Eugenia oblongifolia</i> Duthie <i>Eugenia oblongifolia</i> Duthie var. <i>parviflora</i> King	Magnoliophyta	Myrtaceae	Critically Endangered	✓							✓
1054.	<i>Syzygium malaccense</i> (L.) Merr. & L.M.Perry	<i>Caryophyllus malaccensis</i> (L.) Stokes <i>Eugenia domestica</i> Baill. <i>Eugenia macrophylla</i> Lam. <i>Eugenia malaccensis</i> L. <i>Eugenia pseudomalaccensis</i> Linden <i>Eugenia purpurascens</i> Baill. <i>Eugenia purpurea</i> Roxb. <i>Jambosa domestica</i> DC. <i>Jambosa domestica</i> Blume <i>Jambosa macrophylla</i> (Lam.) DC. <i>Jambosa malaccensis</i> (L.) DC. <i>Jambosa purpurascens</i> DC. <i>Jambosa purpurea</i> (Roxb.) Wight & Arn.	Magnoliophyta	Myrtaceae	Exotic				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Myrtus macrophylla</i> (Lam.) Spreng. <i>Myrtus malaccensis</i> (L.) Spreng.											
1055.	<i>Syzygium muelleri</i> (Miq.) Miq.	<i>Eugenia muelleri</i> Miq. <i>Eugenia sarawacensis</i> Merr. <i>Eugenia venulosa</i> Duthie <i>Eugenia venulosa</i> Duthie var. <i>macrothyrsa</i> King <i>Eugenia viburnifolia</i> Ridl. <i>Myrtus obovata</i> Korth. ex Miq. <i>Syzygium furcatum</i> Blume ex Miq. <i>Syzygium obovatum</i> Korth. <i>Syzygium sarawacense</i> (Merr.) Merr. & L.M.Perry <i>Syzygium viburnifolium</i> (Ridl.) Masam.	Magnoliophyta	Myrtaceae	Critically endangered				✓				
1056.	<i>Syzygium nemestrinum</i> (M.R.Hend.) I.M.Turner	<i>Eugenia nemestrina</i> M.R.Hend.	Magnoliophyta	Myrtaceae	Endangered						✓	✓	
1057.	<i>Syzygium nigricans</i> (King) Merr. & L.M.Perry	<i>Eugenia nigricans</i> King	Magnoliophyta	Myrtaceae	Endangered		✓						
1058.	<i>Syzygium pachyphyllum</i> (Kurz) Merr. & L.M.Perry	<i>Eugenia pachyphylla</i> Kurz	Magnoliophyta	Myrtaceae	Critically endangered							✓	
1059.	<i>Syzygium palembanicum</i> Miq.	<i>Eugenia kuchingensis</i> Merr. <i>Eugenia lepidocarpa</i> Wall. ex Kurz <i>Eugenia palembanica</i> (Miq.) Merr. <i>Eugenia selangorensis</i> Ridl. <i>Syzygium kuchingense</i> (Merr.) Merr. & L.M.Perry	Magnoliophyta	Myrtaceae	Vulnerable						✓	✓	
1060.	<i>Syzygium papillosum</i> (Duthie) Merr. & L.M.Perry	<i>Eugenia papillosa</i> Duthie	Magnoliophyta	Myrtaceae	Endangered	✓	✓						
1061.	<i>Syzygium polyanthum</i> (Wight) Walp. var. <i>polyanthum</i>	<i>Eugenia polyantha</i> Wight	Magnoliophyta	Myrtaceae	Vulnerable	✓			✓	✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1062.	<i>Syzygium praineanum</i> (King) Chantaran. & J.Parn.	<i>Eugenia praineana</i> King	Magnoliophyta	Myrtaceae	Critically endangered							✓	
1063.	<i>Syzygium pseudoformosum</i> (King) Merr. & L.M.Perry	<i>Eugenia nemoricola</i> Ridl. <i>Eugenia pseudoformosa</i> King	Magnoliophyta	Myrtaceae	Critically endangered				✓	✓		✓	
1064.	<i>Syzygium pustulatum</i> (Duthie) Merr.	<i>Eugenia perpuncticulata</i> Merr. <i>Eugenia pustulata</i> Duthie <i>Syzygium perpuncticulatum</i> (Merr.) Merr. & L.M.Perry	Magnoliophyta	Myrtaceae	Critically endangered	✓			✓				
1065.	<i>Syzygium pycnanthum</i> Merr. & L.M.Perry	<i>Eugenia corymbosa</i> Roxb. <i>Eugenia densiflora</i> (Blume) DC. <i>Jambosa densiflora</i> (Blume) DC. <i>Myrtus densiflora</i> Blume	Magnoliophyta	Myrtaceae	Critically endangered					✓			
1066.	<i>Syzygium pyrifolium</i> (Blume) DC.	<i>Calyptanthus pyrifolia</i> Blume <i>Eugenia javensis</i> Koord. & Valeton <i>Eugenia pyrifolia</i> (Blume) Duthie <i>Eugenia salaccensis</i> Koord. & Valeton <i>Eugenia striata</i> Koord. & Valeton <i>Eugenia tumida</i> Duthie <i>Syzygium truncatum</i> Miq.	Magnoliophyta	Myrtaceae	Critically endangered				✓				
1067.	<i>Syzygium ridleyi</i> (King) Chantaran. & J.Parn.	<i>Eugenia ridleyi</i> King	Magnoliophyta	Myrtaceae	Endangered	✓			✓	✓	✓		
1068.	<i>Syzygium rugosum</i> Korth.	<i>Eugenia motleyi</i> Ridl. <i>Eugenia rugosa</i> (Korth.) Merr. <i>Eugenia rugosa</i> (Korth.) Merr. var. <i>cordata</i> M.R.Hend. <i>Eugenia rugosa</i> (Korth.) Merr. var. <i>saxitana</i> (Ridl.) M.R.Hend. <i>Eugenia saxitana</i> Ridl. <i>Syzygium johorensense</i> Masam. <i>Syzygium motleyi</i> (Ridl.) Masam.	Magnoliophyta	Myrtaceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Syzygium rugosum</i> Korth.var. <i>cordatum</i> (M.R.Hend.) I.M.Turner											
1069.	<i>Syzygium scortechinii</i> (King) Chantaran. & J.Parn. var. <i>scortechinii</i>		Magnoliophyta	Myrtaceae	Presumed nationally extinct				✓				
1070.	<i>Syzygium singaporense</i> (King) Airy Shaw	<i>Aphanomyrtus rostrata</i> Miq. <i>Myrtus caudata</i> Wall. <i>Pseudoeugenia singaporensis</i> King	Magnoliophyta	Myrtaceae	Critically endangered			✓	✓	✓		✓	
1071.	<i>Syzygium subdecussatum</i> (Wall. ex Duthie) I.M.Turner var. <i>subdecussatum</i>		Magnoliophyta	Myrtaceae	Critically endangered				✓				
1072.	<i>Syzygium zeylanicum</i> (L.) DC.	<i>Acmena parviflora</i> DC. <i>Acmena zeylanica</i> (L.) Thwaites <i>Calyptranthes malabarica</i> Dennst. <i>Caryophyllus rugosus</i> Blume ex Miq. <i>Eugenia egensis</i> DC.var. <i>tenuiramis</i> (Miq.) O.Berg <i>Eugenia glandulifera</i> Roxb. <i>Eugenia goudotiana</i> H.Perrier <i>Eugenia linearis</i> Duthie <i>Eugenia longicauda</i> Ridl. <i>Eugenia macrorhyncha</i> Miq. <i>Eugenia spicata</i> Lam. <i>Eugenia spicata</i> Lam. var. <i>cordata</i> Kochummen <i>Eugenia tenuiramis</i> Miq. <i>Eugenia varians</i> Miq. <i>Eugenia zeylanica</i> (L.) Wight <i>Jambosa bracteata</i> Miq. <i>Jambosa glandulifera</i> (Roxb.) Miq. <i>Jambosa koenigii</i> Blume <i>Myrtus zeylanica</i> L. <i>Syzygium bellutta</i> DC.	Magnoliophyta	Myrtaceae	Common			✓		✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Syzygium coarctatum</i> Blume ex Miq. <i>Syzygium lineare</i> Wall. <i>Syzygium myrtifolium</i> Miq. <i>Syzygium spicatum</i> (Lam.) DC. <i>Syzygium zeylanicum</i> (L.) DC. var. <i>ellipticum</i> A.N.Henry, Chandrab. & N.C.Nair <i>Syzygium zeylanicum</i> (L.) DC. var. <i>lineare</i> Alston <i>Syzygium zeylanicum</i> (L.) DC. var. <i>magamalayanum</i> K.Ravik. & V.Lakshm.												
1073.	<i>Tabernaemontana corymbosa</i> Roxb. ex Wall.	<i>Ervatamia baviensis</i> (Pit.) Pichon <i>Ervatamia chinensis</i> (Merr.) Tsiang <i>Ervatamia continentalis</i> Tsiang <i>Ervatamia continentalis</i> Tsiang var. <i>pubiflora</i> Tsiang <i>Ervatamia corymbosa</i> (Roxb. ex Wall.) King & Gamble <i>Ervatamia corymbosa</i> (Roxb. ex Wall.) King & Gamble var. <i>pubescens</i> King & Gamble <i>Ervatamia hirta</i> (Hook.f.) King & Gamble <i>Ervatamia inaequalifolia</i> (Lütjeh. & Ooststr.) Pichon <i>Ervatamia jasminiflora</i> Ridl. <i>Ervatamia kwangsiensis</i> Tsiang <i>Ervatamia kweichowensis</i> Tsiang <i>Ervatamia lamdongensis</i> Lý <i>Ervatamia laotica</i> (Pit.) Pichon <i>Ervatamia pauciflora</i> Ridl. <i>Ervatamia pauciflora</i> Ridl. var. <i>minor</i> Ridl. <i>Ervatamia phuongii</i> Lý <i>Ervatamia tenuiflora</i> Tsiang <i>Ervatamia yunnanensis</i> Tsiang <i>Ervatamia yunnanensis</i> Tsiang var. <i>heterosepala</i> Tsiang <i>Pagiantha corymbosa</i> (Roxb. ex Wall.) Markgr. <i>Pagiantha peninsularis</i> Kerr	Magnoliophyta	Apocynaceae	Endangered			✓						✓
		See Corrigenda of 13 May 2013 .												

See [Corrigenda of 13 May 2013](#).

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Pseudixora sumatrana</i> Miq. <i>Randia sumatrana</i> (Miq.) Miq. <i>Tabernaemontana baviensis</i> Pit. <i>Tabernaemontana carinata</i> Lütjeh. & Ooststr. <i>Tabernaemontana chinensis</i> Merr. <i>Tabernaemontana continentalis</i> (Tsiang) P.T.Li <i>Tabernaemontana cymulosa</i> Miq. <i>Tabernaemontana hirta</i> Hook.f. <i>Tabernaemontana inaequalifolia</i> Lütjeh. & Ooststr. <i>Tabernaemontana kwangsiensis</i> (Tsiang) P.T.Li <i>Tabernaemontana kweichowensis</i> (Tsiang) P.T.Li <i>Tabernaemontana laotica</i> Pit. <i>Tabernaemontana peninsularis</i> (Kerr) P.T.Li <i>Tabernaemontana pubituba</i> Merr. <i>Tabernaemontana sumatrana</i> (Miq.) Hallier f. <i>Tabernaemontana sumatrana</i> Merr. <i>Tabernaemontana tsiangiana</i> P.T.Li <i>Tabernaemontana yunnanensis</i> (Tsiang) P.T.Li											
		See Corrigenda of 13 May 2013. <i>Tabernaemontana yunnanensis</i> (Tsiang) P.T.Li var. <i>heterosepala</i> (Tsiang) P.T.Li											
1074.	<i>Tabernaemontana pauciflora</i> Blume	<i>Ervatamia blumeana</i> Markgr. <i>Ervatamia blumeana</i> Markgr. var. <i>macropetala</i> Bakh.f. <i>Ervatamia calycina</i> (Wall.) Lace <i>Ervatamia dinhensis</i> (Pit.) Pichon <i>Ervatamia harmandiana</i> (Pierre ex Pit.) Kerr <i>Ervatamia malaccensis</i> (Hook.f.) King & Gamble <i>Ervatamia membranifolia</i> (Kurz) Lace <i>Ervatamia polysperma</i> (Merr.) Pichon <i>Ervatamia sralensis</i> (Pierre ex Pit.) Kerr <i>Tabernaemontana calycina</i> Wall. <i>Tabernaemontana dinhensis</i> Pit. <i>Tabernaemontana harmandiana</i> Pierre ex Pit. <i>Tabernaemontana malaccensis</i> Hook.f. <i>Tabernaemontana membranifolia</i> Kurz	Magnoliophyta	Apocynaceae	Vulnerable								✓

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Tabernaemontana polysperma</i> Merr. <i>Tabernaemontana rhynchophylla</i> Miq. <i>Tabernaemontana sralensis</i> Pierre ex Pit.											
1075.	<i>Tacca integrifolia</i> Ker Gawl.	<i>Ataccia aspera</i> (Roxb.) Kunth <i>Ataccia cristata</i> (Jack) Kunth <i>Ataccia integrifolia</i> (Ker Gawl.) C.Presl <i>Ataccia laevis</i> (Roxb.) Kunth <i>Ataccia lancifolia</i> (Zoll. & Moritzi) Kunth <i>Tacca aspera</i> Roxb. <i>Tacca choudhuriana</i> Deb <i>Tacca cristata</i> Jack <i>Tacca laevis</i> Roxb. <i>Tacca lancifolia</i> Zoll. & Moritzi <i>Tacca rafflesiana</i> Jack ex Wall. <i>Tacca sumatrana</i> H.Limpr.	Magnoliophyta	Dioscoreaceae	Vulnerable			✓	✓	✓		✓	
1076.	<i>Taeniophyllum pusillum</i> (Willd.) Seidenf. & Ormerod	<i>Chiloschista pusilla</i> (Willd.) Schltr. <i>Epidendrum pusillum</i> J.König <i>Limodorum pusillum</i> Willd. <i>Oeceoclades retzii</i> Lindl. <i>Taeniophyllum obtusum</i> Blume <i>Taeniophyllum serrula</i> Hook.f. <i>Taeniophyllum vietnamense</i> Tixier & Guillaumin <i>Taeniophyllum zollingeri</i> Rchb.f.	Magnoliophyta	Orchidaceae	Critically endangered			✓					
1077.	<i>Taenitis blechnoides</i> (Willd.) Sw.	<i>Pteris blechnoides</i> Willd.	Filicinophyta	Pteridaceae	Common								✓
1078.	<i>Tarenna mollis</i> (Wall. ex Hook.f.) B.L.Rob.	<i>Rondeletia mollis</i> Wall. <i>Stylocoryna mollis</i> (Wall. ex Hook.f.) Wall. ex King & Gamble <i>Webera mollis</i> Wall. ex Hook.f.	Magnoliophyta	Rubiaceae	Critically endangered				✓				
1079.	<i>Tarenna odorata</i> (Roxb.) B.L.Rob.	<i>Coptosapelta macrophylla</i> (Roxb.) K.Schum. <i>Cupia macrophylla</i> (Roxb.) DC.	Magnoliophyta	Rubiaceae	Critically endangered	✓			✓	✓		✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Cupia odorata</i> (Roxb.) DC. <i>Pavetta cerberifolia</i> Miq. <i>Pavetta weberifolia</i> R.Br. ex G.Don <i>Stylocoryna odorata</i> (Roxb.) Steud. <i>Stylocoryna penangensis</i> Miq. <i>Stylocoryna roxburghii</i> Steud. <i>Tarenna grandifolia</i> (Hook.f.) Ridl. <i>Webera grandifolia</i> Hook.f. <i>Webera macrophylla</i> Roxb. <i>Webera odorata</i> Roxb.											
1080.	<i>Tarenna ridleyi</i> (Pears. ex King) Ridl.	<i>Webera ridleyi</i> H.Pearson ex King & Gamble	Magnoliophyta	Rubiaceae	Presumed nationally extinct			✓					
1081.	<i>Tectaria barberi</i> (Hook.) Copel.	<i>Dictyopteris barberi</i> (Hook.) Bedd. <i>Polypodium barberi</i> Hook.	Filicinophyta	Dryopteridaceae	Common	✓			✓				
1082.	<i>Tectaria singaporiana</i> (Wall. ex Hook. & Grev.) Ching	<i>Podopeltis singaporiana</i> (Wall. ex Hook. & Grev.) Fée <i>Tectaria singaporeana</i> (Wall. ex Hook. & Grev.) Copel.	Filicinophyta	Dryopteridaceae	Common	✓							
1083.	<i>Teratophyllum aculeatum</i> (Blume) Mett.	<i>Lomaria aculeata</i> Blume <i>Stenochlaena aculeata</i> (Blume) Kunze	Filicinophyta	Lomariopsidaceae	Critically endangered	✓							
1084.	<i>Teratophyllum ludens</i> (Fée) Holttum	<i>Lomaria ludens</i> Fée	Filicinophyta	Lomariopsidaceae	Critically endangered								✓
1085.	<i>Terminalia phellocarpa</i> King		Magnoliophyta	Combretaceae	Critically endangered			✓					
1086.	<i>Ternstroemia corneri</i> H.Keng		Magnoliophyta	Pentaphylacaceae	Critically endangered				✓		✓		

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1087.	<i>Tetracera akara</i> (Burm.f) Merr.		Magnoliophyta	Dilleniaceae	Vulnerable						✓	✓	
1088.	<i>Tetracera arborescens</i> Jack		Magnoliophyta	Dilleniaceae	Endangered				✓				
1089.	<i>Tetracera fagifolia</i> Blume		Magnoliophyta	Dilleniaceae	Vulnerable						✓		
1090.	<i>Tetracera fagifolia</i> Blume var. <i>borneensis</i> (Miq.) Hoogl.		Magnoliophyta	Dilleniaceae	Vulnerable				✓				
1091.	<i>Tetracera indica</i> (Christm. & Panz.) Merr.		Magnoliophyta	Dilleniaceae	Common	✓							
1092.	<i>Tetracera macrophylla</i> Wall. ex Hook.f. & Thomson		Magnoliophyta	Dilleniaceae	Vulnerable				✓		✓	✓	
1093.	<i>Tetracera maingayi</i> Hoogland	<i>Delima laevis</i> Maingay ex King	Magnoliophyta	Dilleniaceae	Critically endangered						✓		
1094.	<i>Tetracera scandens</i> (L.) Merr.	<i>Tragia scandens</i> L.	Magnoliophyta	Dilleniaceae	Critically endangered							✓	
1095.	<i>Tetrastigma lawsoni</i> (King) Burk.		Magnoliophyta	Vitaceae	Critically endangered					✓			
1096.	<i>Tetrastigma leucostaphylum</i> (Dennst.) Balakrishnan	<i>Cissus leucostaphyla</i> Dennst. <i>Tetrastigma leucostaphylum</i> (Dennst.) Alston <i>Vitis leucostaphylum</i> (Dennst.) B.D. Jacks.	Magnoliophyta	Vitaceae	Critically endangered				✓	✓	✓	✓	
1097.	<i>Thottea grandiflora</i> Rottb.		Magnoliophyta	Aristolochiaceae	Vulnerable			✓	✓	✓			
1098.	<i>Thrixspermum trichoglottis</i> (Hook.f.) Kuntze	<i>Dendrocolla alba</i> Ridl. <i>Dendrocolla trichoglottis</i> (Hook.f.) Ridl.	Magnoliophyta	Orchidaceae	Critically endangered	✓							

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Sarcochilus trichoglottis</i> Hook.f. <i>Thrixspermum album</i> (Ridl.) Schltr. <i>Thrixspermum album</i> (Ridl.) Carr											
1099.	<i>Thysananthus spathulistipus</i> (Reinw.) Lindenb.	<i>Thysananthus aculeatus</i> Herzog <i>Thysananthus monoicus</i> Stephani	Marchantio-phyta	Lejeuneaceae	Data deficient			✓					
1100.	<i>Timonius finlaysonianus</i> (Wall. ex G.Don) Hook.f.	<i>Guettarda finlaysoniana</i> Wall. ex G.Don <i>Polyphragmon compressicaule</i> Miq. <i>Polyphragmon compressicaule</i> Miq. var. <i>floribunda</i> Miq. <i>Timonius compressicaulis</i> (Miq.) Boerl. <i>Timonius jambosella</i> Thwaites var. <i>finlaysoniana</i> (Wall. ex G.Don) King & Gamble	Magnoliophyta	Rubiaceae	Critically endangered				✓				
1101.	<i>Timonius flavescens</i> (Jack) Baker	<i>Antirhea borneensis</i> Valetton <i>Bobea glabra</i> (Wight & Arn.) Korth. <i>Bobea inaequisepala</i> Miq. <i>Bobea mutabilis</i> Korth. <i>Bobea sericantha</i> Miq. <i>Bobea sericantha</i> Miq. f. <i>glabrior</i> Miq. <i>Eupyrena glabra</i> Wight & Arn. <i>Guettarda brunonis</i> Wall. ex G.Don <i>Guettarda missionis</i> Wall. ex G.Don <i>Guettarda peduncularis</i> Wall. ex G.Don <i>Guettarda pervilleana</i> Baill. <i>Helospora flavescens</i> Jacq. <i>Polyphragmon flavescens</i> (Jacq.) Kurz <i>Polyphragmon flavescens</i> (Jacq.) Kurz var. <i>macrocarpum</i> Kurz <i>Polyphragmon mutabile</i> (Korth.) Miq. <i>Polyphragmon sericanthum</i> (Miq.) Miq. <i>Timonius jambosella</i> Thwaites <i>Timonius koenigii</i> Blume ex Korth. <i>Timonius mutabilis</i> (Korth.) Walp.	Magnoliophyta	Rubiaceae	Critically endangered				✓	✓		✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Timonius peduncularis</i> Ridl. <i>Timonius sechellensis</i> Summerh. <i>Timonius sericanthus</i> (Miq.) Boerl. <i>Timonius sericanthus</i> (Miq.) Boerl. var. <i>inaequisepalus</i> (Miq.) Boerl.											
1102.	<i>Timonius wallichianus</i> (Korth.) Valetton	<i>Bobea wallichiana</i> Korth. <i>Gardenia trichoclada</i> Miq. <i>Timonius rumphii</i> DC.	Magnoliophyta	Rubiaceae	Common	✓	✓		✓	✓	✓	✓	
1103.	<i>Tinomiscium petiolare</i> Miers ex Hook.f. & Thomson	<i>Tinomiscium tonkinense</i> Gagnep.	Magnoliophyta	Menispermaceae	Endangered						✓	✓	
1104.	<i>Tinospora crispa</i> (L.) Hook.f. & Thomson	<i>Menispermum crispum</i> L. <i>Tinospora gibbericaulis</i> Hand.-Mazz. <i>Tinospora mastersii</i> Diels <i>Tinospora rumphii</i> Boerl. <i>Tinospora thorelii</i> Gagnep.	Magnoliophyta	Menispermaceae	Exotic							✓	
1105.	<i>Tinospora macrocarpa</i> Diels		Magnoliophyta	Menispermaceae	Critically endangered	✓						✓	
1106.	<i>Toxocarpus griffithii</i> Decne.		Magnoliophyta	Apocynaceae	Presumed nationally extinct				✓				
1107.	<i>Trema cannabina</i> Lour.		Magnoliophyta	Cannabaceae	Common			✓	✓				
1108.	<i>Trema tomentosa</i> (Roxb.) H.Hara	<i>Sponia amboinensis</i> (Willd.) Decne. <i>Sponia tomentosa</i> (Roxb.) Planch. <i>Sponia velutina</i> Planch. <i>Trema dunniana</i> H.Lév. <i>Trema velutina</i> (Planch.) Blume	Magnoliophyta	Cannabaceae	Common				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A B C D E F G H							
						A	B	C	D	E	F	G	H
1109.	<i>Triadica cochinchinensis</i> Lour.	<i>Excoecaria discolor</i> (Champ. ex Benth.) Müll.Arg. <i>Excoecaria lanceolaria</i> (Miq.) Müll.Arg. <i>Excoecaria loureiroana</i> Müll.Arg. <i>Sapium cochinchinense</i> (Lour.) Gagnep. <i>Sapium cochinchinense</i> (Lour.) Pax & K. Hoffm. <i>Sapium discolor</i> (Champ. ex Benth.) Müll.Arg. <i>Sapium discolor</i> (Champ. ex Benth.) Müll.Arg. var. <i>wenhsienensis</i> S.B.Ho <i>Sapium eugeniifolium</i> Buch.-Ham. ex Hook.f. <i>Sapium hookeri</i> Hook.f. <i>Sapium laui</i> Croizat <i>Shirakia cochinchinensis</i> (Lour.) Hurus. <i>Stillingia cochinchinensis</i> (Lour.) Baill. <i>Stillingia discolor</i> Champ. ex Benth. <i>Stillingia lanceolaria</i> Miq.	Magnoliophyta	Euphorbiaceae	Common				✓				
1110.	<i>Trichiogramme alismifolia</i> (C.Presl) Kuhn	<i>Diplazium alismifolium</i> C.Presl <i>Gymnogramme wallichii</i> Hk. <i>Syngramma alismifolia</i> (C.Presl) J.Sm.	Filicinophyta	Adiantaceae	Endangered	✓	✓					✓	
1111.	<i>Trichocolea pluma</i> Dumort.		Marchantio-phyta	Trichocoleaceae	Data deficient				✓				
1112.	<i>Trichomanes christii</i> Copel.		Filicinophyta	Hymenophyllaceae	Critically endangered	✓		✓					
1113.	<i>Trichosanthes celebica</i> Cogn.	<i>Anguina celebica</i> (Cogn.) Kuntze	Magnoliophyta	Cucurbitaceae	Vulnerable	✓					✓		
1114.	<i>Trichosanthes elmeri</i> Merr.		Magnoliophyta	Cucurbitaceae	Critically endangered				✓		✓		Gdn
1115.	<i>Trichosanthes wawraei</i> Cogn.	<i>Anguina wawraei</i> (Cogn.) Kuntze	Magnoliophyta	Cucurbitaceae	Vulnerable				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1116.	<i>Trichotosia velutina</i> (Lodd. ex Lindl.) Kraenzl. See Corrigenda of 13 May 2013 .	<i>Dendrobium sessile</i> Gagnep. <i>Eria monticola</i> Hook.f. var. <i>hirsuta</i> Hook.f. <i>Eria velutina</i> Lodd. ex Lindl. <i>Pinalia velutina</i> (Lodd. ex Lindl.) Kuntze	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
1117.	<i>Trigonopleura malayana</i> Hook.f.	<i>Trigonopleura borneensis</i> Merr.	Magnoliophyta	Euphorbiaceae	Critically endangered							✓	✓
1118.	<i>Trigonostemon heteranthus</i> Baill.		Magnoliophyta	Euphorbiaceae	Critically endangered			✓	✓				
1119.	<i>Triomma malaccensis</i> Hook.f.	<i>Arytera macrocarpa</i> Miq. <i>Canarium mahassan</i> Miq. <i>Triomma macrocarpa</i> Backer ex K.Heyne	Magnoliophyta	Burseraceae	Endangered	✓	✓						
1120.	<i>Tristaniopsis merguensis</i> (Griff.) Peter G.Wilson & J.T.Waterh.	<i>Tristania merguensis</i> Griff.	Magnoliophyta	Myrtaceae	Endangered	✓	✓						
1121.	<i>Tristaniopsis obovata</i> (R.Br.) Peter G.Wilson & J.T.Waterh.	<i>Tristania obovata</i> Benn. <i>Tristania spathulata</i> Ridl.	Magnoliophyta	Myrtaceae	Critically endangered				✓				
1122.	<i>Trivalvaria macrophylla</i> (Blume) Miq.	<i>Guatteria macrophylla</i> Blume <i>Polyalthia macrophylla</i> (Blume) Hook.f. & Thomson	Magnoliophyta	Annonaceae	Presumed nationally extinct			✓					
1123.	<i>Turpinia sphaerocarpa</i> Hassk.		Magnoliophyta	Staphyleaceae	Critically endangered			✓					
1124.	<i>Uncaria canescens</i> Korth. See Corrigenda of 13 May 2013 .	<i>Nauclea canescens</i> (Korth.) Walp. <i>Uncaria ovata</i> R.Br. ex Steud. <i>Uruparia canescens</i> (Korth.) Kuntze <i>Uruparia ovata</i> Kuntze	Magnoliophyta	Rubiaceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1125.	<i>Uncaria cordata</i> (Lour.) Merr.	<i>Restiaria cordata</i> Lour. <i>Uncaria sclerophylla</i> (Hunter) Roxb.	Magnoliophyta	Rubiaceae	Endangered	✓			✓	✓			
1126.	<i>Uncaria gambir</i> (Hunter) Roxb.	<i>Nauclea gambir</i> Hunter <i>Ourouparia gambir</i> (Hunter) Baill. <i>Uncaria gambir</i> (Hunter) Roxb. var. <i>latifolia</i> S.Moore <i>Uruparia gambir</i> (Hunter) Kuntze	Magnoliophyta	Rubiaceae	Exotic	✓			✓				
1127.	<i>Uncaria lanosa</i> Wall. var. <i>glabrata</i> (Blume) Ridsdale	<i>Nauclea glabrata</i> Blume <i>Uncaria ferrea</i> (Blume) DC. subsp. <i>glabrata</i> (Blume) Kuntze <i>Uncaria glabrata</i> (Blume) DC. <i>Uncaria lobbii</i> Hook.f. <i>Uruparia lobbii</i> (Hook.f.) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered	✓						✓	
1128.	<i>Uncaria longiflora</i> (Poir.) Merr. var. <i>pteropoda</i> (Miq.) Ridsdale	<i>Uncaria laevifolia</i> Elmer <i>Uncaria pteropoda</i> Miq. <i>Uruparia pteropoda</i> (Miq.) Kuntze	Magnoliophyta	Rubiaceae	Critically endangered	✓			✓		✓	✓	
1129.	<i>Urceola brachysepala</i> Hook.f.	<i>Carruthersia imberbis</i> Elmer <i>Chavannesia brachysepala</i> (Hook.f.) Pichon <i>Chavannesia imberbis</i> (Elmer) Pichon <i>Chavannesia philippinensis</i> (Merr.) Pichon <i>Urceola acuteacuminata</i> Boerl. <i>Urceola acuteacuminata</i> Boerl. var. <i>polyneura</i> Boerl. <i>Urceola imberbis</i> (Elmer) Merr. <i>Urceola maingayi</i> D.J.Middleton <i>Urceola maingayi</i> Hook.f. <i>Urceola philippinensis</i> Merr.	Magnoliophyta	Apocynaceae	Endangered							✓	
1130.	<i>Urceola elastica</i> Roxb.	<i>Tabernaemontana elastica</i> (Roxb.) Spreng. <i>Tabernaemontana polyantha</i> Miq. <i>Urceola brachysepala</i> Hook.f. var. <i>pilosa</i> Boerl.	Magnoliophyta	Apocynaceae	Critically endangered							✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1131.	<i>Urceola torulosa</i> Hook.f.	<i>Chavannesia torulosa</i> (Hook.f.) Pichon <i>Echites moniliferus</i> Wall. <i>Urceola longisepala</i> Merr. <i>Urceola malaccensis</i> Hook.f.	Magnoliophyta	Apocynaceae	Endangered			✓	✓		✓	✓	
1132.	<i>Urophyllum arboreum</i> (Reinw. ex Blume) Korth.	<i>Axanthes arborea</i> (Reinw. ex Blume) Blume <i>Schwenkfelda glabra</i> (Jack ex Wall.) Spreng. <i>Urophyllum glabrum</i> Jack ex Wall. <i>Urophyllum repandulum</i> Miq. <i>Wallichia arborea</i> Reinw. ex Blume	Magnoliophyta	Rubiaceae	Vulnerable				✓	✓			
1133.	<i>Urophyllum blumeanum</i> (Wight) Hook.f.	<i>Axanthes blumeana</i> Wight <i>Timonius acuminatus</i> Wall. <i>Urophyllum streptopodium</i> Wall.	Magnoliophyta	Rubiaceae	Critically endangered	✓						✓	
1134.	<i>Urophyllum</i> sp. 2		Magnoliophyta	Rubiaceae	Critically endangered							✓	
1135.	<i>Urophyllum</i> sp. 2 of Wong		Magnoliophyta	Rubiaceae	Critically endangered	✓							
1136.	<i>Urophyllum streptopodium</i> Wall. ex Hook.f.	<i>Geniostoma acuminatum</i> Wall. <i>Urophyllum parviflorum</i> Wall.	Magnoliophyta	Rubiaceae	Vulnerable				✓				
1137.	<i>Utricularia bifida</i> L.	<i>Nelipus bifida</i> (L.) Raf. <i>Utricularia alata</i> Benj. <i>Utricularia antirrhinoides</i> Wall. <i>Utricularia biflora</i> Hayata <i>Utricularia biflora</i> Wall. <i>Utricularia brevicaulis</i> Benj. <i>Utricularia humilis</i> Vahl <i>Utricularia recurva</i> Lour. <i>Utricularia sumatrana</i> Miq. <i>Utricularia wallichiana</i> Benj.	Magnoliophyta	Lentibulariaceae	Cryptogenic			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
1138.	<i>Utricularia caerulea</i> L.	<i>Pelidnia caerulea</i> (L.) Barnhart <i>Utricularia albiflora</i> Griff. <i>Utricularia albino</i> Ridl. <i>Utricularia bifida</i> Macrae ex A.DC. <i>Utricularia caerulea</i> L. var. <i>filicaulis</i> (Wall. ex A. DC.) Haines <i>Utricularia campestris</i> Miq. ex C.B.Clarke <i>Utricularia capillaris</i> D.Don <i>Utricularia cavaleriei</i> Stapf <i>Utricularia charnleyensis</i> W.Fitzg. <i>Utricularia complanata</i> Wall. <i>Utricularia filicaulis</i> Wall. ex A.DC. <i>Utricularia filicaulis</i> Wall. <i>Utricularia filicaulis</i> Wall. ex A.DC. var. <i>papillosa</i> Pellegr. <i>Utricularia kerrii</i> Craib <i>Utricularia nivea</i> Vahl <i>Utricularia nivea</i> Vahl var. <i>rosea</i> (Edgew.) Trimen <i>Utricularia obscura</i> R.Br. ex Benth. <i>Utricularia obtusiloba</i> Benj. <i>Utricularia ophirensis</i> Ridl. <i>Utricularia paucifolia</i> Benj. <i>Utricularia purpurea</i> Willd. ex Benj. <i>Utricularia racemosa</i> Wall. <i>Utricularia racemosa</i> Wall. var. <i>filicaulis</i> (Wall. ex A. DC.) C.B.Clarke <i>Utricularia racemosa</i> Wall. var. <i>rosea</i> (Edgew.) Thwaites <i>Utricularia ramosa</i> Vahl <i>Utricularia rosea</i> Edgew. <i>Utricularia roseopurpurea</i> Stapf ex Gamble <i>Utricularia sampathii</i> Subr. & Yogan. <i>Utricularia sootepensis</i> Craib <i>Utricularia squamosa</i> Benj.	Magnoliophyta	Lentibulariaceae	Cryptogenic				✓	✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1139.	<i>Utricularia gibba</i> L.	<i>Megozipa fornicata</i> (Leconte) Raf.	Magnoliophyta	Lentibulariaceae	Cryptogenic					✓			
	See Corrigenda of 13 May 2013 .	<i>Megozipa integra</i> (Leconte) Raf. <i>Megozipa longirostris</i> (Leconte ex Elliott) Raf. <i>Plesisa bipartita</i> (Elliott) Raf.											
		<i>Trilobulina crenata</i> (Vahl) Raf. <i>Trilobulina fibrosa</i> (Walter) Raf. <i>Utricularia alba</i> Hoffmanns. & Link <i>Utricularia ambigua</i> A.DC. <i>Utricularia amphibian</i> Welw. ex Kamienski <i>Utricularia anomala</i> A.St.-Hil. & Girard <i>Utricularia aphylla</i> Ruiz & Pav. <i>Utricularia bifidocalcar</i> R.D.Good <i>Utricularia biflora</i> Roxb. <i>Utricularia biflora</i> Lam. <i>Utricularia biflora</i> Bonpl. ex A.DC. <i>Utricularia bipartite</i> Elliott <i>Utricularia conferta</i> Hassk. <i>Utricularia crenata</i> Vahl <i>Utricularia diantha</i> Roxb. ex Roem. & Schult. <i>Utricularia diflora</i> Roxb. <i>Utricularia elegans</i> Wall. <i>Utricularia emarginata</i> Benj. <i>Utricularia exoleta</i> R.Br. <i>Utricularia exoleta</i> R.Br. var. <i>lusitanica</i> Kamienski <i>Utricularia fibrosa</i> Walter											
	See Corrigenda of 13 May 2013 .	<i>Utricularia fornicata</i> Leconte <i>Utricularia furcata</i> Pers.											
		<i>Utricularia gayana</i> A.DC. <i>Utricularia gibba</i> L. subsp. <i>exoleta</i> (R.Br.) P.Taylor <i>Utricularia gibba</i> L. subsp. <i>gibba</i> <i>Utricularia gibbosa</i> Hill <i>Utricularia gracilis</i> Kunth <i>Utricularia gracilis</i> Lehm. ex Oliver <i>Utricularia integra</i> Leconte ex Elliott <i>Utricularia integra</i> Leconte <i>Utricularia kalmaloensis</i> A.Chev.											

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H	
		<i>Utricularia khasiana</i> Joseph & Mani <i>Utricularia longirostris</i> Leconte ex Elliott <i>Utricularia macrorhyncha</i> Barnhart <i>Utricularia nagurai</i> Makino <i>Utricularia natans</i> Salzm. <i>Utricularia natans</i> Salzm. var. <i>rigida</i> Salzm. <i>Utricularia obtusa</i> Sw. <i>Utricularia pallens</i> A.St.-Hil. & Girard <i>Utricularia pallens</i> A.St.-Hil. & Girard var. <i>natans</i> Salzm. <i>Utricularia parkeriana</i> A.DC. <i>Utricularia pauciflora</i> Blume <i>Utricularia pterosperma</i> Edgew. <i>Utricularia pumila</i> Walter <i>Utricularia riccioides</i> A.Chev. <i>Utricularia roxburghii</i> Spreng. <i>Utricularia saharunporensis</i> Royle ex Oliv. <i>Utricularia secunda</i> Benj. <i>Utricularia spirandra</i> C.Wright ex Griseb. <i>Utricularia tenuifolia</i> Benj. <i>Utricularia tenuis</i> Cav. <i>Utricularia tenuis</i> Cav. var. <i>poepigii</i> A.DC. <i>Utricularia tinguiensis</i> Merl ex Luetzelb. <i>Utricularia tricrenata</i> Baker ex Hiern <i>Vesiculina gibba</i> (L.) Raf.												
1140.	<i>Utricularia uliginosa</i> Vahl	<i>Utricularia affinis</i> Wight <i>Utricularia affinis</i> Wight var. <i>griffithii</i> (Wight) Oliv. <i>Utricularia affinis</i> Wight var. <i>griffithii</i> (Wight) Oliv. ex C.B.Clarke <i>Utricularia brachypoda</i> Wight <i>Utricularia caerulea</i> L. var. <i>affinis</i> (Wight) Thwaites <i>Utricularia cyanea</i> R.Br. <i>Utricularia decipiens</i> Dalzell	Magnoliophyta	Lentibulariaceae	Presumed nationally extinct					✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Utricularia elachista</i> K.I.Goebel <i>Utricularia graminifolia</i> Banks & Sol. ex Oliv. <i>Utricularia griffithii</i> Wight <i>Utricularia intricata</i> Griff. ex Oliv. <i>Utricularia lilacina</i> Griff. <i>Utricularia macrophylla</i> Masam. & Syozi <i>Utricularia nayarii</i> Janarth. & A.N.Henry											
	See Corrigenda of 13 May 2013 .	<i>Utricularia reticulata</i> Sm. var. <i>uliginosa</i> (Vahl) C.B.Clarke											
		<i>Utricularia yakusimensis</i> Masam.											
1141.	<i>Uvaria cordata</i> (Dunal) Alston	<i>Guatteria cordata</i> Dunal	Magnoliophyta	Annonaceae	Common	✓		✓	✓	✓	✓		
1142.	<i>Uvaria curtisii</i> King		Magnoliophyta	Annonaceae	Critically endangered							✓	
1143.	<i>Uvaria grandiflora</i> (Lesch. ex DC.) Roxb.	<i>Unona grandiflora</i> DC. <i>Uvaria platypetala</i> Champ. ex Benth. <i>Uvaria purpurea</i> Blume <i>Uvaria rhodantha</i> Hance	Magnoliophyta	Annonaceae	Vulnerable					✓			
1144.	<i>Uvaria lobbiana</i> Hook.f. & Thomson	<i>Uva lobbiana</i> Kuntze	Magnoliophyta	Annonaceae	Critically endangered								✓
1145.	<i>Uvaria pauciovulata</i> Hook.f. & Thomson	<i>Uva pauciovulata</i> Kuntze	Magnoliophyta	Annonaceae	Critically endangered							✓	✓
1146.	<i>Vanilla griffithii</i> Rchb.f.	<i>Vanilla tolypephora</i> Ridl.	Magnoliophyta	Orchidaceae	Vulnerable			✓	✓				
1147.	<i>Vatica pauciflora</i> Blume	<i>Vateria pauciflora</i> Walp.	Magnoliophyta	Dipterocarpaceae	Critically endangered			✓	✓			✓	
1148.	<i>Vatica ridleyana</i> Brandis		Magnoliophyta	Dipterocarpaceae	Critically endangered	✓	✓						

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1149.	<i>Ventilago lanceata</i> Tul.	<i>Smythea lanceata</i> Summerh.	Magnoliophyta	Rhamnaceae	Critically endangered				✓				
1150.	<i>Ventilago maingayi</i> M.A.Lawson		Magnoliophyta	Rhamnaceae	Critically endangered				✓		✓		
1151.	<i>Ventilago malaccensis</i> Ridl.		Magnoliophyta	Rhamnaceae	Endangered	✓			✓		✓	✓	
1152.	<i>Vernonia arborea</i> Buch.-Ham. ex Buch.-Ham.		Magnoliophyta	Asteraceae	Vulnerable	✓		✓	✓			✓	
1153.	<i>Vesicularia miquelii</i> (Sande Lac.) M.Fleisch.	<i>Hypnum miquelii</i> Sande Lac. <i>Isopterygium miquelii</i> (Sande Lac.) A.Jaeger <i>Plagiothecium miquelli</i> (Sande Lac.) Broth. <i>Taxithelium argentatum</i> Broth.	Bryophyta	Hypnaceae	Common				✓				
1154.	<i>Viburnum sambucinum</i> Blume		Magnoliophyta	Caprifoliaceae	Presumed nationally extinct	✓		✓					
1155.	<i>Viscum articulatum</i> Burm.f.	<i>Viscum articulatum</i> Burm.f. var. <i>dichotomum</i> (D.Don) Kurz <i>Viscum dichotomum</i> D.Don <i>Viscum nepalense</i> Spreng.	Magnoliophyta	Santalaceae	Common	✓							
1156.	<i>Viscum ovalifolium</i> Wall. ex DC.		Magnoliophyta	Santalaceae	Common	✓							
1157.	<i>Vitex longisepala</i> King & Gamble	<i>Vitex longisepala</i> King & Gamble var. <i>longipes</i> Moldenke <i>Vitex vestita</i> Wall. ex Schauer var. <i>bracteata</i> Moldenke	Magnoliophyta	Lamiaceae	Critically endangered				✓				
1158.	<i>Vitex negundo</i> L.	<i>Pistaciovitex pinnata</i> (L.) Kuntze <i>Vitex arborea</i> Roxb. <i>Vitex articulate</i> Steud.	Magnoliophyta	Lamiaceae	Critically endangered				✓				

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Vitex bracteata</i> Horsf. ex Miq. <i>Vitex buddingii</i> Moldenke <i>Vitex digitata</i> Wight ex Steud. <i>Vitex heterophylla</i> Blume ex Miq. <i>Vitex heterophylla</i> Blume ex Miq. var. <i>puberula</i> H.J.Lam <i>Vitex heterophylla</i> Blume ex Miq. var. <i>velutina</i> Koord. & Valetton <i>Vitex latifolia</i> Lam. <i>Vitex inaequifolia</i> Turcz. <i>Vitex latifolia</i> Lam. <i>Vitex pinnata</i> L. f. <i>glabrescens</i> Moldenke <i>Vitex pinnata</i> L. f. <i>ptilota</i> (Dop) Moldenke <i>Vitex puberula</i> Miq. <i>Vitex pubescens</i> Vahl <i>Vitex pubescens</i> Vahl var. <i>bicolor</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>lilacina</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>pantjarensis</i> Hochr. <i>Vitex pubescens</i> Vahl var. <i>ptilota</i> Dop <i>Agnus-castus negundo</i> (L.) Carrière <i>Vitex agnus-castus</i> L. var. <i>negundo</i> (L.) Kuntze <i>Vitex nogondo</i> Linnaeus ap. Bojer <i>Vitex trifolia</i> L. var. <i>foliolis obtuse crenatis</i> Lam.											
1159.	<i>Vitex pinnata</i> L.	<i>Pistaciovitex pinnata</i> (L.) Kuntze <i>Vitex arborea</i> Roxb. <i>Vitex articulata</i> Steud. <i>Vitex bracteata</i> Horsf. ex Miq. <i>Vitex buddingii</i> Moldenke <i>Vitex digitata</i> Wight ex Steud. <i>Vitex heterophylla</i> Blume ex Miq. <i>Vitex heterophylla</i> Blume ex Miq. var. <i>puberula</i> H.J.Lam <i>Vitex heterophylla</i> Blume ex Miq. var. <i>velutina</i> Koord. & Valetton <i>Vitex inaequifolia</i> Turcz.	Magnoliophyta	Lamiaceae	Common	✓				✓			

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Vitex latifolia</i> Lam. <i>Vitex pinnata</i> f. <i>glabrescens</i> Moldenke <i>Vitex pinnata</i> L. f. <i>ptilota</i> (Dop) Moldenke <i>Vitex puberula</i> Miq. <i>Vitex pubescens</i> Vahl <i>Vitex pubescens</i> Vahl var. <i>bicolor</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>lilacina</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>pantjarensis</i> Hochr. <i>Vitex pubescens</i> Vahl var. <i>ptilota</i> Dop <i>Vitex quinata</i> (Lour.) F.N.Williams var. <i>puberula</i> (H.J.Lam) Moldenke <i>Vitex sebesiae</i> H.J.Lam ex Leeuwen <i>Vitex turczaninowii</i> Merr. f. <i>puberula</i> (H.J.Lam) Moldenke <i>Vitex velutina</i> (Koord. & Valetton) Koord. <i>Wallrothia articulata</i> Roth											
1160.	<i>Vitex vestita</i> Wall. ex Schauer	<i>Vitex finlaysoniana</i> Wall. <i>Vitex neglecta</i> H.J.Lam <i>Vitex vestita</i> Wall. ex Schauer var. <i>brevituba</i> Z.Y.Huang & S.Y.Liu <i>Vitex vestita</i> Wall. ex Schauer f. <i>glabrescens</i> Moldenke <i>Vitex vestita</i> Wall. ex Schauer f. <i>quinquefoliolata</i> Moldenke <i>Vitex vestita</i> Wall. ex Schauer f. <i>winkleri</i> Moldenke	Magnoliophyta	Lamiaceae	Critically endangered			✓					
1161.	<i>Vittaria elongata</i> Sw.	<i>Vittaria hildebrandtii</i> Hieron.	Filicinophyta	Vittariaceae	Common			✓					
1162.	<i>Vrydagzynea albida</i> (Blume) Blume	<i>Hetaeria albida</i> Blume <i>Vrydagzynea viridiflora</i> Hook.f.	Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
1163.	<i>Vrydagzynea lancifolia</i> Ridl.		Magnoliophyta	Orchidaceae	Presumed nationally extinct		✓						

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1164.	<i>Vrydagzynea tristriata</i> Ridl.		Magnoliophyta	Orchidaceae	Presumed nationally extinct			✓					
1165.	<i>Willughbeia angustifolia</i> (Miq.) Markgr.	<i>Chilocarpus brachyanthus</i> Pierre <i>Urularia rufescens</i> (Dyer ex Hook.f.) Pichon <i>Vahea angustifolia</i> Miq. <i>Willughbeia angustifolia</i> (Miq.) Markgr. var. <i>gracilior</i> Markgr. <i>Willughbeia apiculata</i> Miq. <i>Willughbeia elmeri</i> Merr. <i>Willughbeia rufescens</i> Dyer ex Hook.f. <i>Willughbeiosis rufescens</i> (Dyer ex Hook.f.) Rauschert	Magnoliophyta	Apocynaceae	Presumed nationally extinct			✓					
1166.	<i>Willughbeia coriacea</i> Wall.	<i>Ancylocladus coriaceus</i> (Wall.) Kuntze <i>Ancylocladus firmus</i> (Blume) Kuntze <i>Ancylocladus minutiflorus</i> Pierre <i>Ancylocladus nodosus</i> Pierre <i>Ancylocladus vriesianus</i> Pierre <i>Tabernaemontana macrocarpa</i> Korth. ex Blume <i>Willughbeia burbridgei</i> Dyer <i>Willughbeia firma</i> Blume <i>Willughbeia firma</i> Blume var. <i>macrophylla</i> Boerl. <i>Willughbeia firma</i> Blume var. <i>oblongifolia</i> Blume <i>Willughbeia firma</i> Blume var. <i>obtusifolia</i> Boerl. <i>Willughbeia firma</i> Blume var. <i>platyphylla</i> Boerl. <i>Willughbeia minutiflora</i> (Pierre) K.Schum. <i>Willughbeia nodosa</i> (Pierre) K.Schum. <i>Willughbeia vriesiana</i> (Pierre) K.Schum.	Magnoliophyta	Apocynaceae	Critically endangered				✓	✓	✓		
1167.	<i>Willughbeia edulis</i> Roxb.	<i>Ambelania edulis</i> (Roxb.) J.Presl <i>Ancylocladus cochinchinensis</i> Pierre <i>Ancylocladus curtisianus</i> Pierre <i>Ancylocladus edulis</i> (Roxb.) Kuntze <i>Pacouria roxburghii</i> Kostel.	Magnoliophyta	Apocynaceae	Presumed nationally extinct			✓					

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
		<i>Willughbeia cochinchinensis</i> (Pierre) K.Schum. <i>Willughbeia curtisiana</i> (Pierre) K.Schum. <i>Willughbeia dulcis</i> Ridl. <i>Willughbeia gudara</i> Steud. <i>Willughbeia martabanica</i> Wall.											
1168.	<i>Willughbeia flavescens</i> Dyer ex Hook.f.	<i>Ancylocladus beccarii</i> Pierre <i>Ancylocladus flavescens</i> (Dyer ex Hook.f.) Kuntze <i>Ancylocladus rufescens</i> (Dyer ex Hook.f.) Kuntze <i>Chilocarpus flavescens</i> Hook.f. <i>Melodinus beccarii</i> (Pierre) Pierre <i>Melodinus cymosus</i> Ridl. <i>Melodinus pulchrinervius</i> Boerl. <i>Melodinus rhytidiphyllus</i> Boerl. <i>Urnularia beccarii</i> (Pierre) Markgr. <i>Urnularia flavescens</i> (Dyer ex Hook.f.) Stapf <i>Urnularia oblongifolia</i> Stapf <i>Willughbeia beccarii</i> (Pierre) K.Schum. <i>Willughbeia stapfii</i> Merr. <i>Willughbeiopsis beccarii</i> (Pierre) Rauschert <i>Willughbeiopsis flavescens</i> (Dyer ex Hook.f.) Rauschert	Magnoliophyta	Apocynaceae	Critically endangered								✓
1169.	<i>Wrightia laevis</i> Hook.f.	<i>Wrightia balansae</i> Pit. <i>Wrightia hainanensis</i> Merr. <i>Wrightia hainanensis</i> Merr. var. <i>variabilis</i> Tsiang <i>Wrightia laevis</i> Hook.f. subsp. <i>millgar</i> (F.M.Bailey) Ngan <i>Wrightia laevis</i> Hook.f. subsp. <i>novoguineensis</i> Ngan <i>Wrightia macrocarpa</i> Pit. <i>Wrightia millgar</i> F.M.Bailey <i>Wrightia sorsogonensis</i> Elmer <i>Wrightia tinctoria</i> R.Br. var. <i>laevis</i> (Hook.f.) Pichon	Magnoliophyta	Apocynaceae	Critically endangered								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
1170.	<i>Xanthophyllum ellipticum</i> Korth.	<i>Banisteroides ellipticum</i> (Korth. ex Miq.) Kuntze <i>Xanthophyllum hildebrandii</i> Meijden	Magnoliophyta	Polygalaceae	Critically endangered	✓	✓						
1171.	<i>Xanthophyllum eurhynchum</i> Miq.		Magnoliophyta	Polygalaceae	Vulnerable			✓	✓			✓	
1172.	<i>Xanthophyllum flavescens</i> Roxb.	<i>Banisteroides affine</i> (Korth. ex Miq.) Kuntze <i>Kaulfussia geminiflora</i> Dennst. <i>Xanthophyllum affine</i> Korth. ex Miq. <i>Xanthophyllum geminiflorum</i> (Dennst.) Alston <i>Xanthophyllum siamense</i> Craib	Magnoliophyta	Polygalaceae	Critically endangered	✓	✓		✓	✓	✓	✓	
1173.	<i>Xanthophyllum obscurum</i> A.W.Benn.	<i>Banisteroides obscurum</i> (A.W.Benn.) Kuntze	Magnoliophyta	Polygalaceae	Endangered	✓	✓						
1174.	<i>Xanthophyllum vitellinum</i> (Blume) D.Dietr.	<i>Banisteroides vitellinum</i> (Blume) Kuntze <i>Jackia vitellina</i> Blume <i>Monnina vitellina</i> (Blume) Spreng.	Magnoliophyta	Polygalaceae	Vulnerable				✓			✓	
1175.	<i>Xerospermum noronhianum</i> (Blume) Blume	<i>Sapindus glabratus</i> Wall. <i>Nephelium noronhianum</i> Cambess. <i>Euphoria xerocarpa</i> Blume <i>Euphoria noronhiana</i> Blume	Magnoliophyta	Sapindaceae	Critically endangered	✓		✓		✓			
1176.	<i>Xylocarpus granatum</i> J.Koenig	<i>Xylocarpus obovatus</i> Juss.	Magnoliophyta	Meliaceae	Common			✓					
1177.	<i>Xylopia ferruginea</i> (Hook.f. & Thomson) Hook.f. & Thomson	<i>Habzelia ferruginea</i> Hook.f. & Thomson	Magnoliophyta	Annonaceae	Common				✓			✓	
1178.	<i>Xylopia fusca</i> Maingay ex Hook.f. & Thomson	<i>Xylopicrum fuscum</i> Kuntze	Magnoliophyta	Annonaceae	Critically endangered	✓	✓						
1179.	<i>Xylopia malayana</i> Hook.f. & Thomson	<i>Parartabotrys sumatranus</i> Miq.	Magnoliophyta	Annonaceae	Common	✓	✓	✓	✓	✓	✓	✓	

S/No.	Taxon name	Synonym(s)	Phylum	Family	Status in Singapore	A	B	C	D	E	F	G	H
1180.	<i>Zingiber griffithii</i> Baker	<i>Zingiber citrinum</i> Ridl. <i>Zingiber griffithii</i> Baker var. <i>citrinum</i> (Ridl.) Holttum	Magnoliophyta	Zingiberaceae	Endangered	✓		✓					
1181.	<i>Zingiber puberulum</i> Ridl. var. <i>ovoideum</i> Holttum		Magnoliophyta	Zingiberaceae	Endangered			✓	✓				
1182.	<i>Ziziphus calophylla</i> Wall.		Magnoliophyta	Rhamnaceae	Vulnerable			✓	✓	✓	✓		
1183.	<i>Ziziphus elegans</i> Wall.		Magnoliophyta	Rhamnaceae	Critically endangered								✓
1184.	<i>Ziziphus horsfieldii</i> Miq.		Magnoliophyta	Rhamnaceae	Endangered				✓				

Appendix 2. Checklist of the Plant Species of the Nee Soon Swamp Forest by Phylum and Family

Each entry consists of the scientific name of the phylum, family, species, variety or form including author name(s), synonym(s), the national status of the species, and the reference(s) that documented the species. The taxon names are arranged alphabetically. Each taxon name is mostly based on the nomenclature of The Plant List website (The Plant List, 2010). The national status for vascular plants is updated from Chong et al. (2009). References are indicated as follows: A = Turner et al. (1996a); B = Wong (1993); C = Chan Chu Kang, pre-1940 (SING record); D = Nee Soon, post-1940 (SING record); E = SINU record; F = Ang et al. (2010, 2011); G = Tan et al. (2011, 2012); H = Other reference(s).

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1.	Bryophyta	Bryaceae	<i>Bryum coronatum</i> Schwägr.	<i>Bryum balanocarpum</i> Besch. <i>Bryum barbulaceum</i> Müll.Hal. <i>Bryum eurystomum</i> Renauld & Cardot <i>Bryum mariei</i> Besch. <i>Bryum microbalanum</i> Cardot <i>Bryum microdecurrens</i> E.Britton <i>Bryum rufinerve</i> Müll.Hal. <i>Bryum usambaricum</i> Broth. <i>Bryum zygodontoides</i> Müll.Hal.	Common			✓					
2.	Bryophyta	Calymperaceae	<i>Calymperes tahitense</i> (Sull.) Mitt.	<i>Calymperes tahitense</i> (Sull.) Mitt.var. <i>polytrichoides</i> (M.Fleisch.) Wijk & Margad. <i>Calymperes tahitense</i> (Sull.) Mitt. var. <i>truncatum</i> Thér. & Dixon <i>Calymperes vriesei</i> Besch var. <i>robustum</i> Dixon <i>Syrrhopodon nossi-beanus</i> Besch. <i>Syrrhopodon tahitensis</i> Sull.	Near threatened			✓					
3.	Bryophyta	Calymperaceae	<i>Mitthyridium repens</i> (Harv.) H.Rob.	<i>Calymperes repens</i> (Harv.) Müll.Hal. <i>Syrrhopodon humile</i> Mitt. <i>Syrrhopodon louisiadus</i> Broth. <i>Syrrhopodon parvulus</i> Thwaites & Mitt. <i>Thyridium parvifolium</i> E.B.Bartram <i>Thyridium parvulum</i> A.Jaeger <i>Thyridium repens</i> (Harv.) Mitt.	Near threatened			✓					
4.	Bryophyta	Calymperaceae	<i>Syrrhopodon confertus</i> Sande Lac.	<i>Leucophanella caespitosa</i> (Thwaites & Mitt.) M.Fleisch.	Common			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Syrrhopodon acutissimus</i> Dixon <i>Syrrhopodon albo-virens</i> E.B.Bartram <i>Syrrhopodon amoenus</i> Broth. <i>Syrrhopodon caespitosus</i> Thwaites & Mitt. <i>Syrrhopodon subconfertus</i> Broth. <i>Syrrhopodon subspiculosus</i> Müll.Hal. <i>Syrrhopodon subtheliphyllus</i> Müll.Hal.									
5.	Bryophyta	Calymperaceae	<i>Syrrhopodon loreus</i> (Sande Lac.) W.D.Reese	<i>Calymperes angustatum</i> Broth. <i>Calymperes constrictum</i> Dixon <i>Calymperes cristatum</i> Hampe <i>Calymperes ebaloi</i> E.B.Bartram <i>Calymperes longifolium</i> Mitt. <i>Calymperes loreum</i> Sande Lac. <i>Calymperes setifolium</i> Hampe <i>Calymperes strictum</i> Müll.Hal. <i>Syrrhopodon calymperidioides</i> Broth. <i>Syrrhopodon longifolius</i> (Mitt.) Dixon <i>Syrrhopodon perlongifolius</i> W.Schultze-Motel <i>Syrrhopodon woropkensis</i> Zanten var. <i>longifolius</i> Zanten	Near threatened							✓	
6.	Bryophyta	Dicranaceae	<i>Leucobryum javense</i> (Brid.) Mitt.	<i>Dicranum megalophyllum</i> Brid. <i>Leucobryum aciculare</i> Müll.Hal. <i>Leucobryum brachyopus</i> Müll.Hal. <i>Leucobryum candidum</i> (Brid. ex P.Beauv.) Wilson var. <i>majus</i> A. Jaeger ex Dixon <i>Leucobryum cineraceum</i> Cardot & Thér. <i>Leucobryum confusum</i> Thér. <i>Leucobryum cyathifolium</i> Dixon <i>Leucobryum falcatum</i> Müll.Hal. <i>Leucobryum interruptum</i> Müll.Hal. <i>Leucobryum laticaula</i> Müll.Hal. <i>Leucobryum novae-guineae</i> E.B.Bartram <i>Leucobryum pseudocandidum</i> Broth. <i>Leucobryum spinidorsum</i> Müll.Hal.	Near threatened							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Leucobryum strictifolium</i> Broth. <i>Leucobryum teysmannianum</i> Dozy & Molk. <i>Leucobryum teysmannii</i> Kindb. <i>Leucobryum translucens</i> Müll.Hal. <i>Leucobryum uncinatum</i> M.Fleisch. <i>Sphagnum iridans</i> Brid. <i>Sphagnum javanicum</i> Thunb. <i>Sphagnum javense</i> Brid.									
7.	Bryophyta	Dicranaceae	<i>Leucobryum sanctum</i> (Nees ex Schwägr.) Hampe	<i>Dicranum glaucum</i> Hedw. var. <i>sanctum</i> Brid. <i>Dicranum sanctum</i> Nees ex Schwägr. <i>Leucobryum auriculatum</i> Müll.Hal. <i>Leucobryum brevisetum</i> Müll. Hal. <i>Leucobryum glaucissimum</i> Müll. Hal. <i>Leucobryum microcarpum</i> Müll.Hal. <i>Leucobryum papuense</i> Paris <i>Leucobryum subrectifolium</i> Broth. & Geh. <i>Leucobryum vesiculosum</i> Müll.Hal. ex Cardot	Common								✓
8.	Bryophyta	Hypnaceae	<i>Ectropothecium incubans</i> (Reinw. & Hornsch.) A.Jaeger	<i>Hypnum incubans</i> Reinw. & Hornsch.	Data deficient								✓
9.	Bryophyta	Hypnaceae	<i>Vesicularia miquelii</i> (Sande Lac.) M.Fleisch.	<i>Hypnum miquelii</i> Sande Lac. <i>Isopterygium miquelii</i> (Sande Lac.) A.Jaeger <i>Plagiothecium miquelii</i> (Sande Lac.) Broth. <i>Taxithelium argentatum</i> Broth.	Common								✓
10.	Bryophyta	Hypnodendraceae	<i>Hypnodendron arborescens</i> (Mitt.) Lindb.	<i>Hypnodendron subarborescens</i> Müll.Hal.	Presumed nationally extinct								✓
11.	Bryophyta	Sematophyllaceae	<i>Papillidiopsis bruchii</i> (Dozy & Molk.) W.R.Buck & B.C.Tan	<i>Hypnum bruchii</i> Dozy & Molk. <i>Rhaphidostichum bruchii</i> (Dozy & Molk.) M.Fleisch. <i>Sematophyllum bruchii</i> (Dozy & Molk.) A.Jaeger	Critically endangered								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Trichosteleum bruchii</i> (Dozy & Molk.) Broth.									
12.	Bryophyta	Sematophyllaceae	<i>Papillidiopsis luxurians</i> (Dozy & Molk.) W.R.Buck & B.C.Tan	<i>Hypnum luxurians</i> Dozy & Molk. <i>Rhaphidostichum luxurians</i> (Dozy & Molk.) M.Fleisch. <i>Sematophyllum luxurians</i> (Dozy & Molk.) A.Jaeger <i>Trichosteleum luxurians</i> (Dozy & Molk.) Broth.	Critically endangered			✓					
13.	Bryophyta	Thuidiaceae	<i>Pelekium bifarium</i> (Bosch & Sande Lac.) M.Fleisch.		Near threatened			✓					
14.	Filicinophyta	Adiantaceae	<i>Syngramma wallichii</i> Bedd.		Critically endangered				✓				
15.	Filicinophyta	Adiantaceae	<i>Trichiogramme alismifolia</i> (C.Presl) Kuhn	<i>Diplazium alismifolium</i> C.Presl <i>Gymnogramme wallichii</i> Hk. <i>Syngramma alismifolia</i> (C.Presl) J.Sm.	Endangered	✓	✓					✓	
16.	Filicinophyta	Aspleniaceae	<i>Asplenium batuense</i> Alderw.		Endangered	✓							
17.	Filicinophyta	Aspleniaceae	<i>Asplenium macrophyllum</i> Sw.	<i>Asplenium capuronii</i> Tardieu	Presumed nationally extinct	✓							
18.	Filicinophyta	Aspleniaceae	<i>Asplenium nidus</i> L.	<i>Asplenium antiquum</i> Makino <i>Asplenium australasicum</i> (J.Sm.) Hook. <i>Asplenium ficifolium</i> Goldm. <i>Neottopteris antiqua</i> (Makino) Masam. <i>Neottopteris australasica</i> J.Sm. <i>Neottopteris mauritiana</i> Fée <i>Neottopteris musaefolia</i> J.Sm. <i>Neottopteris nidus</i> (L.) J.Sm. <i>Neottopteris rigida</i> Fée <i>Thamnopteris nidus</i> (L.) C.Presl	Common			✓		✓		✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
19.	Filicinophyta	Blechnaceae	<i>Blechnum finlaysonianum</i> Wall. ex Hook. & Grev.		Vulnerable	✓						✓	
20.	Filicinophyta	Blechnaceae	<i>Stenochlaena palustris</i> (Burm.f.) Bedd.	<i>Acrostichum palustre</i> (Burm.f.) C.B.Clarke <i>Acrostichum scandens</i> (Sw.) Hook. <i>Lomaria scandens</i> (Sw.) Willd. <i>Lomariopsis palustris</i> (Burm.f.) Kuhn <i>Lomariopsis scandens</i> (Sw.) Mett. <i>Olfersia scandens</i> (Willd.) C.Presl <i>Onoclea scandens</i> Sw. <i>Polypodium palustre</i> Burm.f. <i>Pterisscandens</i> (Willd.) Roxb. <i>Stenochlaena scandens</i> J.Sm.	Common						✓		
21.	Filicinophyta	Cyatheaceae	<i>Cyathea latebrosa</i> (Wall. ex Hook.) Copel.	<i>Alsophila latebrosa</i> Wall. ex Hook. <i>Dichorexia latebrosa</i> (Wall. ex Hook.) C.Presl	Vulnerable							✓	
22.	Filicinophyta	Cyatheaceae	<i>Cyathea squamulata</i> (Blume) Copel.	<i>Alsophila squamulata</i> (Blume) Hook. <i>Gymnosphaera squamulata</i> Blume	Endangered							✓	
23.	Filicinophyta	Davalliaceae	<i>Davallia angustata</i> Wall		Endangered	✓							
24.	Filicinophyta	Dennstaedtiaceae	<i>Lindsaea doryphora</i> K.U.Kramer		Endangered	✓							
25.	Filicinophyta	Dryopteridaceae	<i>Tectaria barberi</i> (Hook.) Copel.	<i>Dictyopteris barberi</i> (Hook.) Bedd. <i>Polypodium barberi</i> Hook.	Common	✓			✓				
26.	Filicinophyta	Dryopteridaceae	<i>Tectaria singaporiana</i> (Wall. ex Hook. & Grev.) Ching	<i>Podopeltis singaporiana</i> (Wall. ex Hook. & Grev.) Fée <i>Tectaria singaporeana</i> (Wall. ex Hook. & Grev.) Copel.	Common	✓							
27.	Filicinophyta	Gleicheniaceae	<i>Dicranopteris linearis</i> (Burm.f.) Underw.	<i>Dicranopteris dichotoma</i> (Thunb.) Bernh. <i>Gleichenia dichotoma</i> (Thunb.) Hook.	Common						✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Gleichenia ferruginea</i> Blume <i>Gleichenia hermanni</i> R.Br. <i>Gleichenia lanigera</i> D.Don <i>Gleichenia linearis</i> (Burm.f.) C.B.Clarke <i>Gleichenia rigida</i> J.Sm. <i>Mertensia dichotoma</i> (Thunb.) Willd. <i>Mertensia lessonii</i> A.Rich. <i>Mertensia linearis</i> (Burm.f.) Fritsch <i>Mertensia rufinervis</i> Mart. <i>Polypodium dichotomum</i> Thunb. <i>Polypodium lineare</i> Burm.f. <i>Polypodium pedatum</i> Houtt.									
28.	Filicinophyta	Gleicheniaceae	<i>Gleichenia truncata</i> (Willd.) Nakai	<i>Gleichenia truncata</i> (Willd.) Spreng. <i>Mertensia truncata</i> Willd.	Vulnerable								✓
29.	Filicinophyta	Hymenophyllaceae	<i>Cephalomanes obscurum</i> (Blume) K.Iwats.	<i>Selenodesmium obscurum</i> (Blume) Copel. <i>Selenodesmium recurvum</i> Ching & Chiu in Chien & Chun <i>Selenodesmium siamense</i> (H.Christ) Ching & Chu H. Wang <i>Selenodesmium tereticaulum</i> (Ching) Copel. <i>Trichomanes englerianum</i> Brause <i>Trichomanes latipinnum</i> Copel. <i>Trichomanes obscurum</i> Blume <i>Trichomanes papillatum</i> K.Muell. <i>Trichomanes racemulosum</i> Bosch <i>Trichomanes rigidum</i> Ogata <i>Trichomanes saxatile</i> T.Moore <i>Trichomanes siamense</i> H.Christ <i>Trichomanes tereticaulum</i> Ching	Endangered	✓	✓	✓					
30.	Filicinophyta	Hymenophyllaceae	<i>Crepidomanes proliferum</i> Bostock	<i>Trichomanes proliferum</i> Blume ex Hook.	Critically endangered								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
31.	Filicinophyta	Hymenophyllaceae	<i>Hymenophyllum denticulatum</i> Sw.	<i>Didymoglossum aculeatum</i> (J.Sm.) Bosch <i>Didymoglossum denticulatum</i> (Sw.) Hassk. <i>Didymoglossum ferox</i> Hassk. <i>Didymoglossum neesii</i> (Blume) C.Presl <i>Hymenophyllum aculeatum</i> (J.Sm.) Racib. <i>Hymenophyllum denticulatum</i> Sw. <i>Hymenophyllum neesii</i> (Blume) Hook. <i>Hymenophyllum subrotundum</i> Alderw. <i>Leptocionium aculeatum</i> (J.Sm.) Bosch <i>Leptocionium denticulatum</i> (Sw.) Bosch <i>Leptocionium neesii</i> (Blume) Bosch <i>Trichomanes aculeatum</i> J.Sm. <i>Trichomanes denticulatum</i> (Sw.) Poir. <i>Trichomanes neesii</i> Blume	Endangered			✓					
32.	Filicinophyta	Hymenophyllaceae	<i>Trichomanes christii</i> Copel.		Critically endangered	✓		✓					
33.	Filicinophyta	Lomariopsidaceae	<i>Lomariopsis lineata</i> (C.Presl) Holttum	<i>Olfersia lineata</i> C.Presl	Critically endangered								✓
34.	Filicinophyta	Lomariopsidaceae	<i>Teratophyllum aculeatum</i> (Blume) Mett.	<i>Lomaria aculeata</i> Blume <i>Stenochlaena aculeata</i> (Blume) Kunze	Critically endangered	✓							
35.	Filicinophyta	Lomariopsidaceae	<i>Teratophyllum ludens</i> (Fée) Holttum	<i>Lomaria ludens</i> Fée	Critically endangered								✓
36.	Filicinophyta	Marattiaceae	<i>Angiopteris evecta</i> (G.Forst.) Hoffm.	<i>Polypodium evectum</i> G.Forst.	Vulnerable								✓
37.	Filicinophyta	Polypodiaceae	<i>Goniophlebium percussum</i> (Cav.) Wagner & Grether	<i>Cyathea percussa</i> Cav.	Vulnerable					✓			✓
38.	Filicinophyta	Polypodiaceae	<i>Lecanopteris sinuosa</i> (Wall. ex Hook.) Copel.	<i>Lecanopteris sinuosa</i> (Hook.) Copel. <i>Polypodium sinuosum</i> Hook.	Common	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H		
39.	Filicinophyta	Polypodiaceae	<i>Microsorium punctatum</i> (L.) Copel.	<i>Acrostichum punctatum</i> L.f. <i>Acrostichum punctatum</i> L. <i>Aspidium microcarpon</i> Blume <i>Colysis irioides</i> (Poir.) J.Sm. <i>Drynaria irioides</i> (Poir.) J.Sm. <i>Drynaria polycarpa</i> Brack. <i>Microsorium irioides</i> (Poir.) Fée <i>Microsorium irregulare</i> Link <i>Microsorium neoguineense</i> (Copel.) Copel. <i>Microsorium polycarpon</i> (Cav.) Tardieu <i>Microsorium sessile</i> (Kaulf. ex Kunze) Fée <i>Microsorium subirideum</i> (H.Christ) Copel. <i>Microsorium superficiale</i> (Blume) Ching var. <i>australiense</i> (F.M.Bailey) S.B.Andrews <i>Microsorium validum</i> (Copel.) Ching <i>Niphobolus polycarpus</i> (Cav.) Spreng. <i>Phymatodes irioides</i> (Poir.) C.Presl <i>Phymatodes lingulata</i> (Sw.) C.Presl <i>Phymatodes polycarpus</i> (Cav.) C.Presl <i>Phymatodes sessilis</i> (Kaulf. ex Kunze) C.Presl <i>Pleopeltis irioides</i> (Poir.) T.Moore <i>Pleopeltis millisora</i> (Baker) Alderw. <i>Pleopeltis neoguineensis</i> (Copel.) Alderw. <i>Pleopeltis polycarpa</i> (Cav.) T.Moore <i>Pleopeltis punctata</i> (L.) Bedd. <i>Pleopeltis sessilis</i> (Kaulf. ex Kunze) T.Moore <i>Pleopeltis valida</i> (Copel.) Alderw. <i>Polypodium ambiguum</i> Blume <i>Polypodium aspidistrifrons</i> Hayata <i>Polypodium crassinerve</i> Schumach. <i>Polypodium irioides</i> Poir. <i>Polypodium irioides</i> .Poir. f. <i>cristatum</i> F.M.Bailey <i>Polypodium lingulatum</i> Sw. <i>Polypodium millisorum</i> Baker <i>Polypodium neoguineense</i> Copel. <i>Polypodium polycarpon</i> Cav.	Common	✓		✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Polypodium punctatum</i> Spruce ex Hook. subsp. <i>subdrynariaceum</i> H.Christ <i>Polypodium punctatum</i> Spruce ex Hook. var. <i>subdrynariaceum</i> (H.Christ) Alderw. <i>Polypodium punctatum</i> Spruce ex Hook. subsp. <i>subirideum</i> H.Christ <i>Polypodium punctatum</i> Spruce ex Hook.var. <i>subirideum</i> (H.Christ) Alderw. <i>Polypodium sessile</i> Kaulf. ex Kunze <i>Polypodium superficiale</i> Blume var. <i>australiense</i> F.M.Bailey <i>Polypodium validum</i> Copel.									
40.	Filicinophyta	Polypodiaceae	<i>Pyrrosia longifolia</i> (Burm.f.) Morton	<i>Acrostichum bicolor</i> Cav. <i>Acrostichum longifolium</i> Burm.f. <i>Candollea longifolia</i> (Burm.f.) Mirb. <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl var. <i>backeri</i> Alderw. <i>Cyclophorus acrostichoides</i> f. <i>carnosa</i> Alderw. <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl var. <i>fissum</i> (Blume) Bonap. <i>Cyclophorus acrostichoides</i> (G.Forst.) C.Presl var. <i>gracilis</i> Copel. <i>Cyclophorus cinnamomeus</i> Alderw. <i>Cyclophorus induratus</i> H.Christ <i>Cyclophorus longifolius</i> (Burm.f.) Desv. <i>Cyclophorus macropodus</i> (Baker) C.Chr. <i>Cyclophorus scolopendrium</i> Desv. <i>Cyclophorus valleculeus</i> Alderw. <i>Gyrosorium fissum</i> (Blume) C.Presl <i>Niphobolus acrostichoides</i> (G.Forst.) Bedd. <i>Niphobolus fissus</i> Blume <i>Niphobolus longifolius</i> (Burm.f.) Spreng. <i>Niphobolus puberulus</i> Blume <i>Niphobolus scolopendrium</i> (Desv.) T.Moore	Common	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Polypodium acrostichoides</i> G.Forst. <i>Polypodium fissum</i> (Blume) Baker <i>Polypodium macropodum</i> Baker <i>Pyrrosia acrostichoides</i> (G.Forst.) Ching <i>Pyrrosia coccideisquamata</i> Gilli <i>Pyrrosia fissa</i> (Blume) Mehra <i>Pyrrosia macropoda</i> (Baker) Ching									
41.	Filicinophyta	Pteridaceae	<i>Taenitis blechnoides</i> (Willd.) Sw.	<i>Pteris blechnoides</i> Willd.	Common								✓
42.	Filicinophyta	Salviniaceae	<i>Salvinia adnata</i> Desv.	<i>Salvinia molesta</i> D.S.Mitch.	Exotic					✓			
43.	Filicinophyta	Schizaeaceae	<i>Lygodium longifolium</i> (Willd.) Sw.	<i>Hydroglossum longifolium</i> Willd.	Vulnerable	✓							✓
44.	Filicinophyta	Schizaeaceae	<i>Schizaea digitata</i> (L.) Sm.	<i>Acrostichum digitatum</i> L. <i>Actinostachys boninensis</i> Nakai <i>Actinostachys digitata</i> (L.) Wall. ex J.Sm. <i>Actinostachys digitata</i> (L.) Wall. <i>Actinostachys digitata</i> (L.) Wall. ex J.Sm. var. <i>boninensis</i> (Nakai) Tagawa <i>Belvisia digitata</i> (L.) Mirb. <i>Schizaea boninensis</i> (Nakai) H.Ohba	Endangered	✓				✓			
45.	Filicinophyta	Thelypteridaceae	<i>Amphineuron opulentum</i> (Kaulf.) Holttum		Endangered					✓			
46.	Filicinophyta	Thelypteridaceae	<i>Christella dentata</i> (Forsk.) Brownsey & Jermy	<i>Cyclosorus dentatus</i> (Forssk.) Ching <i>Dryopteris parasitica</i> Tardieu <i>Dryopteris parasitica</i> Tardieu var. <i>coriacea</i> Bonap.	Cryptogenic					✓			
47.	Filicinophyta	Thelypteridaceae	<i>Cyclosorus heterocarpus</i> (Blume) Ching	<i>Aspidium heterocarpum</i> Blume <i>Dryopteris heterocarpa</i> (Blume) Kuntze <i>Nephrodium heterocarpum</i> (Blume) T.Moore <i>Sphaerostephanos heterocarpus</i> (Blume) Holttum	Common	✓		✓	✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Thelypteris heterocarpa</i> (Blume) C.V.Morton									
48.	Filicinophyta	Thelypteridaceae	<i>Cyclosorus parasiticus</i> (L.) Farw.	<i>Christella parasitica</i> (L.) H.Lév.	Cryptogenic	✓							✓
49.	Filicinophyta	Thelypteridaceae	<i>Cyclosorus subpubescens</i> (Blume) Ching	<i>Aspidium subpubescens</i> Blume <i>Christella subpubescens</i> (Blume) Holttum <i>Cyclosorus parasiticus</i> (L.) Farw. var. <i>subpubescens</i> (Blume) Tardieu & C.Chr. <i>Dryopteris subpubescens</i> (Blume) C.Chr. <i>Thelypteris subpubescens</i> (Blume) K.Iwats.	Common			✓					
50.	Filicinophyta	Thelypteridaceae	<i>Mesophlebion chlamydophorum</i> (Rosenst. ex C.Chr.) Holttum	<i>Dryopteris chlamydophora</i> Rosenst. ex C.Chr. <i>Mesoneuron chlamydophoron</i> (Rosenst. ex C.Chr.) Ching	Vulnerable				✓				✓
51.	Filicinophyta	Vittariaceae	<i>Vittaria elongata</i> Sw.	<i>Vittaria hildebrandtii</i> Hieron.	Common			✓					
52.	Filicinophyta	Woodsiaceae	<i>Diplazium crenatoserratum</i> (Blume) Moore		Vulnerable	✓							
53.	Gnetophyta	Gnetaceae	<i>Gnetum gnemon</i> L. var. <i>gnemon</i>	<i>Gnemon ovalifolia</i> (Poir.) Kuntze <i>Gnetum acutatum</i> Miq. <i>Gnetum domestica</i> Rumph. <i>Gnetum gnemon</i> L. var. <i>domesticum</i> Markgr. <i>Gnetum gnemon</i> L. var. <i>laurinum</i> Blume <i>Gnetum gnemon</i> L. var. <i>lucidum</i> Blume <i>Gnetum gnemon</i> L. var. <i>majusculum</i> Blume <i>Gnetum gnemon</i> L. var. <i>ovalifolium</i> (Poir.) Blume <i>Gnetum gnemon</i> L. f. <i>stipitatum</i> Markgr. <i>Gnetum gnemon</i> L. var. <i>sylvestris</i> (Brongn.) Parl. <i>Gnetum gnemon</i> L. f. <i>volubile</i> Markgr. <i>Gnetum ovalifolium</i> Poir. <i>Gnetum polystachyum</i> Reinw. ex Blume <i>Gnetum sylvestris</i> Rumph. <i>Gnetum sylvestris</i> Brongn.	Critically endangered	✓	✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Gnetum sylvestre</i> Brongn. <i>Gnetum vinosum</i> Elmer									
54.	Gnetophyta	Gnetaceae	<i>Gnetum gnemonoides</i> Brongn.	<i>Gnetum edule</i> Hassk. <i>Gnetum kerstingii</i> K.Schum. & Lauterb. <i>Gnetum macrocarpum</i> Becc. <i>Gnetum moluccense</i> H.Karst. ex Markgr. <i>Gnetum ovalifolium</i> H.Karst. <i>Gnetum rumphianum</i> Becc. <i>Gnetum verrucosum</i> H.Karst. <i>Gnetum wrayi</i> Gamble	Critically endangered			✓	✓	✓			
55.	Gnetophyta	Gnetaceae	<i>Gnetum latifolium</i> Blume var. <i>funiculare</i> Markgr.	<i>Gnemon edulis</i> (Blume) Kuntze <i>Gnetum edule</i> (Willd.) Blume <i>Gnetum funiculare</i> Blume <i>Gnetum kingianum</i> Gamble <i>Gnetum neglectum</i> H.Karst. <i>Gnetum ula</i> H.Karst. <i>Thoa edulis</i> Willd.	Critically endangered						✓	✓	
56.	Gnetophyta	Gnetaceae	<i>Gnetum macrostachyum</i> Hook.f.		Critically endangered	✓		✓	✓		✓		
57.	Gnetophyta	Gnetaceae	<i>Gnetum microcarpum</i> Blume	<i>Gnetum apiculatum</i> Griff. <i>Gnetum campestre</i> (Ridl.) Gamble ex Ridl. <i>Gnetum microcarpum</i> Blume f. <i>campestre</i> (Ridl.) Markgr. <i>Gnetum microcarpum</i> Blume var. <i>campestre</i> Ridl. <i>Gnetum microcarpum</i> Blume var. <i>sylvestre</i> Ridl. <i>Gnetum microcarpum</i> Blume f. <i>sylvestre</i> (Ridl.) Markgr. <i>Gnetum neglectum</i> Blume var. <i>microcarpum</i> (Blume) Parl.	Critically endangered				✓		✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
58.	Lycophyta	Lycopodiaceae	<i>Huperzia nummulariifolia</i> (Blume) T.C.Chambers		Presumed nationally extinct	✓		✓					
59.	Lycophyta	Lycopodiaceae	<i>Huperzia phlegmaria</i> (L.) Rothm.	<i>Lepidotis phlegmaria</i> (L.) P.Beauv. <i>Lycopodium phlegmaria</i> L. <i>Phlegmariurus phlegmaria</i> (L.) Holub <i>Phlegmariurus phlegmaria</i> (L.) U.Sen & T.Sen <i>Urostachys phlegmaria</i> (L.) Herter ex Nessel	Endangered			✓					
60.	Lycophyta	Lycopodiaceae	<i>Lycopodiella cernua</i> (L.) Pic.Serm.	<i>Lycopodium capillaceum</i> Spring <i>Lycopodium cernuum</i> L. <i>Lycopodium cernuum</i> L. var. <i>capillaceum</i> Spring <i>Lycopodium cernuum</i> L. var. <i>cernuum</i> <i>Lycopodium cernuum</i> L. var. <i>panamense</i> Nessel <i>Lycopodium cernuum</i> L. var. <i>watsonianum</i> Nessel <i>Lycopodium heeschii</i> Müll.Hal. <i>Lycopodium moritzii</i> Muell. <i>Palhinhaea capillacea</i> (Spring) Holub <i>Palhinhaea cernua</i> (L.) Franco & Vasc.	Common								✓
61.	Lycophyta	Selaginellaceae	<i>Selaginella argentea</i> (Wall.) Spring		Critically endangered	✓							
62.	Lycophyta	Selaginellaceae	<i>Selaginella ciliaris</i> (Retz.) Spring	<i>Lycopodium ciliare</i> Retz.	Common								✓
63.	Magnoliophyta	Acanthaceae	<i>Acanthus ebracteatus</i> Vahl	<i>Acanthus ilicifolius</i> Lour. <i>Dilivaria ebracteata</i> (Vahl) Pers.	Vulnerable			✓					
64.	Magnoliophyta	Acanthaceae	<i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl.	<i>Hemigraphis acaulis</i> Bremek. <i>Hemigraphis batantensis</i> Bremek. <i>Hemigraphis cardiophylla</i> Quisumb. <i>Hemigraphis chamaedrys</i> Bremek. <i>Hemigraphis diffusa</i> Bremek.	Exotic								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in	A	B	C	D	E	F	G	H
					Singapore								
				<i>Hemigraphis dorensis</i> S.Moore var. <i>pilosibracteata</i> Bremek. <i>Hemigraphis keiensis</i> Bremek. <i>Hemigraphis lamiifolia</i> Bremek. <i>Hemigraphis lanaensis</i> Bremek. <i>Hemigraphis nemorosa</i> (Zoll.) Boerl. <i>Hemigraphis oblongifolia</i> Merr. <i>Hemigraphis pacifica</i> Hosok. <i>Hemigraphis parabolica</i> (Nees) Fern.-Vill. <i>Hemigraphis parvifolia</i> Bremek. <i>Hemigraphis physalifolia</i> Bremek. <i>Hemigraphis polillensis</i> Bremek. <i>Hemigraphis primulifolia</i> (Nees) Fern.-Vill. <i>Hemigraphis rapifera</i> Hallier f. ex Koord. <i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl. var. <i>glaucescens</i> Hallier f. <i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl. var. <i>gracilis</i> Hallier f. <i>Hemigraphis reptans</i> (G.Forst.) T.Anderson ex Hemsl. var. <i>primulifolia</i> (Nees) Hallier f. <i>Hemigraphis robinsonii</i> Bremek. <i>Hemigraphis saxicola</i> Bremek. <i>Hemigraphis solomonensis</i> Bremek. <i>Hemigraphis sorongensis</i> Bremek. <i>Hemigraphis sublobata</i> Elmer <i>Hemigraphis suborbicularis</i> S.Moore <i>Hemigraphis tayabensis</i> Bremek. <i>Hemigraphis undulata</i> Bremek. <i>Hemigraphis villosa</i> Bremek. <i>Hemigraphis waigeensis</i> Bremek. <i>Ruellia parabolica</i> Nees <i>Ruellia primulifolia</i> Nees <i>Ruellia reptans</i> G.Forst.									
65.	Magnoliophyta	Acanthaceae	<i>Hygrophila ringens</i> (L.) R.Br. ex Steud.	<i>Ruellia ringens</i> L.	Cryptogenic	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
66.	Magnoliophyta	Acanthaceae	<i>Justicia vasculosa</i> Wall.	<i>Adhatoda vasculosa</i> Nees <i>Ecbolium vasculosum</i> (Wall.) Kuntze <i>Gendarussa vasculosa</i> Nees <i>Mananthes vasculosa</i> (Nees) Bremek. <i>Ruellia rivinifolia</i> Wall.	Critically endangered	✓		✓	✓	✓			
67.	Magnoliophyta	Acanthaceae	<i>Staurogyne kingiana</i> C.B.Clarke		Critically endangered					✓			
68.	Magnoliophyta	Acanthaceae	<i>Staurogyne setigera</i> (Nees) Kuntze	<i>Ebermaiera setigera</i> Nees <i>Ebermaiera trichocephala</i> Miq.	Critically endangered	✓				✓			
69.	Magnoliophyta	Achariaceae	<i>Ryparosa hullettii</i> King		Presumed nationally extinct				✓				
70.	Magnoliophyta	Amaranthaceae	<i>Amaranthus viridis</i> L.	<i>Albersia caudata</i> (Jacq.) Boiss. <i>Albersia gracilis</i> Webb & Berthel. <i>Amaranthus acutilobus</i> Uline & W.L.Bray <i>Amaranthus fasciatus</i> Roxb. <i>Amaranthus gracilis</i> Desf. <i>Amaranthus gracilis</i> Desf. ex Poir. <i>Amaranthus littoralis</i> Bernh. ex Moq. <i>Amaranthus polystachyus</i> Buch.-Ham. ex Wall. <i>Chenopodium caudatum</i> Jacq. <i>Euxolus caudatus</i> (Jacq.) Moq. <i>Euxolus caudatus</i> (Jacq.) Moq. var. <i>maximus</i> Moq. <i>Galliardia adscendens</i> Bubani <i>Glomeraria viridis</i> (L.) Cav. <i>Lagrezia suessenguthii</i> Cavaco <i>Pyxidium viride</i> (L.) Moq.	Critically endangered					✓			
71.	Magnoliophyta	Anacardiaceae	<i>Buchanania arborescens</i> (Blume) Blume	<i>Buchanania angustifolia</i> Benth. <i>Buchanania arborescens</i> F.Muell. <i>Buchanania attopeuensis</i> (Pierre) Tardieu <i>Buchanania bancana</i> Miq.	Common			✓	✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Buchanania decandra</i> Blanco									
				<i>Buchanania florida</i> A.Gray									
				<i>Buchanania florida</i> A.Gray var. <i>arborescens</i> Engl.									
				<i>Buchanania florida</i> A.Gray var. <i>arborescens</i> Pierre									
				<i>Buchanania florida</i> A.Gray var. <i>attopeuensis</i> Pierre									
				<i>Buchanania florida</i> A.Gray var. <i>cumingii</i> Engl.									
				<i>Buchanania florida</i> A.Gray var. <i>dongnaiensis</i> Pierre									
				<i>Buchanania florida</i> A.Gray var. <i>lucida</i> (Blume) Engl.									
				<i>Buchanania florida</i> A.Gray var. <i>petiolaris</i> (Miq.) Engl.									
				<i>Buchanania glaberrima</i> Ridl.									
				<i>Buchanania intermedia</i> Wight									
				<i>Buchanania longifolia</i> Span.									
				<i>Buchanania longifolia</i> Blume									
				<i>Buchanania lucida</i> Blume									
				<i>Buchanania lucida</i> Blume var. <i>laxiflora</i> Ridl.									
				<i>Buchanania lucida</i> Blume var. <i>polembanica</i> (Blume) Miq.									
				<i>Buchanania monticola</i> Kaneh. & Hatus.									
				<i>Buchanania muelleri</i> Engl.									
				<i>Buchanania nabirensis</i> Kaneh. & Hatus.									
				<i>Buchanania novohibernica</i> Lauterb.									
				<i>Buchanania palembanica</i> Blume									
				<i>Buchanania papuana</i> C.T.White									
				<i>Buchanania petiolaris</i> Miq.									
				<i>Buchanania platyphylla</i> Merr.									
				<i>Buchanania polybotrya</i> Miq.									
				<i>Buchanania pseudoflorida</i> G.Perkins									
				<i>Buchanania scandens</i> Lauterb.									
				<i>Buchanania solomonensis</i> Merr. & L.M.Perry									
				<i>Buchanania subobovata</i> Griff.									
				<i>Buchanania versteeghii</i> Merr. & L.M.Perry									
				<i>Coniogeton arborescens</i> Blume									

See [Corrigenda of 13 May 2013](#).

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
72.	Magnoliophyta	Anacardiaceae	<i>Buchanania sessilifolia</i> Blume		Vulnerable	✓	✓			✓			
73.	Magnoliophyta	Anacardiaceae	<i>Campnosperma auriculatum</i> Hook.f.	<i>Buchanania auriculata</i> Blume <i>Campnosperma auriculatum</i> Hook.f. var. <i>wallichii</i> (King) Ridl. <i>Campnosperma oxyrhachis</i> Engl. <i>Campnosperma wallichii</i> King	Common	✓	✓			✓	✓		
74.	Magnoliophyta	Anacardiaceae	<i>Campnosperma squamatum</i> Ridl.	<i>Campnosperma minor</i> Corner	Common	✓	✓	✓	✓	✓	✓	✓	
75.	Magnoliophyta	Anacardiaceae	<i>Dracontomelon dao</i> (Blanco) Merr. & Rolfe	<i>Comeurya cumingiana</i> Baill. <i>Dracontomelon brachyphyllum</i> Ridl. <i>Dracontomelon celebicum</i> Koord. <i>Dracontomelon cumingianum</i> (Baill.) Baill. <i>Dracontomelon edule</i> (Blanco) Skeels <i>Dracontomelon edule</i> Merr. <i>Dracontomelon lamiyo</i> (Blanco) Merr. <i>Dracontomelon laxum</i> K.Schum. <i>Dracontomelon mangiferum</i> (Blume) Blume <i>Dracontomelon puberulum</i> Miq. <i>Dracontomelon sylvestre</i> Blume <i>Paliurus dao</i> Blanco <i>Paliurus edulis</i> Blanco <i>Paliurus lamujo</i> Blanco <i>Poupartia mangifera</i> Blume	Exotic							✓	
76.	Magnoliophyta	Anacardiaceae	<i>Gluta renghas</i> L.		Presumed nationally extinct					✓			
77.	Magnoliophyta	Anacardiaceae	<i>Gluta wallichii</i> (Hook.f.) Ding Hou	<i>Melanorrhoea wallichii</i> Hook.f.	Common	✓	✓	✓	✓	✓		✓	
78.	Magnoliophyta	Anacardiaceae	<i>Mangifera foetida</i> Lour.		Vulnerable	✓	✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
79.	Magnoliophyta	Anacardiaceae	<i>Mangifera griffithii</i> Hook.f.		Endangered	✓	✓						
80.	Magnoliophyta	Anacardiaceae	<i>Melanochyla angustifolia</i> Hook.f.		Critically endangered								✓
81.	Magnoliophyta	Anacardiaceae	<i>Melanochyla auriculata</i> Hook.f.		Vulnerable			✓					
82.	Magnoliophyta	Anacardiaceae	<i>Melanochyla caesia</i> (Blume) Ding Hou		Vulnerable	✓	✓				✓	✓	
83.	Magnoliophyta	Anacardiaceae	<i>Parishia maingayi</i> Hook.f.		Vulnerable	✓	✓						
84.	Magnoliophyta	Ancistrocladaceae	<i>Ancistrocladus tectorius</i> (Lour.) Merr.	<i>Ancistrocladus carallioides</i> Craib <i>Ancistrocladus cochinchinensis</i> Gagnep. <i>Ancistrocladus extensus</i> Wall. ex Planch. <i>Ancistrocladus extensus</i> Wall. ex Planch. var. <i>pinangianus</i> (Wall. ex Planch.) King <i>Ancistrocladus hainanensis</i> Hayata <i>Ancistrocladus harmandii</i> Gagnep. <i>Ancistrocladus pinangianus</i> Wall. ex Planch. <i>Ancistrocladus stelligerus</i> Wall. ex A.DC. <i>Bembix tectoria</i> Lour.	Critically endangered	✓		✓					
85.	Magnoliophyta	Anisophylleaceae	<i>Anisophyllea disticha</i> (Jack) Baill.	<i>Anisophyllea rhomboidea</i> Baill. <i>Anisophyllea trapezoidalis</i> (Baill.) Baill. <i>Anisophyllum trapezoidale</i> Baill. <i>Haloragis disticha</i> Jack	Common				✓	✓			✓
86.	Magnoliophyta	Anisophylleaceae	<i>Anisophyllea griffithii</i> Oliv.		Critically endangered			✓	✓				
87.	Magnoliophyta	Annonaceae	<i>Alphonsea maingayi</i> Hook.f. & Thomson		Critically endangered			✓					
88.	Magnoliophyta	Annonaceae	<i>Artabotrys costatus</i> King		Vulnerable	✓			✓		✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
89.	Magnoliophyta	Annonaceae	<i>Artabotrys suaveolens</i> (Blume) Blume	<i>Artabotrys blumei</i> Hook.f. & Thomson <i>Artabotrys corniculatus</i> (Blanco) Merr. <i>Artabotrys monogynus</i> Merr. <i>Artabotrys parviflorus</i> Miq. <i>Artabotrys rolfei</i> S.Vidal <i>Artabotrys suaveolens</i> (Blume) Blume var. <i>parviflorus</i> (Miq.) Miq. <i>Artabotrys trigynus</i> Merr. <i>Unona corniculata</i> Blanco <i>Unona suaveolens</i> Blume	Endangered	✓			✓	✓	✓	✓	
90.	Magnoliophyta	Annonaceae	<i>Artabotrys wrayi</i> King		Endangered				✓				
91.	Magnoliophyta	Annonaceae	<i>Cyathocalyx ramuliflorus</i> (Maingay ex Hook.f. & Thomson) Scheff.	<i>Cyathocalyx bancanus</i> Boerl. <i>Drepananthus ramuliflorus</i> Maingay ex Hook.f.	Common	✓	✓		✓	✓	✓	✓	
92.	Magnoliophyta	Annonaceae	<i>Cyathocalyx ridleyi</i> (King) J.Sinclair	<i>Xylopia ridleyi</i> King	Vulnerable				✓		✓	✓	
93.	Magnoliophyta	Annonaceae	<i>Cyathostemma viridiflorum</i> Griff.	<i>Cyathostemma scortechinii</i> King	Vulnerable				✓	✓	✓		
94.	Magnoliophyta	Annonaceae	<i>Dasymaschalon blumei</i> Finet & Gagnep.	<i>Dasymaschalon blumei</i> Finet & Gagnep. var. <i>suratense</i> Bân <i>Dasymaschalon blumei</i> Finet & Gagnep. var. <i>wallichii</i> (Hook.f. & Thomson) Bân <i>Dasymaschalon cleistogamum</i> (Burck ex Boerl.) Merr. <i>Dasymaschalon coelophloeum</i> (Scheff.) Merr. <i>Dasymaschalon dasymaschalum</i> (Blume) I.M.Turner <i>Dasymaschalon dasymaschalum</i> (Blume) I.M.Turner var. <i>wallichii</i> (Hook.f. & Thomson) I.M.Turner <i>Desmos dasymaschalus</i> (Blume) Saff.	Critically endangered			✓	✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Unona cleistogama</i> Burck ex Boerl. <i>Unona coelophloea</i> Scheff. <i>Unona dasymaschala</i> Blume <i>Uvaria alphonsii</i> Müll.Berol. <i>Uvaria discolor</i> Müll.Berol.									
95.	Magnoliophyta	Annonaceae	<i>Desmos chinensis</i> Lour.	<i>Desmos chinensis</i> Lour. var. <i>brevifolius</i> (Teijsm. & Binn. ex Boerl.) Bân <i>Desmos chinensis</i> Lour. var. <i>laevigatus</i> (Hook.f. & Thomson) D.Mitra <i>Desmos chinensis</i> Lour. var. <i>lawii</i> (Hook.f. & Thomson) Bân <i>Desmos chinensis</i> Lour. var. <i>macropetalus</i> (Teijsm. & Binn. ex Boerl.) Bân <i>Desmos chinensis</i> Lour. var. <i>pubescens</i> (Hook.f. & Thomson) Deb <i>Desmos dunalii</i> (Wall. ex Hook.f. & Thomson) Saff. <i>Desmos lawii</i> (Hook.f. & Thomson) Saff. <i>Unona chinensis</i> DC. <i>Unona discolor</i> Vahl <i>Unona dunalii</i> Hook.f. & Thomson	Critically endangered					✓			
96.	Magnoliophyta	Annonaceae	<i>Desmos dumosus</i> (Roxb.) Saff.	<i>Desmos subbiglandulosus</i> (Miq.) Merr. <i>Unona dumosa</i> Roxb.	Critically endangered				✓	✓			
97.	Magnoliophyta	Annonaceae	<i>Ellipeia cuneifolia</i> Hook.f. & Thomson		Critically endangered				✓				
98.	Magnoliophyta	Annonaceae	<i>Fissistigma fulgens</i> (Hook.f. & Thomson) Merr.		Vulnerable				✓		✓	✓	
99.	Magnoliophyta	Annonaceae	<i>Fissistigma lanuginosum</i> (Hook.f. & Thomson) Merr.	<i>Melodorum lanuginosum</i> Hook.f. & Thomson	Endangered					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
100.	Magnoliophyta	Annonaceae	<i>Fissistigma latifolium</i> (Dunal) Merr. var. <i>latifolium</i>		Presumed nationally extinct					✓			
101.	Magnoliophyta	Annonaceae	<i>Fissistigma latifolium</i> (Dunal) Merr. var. <i>ovoideum</i> (King) Sinclair	<i>Fissistigma ovoideum</i> (King) Merr.	Vulnerable			✓	✓		✓	✓	
102.	Magnoliophyta	Annonaceae	<i>Fissistigma manubriatum</i> (Hook.f. & Thomson) Merr.		Vulnerable						✓	✓	
103.	Magnoliophyta	Annonaceae	<i>Friesodielsia biglandulosa</i> (Blume) Steenis	<i>Guatteria biglandulosa</i> Blume <i>Richella biglandulosa</i> (Blume) R.E.Fr.	Vulnerable				✓			✓	
104.	Magnoliophyta	Annonaceae	<i>Friesodielsia borneensis</i> (Miq.) Steenis	<i>Oxymitra borneensis</i> Miq.	Vulnerable				✓		✓	✓	
105.	Magnoliophyta	Annonaceae	<i>Friesodielsia excisa</i> (Miq.) Steenis		Vulnerable					✓			
106.	Magnoliophyta	Annonaceae	<i>Friesodielsia glauca</i> (Hook.f. & Thomson) Steenis	<i>Oxymitra glauca</i> Hook.f. & Thomson	Critically endangered				✓		✓	✓	
107.	Magnoliophyta	Annonaceae	<i>Friesodielsia latifolia</i> (Hook.f. & Thomson) Steenis	<i>Oxymitra latifolia</i> Hook.f. & Thomson	Common	✓		✓	✓	✓		✓	
108.	Magnoliophyta	Annonaceae	<i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson	<i>Goniothalamus forbesii</i> Baker f. <i>Goniothalamus lanceolatus</i> (Bân) Mat-Salleh <i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson var. <i>kerrii</i> Bân <i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson var. <i>lanceolatus</i> Bân <i>Goniothalamus macrophyllus</i> (Blume) Hook.f. & Thomson var. <i>siamensis</i> J.Sinclair	Vulnerable	✓			✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Polyalthia macrophylla</i> (Blume) Blume <i>Unona macrophylla</i> Blume									
109.	Magnoliophyta	Annonaceae	<i>Goniothalamus malayanus</i> Hook.f. & Thomson	<i>Goniothalamus malayanus</i> Hook.f. & Thomson var. <i>slingerlandtianus</i> (Scheff.) Boerl. <i>Goniothalamus puncticulatus</i> Boerl. & Koord. <i>Goniothalamus slingerlandtianus</i> Scheff. <i>Goniothalamus ventristylus</i> Boerl. & Koord.	Vulnerable					✓			
110.	Magnoliophyta	Annonaceae	<i>Goniothalamus ridleyi</i> King	<i>Goniothalamus fasciculatus</i> Boerl. <i>Goniothalamus prainianus</i> King <i>Goniothalamus prainianus</i> King var. <i>angustipetalus</i> King	Vulnerable				✓				
111.	Magnoliophyta	Annonaceae	<i>Goniothalamus tapis</i> Miq.	<i>Goniothalamus umbrosus</i> J.Sinclair	Vulnerable				✓	✓			
112.	Magnoliophyta	Annonaceae	<i>Mitrella kentii</i> (Blume) Miq.	<i>Fissistigma clementis</i> Merr. <i>Fissistigma elegans</i> (Hook.f. & Thomson) Merr. <i>Fissistigma kentii</i> (Blume) Merr.	Common				✓	✓	✓	✓	✓
113.	Magnoliophyta	Annonaceae	<i>Phaeanthus intermedius</i> (P.Parm.) I.M.Turner & Veldkamp	<i>Phaeanthus nutans</i> Hook.f. & Thomson	Critically endangered					✓	✓		
114.	Magnoliophyta	Annonaceae	<i>Polyalthia cauliflora</i> Hook.f. & Thomson	<i>Desmos desmanthus</i> (Hook.f. & Thomson) Saff. <i>Guatteria palembanica</i> Miq. <i>Guatteria teysmannii</i> Miq. <i>Polyalthia beccarii</i> King <i>Polyalthia cauliflora</i> Hook.f. & Thomson var. <i>beccarii</i> (King) J.Sincl. <i>Polyalthia teysmannii</i> (Miq.) King <i>Uvaria cauliflora</i> Wall.	Vulnerable				✓				
115.	Magnoliophyta	Annonaceae	<i>Polyalthia glauca</i> (Hassk.) Muell.	<i>Monoon glaucum</i> (Hassk.) Miq. <i>Uvaria glauca</i> Hassk.	Endangered	✓	✓		✓	✓		✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
116.	Magnoliophyta	Annonaceae	<i>Polyalthia hookeriana</i> King		Critically endangered							✓	
117.	Magnoliophyta	Annonaceae	<i>Polyalthia hypogaea</i> King		Critically endangered					✓			
118.	Magnoliophyta	Annonaceae	<i>Polyalthia lateriflora</i> (Blume) Kurz	<i>Guatteria lateriflora</i> Blume	Critically endangered				✓	✓	✓		
119.	Magnoliophyta	Annonaceae	<i>Polyalthia macropoda</i> King		Endangered		✓						
120.	Magnoliophyta	Annonaceae	<i>Polyalthia rumphii</i> Merr.	<i>Guatteria rumphii</i> Blume ex Hensch.	Critically endangered				✓				
121.	Magnoliophyta	Annonaceae	<i>Popowia tomentosa</i> Maingay ex Hook.f. & Thomson		Endangered				✓				
122.	Magnoliophyta	Annonaceae	<i>Pyramidanthe prismatica</i> (Hook.f. & Thomson) J.Sinclair.		Endangered			✓	✓	✓	✓		
123.	Magnoliophyta	Annonaceae	<i>Trivalvaria macrophylla</i> (Blume) Miq.	<i>Guatteria macrophylla</i> Blume <i>Polyalthia macrophylla</i> (Blume) Hook.f. & Thomson	Presumed nationally extinct			✓					
124.	Magnoliophyta	Annonaceae	<i>Uvaria cordata</i> (Dunal) Alston	<i>Guatteria cordata</i> Dunal	Common	✓		✓	✓	✓	✓		
125.	Magnoliophyta	Annonaceae	<i>Uvaria curtisii</i> King		Critically endangered							✓	
126.	Magnoliophyta	Annonaceae	<i>Uvaria grandiflora</i> (Lesch. ex DC.) Roxb.	<i>Unona grandiflora</i> DC. <i>Uvaria platypetala</i> Champ. ex Benth. <i>Uvaria purpurea</i> Blume <i>Uvaria rhodantha</i> Hance	Vulnerable					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
127.	Magnoliophyta	Annonaceae	<i>Uvaria lobbiana</i> Hook.f. & Thomson	<i>Uva lobbiana</i> Kuntze	Critically endangered							✓	
128.	Magnoliophyta	Annonaceae	<i>Uvaria pauciovulata</i> Hook.f. & Thomson	<i>Uva pauciovulata</i> Kuntze	Critically endangered						✓	✓	
129.	Magnoliophyta	Annonaceae	<i>Xylopia ferruginea</i> (Hook.f. & Thomson) Hook.f. & Thomson	<i>Habzelia ferruginea</i> Hook.f. & Thomson	Common				✓			✓	
130.	Magnoliophyta	Annonaceae	<i>Xylopia fusca</i> Maingay ex Hook.f. & Thomson	<i>Xylopicrum fuscum</i> Kuntze	Critically endangered	✓	✓						
131.	Magnoliophyta	Annonaceae	<i>Xylopia malayana</i> Hook.f. & Thomson	<i>Parartabotrys sumatranus</i> Miq.	Common	✓	✓	✓	✓	✓	✓	✓	
132.	Magnoliophyta	Apiaceae	<i>Eryngium foetidum</i> L.	<i>Eryngium antihystericum</i> Rottler <i>Eryngium antithystericum</i> Rottb.	Exotic			✓					
133.	Magnoliophyta	Apocynaceae	<i>Alstonia angustifolia</i> Wall. ex A.DC.	<i>Alstonia angustifolia</i> Wall. ex A.DC. var. <i>elliptica</i> King & Gamble <i>Alstonia angustifolia</i> Wall. ex A.DC. var. <i>latifolia</i> King & Gamble <i>Alstonia beccarii</i> (Benth.) Pichon <i>Alstonia latifolia</i> (King & Gamble) Ridl. <i>Amblyocalyx beccarii</i> Benth.	Common				✓	✓	✓	✓	
134.	Magnoliophyta	Apocynaceae	<i>Alstonia angustiloba</i> Miq.	<i>Alstonia angustiloba</i> Miq. var. <i>glabra</i> Koord. & Valetton <i>Alstonia calophylla</i> Miq. <i>Paladelpha angustiloba</i> (Miq.) Pichon	Common	✓	✓		✓		✓	✓	
135.	Magnoliophyta	Apocynaceae	<i>Alstonia macrophylla</i> Wall. ex G.Don	<i>Alstonia acuminata</i> Miq. <i>Alstonia batino</i> Blanco <i>Alstonia brassii</i> Monach. <i>Alstonia costata</i> Wall. ex Miq.	Exotic				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Alstonia glabriflora</i> Markgr. <i>Alstonia macrophylla</i> Wall. ex G.Don var. <i>acuminata</i> (Miq.) Monach. <i>Alstonia macrophylla</i> Wall. ex G.Don var. <i>glabra</i> A.DC. <i>Alstonia macrophylla</i> Wall. ex G.Don var. <i>mollis</i> Merr. <i>Alstonia oblongifolia</i> Merr. <i>Alstonia pangkorensis</i> King & Gamble <i>Alstonia paucinervia</i> Merr. <i>Alstonia subsessilis</i> Miq.									
136.	Magnoliophyta	Apocynaceae	<i>Alstonia pneumatophora</i> Backer ex L.G. den Berger	<i>Alstonia pneumatophora</i> Backer ex L.G. den Berger var. <i>petiolata</i> Monach.	Critically endangered								✓
137.	Magnoliophyta	Apocynaceae	<i>Alstonia spatulata</i> Blume	<i>Alstonia cochinchensis</i> Pierre ex Pit. <i>Alstonia cuneata</i> Wall. ex G.Don	Vulnerable				✓				
138.	Magnoliophyta	Apocynaceae	<i>Anodendron candolleianum</i> Wight	<i>Anodendron rubescens</i> (Teijsm. & Binn.) Teijsm. & Binn. <i>Anodendron scandens</i> (Hassk.) Pichon <i>Dendrocharis rubescens</i> Teijsm. & Binn. <i>Ecdysanthera rubescens</i> (Teijsm. & Binn.) Boerl. <i>Ecdysanthera scandens</i> Hassk.	Critically endangered							✓	✓
139.	Magnoliophyta	Apocynaceae	<i>Asclepias curassavica</i> L.	<i>Asclepias aurantiaca</i> Salisb. <i>Asclepias bicolor</i> Moench <i>Asclepias cubensis</i> Wender. <i>Asclepias curassavica</i> L. var. <i>concolor</i> Krug & Urb. <i>Asclepias curassavica</i> L.f. <i>flaviflora</i> Tawada <i>Asclepias margaritacea</i> Hoffmanns. ex Schult. <i>Asclepias nivea</i> L. var. <i>curassavica</i> (L.) Kuntze	Exotic			✓					
140.	Magnoliophyta	Apocynaceae	<i>Chonemorpha fragrans</i> (Moon) Alston	<i>Chonemorpha elliptica</i> Merr. & Rolfe <i>Chonemorpha grandieriana</i> Pierre ex Spire <i>Chonemorpha grandiflora</i> G.Don	Critically endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Chonemorpha griffithii</i> Hook.f. <i>Chonemorpha macrantha</i> Pit. <i>Chonemorpha macrophylla</i> G.Don <i>Chonemorpha macrophylla</i> G.Don var. <i>grandis</i> A.DC. <i>Chonemorpha penangensis</i> Ridl. <i>Chonemorpha rheedei</i> Ridl. <i>Chonemorpha valvata</i> Chatterjee <i>Chonemorpha yersinii</i> Vernet <i>Echites fragrans</i> Moon <i>Echites grandiflorus</i> Roth <i>Echites grandis</i> Wall. <i>Echites latifolius</i> Buch.-Ham. ex Wall. <i>Echites macranthus</i> Spreng. <i>Echites macrophyllus</i> Roxb. <i>Epichysianthus macrophyllus</i> (G.Don) Voigt <i>Rhynchodia macrantha</i> Pharm. ex Wehmer <i>Tabernaemontana elliptica</i> Blanco									
141.	Magnoliophyta	Apocynaceae	<i>Dischidia albiflora</i> Griff.	<i>Collyris major</i> Vahl <i>Dischidia borneensis</i> Becc. <i>Dischidia collyris</i> Wall.	Presumed nationally extinct			✓					
142.	Magnoliophyta	Apocynaceae	<i>Dischidia hirsuta</i> (Blume) Decne.	<i>Dischidia brunoniana</i> Griff. <i>Dischidia euryloma</i> Schltr. <i>Dischidia fasciculata</i> (Blume) Decne. <i>Dischidia pulchella</i> Schltr. <i>Dischidia subpelligera</i> Schltr. <i>Dischidia verruculosa</i> Schltr. <i>Leptostemma fasciculatum</i> Blume <i>Leptostemma hirsutum</i> Blume	Presumed nationally extinct			✓					
143.	Magnoliophyta	Apocynaceae	<i>Dyera costulata</i> (Miq.) Hook.f.	<i>Alstonia costulata</i> Miq. <i>Alstonia eximia</i> Miq. <i>Alstonia grandifolia</i> Miq. <i>Dyera laxiflora</i> Hook.f.	Common				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
144.	Magnoliophyta	Apocynaceae	<i>Epigynum griffithianum</i> Wight	<i>Argyronerium odoratum</i> Pit. <i>Epigynum curtisii</i> King & Gamble <i>Epigynum maingayi</i> Hook.f. <i>Epigynum odoratum</i> (Pit.) Kerr <i>Epigynum perakense</i> King & Gamble <i>Legouixia amabilis</i> Van Heurck & Müll.Arg.	Presumed nationally extinct					✓			
145.	Magnoliophyta	Apocynaceae	<i>Epigynum ridleyi</i> King & Gamble	<i>Epigynum beccarii</i> K.Schum. <i>Epigynum borneense</i> Merr. <i>Epigynum forbesii</i> King & Gamble	Critically endangered					✓			
146.	Magnoliophyta	Apocynaceae	<i>Hoya lacunosa</i> Blume	<i>Hoya suaveolens</i> Miq. <i>Otostemma lacunosum</i> (Blume) Blume	Endangered			✓		✓			
147.	Magnoliophyta	Apocynaceae	<i>Hoya latifolia</i> G.Don	<i>Hoya macrophylla</i> Wight <i>Hoya polystachya</i> Blume	Endangered			✓				✓	
148.	Magnoliophyta	Apocynaceae	<i>Hoya scortechinii</i> King & Gamble		Exotic					✓			
149.	Magnoliophyta	Apocynaceae	<i>Hoya verticillata</i> (Vahl) G.Don var. <i>verticillata</i>	<i>Sperlingia verticillata</i> Vahl	Common				✓				
150.	Magnoliophyta	Apocynaceae	<i>Kibatalia maingayi</i> (Hook.f.) Woodson	<i>Holarrhena daronensis</i> Elmer <i>Kibatalia daronensis</i> (Elmer) Woodson <i>Paravallaris maingayi</i> (Hook.f.) Kerr <i>Vallaris daronensis</i> (Elmer) Merr. <i>Vallaris maingayi</i> Hook.f.	Critically endangered	✓	✓		✓	✓		✓	
151.	Magnoliophyta	Apocynaceae	<i>Kopsia singapurensis</i> Ridl.		Critically endangered	✓	✓		✓	✓		✓	Gdn
152.	Magnoliophyta	Apocynaceae	<i>Leuconotis griffithii</i> Hook.f.	<i>Leuconotis elastica</i> Becc. <i>Leuconotis griffithii</i> Hook.f. var. <i>sumatrana</i> Markgr. <i>Leuconotis maingayi</i> Dyer ex Hook.f.	Vulnerable	✓		✓			✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Leuconotis subavenis</i> Boerl. <i>Leuconotis subavenis</i> Boerl. var. <i>elastica</i> (Becc.) Markgr.									
153.	Magnoliophyta	Apocynaceae	<i>Parameria laevigata</i> (Juss.) Moldenke	<i>Aegiphila laevigata</i> Juss. <i>Chonemorpha densiflora</i> (Blume) G.Don <i>Ecdysanthera barbata</i> (Blume) Miq. <i>Ecdysanthera barbata</i> (Blume) Miq. var. <i>angustior</i> Miq. <i>Ecdysanthera densiflora</i> (Blume) Miq. <i>Ecdysanthera glandulifera</i> (Wall. ex G.Don) A.DC. <i>Ecdysanthera griffithii</i> Wight <i>Echites barbatus</i> (Blume) D.Dietr. <i>Echites densiflorus</i> Blume <i>Echites glanduliferus</i> Wall. ex G.Don <i>Echites torosus</i> Llanos <i>Parameria angustior</i> (Miq.) Boerl. <i>Parameria barbata</i> (Blume) K.Schum. <i>Parameria barbata</i> (Blume) K.Schum. var. <i>pieirrei</i> (Pit.) Kerr <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz var. <i>philippinensis</i> (Radlk.) Stapf <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz var. <i>pieirrei</i> Pit. <i>Parameria glandulifera</i> (Wall. ex G.Don) Benth. ex Kurz var. <i>poilanei</i> Pit. <i>Parameria philippinensis</i> Radlk. <i>Parameria pierreii</i> Baill. <i>Parameria vulneraria</i> Radlk. <i>Parsonsia barbata</i> Blume	Critically endangered								✓
154.	Magnoliophyta	Apocynaceae	<i>Parameria polyneura</i> Hook.f.	<i>Micrechites ovalifolius</i> Ridl. <i>Parameria griffithii</i> Pierre <i>Parameriopsis polyneura</i> (Hook.f.) Pichon	Critically endangered								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
155.	Magnoliophyta	Apocynaceae	<i>Parsonsia alboflavescens</i> (Dennst.) Mabb.	<i>Aganosma concanensis</i> Hook. <i>Aganosma laevigata</i> (Moon) J.Graham <i>Apocynum reticulatum</i> L. <i>Apocynum reticulatum</i> Lour. <i>Apocynum vincifolium</i> Burm.f. <i>Chaetosus volubilis</i> Benth. <i>Cudicia trichotoma</i> Buch.-Ham. ex Dillwyn <i>Echites laevigatus</i> Moon <i>Echites spiralis</i> Blanco <i>Helicandra sinensis</i> Hook. & Arn. <i>Heligme javanica</i> (Blume) Blume <i>Heligme korthalsiana</i> Miq. <i>Heligme minahassae</i> Teijsm. & Binn. <i>Heligme rheedei</i> Wight <i>Heligme spiralis</i> (Wall. ex G.Don) Thwaites <i>Helyga javanica</i> Blume <i>Lyonsia sumatrana</i> Ridl. <i>Lyonsia viridiflora</i> F.M.Bailey <i>Parsonsia acuminata</i> Wall. <i>Parsonsia aterinervia</i> Elmer <i>Parsonsia confusa</i> Merr. <i>Parsonsia cumingiana</i> A.DC. <i>Parsonsia helicandra</i> Hook. & Arn. <i>Parsonsia howii</i> Tsiang <i>Parsonsia javanica</i> (Blume) K.Schum. <i>Parsonsia korthalsiana</i> (Miq.) Boerl. <i>Parsonsia kunstleri</i> King & Gamble <i>Parsonsia laevigata</i> (Moon) Alston <i>Parsonsia longipedunculata</i> Merr. <i>Parsonsia magnifolia</i> Elmer <i>Parsonsia minahassae</i> (Teijsm. & Binn.) Koord. <i>Parsonsia momiensis</i> Kaneh. & Hatus. <i>Parsonsia oblancifolia</i> Merr. <i>Parsonsia oblonga</i> Wall. ex G.Don <i>Parsonsia oblongifolia</i> Merr. <i>Parsonsia panniculata</i> Pichon	Critically endangered				✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Parsonsia pauciflora</i> Wall. <i>Parsonsia reticulata</i> (L.) Woodson <i>Parsonsia rheedei</i> Fern.-Vill. <i>Parsonsia spiralis</i> Wall. ex G.Don <i>Parsonsia spiralis</i> Vidal <i>Periploca alboflavescens</i> Dennst. <i>Spirostemon spiralis</i> Griff.									
156.	Magnoliophyta	Apocynaceae	<i>Parsonsia curvisepala</i> K.Schum.	<i>Aganosma apoensis</i> Elmer <i>Lyonsia mollissima</i> Wernham <i>Parsonsia apoensis</i> (Elmer) Merr. <i>Parsonsia cyathocalyx</i> Markgr. <i>Parsonsia dallmannensis</i> Kaneh. & Hatus. <i>Parsonsia mollissima</i> (Wernham) Markgr. <i>Parsonsia stenocarpa</i> King & Gamble <i>Parsonsia urdanetensis</i> Elmer <i>Parsonsia verticillata</i> K.Schum.	Presumed nationally extinct	✓			✓	✓			
			See Corrigenda of 13 May 2013 .										
157.	Magnoliophyta	Apocynaceae	<i>Pleiocarpa mutica</i> Benth.	<i>Hunteria pleiocarpa</i> Hallier f. <i>Pleiocarpa bakueana</i> A.Chev. <i>Pleiocarpa salicifolia</i> Stapf <i>Pleiocarpa ternata</i> A.Chev. <i>Pleiocarpa tricarpellata</i> Stapf	Exotic				✓				
158.	Magnoliophyta	Apocynaceae	<i>Sarcolobus globosus</i> Wall.		Presumed nationally extinct			✓					
159.	Magnoliophyta	Apocynaceae	<i>Tabernaemontana corymbosa</i> Roxb. ex Wall.	<i>Ervatamia baviensis</i> (Pit.) Pichon <i>Ervatamia chinensis</i> (Merr.) Tsiang <i>Ervatamia continentalis</i> Tsiang <i>Ervatamia continentalis</i> Tsiang var. <i>pubiflora</i> Tsiang <i>Ervatamia corymbosa</i> (Roxb. ex Wall.) King & Gamble	Endangered			✓				✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ervatamia corymbosa</i> (Roxb. ex Wall.) King & Gamble var. <i>pubescens</i> King & Gamble									
				<i>Ervatamia hirta</i> (Hook.f.) King & Gamble									
				<i>Ervatamia inaequalifolia</i> (Lütjeh. & Ooststr.) Pichon									
				<i>Ervatamia jasminiflora</i> Ridl.									
				<i>Ervatamia kwangsiensis</i> Tsiang									
				<i>Ervatamia kweichowensis</i> Tsiang									
				<i>Ervatamia lamdongensis</i> Lý									
				<i>Ervatamia laotica</i> (Pit.) Pichon									
				<i>Ervatamia pauciflora</i> Ridl.									
				<i>Ervatamia pauciflora</i> Ridl. var. <i>minor</i> Ridl.									
				<i>Ervatamia phuongii</i> Lý									
				<i>Ervatamia tenuiflora</i> Tsiang									
				<i>Ervatamia yunnanensis</i> Tsiang									
				<i>Ervatamia yunnanensis</i> Tsiang var. <i>heterosepala</i> Tsiang									
				<i>Pagiantha corymbosa</i> (Roxb. ex Wall.) Markgr.									
				<i>Pagiantha peninsularis</i> Kerr									
				<i>Pseudixora sumatrana</i> Miq.									
				<i>Randia sumatrana</i> (Miq.) Miq.									
				<i>Tabernaemontana baviensis</i> Pit.									
				<i>Tabernaemontana carinata</i> Lütjeh. & Ooststr.									
				<i>Tabernaemontana chinensis</i> Merr.									
				<i>Tabernaemontana continentalis</i> (Tsiang) P.T.Li									
				<i>Tabernaemontana cymulosa</i> Miq.									
				<i>Tabernaemontana hirta</i> Hook.f.									
				<i>Tabernaemontana inaequalifolia</i> Lütjeh. & Ooststr.									
				<i>Tabernaemontana kwangsiensis</i> (Tsiang) P.T.Li									
				<i>Tabernaemontana kweichowensis</i> (Tsiang) P.T.Li									
				<i>Tabernaemontana laotica</i> Pit.									
				<i>Tabernaemontana peninsularis</i> (Kerr) P.T.Li									
				<i>Tabernaemontana pubituba</i> Merr.									
				<i>Tabernaemontana sumatrana</i> (Miq.) Hallier f.									
				<i>Tabernaemontana sumatrana</i> Merr.									
				<i>Tabernaemontana tsiangiana</i> P.T.Li									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore								
						A	B	C	D	E	F	G	H
				<i>Tabernaemontana yunnanensis</i> (Tsiang) P.T.Li									
			See Corrigenda of 13 May 2013 .	<i>Tabernaemontana yunnanensis</i> (Tsiang) P.T.Li var. <i>heterosepala</i> (Tsiang) P.T.Li									
160.	Magnoliophyta	Apocynaceae	<i>Tabernaemontana pauciflora</i> Blume	<i>Ervatamia blumeana</i> Markgr. <i>Ervatamia blumeana</i> Markgr. var. <i>macropetala</i> Bakh.f. <i>Ervatamia calycina</i> (Wall.) Lace <i>Ervatamia dinhensis</i> (Pit.) Pichon <i>Ervatamia harmandiana</i> (Pierre ex Pit.) Kerr <i>Ervatamia malaccensis</i> (Hook.f.) King & Gamble <i>Ervatamia membranifolia</i> (Kurz) Lace <i>Ervatamia polysperma</i> (Merr.) Pichon <i>Ervatamia sralensis</i> (Pierre ex Pit.) Kerr <i>Tabernaemontana calycina</i> Wall. <i>Tabernaemontana dinhensis</i> Pit. <i>Tabernaemontana harmandiana</i> Pierre ex Pit. <i>Tabernaemontana malaccensis</i> Hook.f. <i>Tabernaemontana membranifolia</i> Kurz <i>Tabernaemontana polysperma</i> Merr. <i>Tabernaemontana rhynchophylla</i> Miq. <i>Tabernaemontana sralensis</i> Pierre ex Pit.	Vulnerable				✓				
161.	Magnoliophyta	Apocynaceae	<i>Toxocarpus griffithii</i> Decne.		Presumed nationally extinct				✓				
162.	Magnoliophyta	Apocynaceae	<i>Urceola brachysepala</i> Hook.f.	<i>Carruthersia imberbis</i> Elmer <i>Chavannesia brachysepala</i> (Hook.f.) Pichon <i>Chavannesia imberbis</i> (Elmer) Pichon <i>Chavannesia philippinensis</i> (Merr.) Pichon <i>Urceola acuteacuminata</i> Boerl. <i>Urceola acuteacuminata</i> Boerl. var. <i>polyneura</i> Boerl. <i>Urceola imberbis</i> (Elmer) Merr. <i>Urceola maingayi</i> D.J.Middleton	Endangered						✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Urceola maingayi</i> Hook.f. <i>Urceola philippinensis</i> Merr.									
163.	Magnoliophyta	Apocynaceae	<i>Urceola elastica</i> Roxb.	<i>Tabernaemontana elastica</i> (Roxb.) Spreng. <i>Tabernaemontana polyantha</i> Miq. <i>Urceola brachysepala</i> Hook.f. var. <i>pilosa</i> Boerl.	Critically endangered						✓		
164.	Magnoliophyta	Apocynaceae	<i>Urceola torulosa</i> Hook.f.	<i>Chavannesia torulosa</i> (Hook.f.) Pichon <i>Echites moniliferus</i> Wall. <i>Urceola longisepala</i> Merr. <i>Urceola malaccensis</i> Hook.f.	Endangered			✓	✓		✓	✓	
165.	Magnoliophyta	Apocynaceae	<i>Willughbeia angustifolia</i> (Miq.) Markgr.	<i>Chilocarpus brachyanthus</i> Pierre <i>Urnularia rufescens</i> (Dyer ex Hook.f.) Pichon <i>Vahea angustifolia</i> Miq. <i>Willughbeia angustifolia</i> (Miq.) Markgr. var. <i>gracilior</i> Markgr. <i>Willughbeia apiculata</i> Miq. <i>Willughbeia elmeri</i> Merr. <i>Willughbeia rufescens</i> Dyer ex Hook.f. <i>Willughbeiosis rufescens</i> (Dyer ex Hook.f.) Rauschert	Presumed nationally extinct			✓					
166.	Magnoliophyta	Apocynaceae	<i>Willughbeia coriacea</i> Wall.	<i>Ancylocladus coriaceus</i> (Wall.) Kuntze <i>Ancylocladus firmus</i> (Blume) Kuntze <i>Ancylocladus minutiflorus</i> Pierre <i>Ancylocladus nodosus</i> Pierre <i>Ancylocladus vriesianus</i> Pierre <i>Tabernaemontana macrocarpa</i> Korth. ex Blume <i>Willughbeia burbridgei</i> Dyer <i>Willughbeia firma</i> Blume <i>Willughbeia firma</i> Blume var. <i>macrophylla</i> Boerl. <i>Willughbeia firma</i> Blume var. <i>oblongifolia</i> Blume <i>Willughbeia firma</i> Blume var. <i>obtusifolia</i> Boerl. <i>Willughbeia firma</i> Blume var. <i>platyphylla</i> Boerl. <i>Willughbeia minutiflora</i> (Pierre) K.Schum.	Critically endangered					✓	✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Willughbeia nodosa</i> (Pierre) K.Schum. <i>Willughbeia vrieseana</i> (Pierre) K.Schum.									
167.	Magnoliophyta	Apocynaceae	<i>Willughbeia edulis</i> Roxb.	<i>Ambelania edulis</i> (Roxb.) J.Presl <i>Ancylocladus cochinchinensis</i> Pierre <i>Ancylocladus curtisianus</i> Pierre <i>Ancylocladus edulis</i> (Roxb.) Kuntze <i>Pacouria roxburghii</i> Kostel. <i>Willughbeia cochinchinensis</i> (Pierre) K.Schum. <i>Willughbeia curtisiana</i> (Pierre) K.Schum. <i>Willughbeia dulcis</i> Ridl. <i>Willughbeia gudara</i> Steud. <i>Willughbeia martabanica</i> Wall.	Presumed nationally extinct				✓				
168.	Magnoliophyta	Apocynaceae	<i>Willughbeia flavescens</i> Dyer ex Hook.f.	<i>Ancylocladus beccarii</i> Pierre <i>Ancylocladus flavescens</i> (Dyer ex Hook.f.) Kuntze <i>Ancylocladus rufescens</i> (Dyer ex Hook.f.) Kuntze <i>Chilocarpus flavescens</i> Hook.f. <i>Melodinus beccarii</i> (Pierre) Pierre <i>Melodinus cymosus</i> Ridl. <i>Melodinus pulchrinervius</i> Boerl. <i>Melodinus rhytidiphyllus</i> Boerl. <i>Urnularia beccarii</i> (Pierre) Markgr. <i>Urnularia flavescens</i> (Dyer ex Hook.f.) Stapf <i>Urnularia oblongifolia</i> Stapf <i>Willughbeia beccarii</i> (Pierre) K.Schum. <i>Willughbeia stapfii</i> Merr. <i>Willughbeiopsis beccarii</i> (Pierre) Rauschert <i>Willughbeiopsis flavescens</i> (Dyer ex Hook.f.) Rauschert	Critically endangered							✓	
169.	Magnoliophyta	Apocynaceae	<i>Wrightia laevis</i> Hook.f.	<i>Wrightia balansae</i> Pit. <i>Wrightia hainanensis</i> Merr. <i>Wrightia hainanensis</i> Merr. var. <i>variabilis</i> Tsiang <i>Wrightia laevis</i> Hook.f. subsp. <i>millgar</i> (F.M.Bailey) Ngan	Critically endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Wrightia laevis</i> Hook.f. subsp. <i>novoguineensis</i> Ngan <i>Wrightia macrocarpa</i> Pit. <i>Wrightia millgar</i> F.M.Bailey <i>Wrightia sorsogonensis</i> Elmer <i>Wrightia tinctoria</i> R.Br. var. <i>laevis</i> (Hook.f.) Pichon									
170.	Magnoliophyta	Aquifoliaceae	<i>Ilex cymosa</i> Blume	<i>Ilex singapuriana</i> Wall. <i>Prinos cymosa</i> Hassk.	Common			✓	✓			✓	
171.	Magnoliophyta	Araceae	<i>Aglaonema nebulosum</i> N.E.Br.		Vulnerable		✓	✓					
172.	Magnoliophyta	Araceae	<i>Aglaonema simplex</i> (Blume) Blume	<i>Aglaonema alpinum</i> Elmer <i>Aglaonema angustifolium</i> N.E.Br. <i>Aglaonema angustifolium</i> N.E.Br. var. <i>undulatum</i> Ridl. <i>Aglaonema birmanicum</i> Hook.f. <i>Aglaonema borneense</i> Engl. <i>Aglaonema brevivaginatatum</i> Alderw. <i>Aglaonema elongatum</i> Alderw. <i>Aglaonema emarginatum</i> Alderw. <i>Aglaonema fallax</i> Schott ex Engl. <i>Aglaonema grande</i> Alderw. <i>Aglaonema latius</i> Alderw. <i>Aglaonema longicuspidatum</i> Schott <i>Aglaonema malaccense</i> Schott <i>Aglaonema nicobaricum</i> Hook.f. <i>Aglaonema nieuwenhuisii</i> Engl. ex Alderw. <i>Aglaonema propinquum</i> Schott <i>Aglaonema schottianum</i> Miq. <i>Aglaonema schottianum</i> Miq. f. <i>angustifolium</i> (N.E.Br.) Engl. <i>Aglaonema schottianum</i> Miq. var. <i>brownii</i> Engl.	Common		✓					✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Aglaonema schottianum</i> Miq. var. <i>malaccense</i> (Schott) Engl. <i>Aglaonema schottianum</i> Miq. var. <i>winkleri</i> Engl. <i>Aglaonema simplex</i> (Blume) Blume f. <i>angustifolium</i> (N.E.Br.) Jervis <i>Aglaonema simplex</i> (Blume) Blume f. <i>inaequale</i> Alderw. <i>Aglaonema simplex</i> (Blume) Blume f. <i>nicobaricum</i> (Hook.f.) Jervis <i>Aglaonema simplex</i> (Blume) Blume f. <i>nieuwenhuisii</i> (Engl. ex Alderw.) Jervis <i>Aglaonema subarborescens</i> Alderw. <i>Caladium princeps</i> Kunth <i>Caladium simplex</i> Blume									
173.	Magnoliophyta	Araceae	<i>Alocasia longiloba</i> Miq.	<i>Alocasia denudata</i> Engl. <i>Alocasia denudata</i> Engl. var. <i>elongata</i> Engl. <i>Alocasia amabilis</i> W.Bull <i>Alocasia argyrea</i> Sander <i>Alocasia cochinchensis</i> Pierre ex Engl. & K.Krause <i>Alocasia curtisii</i> N.E.Br. <i>Alocasia cuspidata</i> Engl. <i>Alocasia eminens</i> N.E.Br. <i>Alocasia korthalsii</i> Schott <i>Alocasia leoniae</i> Engl. & K.Krause <i>Alocasia longifolia</i> Engl. & K.Krause <i>Alocasia lowii</i> Hook.f. <i>Alocasia lowii</i> Hook.f. var. <i>picta</i> Hook.f. <i>Alocasia lowii</i> Hook.f. var. <i>veitchii</i> (Lindl.) Engl. <i>Alocasia lucianii</i> Pucci ex Rodigas <i>Alocasia pucciana</i> André <i>Alocasia putzeysii</i> N.E.Br. <i>Alocasia singaporensis</i> Linden <i>Alocasia spectabilis</i> Engl. & K.Krause <i>Alocasia thibantiana</i> Mast. <i>Alocasia thibautiana</i> Mast.	Common	✓	✓	✓	✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Alocasia veitchii</i> (Lindl.) Schott <i>Alocasia watsoniana</i> Sander <i>Caladium lowii</i> Lem. <i>Caladium veitchii</i> Lindl.									
174.	Magnoliophyta	Araceae	<i>Anadendrum microstachyum</i> (de Vriese & Miq.) Backer & Alderw.	<i>Anadendrum lobbii</i> Schott <i>Anadendrum malaianum</i> Backer & Alderw. <i>Anadendrum montanum</i> (Blume) Schott var. <i>cordatum</i> Ridl. <i>Anadendrum montanum</i> (Blume) Schott var. <i>longirostre</i> Hook.f. <i>Anadendrum montanum</i> (Blume) Schott var. <i>ovalifolium</i> Ridl. See Corrigenda of 13 May 2013 . <i>Pothos malaianus</i> Miq. <i>Pothos monopetalus</i> Reinw. ex Miq.	Critically endangered								✓
				<i>Scindapsus microstachyus</i> de Vriese & Miq.									
175.	Magnoliophyta	Araceae	<i>Cryptocoryne cordata</i> Griff.		Presumed nationally extinct								✓
176.	Magnoliophyta	Araceae	<i>Cryptocoryne griffithii</i> Schott		Critically endangered	✓	✓	✓	✓				✓
177.	Magnoliophyta	Araceae	<i>Cyrtosperma merkusii</i> (Hassk.) Schott	<i>Arisacontis chamissonis</i> Schott <i>Cyrtosperma bantamense</i> Koord. <i>Cyrtosperma chamissonis</i> (Schott) Merr. <i>Cyrtosperma cuspidilobum</i> Schott <i>Cyrtosperma dubium</i> Schott <i>Cyrtosperma edule</i> Schott <i>Cyrtosperma ferox</i> N.E.Br. & Linden <i>Cyrtosperma intermedium</i> Schott <i>Cyrtosperma lasioides</i> Griff. <i>Cyrtosperma merkusii</i> (Hassk.) Schott var. <i>giganteum</i> Nadeaud	Vulnerable	✓	✓	✓	✓	✓		✓	NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cyrtosperma merkusii</i> (Hassk.) Schott var. <i>intermedium</i> (Schott) Engl. <i>Cyrtosperma nadeaudianum</i> J.W.Moore <i>Lasia merkusii</i> Hassk.									
178.	Magnoliophyta	Araceae	<i>Homalomena deltoidea</i> Hook.f.		Presumed nationally extinct			✓					
179.	Magnoliophyta	Araceae	<i>Homalomena griffithii</i> (Schott) Hook.f.	<i>Chamaecladon griffithii</i> Schott	Vulnerable	✓		✓					
180.	Magnoliophyta	Araceae	<i>Homalomena humilis</i> (Jack) Hook.f.	<i>Calla humilis</i> Jack <i>Chamaecladon humile</i> (Jack) Miq.	Endangered			✓					
181.	Magnoliophyta	Araceae	<i>Lasia spinosa</i> (L.) Thwaites	<i>Dracontium spinosum</i> L. <i>Lasia aculeata</i> Lour. <i>Lasia crassifolia</i> Engl. <i>Lasia crassifolia</i> Engl. f. <i>angustisecta</i> Engl. <i>Lasia crassifolia</i> Engl. f. <i>latisecta</i> Engl. <i>Lasia desciscens</i> Schott <i>Lasia hermannii</i> Schott <i>Lasia heterophylla</i> (Roxb.) Schott <i>Lasia jenkinsii</i> Schott <i>Lasia loureiroi</i> Schott <i>Lasia roxburghii</i> Griff. <i>Lasia zollingeri</i> Schott <i>Pothos heterophyllus</i> Roxb. <i>Pothos lasia</i> Roxb. <i>Pothos spinosus</i> (L.) Buch.-Ham. ex Wall.	Vulnerable			✓	✓				
182.	Magnoliophyta	Araceae	<i>Rhaphidophora korthalsii</i> Schott	<i>Epipremnum multicephalum</i> Elmer <i>Pothos bifarius</i> Wall. ex Hook.f. <i>Pothos celatocaulis</i> N.E.Br. <i>Rhaphidophora celatocaulis</i> (N.E.Br.) Alderw. <i>Rhaphidophora copelandii</i> Engl.	Vulnerable	✓			✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Rhaphidophora grandifolia</i> K.Krause <i>Rhaphidophora grandis</i> Ridl. <i>Rhaphidophora latifolia</i> Alderw. <i>Rhaphidophora maxima</i> Engl. <i>Rhaphidophora palawanensis</i> Merr. <i>Rhaphidophora ridleyi</i> Merr. <i>Rhaphidophora trinervia</i> Elmer <i>Rhaphidophora trukensis</i> Hosok. <i>Scindapsus anomalus</i> Carrière									
183.	Magnoliophyta	Araceae	<i>Rhaphidophora lobbii</i> Schott	<i>Scindapsus lobbii</i> (Schott) Ender	Vulnerable				✓			✓	
184.	Magnoliophyta	Araceae	<i>Rhaphidophora maingayi</i> Hook.f.	<i>Rhaphidophora apiculata</i> Alderw.	Vulnerable							✓	
185.	Magnoliophyta	Araceae	<i>Rhaphidophora minor</i> Hook.f.	<i>Rhaphidophora celebica</i> K.Krause	Vulnerable							✓	
186.	Magnoliophyta	Araceae	<i>Rhaphidophora montana</i> (Blume) Schott	<i>Anadendrum montanum</i> (Blume) Schott <i>Calla montana</i> Blume <i>Rhaphidophora angulata</i> (Miq.) Schott <i>Rhaphidophora burkilliana</i> Ridl. <i>Rhaphidophora fallax</i> Schott <i>Scindapsus angulatus</i> Miq. <i>Scindapsus montanus</i> (Blume) Kunth	Vulnerable				✓			✓	
187.	Magnoliophyta	Araceae	<i>Rhaphidophora sylvestris</i> (Blume) Engl.	<i>Calla sylvestris</i> Blume <i>Monstera lingulata</i> K.Koch ex Endler <i>Rhaphidophora angustifolia</i> Schott <i>Rhaphidophora gratissima</i> Becc. <i>Rhaphidophora lingulata</i> (Hassk.) Schott <i>Rhaphidophora motleyana</i> Engl. & K.Krause <i>Rhaphidophora nigrescens</i> Ridl. <i>Rhaphidophora wrayi</i> Hook.f. <i>Scindapsus angustifolius</i> Hassk.	Critically endangered	✓			✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore							
					A	B	C	D	E	F	G	H
				<i>Scindapsus aruensis</i> Engl. <i>Scindapsus fragilis</i> Elmer <i>Scindapsus lingulatus</i> Hassk. <i>Scindapsus sylvestris</i> (Blume) Kunth								
188.	Magnoliophyta	Araceae	<i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi	<i>Alocasia neoguineensis</i> (Linden ex André) Sieber & Voss <i>Calla calyptrata</i> Roxb. <i>Colocasia humilis</i> Hassk. <i>Colocasia neoguineensis</i> Linden ex André <i>Homalomena calyptrata</i> (Roxb.) Kunth <i>Schismatoglottis acutangula</i> Engl. <i>Schismatoglottis angustifolia</i> Alderw. <i>Schismatoglottis bitaeniata</i> Engl. <i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi f. <i>minor</i> Engl. <i>Schismatoglottis calyptrata</i> (Roxb.) Zoll. & Moritzi var. <i>ornata</i> Ridl. ex Engl. <i>Schismatoglottis calyptratoides</i> Alderw. <i>Schismatoglottis cordifolia</i> Ridl. <i>Schismatoglottis djamuensis</i> Engl. <i>Schismatoglottis dorensis</i> Gibbs <i>Schismatoglottis emarginata</i> Engl. <i>Schismatoglottis hellwigiana</i> Engl. <i>Schismatoglottis hellwigiana</i> Engl. var. <i>subcordata</i> Engl. <i>Schismatoglottis klossii</i> Ridl. <i>Schismatoglottis longipes</i> Miq. <i>Schismatoglottis maculata</i> Alderw. <i>Schismatoglottis muluensis</i> M.Hotta <i>Schismatoglottis neoguineensis</i> (Linden ex André) N.E.Br. <i>Schismatoglottis nieuwenhuisii</i> Engl. <i>Schismatoglottis parvifolia</i> Alderw. <i>Schismatoglottis picta</i> Schott <i>Schismatoglottis potamophila</i> Alderw.	Vulnerable							✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Schismatoglottis pseudocalyptrata</i> Alderw. <i>Schismatoglottis riparia</i> Schott <i>Schismatoglottis ruttenii</i> Alderw. <i>Schismatoglottis subtaxiflora</i> Alderw. <i>Schismatoglottis tenuifolia</i> Engl. <i>Schismatoglottis vanvuurenii</i> Alderw. <i>Schismatoglottis variegata</i> N.E.Br. <i>Zantedeschia calyptrata</i> (Roxb.) K.Koch									
189.	Magnoliophyta	Araceae	<i>Schismatoglottis wallichii</i> (Roxb.) Hook.f.	<i>Schismatoglottis conversa</i> Alderw. <i>Schismatoglottis longicuspis</i> Engl. <i>Schismatoglottis wallichii</i> (Roxb.) Hook.f. var. <i>fasciata</i> Ridl. <i>Schismatoglottis wallichii</i> (Roxb.) Hook.f. f. <i>oblongata</i> (Hook.f.) Engl. <i>Schismatoglottis wallichii</i> (Roxb.) Hook.f. var. <i>oblongata</i> Hook.f.	Vulnerable	✓		✓					
190.	Magnoliophyta	Araceae	<i>Scindapsus hederaceus</i> Schott	<i>Pothos hederaceus</i> Zoll. & Moritzi <i>Scindapsus inquinatus</i> Schott <i>Scindapsus poilanei</i> Gagnep. <i>Scindapsus pothoides</i> Miq.	Common	✓					✓	✓	
191.	Magnoliophyta	Araliaceae	<i>Arthrophyllum diversifolium</i> Blume	<i>Arthrophyllum dilatatum</i> Miq. <i>Dendropanax ovatus</i> (Blume) Seem. <i>Hedera ovata</i> Wall. ex G.Don	Common					✓		✓	
192.	Magnoliophyta	Araliaceae	<i>Schefflera hullettii</i> (King) R.Vig.	<i>Heptapleurum elegans</i> Ridl. <i>Heptapleurum hullettii</i> King <i>Heptapleurum scortechinii</i> King <i>Schefflera elegans</i> (Ridl.) Ridl. <i>Schefflera scortechinii</i> (King) R.Vig.	Critically endangered			✓	✓	✓		✓	
193.	Magnoliophyta	Arecaceae	<i>Calamus exilis</i> Griff.	<i>Calamus ciliaris</i> Blume var. <i>peninsularis</i> Furtado <i>Calamus curtisii</i> Ridl. <i>Palmijuncus exilis</i> (Griff.) Kuntze	Critically endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
194.	Magnoliophyta	Arecaceae	<i>Calamus lobbianus</i> Becc.	<i>Calamus melanocarpus</i> Ridl. <i>Cornera lobbiana</i> (Becc.) Furtado	Critically endangered			✓					
195.	Magnoliophyta	Arecaceae	<i>Calamus ridleyanus</i> Becc.	<i>Calamus palembanicus</i> Becc.	Critically endangered	✓			✓				
196.	Magnoliophyta	Arecaceae	<i>Caryota mitis</i> Lour.	<i>Caryota furfuracea</i> Blume ex Mart. <i>Caryota griffithii</i> Becc. <i>Caryota griffithii</i> Becc. var. <i>selebica</i> Becc. <i>Caryota javanica</i> Zipp. ex Miq. <i>Caryota nana</i> Linden <i>Caryota propinqua</i> Blume ex Mart. <i>Caryota sobolifera</i> Wall. ex Mart. <i>Caryota sobolifera</i> Wall. <i>Caryota speciosa</i> Linden <i>Drymophloeus zippellii</i> Hassk. <i>Thuessinkia speciosa</i> Korth.	Common			✓	✓	✓		✓	
197.	Magnoliophyta	Arecaceae	<i>Daemonorops angustifolia</i> (Griff.) Mart.	<i>Calamus angustifolius</i> Griff. <i>Calamus hygrophilus</i> Griff. <i>Daemonorops angustispatha</i> Furtado <i>Daemonorops carcharodon</i> Ridl. <i>Daemonorops hygrophila</i> (Griff.) Mart. <i>Palmijuncus hygrophilus</i> (Griff.) Kuntze	Vulnerable	✓		✓	✓				
198.	Magnoliophyta	Arecaceae	<i>Daemonorops didymophylla</i> Becc.	<i>Calamus cochleatus</i> Miq. <i>Calamus didymophyllus</i> (Becc.) Ridl. <i>Daemonorops cochleata</i> Teijsm. & Binn. ex Miq. <i>Daemonorops mattanensis</i> Becc. <i>Daemonorops motleyi</i> Becc. <i>Palmijuncus cochleatus</i> (Miq.) Kuntze	Vulnerable	✓		✓	✓				
199.	Magnoliophyta	Arecaceae	<i>Daemonorops grandis</i> (Griff.) Mart.	<i>Calamus acanthopis</i> Griff. <i>Calamus grandis</i> Griff. <i>Calamus intermedius</i> Griff.	Endangered			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Daemonorops grandis</i> (Griff.) Mart. var. <i>megacarpus</i> Furtado <i>Daemonorops intermedia</i> (Griff.) Mart. <i>Daemonorops kirtong</i> Griff. <i>Daemonorops laciniata</i> Furtado <i>Daemonorops malaccensis</i> Mart. <i>Palmijuncus grandis</i> (Griff.) Kuntze <i>Palmijuncus intermedius</i> (Griff.) Kuntze <i>Palmijuncus malaccensis</i> (Mart.) Kuntze									
200.	Magnoliophyta	Arecaceae	<i>Daemonorops hirsuta</i> Blume	<i>Calamus hirsutus</i> (Blume) Miq. <i>Calamus hystrix</i> Griff. <i>Daemonorops hystrix</i> (Griff.) Mart. <i>Daemonorops hystrix</i> (Griff.) Mart. var. <i>exulans</i> Becc. <i>Daemonorops hystrix</i> (Griff.) Mart. var. <i>minor</i> Becc. <i>Palmijuncus hirsutus</i> (Blume) Kuntze <i>Palmijuncus hystrix</i> (Griff.) Kuntze	Vulnerable	✓		✓	✓				
201.	Magnoliophyta	Arecaceae	<i>Daemonorops kunstleri</i> Becc.	<i>Daemonorops vagans</i> Becc.	Critically endangered	✓		✓					
202.	Magnoliophyta	Arecaceae	<i>Daemonorops longipes</i> (Griff.) Mart.	<i>Calamus longipes</i> Griff. <i>Calamus ramosissimus</i> Griff. <i>Calamus strictus</i> (Blume) Miq. <i>Daemonorops calothyrsa</i> Furtado <i>Daemonorops longipedunculata</i> Furtado <i>Daemonorops ramosissima</i> (Griff.) Mart. <i>Daemonorops sabensis</i> Becc. ex Gibbs <i>Daemonorops stricta</i> Blume <i>Daemonorops virescens</i> Becc. <i>Palmijuncus ramosissimus</i> (Griff.) Kuntze <i>Rotanq longipes</i> (Griff.) Baill.	Vulnerable	✓		✓	✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
203.	Magnoliophyta	Arecaceae	<i>Daemonorops sabut</i> Becc.	<i>Daemonorops annulata</i> Becc. <i>Daemonorops pseudomirabilis</i> Becc. <i>Daemonorops turbinata</i> Becc.	Critically endangered	✓		✓	✓			✓	
204.	Magnoliophyta	Arecaceae	<i>Eleiodoxa conferta</i> (Griff.) Burret	<i>Eleiodoxa microcarpa</i> Burret <i>Eleiodoxa orthoschista</i> Burret <i>Eleiodoxa scortechinii</i> (Becc.) Burret <i>Eleiodoxa xantholepis</i> Burret <i>Salacca conferta</i> Griff. <i>Salacca scortechinii</i> Becc.	Vulnerable			✓	✓			✓	
205.	Magnoliophyta	Arecaceae	<i>Iguanura geonomiformis</i> Mart.	<i>Iguanura geonomiformis</i> Mart. var. <i>malaccensis</i> (Becc.) Ridl. <i>Iguanura geonomiformis</i> Mart. var. <i>ramosa</i> Ridl. <i>Iguanura malaccensis</i> Becc. <i>Iguanura wallichiana</i> (Mart.) Becc. var. <i>elatior</i> Kiew <i>Iguanura wallichiana</i> (Mart.) Becc. subsp. <i>malaccensis</i> (Becc.) Kiew <i>Iguanura wallichiana</i> (Mart.) Becc. var. <i>malaccensis</i> (Becc.) Kiew <i>Slackia geonomiformis</i> (Mart.) Griff.	Presumed nationally extinct			✓					
206.	Magnoliophyta	Arecaceae	<i>Iguanura wallichiana</i> (Mart.) Becc.	<i>Areca wallichiana</i> Mart.	Critically endangered	✓		✓	✓				
207.	Magnoliophyta	Arecaceae	<i>Korthalsia echinometra</i> Becc.	<i>Calamus ochreatus</i> Miq. <i>Daemonorops ochreata</i> Teijsm. & Binn. <i>Korthalsia angustifolia</i> Blume var. <i>gracilis</i> Miq. <i>Korthalsia horrida</i> Becc.	Critically endangered	✓		✓	✓	✓			
208.	Magnoliophyta	Arecaceae	<i>Korthalsia flagellaris</i> Miq.	<i>Korthalsia rubiginosa</i> Becc.	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
209.	Magnoliophyta	Arecaceae	<i>Korthalsia scortechinii</i> Becc.		Presumed nationally extinct				✓				
210.	Magnoliophyta	Arecaceae	<i>Licuala ferruginea</i> Becc.		Endangered	✓							
211.	Magnoliophyta	Arecaceae	<i>Myrialepis paradoxa</i> (Kurz) J.Dransf.	<i>Bejaudia cambodiensis</i> Gagnep. <i>Calamus paradoxus</i> Kurz <i>Myrialepis floribunda</i> (Becc.) Gagnep. <i>Myrialepis scortechinii</i> Becc. <i>Palmijuncus paradoxus</i> (Kurz) Kuntze <i>Plectocomiopsis annulata</i> Ridl. <i>Plectocomiopsis floribunda</i> Becc. <i>Plectocomiopsis paradoxa</i> (Kurz) Becc. <i>Plectocomiopsis scortechinii</i> (Becc.) Ridl.	Critically endangered	✓		✓					
212.	Magnoliophyta	Arecaceae	<i>Nenga pumila</i> (Mart.) H.Wendl.	<i>Areca pumila</i> Blume <i>Pinanga pumila</i> (Blume) Blume	Critically endangered			✓	✓			✓	
213.	Magnoliophyta	Arecaceae	<i>Oncosperma horridum</i> (Griff.) Scheff.	<i>Areca horrida</i> Griff.	Vulnerable			✓					
214.	Magnoliophyta	Arecaceae	<i>Orania sylvicola</i> (Griff.) H.E.Moore	<i>Macrocladus sylvicola</i> Griff. <i>Orania macrocladus</i> Mart.	Critically endangered	✓		✓					
215.	Magnoliophyta	Arecaceae	<i>Pinanga limosa</i> Ridl.		Presumed nationally extinct			✓					
216.	Magnoliophyta	Arecaceae	<i>Pinanga malaiana</i> (Mart.) Scheff.	<i>Areca haematocarpon</i> Griff. <i>Areca malaiana</i> (Mart.) Griff. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>bangkana</i> Becc. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>barramensis</i> Becc.	Endangered	✓		✓	✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>dusunensis</i> Becc. <i>Pinanga malaiana</i> (Mart.) Scheff. var. <i>landakensis</i> Becc. <i>Ptychosperma malaianum</i> (Mart.) Miq. <i>Seaforthia malaiana</i> Mart.									
217.	Magnoliophyta	Arecaceae	<i>Pinanga simplicifrons</i> (Miq.) Becc.	<i>Ptychosperma simplicifrons</i> Miq.	Critically endangered								NIS
218.	Magnoliophyta	Arecaceae	<i>Plectocomia elongata</i> Mart. ex Blume	<i>Rotang maximus</i> Baill.	Vulnerable				✓			✓	
219.	Magnoliophyta	Arecaceae	<i>Rhopaloblaste singaporensis</i> (Becc.) Benth. & Hook.f.	<i>Drymophloeus singaporensis</i> (Becc.) Hook.f. <i>Ptychoraphis longiflora</i> Ridl. <i>Ptychoraphis singaporensis</i> (Becc.) Becc. <i>Ptychosperma singaporensis</i> Becc.	Critically endangered	✓		✓					
220.	Magnoliophyta	Arecaceae	<i>Salacca affinis</i> Griff.	<i>Salacca affinis</i> Griff. var. <i>borneensis</i> (Becc.) Furtado <i>Salacca borneensis</i> Becc. <i>Salacca dubia</i> Becc.	Critically endangered			✓					NIS
221.	Magnoliophyta	Aristolochiaceae	<i>Thottea grandiflora</i> Rottb.		Vulnerable			✓	✓	✓			
222.	Magnoliophyta	Asparagaceae	<i>Dracaena cantleyi</i> Baker	<i>Dracaena aurantiaca</i> (Baker) Wall. ex Hook.f. <i>Dracaena marmorata</i> Baker <i>Dracaena spicata</i> Roxb. var. <i>aurantiaca</i> Baker <i>Pleomele aurantiaca</i> (Baker) N.E.Br. <i>Pleomele cantleyi</i> (Baker) N.E.Br. <i>Pleomele marmorata</i> (Baker) N.E.Br.	Vulnerable	✓			✓	✓		✓	
223.	Magnoliophyta	Asparagaceae	<i>Dracaena elliptica</i> Thunb.	<i>Calodracon sieboldii</i> Planch. <i>Cordyline atropurpurea</i> (Roxb.) Planch. <i>Cordyline maculata</i> (Roxb.) Planch.	Critically endangered	✓		✓		✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cordyline sieboldii</i> Planch. <i>Dracaena atropurpurea</i> Roxb. <i>Dracaena atropurpurea</i> Roxb. var. <i>gracilis</i> Baker <i>Dracaena atropurpurea</i> Roxb. var. <i>kurzii</i> Baker <i>Dracaena elliptica</i> Thunb. & Dalm. var. <i>gracilis</i> Baker <i>Dracaena elliptica</i> Thunb. & Dalm. var. <i>maculata</i> (Roxb.) Baker <i>Dracaena gracilis</i> (Baker) Wall. ex Hook.f. <i>Dracaena javanica</i> (Blume) Kunth <i>Dracaena javanica</i> (Blume) Kunth var. <i>maculata</i> (Roxb.) Regel <i>Dracaena maculata</i> Roxb. <i>Dracaena sieboldii</i> Planch. <i>Dracaena terniflora</i> Wall. <i>Draco atropurpurea</i> (Roxb.) Kuntze <i>Draco elliptica</i> (Thunb. & Dalm.) Kuntze									
224.	Magnoliophyta	Asparagaceae	<i>Dracaena maingayi</i> Hook.f.	<i>Pleomele maingayi</i> (Hook.f.) N.E.Br.	Vulnerable				✓				
225.	Magnoliophyta	Asparagaceae	<i>Dracaena porteri</i> Baker	<i>Draco porteri</i> (Baker) Kuntze <i>Pleomele porteri</i> (Baker) N.E.Br.	Common			✓		✓		✓	
226.	Magnoliophyta	Asparagaceae	<i>Dracaena singapurensis</i> Ridl.		Presumed nationally extinct	✓		✓					
227.	Magnoliophyta	Asparagaceae	<i>Dracaena umbratica</i> Ridl.		Vulnerable	✓							
228.	Magnoliophyta	Asparagaceae	<i>Peliosanthes teta</i> Andrews		Critically endangered				✓				
229.	Magnoliophyta	Asparagaceae	<i>Peliosanthes teta</i> Andrews subsp. <i>humilis</i> (Andrews) Jessop ex Gandhi	<i>Amaryllis ovigera</i> Schult. & Schult.f. <i>Bulbisperma ovigera</i> Reinw. ex Blume <i>Bulbospermum javanicum</i> Blume <i>Lourya campanulata</i> Baill.	Vulnerable	✓	✓		✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Peliosanthes albida</i> Baker <i>Peliosanthes campanulata</i> (Baill.) L.Rodr. <i>Peliosanthes campanulata</i> Wall. ex Baker <i>Peliosanthes courtallensis</i> Wight <i>Peliosanthes dasystachys</i> Diels ex L.Rodr. <i>Peliosanthes grandifolia</i> Ridl. <i>Peliosanthes humilis</i> Andrews <i>Peliosanthes hypogyna</i> Ridl. <i>Peliosanthes stellaris</i> Ridl. <i>Peliosanthes sumatrensis</i> Ridl. <i>Peliosanthes teta</i> Andrews var. <i>humilis</i> (Andrews) Jessop ex Gandhi <i>Peliosanthes violacea</i> Wall. ex Baker <i>Peliosanthes viridis</i> Ridl. <i>Teta humilis</i> (Andrews) Voigt									
230.	Magnoliophyta	Asteraceae	<i>Blumea balsamifera</i> (L.) DC.	<i>Baccharis balsamifera</i> Stokes <i>Baccharis gratissima</i> Blume ex DC. <i>Baccharis salvia</i> Lour. <i>Blumea appendiculata</i> DC. <i>Blumea balsamifera</i> (L.) DC. var. <i>microcephala</i> Kitam. <i>Blumea grandis</i> DC. <i>Blumea zollingeriana</i> (Turcz./Sch.Bip.) C.B.Clarke <i>Conyza appendiculata</i> Blume <i>Conyza balsamifera</i> L. <i>Conyza saxatilis</i> Zoll. ex C.B.Clarke <i>Pluchea appendiculata</i> (DC.) Zoll. & Mor. <i>Pluchea balsamifera</i> (L.) Less.	Cryptogenic							✓	
231.	Magnoliophyta	Asteraceae	<i>Blumea riparia</i> (Blume) DC.	<i>Blumea chinensis</i> (L.) DC. var. <i>riparia</i> (DC.) King & Gamble <i>Blumea megacephala</i> <i>Blumea riparia</i> (Blume) DC. f. <i>angustifolia</i> H.Kost. <i>Blumea riparia</i> (Blume) DC. var. <i>megacephala</i> Randeria	Common							✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Leveillea riparia</i> (DC.) Vaniot									
232.	Magnoliophyta	Asteraceae	<i>Vernonia arborea</i> .Buch.-Ham. ex Buch.-Ham.		Vulnerable	✓		✓	✓			✓	
233.	Magnoliophyta	Bignoniaceae	<i>Radermachera glandulosa</i> Miq.	<i>Bignonia porteriana</i> Wall. ex DC. <i>Lagaropyxis glandulosa</i> (Blume) Miq. <i>Radermachera stricta</i> Zoll. & Moritzi ex Zoll. <i>Spathodea glandulosa</i> Blume <i>Stereospermum glandulosum</i> (Blume) Miq.	Exotic				✓				
234.	Magnoliophyta	Bignoniaceae	<i>Radermachera pinnata</i> (Blanco) Seem.	<i>Bignonia banaibanai</i> (Bureau) Callery ex Burch. <i>Millingtonia pinnata</i> Blanco <i>Millingtonia quadripinnata</i> Blanco <i>Radermachera acuminata</i> Merr. <i>Radermachera banaibanai</i> Bureau <i>Radermachera brachybotrys</i> Merr. <i>Radermachera corymbosa</i> Steenis <i>Radermachera elegans</i> Steenis <i>Radermachera fenicis</i> Merr. <i>Radermachera fenicis</i> Merr. var. <i>acuminata</i> Steenis <i>Radermachera lobbii</i> (Teijsm. & Binn.) Miq. <i>Radermachera lobbii</i> (Teijsm. & Binn.) Miq. subsp. <i>acuminata</i> Steenis <i>Radermachera mindorensis</i> Merr. <i>Radermachera pinnata</i> (Blanco) Seem. subsp. <i>acuminata</i> (Steenis) Steenis <i>Radermachera pinnata</i> (Blanco) Seem. var. <i>glabra</i> (Seem.) Blanco <i>Radermachera quadripinna</i> Seem. <i>Radermachera sorsogonensis</i> Elmer ex Steenis <i>Radermachera whitfordii</i> Merr. <i>Spathodea lobbii</i> Teijsm. & Binn. <i>Stereospermum banaibanai</i> (Bureau) Rolfe <i>Stereospermum pinnatum</i> Fern.-Vill.	Critically endangered			✓			✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Stereospermum quadripinnatum</i> (Blanco) Fern.-Vill. <i>Stereospermum seemannii</i> Rolfe									
235.	Magnoliophyta	Bignoniaceae	<i>Stereospermum fimbriatum</i> (Wall. ex G.Don) DC.	<i>Bignonia fimbriata</i> Wall. ex G.Don <i>Stereospermum mekongense</i> Dop	Exotic								✓
236.	Magnoliophyta	Bonnetiaceae	<i>Ploiarium alternifolium</i> (Vahl) Melch.	<i>Hypericum alternifolium</i> Vahl	Common					✓			
237.	Magnoliophyta	Boraginaceae	<i>Cordia dichotoma</i> G.Forst.	<i>Cordia brownii</i> A.DC. <i>Cordia griffithii</i> C.B.Clarke <i>Cordia indica</i> Lam. <i>Cordia latifolia</i> Roxb. <i>Cordia loureiroi</i> Roem. & Schult. <i>Cordia lowriana</i> Brandis <i>Cordia obliqua</i> Willd. <i>Cordia obliqua</i> Willd. var. <i>wallichii</i> (G.Don) C.B.Clarke <i>Cordia premnifolia</i> Ridl. <i>Cordia suaveolens</i> Blume <i>Cordia tomentosa</i> Wall. <i>Cordia tremula</i> Griseb. <i>Cordia wallichii</i> G.Don <i>Gerascanthus dichotomus</i> (G.Forst.) Borhidi <i>Gerascanthus griffithii</i> (C.B.Clarke) Borhidi <i>Gerascanthus suaveolens</i> (Blume) Borhidi <i>Lithocardium griffithii</i> Kuntze <i>Lithocardium obliquum</i> Kuntze <i>Lithocardium suaveolens</i> Kuntze <i>Lithocardium tremulum</i> Kuntze <i>Varronia integerrima</i> Stokes <i>Varronia sinensis</i> Lour.	Critically endangered				✓				
238.	Magnoliophyta	Burseraceae	<i>Canarium littorale</i> Blume	<i>Canarium acutum</i> Engl. <i>Canarium bennettii</i> Engl.	Common	✓		✓	✓				✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Canarium flavum</i> Ridl. <i>Canarium giganteum</i> Engl. <i>Canarium glaucum</i> Blume <i>Canarium littorale</i> Blume f. <i>pruinum</i> (Engl.) Leenh. <i>Canarium littorale</i> Blume f. <i>purpurascens</i> (Benn.) Leenh. <i>Canarium littorale</i> Blume f. <i>rufum</i> (Benn.) Leenh. <i>Canarium littorale</i> Blume f. <i>tomentosum</i> (Blume) Leenh. <i>Canarium pruinum</i> Engl. <i>Canarium pseudocommune</i> Hochr. <i>Canarium pseudocommune</i> Hochr. var. <i>subelongatum</i> Hochr. <i>Canarium purpurascens</i> A.W.Benn. <i>Canarium rufum</i> A.W.Benn. <i>Canarium secundum</i> A.W.Benn. <i>Canarium serricuspe</i> Miq. <i>Canarium serrulatum</i> Miq. <i>Canarium tomentosum</i> Blume <i>Canarium tomentosum</i> Blume var. <i>flavum</i> H.J.Lam <i>Rhus melintangensis</i> Korth. ex Blume									
239.	Magnoliophyta	Burseraceae	<i>Canarium patentinervium</i> Miq.	<i>Canarium nitidum</i> A.W.Benn. <i>Canarium parvifolium</i> A.W.Benn. <i>Canarium patentinervium</i> Miq. var. <i>meizocarpum</i> Hochr. <i>Canarium patentinervium</i> Miq. var. <i>nitidum</i> Cretz. <i>Canarium subrepandum</i> Miq.	Endangered				✓				
240.	Magnoliophyta	Burseraceae	<i>Canarium pilosum</i> A.W.Benn.	<i>Canarium grandiflorum</i> A.W.Benn. <i>Canarium hirtellum</i> A.W.Benn. <i>Canarium motleyanum</i> Engl. <i>Canarium pilosum</i> A.W.Benn. var. <i>hirtellum</i> Ridl.	Endangered					✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
241.	Magnoliophyta	Burseraceae	<i>Dacryodes costata</i> (A.W.Benn.) H.J.Lam	<i>Canarium costatum</i> (Benn.) Ridl. <i>Santiria costata</i> A.W.Benn.	Endangered		✓			✓			
242.	Magnoliophyta	Burseraceae	<i>Dacryodes puberula</i> (A.W.Benn.) H.J.Lam	<i>Santiria puberula</i> A.W.Benn.	Critically endangered					✓			
243.	Magnoliophyta	Burseraceae	<i>Dacryodes rostrata</i> (Blume) H.J.Lam	<i>Canarium articulatum</i> Engl. ex Koord. <i>Canarium caudatifolium</i> Merr. <i>Canarium crassifolium</i> Merr. <i>Canarium cuspidatum</i> Merr. <i>Canarium gilvescens</i> Miq. <i>Canarium kadondon</i> A.W.Benn. <i>Canarium minahassae</i> Koord. <i>Canarium montanum</i> Korth. ex Blume <i>Canarium reticulatum</i> Ridl. <i>Canarium rostriferum</i> Miq. <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>cuspidata</i> (Blume) H.J.Lam <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>pallida</i> H.J.Lam <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>pubescens</i> H.J.Lam <i>Dacryodes rostrata</i> (Blume) H.J.Lam f. <i>samarensis</i> H.J.Lam <i>Dracontomelon cuspidatum</i> Blume <i>Santiria rostrata</i> Blume	Vulnerable			✓					
244.	Magnoliophyta	Burseraceae	<i>Santiria apiculata</i> A.W.Benn.	<i>Canarium parciflorum</i> Ridl.	Common					✓			
245.	Magnoliophyta	Burseraceae	<i>Santiria griffithii</i> Engl.		Common					✓			
246.	Magnoliophyta	Burseraceae	<i>Santiria laevigata</i> Blume	<i>Amoora roxburghiana</i> Korth. ex Blume <i>Canarium laevigatum</i> (Blume) Miq. <i>Canarium rufescens</i> (Blume) Miq.	Vulnerable				✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
247.	Magnoliophyta	Burseraceae	<i>Santiria rubiginosa</i> Blume	<i>Canarium planchonii</i> (Benn.) King <i>Canarium rubiginosum</i> (Blume) Miq.	Vulnerable	✓	✓		✓	✓		✓	
248.	Magnoliophyta	Burseraceae	<i>Santiria rugosa</i> Blume	<i>Hemisantiria rugosa</i> H.J.Lam	Critically endangered					✓			
249.	Magnoliophyta	Burseraceae	<i>Triomma malaccensis</i> Hook.f.	<i>Arytera macrocarpa</i> Miq. <i>Canarium mahassan</i> Miq. <i>Triomma macrocarpa</i> Backer ex K.Heyne	Endangered	✓	✓						
250.	Magnoliophyta	Cannabaceae	<i>Gironniera nervosa</i> Planch.	<i>Antidesma nervosum</i> Wall. <i>Gironniera penangiana</i> Gand. <i>Gironniera sponioides</i> Gand.	Common		✓		✓		✓	✓	
251.	Magnoliophyta	Cannabaceae	<i>Gironniera subaequalis</i> Planch.	<i>Gironniera amboinensis</i> Lauterb. <i>Gironniera blumei</i> Gand. <i>Gironniera borneensis</i> Gand. <i>Gironniera chinensis</i> Benth. <i>Gironniera costata</i> Miq. <i>Gironniera ferruginea</i> Gand. <i>Gironniera korthalsii</i> Gand. <i>Gironniera longifolia</i> Craib <i>Gironniera mollissima</i> Gagnep. <i>Gironniera nervosa</i> Planch. var. <i>subaequalis</i> (Planch.) Kurz <i>Gironniera subaequalis</i> Planch. var. <i>brevistylis</i> Blume <i>Gironniera subaequalis</i> Planch. var. <i>papuana</i> J.J.Sm. <i>Gironniera subaequalis</i> Planch. var. <i>scabrida</i> Blume <i>Gironniera subaequalis</i> Planch. var. <i>serrulata</i> Blume <i>Gironniera sumatrana</i> Gand. <i>Helminthospermum scabridum</i> Thwaites <i>Sponia annulata</i> Teijsm. & Binn.	Endangered							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
252.	Magnoliophyta	Cannabaceae	<i>Trema cannabina</i> Lour.		Common			✓	✓				
253.	Magnoliophyta	Cannabaceae	<i>Trema tomentosa</i> (Roxb.) H.Hara	<i>Sponia amboinensis</i> (Willd.) Decne. <i>Sponia tomentosa</i> (Roxb.) Planch. <i>Sponia velutina</i> Planch. <i>Trema dunniana</i> H.Lév. <i>Trema velutina</i> (Planch.) Blume	Common				✓				
254.	Magnoliophyta	Caprifoliaceae	<i>Viburnum sambucinum</i> Blume		Presumed nationally extinct	✓		✓					
255.	Magnoliophyta	Celastraceae	<i>Bhesa paniculata</i> Arn.		Common	✓	✓	✓	✓	✓	✓	✓	
256.	Magnoliophyta	Celastraceae	<i>Bhesa robusta</i> (Roxb.) Ding Hou	<i>Bhesa moja</i> Buch.-Ham. <i>Celastrus robustus</i> Roxb. <i>Kurrimia robusta</i> (Roxb.) Kurz <i>Kurrimia sinica</i> Hung T.Chang & S.Ye Liang <i>Sarcosperma tonkinense</i> Lecomte	Vulnerable	✓	✓						✓
257.	Magnoliophyta	Celastraceae	<i>Cassine viburnifolia</i> (Juss.) Ding Hou	<i>Elaeodendron subrotundum</i> King <i>Elaeodendron viburnifolium</i> (Juss.) Merr. <i>Euonymus viburnifolius</i> (Juss.) Merr.	Critically endangered			✓					
258.	Magnoliophyta	Celastraceae	<i>Euonymus indicus</i> Blume	<i>Euonymus alatus</i> Elmer <i>Euonymus bancanus</i> Miq. <i>Euonymus coriaceus</i> Ridl. <i>Euonymus elmeri</i> Merr. <i>Euonymus goughii</i> Wight <i>Euonymus horsfieldii</i> Turcz. <i>Euonymus javanicus</i> Blume <i>Euonymus javanicus</i> Blume var. <i>coriaceus</i> (Ridl.) Blakelock <i>Euonymus javanicus</i> Blume var. <i>elmeri</i> (Merr.) Blakelock	Presumed nationally extinct			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Euonymus javanicus</i> Blume var. <i>sphaerocarpus</i> Hassk. <i>Euonymus javanicus</i> Blume var. <i>timorensis</i> (Zipp.) Miq. <i>Euonymus micropetalus</i> Ridl. <i>Euonymus sphaerocarpus</i> Hassk. <i>Euonymus sumatranus</i> Miq. <i>Euonymus sumatranus</i> Merr <i>Euonymus timorensis</i> Zipp. ex Span.									
259.	Magnoliophyta	Celastraceae	<i>Lophopetalum multinervium</i> Ridl.		Endangered	✓	✓			✓		✓	
260.	Magnoliophyta	Celastraceae	<i>Lophopetalum wightianum</i> Arn.		Vulnerable	✓	✓					✓	
261.	Magnoliophyta	Celastraceae	<i>Salacia impressifolia</i> (Miers) A.C.Sm.	<i>Anthodon grandiflorum</i> Benth. <i>Raddia grandifolia</i> (Mart.) Miers <i>Raddia impressifolia</i> Miers <i>Salacia grandiflora</i> (Benth.) Peyr. <i>Salacia polyanthomaniaca</i> Barb.Rodr.	Critically endangered	✓		✓					
262.	Magnoliophyta	Celastraceae	<i>Salacia korthalsiana</i> Miq.		Critically endangered							✓	
263.	Magnoliophyta	Celastraceae	<i>Salacia maingayi</i> M.A.Lawson		Presumed nationally extinct								✓
264.	Magnoliophyta	Celastraceae	<i>Salacia miqueliana</i> Loes.	<i>Salacia costata</i> Miq. ex Pulle <i>Salacia macrophylla</i> Miq. <i>Salacia macrophylla</i> Blume <i>Thermophila macrophylla</i> (Blume) Miers	Vulnerable			✓	✓				
265.	Magnoliophyta	Celastraceae	<i>Salacia viminea</i> Wall. ex Laws.		Critically endangered				✓		✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
266.	Magnoliophyta	Chloranthaceae	<i>Chloranthus elatior</i> Link	<i>Chloranthus elatior</i> R.Br. <i>Chloranthus erectus</i> (Buch.-Ham.) Sweet ex Wall. <i>Chloranthus erectus</i> (Buch.-Ham.) Verdc. <i>Chloranthus erectus</i> Sweet <i>Chloranthus inconspicuus</i> Blanco <i>Chloranthus officinalis</i> Blume <i>Chloranthus salicifolius</i> C.Presl <i>Chloranthus sumatranus</i> Miq. <i>Cryphaea erecta</i> Buch.-Ham.	Critically endangered				✓				
267.	Magnoliophyta	Chrysobalanaceae	<i>Atuna racemosa</i> Rafin.	<i>Parinarium asperulum</i> Miq.	Critically endangered	✓		✓					
268.	Magnoliophyta	Chrysobalanaceae	<i>Licania splendens</i> (Korth.) Prance	<i>Angelesia splendens</i> Korth. <i>Atuna nitida</i> (Hook.f.) Panigrahi & K.M.Purohit <i>Chrysobalanus splendens</i> (Korth.) Miq. <i>Coccomelia nitida</i> (Hook.f.) Ridl. <i>Ferolia nitida</i> (Hook.f.) Kuntze <i>Licania angelesia</i> Blume <i>Licania splendens</i> (Korth.) Prance & Kosterm. <i>Parinari fragilis</i> Teijsm. & Binn. <i>Parinari nitida</i> Hook.f. <i>Parinari philippinensis</i> Elmer <i>Trichocarya splendens</i> (Korth.) Miq.	Common	✓		✓	✓				
269.	Magnoliophyta	Chrysobalanaceae	<i>Parastemon urophyllus</i> (Wall. ex A.DC.) A.DC.	<i>Angelesia racemosa</i> (Korth.) Kuntze <i>Diemenia racemosa</i> Korth. <i>Embelia urophylla</i> Wall. ex A.DC. <i>Licania diamenia</i> Blume <i>Parastemon spicatum</i> Ridl. <i>Trichocarya racemosa</i> (Korth.) Miq.	Endangered			✓		✓			
270.	Magnoliophyta	Chrysobalanaceae	<i>Parinari costata</i> (Korth.) Blume	<i>Ferolia costata</i> (Korth.) Kuntze <i>Lepidocarpa costata</i> Korth. <i>Parinari costata</i> (Korth.) Blume ex Fürnr.	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
271.	Magnoliophyta	Clusiaceae	<i>Calophyllum dispar</i> P.F.Stevens		Critically endangered	✓	✓						
272.	Magnoliophyta	Clusiaceae	<i>Calophyllum ferrugineum</i> Ridl.		Common					✓	✓	✓	
273.	Magnoliophyta	Clusiaceae	<i>Calophyllum lanigerum</i> Miq. var. <i>austrocoriaceum</i> (T.C.Whitmore) P.F.Stevens	<i>Calophyllum austrocoriaceum</i> Whitmore	Endangered				✓				
274.	Magnoliophyta	Clusiaceae	<i>Calophyllum macrocarpum</i> Hook.f.	<i>Calophyllum horstii</i> Boerl. <i>Calysaccion horstii</i> Teijsm. & Binn.	Critically endangered								✓
275.	Magnoliophyta	Clusiaceae	<i>Calophyllum pulcherrimum</i> Wall. ex Choisy	<i>Calophyllum mesuifolium</i> Wall. <i>Calophyllum plicipes</i> Miq.	Common				✓	✓	✓	✓	
276.	Magnoliophyta	Clusiaceae	<i>Calophyllum rubiginosum</i> M.R.Hend. & Wyatt-Sm.		Endangered								✓
277.	Magnoliophyta	Clusiaceae	<i>Calophyllum rufigemmatum</i> Hend. & Wyatt-Sm. ex P.F.Stevens		Endangered				✓				✓
278.	Magnoliophyta	Clusiaceae	<i>Calophyllum tetrapterum</i> Miq.	<i>Calophyllum bancanum</i> Miq. <i>Calophyllum floribundum</i> Hook.f. <i>Calophyllum foetidum</i> Ridl. <i>Calophyllum gracile</i> Miq. <i>Calophyllum lanceola</i> Ridl. <i>Calophyllum prainianum</i> King <i>Calophyllum venustum</i> King	Vulnerable	✓	✓		✓	✓	✓	✓	
279.	Magnoliophyta	Clusiaceae	<i>Calophyllum teysmannii</i> Miq.	<i>Calymperes andamense</i> Besch. <i>Calymperes boreale</i> Paris & Broth. <i>Calymperes daemelii</i> Hampe <i>Calymperes denticulatum</i> Müll.Hal.	Vulnerable	✓	✓		✓		✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Calymperes nossibeum</i> (Besch.) Broth. <i>Calymperes orientale</i> Mitt. ex Besch. <i>Calymperes orientale</i> Mitt. ex Besch. var. <i>denticulatum</i> (Müll.Hal.) M.Fleisch. <i>Calymperes orientale</i> Mitt. ex Besch. var. <i>denticulatum</i> (Müll.Hal.) M.Fleisch. <i>Calymperes orientale</i> Mitt. ex Besch. var. <i>polytrichoides</i> M.Fleisch. <i>Calymperes pachyloma</i> Hampe <i>Calymperes spurio-denticulatum</i> Müll.Hal. <i>Calymperes stigmatoblastum</i> Müll.Hal. ex Broth. <i>Calymperes subdenticulatum</i> Müll.Hal. <i>Calophyllum inophylloide</i> King var. <i>singaporense</i> M.R.Hend. & Wyatt-Smith. <i>Calophyllum intramarginale</i> M.R.Hend. & Wyatt-Smith. <i>Calophyllum miquelii</i> Vesque									
280.	Magnoliophyta	Clusiaceae	<i>Calophyllum wallichianum</i> Planch. & Tr. var. <i>incrassatum</i> (Hend. & Wyatt-Smith) P.F.Stevens	<i>Calophyllum tahanense</i> M.R.Hend. & Wyatt-Smith.	Vulnerable								✓
281.	Magnoliophyta	Clusiaceae	<i>Calophyllum wallichianum</i> Planch. & Tr. var. <i>wallichianum</i>		Critically endangered							✓	✓
282.	Magnoliophyta	Clusiaceae	<i>Garcinia bancana</i> Miq.	<i>Garcinia cymulosa</i> Miq. <i>Garcinia hookeri</i> Pierre <i>Garcinia lamponga</i> Miq. <i>Garcinia leucandra</i> Pierre <i>Garcinia oxyedra</i> Miq. <i>Garcinia oxyphylla</i> Miq. <i>Stalagmitis lamponga</i> Miq.	Critically endangered							✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
283.	Magnoliophyta	Clusiaceae	<i>Garcinia eugeniifolia</i> Wall. ex T.Anderson	<i>Garcinia eugeniifolia</i> Wall. ex T.Anderson <i>Garcinia gitingensis</i> Elmer <i>Hebradendron eugeniifolium</i> Choisy	Vulnerable	✓	✓	✓			✓	✓	
284.	Magnoliophyta	Clusiaceae	<i>Garcinia forbesii</i> King		Critically endangered	✓	✓		✓	✓	✓	✓	
285.	Magnoliophyta	Clusiaceae	<i>Garcinia griffithii</i> T.Anderson		Endangered	✓			✓	✓			
286.	Magnoliophyta	Clusiaceae	<i>Garcinia hombroniana</i> Pierre		Endangered	✓		✓				✓	
287.	Magnoliophyta	Clusiaceae	<i>Garcinia maingayi</i> Hook.f.		Critically endangered				✓			✓	
288.	Magnoliophyta	Clusiaceae	<i>Garcinia malaccensis</i> Hook.f.		Exotic			✓					
289.	Magnoliophyta	Clusiaceae	<i>Garcinia mangostana</i> L.	<i>Mangostana garcinia</i> Gaertn.	Exotic	✓							
290.	Magnoliophyta	Clusiaceae	<i>Garcinia nervosa</i> Miq.	<i>Garcinia andersonii</i> Hook.f. ex T.Anderson <i>Garcinia macrophylla</i> T.Anderson	Critically endangered	✓	✓		✓	✓		✓	
291.	Magnoliophyta	Clusiaceae	<i>Garcinia nigrolineata</i> Planch. ex T.Anderson	<i>Garcinia kunstleri</i> King	Critically endangered							✓	
292.	Magnoliophyta	Clusiaceae	<i>Garcinia parvifolia</i> (Miq.) Miq.	<i>Garcinia globulosa</i> Ridl. <i>Garcinia tetangies</i> Boerl. <i>Rhinostigma parvifolium</i> Miq.	Common	✓	✓	✓	✓	✓	✓	✓	
293.	Magnoliophyta	Clusiaceae	<i>Garcinia rostrata</i> Hassk. ex Hook.f.	<i>Discostigma caudatum</i> A.Gray <i>Discostigma rostratum</i> Hassk. <i>Garcinia wrayi</i> King	Critically endangered			✓	✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
294.	Magnoliophyta	Clusiaceae	<i>Garcinia scortechinii</i> King		Critically endangered			✓	✓			✓	
295.	Magnoliophyta	Combretaceae	<i>Combretum indicum</i> (L.) DeFilipps	<i>Combretum indicum</i> (L.) Jongkind <i>Kleinia quadricolor</i> Crantz <i>Mekistus sinensis</i> Lour. ex B.A.Gomes <i>Quisqualis ebracteata</i> P.Beauv. <i>Quisqualis glabra</i> Burm.f. <i>Quisqualis grandiflora</i> Miq. <i>Quisqualis indica</i> L. <i>Quisqualis indica</i> L. var. <i>oxypetala</i> Kurz <i>Quisqualis indica</i> L. var. <i>villosa</i> C.B.Clarke <i>Quisqualis longiflora</i> C.Presl <i>Quisqualis loureiroi</i> G.Don <i>Quisqualis madagascariensis</i> Bojer <i>Quisqualis obovata</i> Schumach. & Thonn. <i>Quisqualis pubescens</i> Burm.f. <i>Quisqualis sinensis</i> Lindl. <i>Quisqualis spinosa</i> Blanco <i>Quisqualis villosa</i> Roxb.	Exotic		✓		✓				
296.	Magnoliophyta	Combretaceae	<i>Combretum sundaicum</i> Miq.		Vulnerable		✓		✓	✓			✓
297.	Magnoliophyta	Combretaceae	<i>Combretum tetralophum</i> C.B.Clarke	<i>Combretum tetragonocarpum</i> Kurz var. <i>tetralophum</i> (C.B.Clarke) M.G.Gangop. & Chakrab. <i>Combretum wrayi</i> King	Critically endangered								✓
298.	Magnoliophyta	Combretaceae	<i>Lumnitzera littorea</i> (Jack) Voigt	<i>Laguncularia coccinea</i> Gaudich. <i>Laguncularia purpurea</i> Gaudich. <i>Lumnitzera coccinea</i> (Gaudich.) Wight & Arn. <i>Lumnitzera purpurea</i> (Gaudich.) C.Presl <i>Petaloma coccinea</i> (Gaudich.) Blanco <i>Pyrrhanthus littoreus</i> Jack	Endangered			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
299.	Magnoliophyta	Combretaceae	<i>Terminalia phellocarpa</i> King		Critically endangered			✓					
300.	Magnoliophyta	Commelinaceae	<i>Amischotolype gracilis</i> (Ridl.) I.M.Turner	<i>Forrestia gracilis</i> Ridl.	Common	✓	✓	✓					
301.	Magnoliophyta	Commelinaceae	<i>Amischotolype mollissima</i> Hassk.	<i>Amischotolype glabrata</i> (Hassk.) Hassk. <i>Amischotolype marginata</i> (Blume) Hassk. <i>Amischotolype mollissima</i> Hassk. var. <i>glabrata</i> (Hassk.) R.S.Rao <i>Amischotolype mollissima</i> Hassk. var. <i>marginata</i> (Blume) R.S.Rao <i>Campelia glabrata</i> Hassk. <i>Campelia marginata</i> Blume <i>Campelia mollissima</i> Blume <i>Forrestia distans</i> Ridl. <i>Forrestia glabrata</i> (Hassk.) Hassk. <i>Forrestia marginata</i> (Blume) Hassk. <i>Forrestia mollis</i> Hassk. <i>Forrestia mollissima</i> (Blume) Koord. <i>Forrestia rostrata</i> Hassk. <i>Pollia purpurea</i> C.B.Clarke <i>Tradescantia marginata</i> (Blume) Bouché	Critically endangered				✓				
302.	Magnoliophyta	Connaraceae	<i>Agelaea borneensis</i> (Hook.f.) Merr.	<i>Agelaea vestita</i> Hook.f. <i>Castanola villosa</i> Schellenb. <i>Cnestis vestita</i> Wall. ex Hook.f. <i>Erythrostigma villosum</i> Zoll. <i>Hemiandrina borneensis</i> Hook.f. <i>Hemiandrina villosa</i> Schellenb.	Vulnerable			✓	✓	✓	✓	✓	G&T
303.	Magnoliophyta	Connaraceae	<i>Agelaea macrophylla</i> (Zoll.) Leenh.	<i>Agelaea diepenhorstii</i> King <i>Agelaea hullettii</i> King <i>Agelaea sarawakensis</i> Merr. <i>Agelaea wallichii</i> Hook.f. <i>Castanola hullettii</i> (King) Schellenb.	Critically endangered				✓		✓	✓	G&T

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Castanola macrophylla</i> (Zoll.) Schellenb. <i>Castanola wallichii</i> (Hook.f.) Schellenb. <i>Connarus diepenhorstii</i> Miq. <i>Erythrostigma macrophyllum</i> Zoll. <i>Hemiandrina hullettii</i> Schellenb. <i>Hemiandrina macrophylla</i> Schellenb. <i>Hemiandrina sarawakensis</i> Schellenb.									
304.	Magnoliophyta	Connaraceae	<i>Cnestis palala</i> (Lour.) Merr.	<i>Cnestis annamensis</i> Gagnep. <i>Cnestis diffusa</i> Blanco <i>Cnestis flaminea</i> Griff. <i>Cnestis flammea</i> Kurz <i>Cnestis foliosa</i> Planch. ex Kurz <i>Cnestis ignea</i> Planch. ex Kurz <i>Cnestis palala</i> (Lour.) Merr. subsp. <i>diffusa</i> (Blanco) Andreas <i>Cnestis platantha</i> Griff. <i>Cnestis ramiflora</i> Griff. <i>Connarus foliosus</i> Jack <i>Rourea dasyphylla</i> Miq. <i>Thysanus palala</i> Lour.	Common							✓	
305.	Magnoliophyta	Connaraceae	<i>Connarus ferrugineus</i> Jack		Critically endangered	✓			✓				
306.	Magnoliophyta	Connaraceae	<i>Connarus grandis</i> Jack	<i>Anisostemon trifolius</i> Turcz. <i>Connarus diversifolius</i> (Hassk.) Scheff. ex Backer <i>Connarus ellipticus</i> King <i>Connarus lunulatus</i> Schellenb. <i>Connarus polyanthus</i> Planch. <i>Connarus rolfei</i> Vidal <i>Connarus trifolius</i> (Turcz.) Rolfe <i>Connarus villosus</i> Planch. <i>Erythrostigma diversifolia</i> Hassk. <i>Erythrostigma ellipticum</i> Zoll.	Critically endangered	✓			✓			✓	G&T

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
307.	Magnoliophyta	Connaraceae	<i>Connarus monocarpus</i> L. subsp. <i>malayensis</i> Leenh.	<i>Cnestis pentaphylla</i> Span. <i>Connarus carnosus</i> Elmer <i>Connarus celebicus</i> Schellenb. <i>Connarus falcatus</i> Blume <i>Connarus fragrans</i> Elmer <i>Connarus hallieri</i> Merr. <i>Connarus hasseltii</i> Blume <i>Connarus maingayi</i> Hook.f. <i>Connarus oligophyllus</i> Planch. <i>Connarus palawanensis</i> Elmer <i>Connarus pentaphyllus</i> (Span.) Schellenb. <i>Connarus pinnatus</i> Hasselt ex Blume <i>Connarus spanoghei</i> Blume <i>Connarus stictophyllus</i> Kurz <i>Omphalobium carneum</i> Zipp. ex Span.	Critically endangered			✓					
308.	Magnoliophyta	Connaraceae	<i>Connarus paniculatus</i> Roxb.	<i>Connarus hainanensis</i> Merr. <i>Connarus harmandianus</i> Pierre <i>Connarus paniculatus</i> Roxb. subsp. <i>tonkinensis</i> (Lecomte) Y.M.Shui <i>Connarus pentandrus</i> Roxb. <i>Connarus rufulus</i> Pierre <i>Connarus tonkinensis</i> Lecomte	Critically endangered				✓				
309.	Magnoliophyta	Connaraceae	<i>Connarus semidecandrus</i> Jack	<i>Connarus amplifolius</i> Pierre <i>Connarus balsahanensis</i> Elmer <i>Connarus borneensis</i> Merr. <i>Connarus ellipticus</i> Schellenb. <i>Connarus floribundus</i> Wall. ex Hook.f. <i>Connarus furfuraceus</i> Blume <i>Connarus gaudichaudii</i> (DC.) Planch. <i>Connarus gibbosus</i> Wall. ex Planch. <i>Connarus gracilis</i> Bakh.f. <i>Connarus griffithii</i> Hook.f. <i>Connarus jackianus</i> Schellenb. <i>Connarus mekongensis</i> Pierre	Critically endangered			✓			✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Connarus moluccanus</i> Zipp. ex Blume <i>Connarus mutabilis</i> Blume <i>Connarus neurocalyx</i> Planch. <i>Connarus nigropunctua</i> Gagnep. <i>Connarus nitidus</i> Hassk. <i>Connarus obtusifolius</i> Planch. <i>Connarus pyrrhocarpus</i> Miq. <i>Connarus quocensis</i> Pierre <i>Connarus semidecandrus</i> Jack var. <i>gaudichaudii</i> (DC.) Fosberg <i>Connarus wallichii</i> Planch. <i>Omphalobium gaudichaudii</i> DC.									
310.	Magnoliophyta	Connaraceae	<i>Ellipanthus tomentosus</i> Kurz	<i>Connarus monophyllus</i> Wall. <i>Connarus urdanetensis</i> Elmer <i>Ellipanthus burebidensis</i> Elmer <i>Ellipanthus cinereus</i> Pierre <i>Ellipanthus curtisii</i> King <i>Ellipanthus gibbosus</i> King <i>Ellipanthus griffithii</i> Hook.f. <i>Ellipanthus helferi</i> Kurz <i>Ellipanthus longifolius</i> Merr. <i>Ellipanthus luzoniensis</i> S.Vidal <i>Ellipanthus mindanaensis</i> Merr. <i>Ellipanthus monophyllus</i> Hook.f. ex B.D.Jacks. <i>Ellipanthus neglectus</i> Gamble <i>Ellipanthus sarawakensis</i> Schellenb. <i>Ellipanthus subrufus</i> Pierre <i>Ellipanthus tomentosus</i> Kurz var. <i>gibbosus</i> (King) Leenh. <i>Ellipanthus tomentosus</i> Kurz var. <i>luzoniensis</i> (King) Leenh. <i>Ellipanthus urdanetensis</i> (Elmer) Merr. <i>Ellipanthus vidalii</i> Elmer	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
311.	Magnoliophyta	Connaraceae	<i>Rourea acutipetala</i> Miq. subsp. <i>acutipetala</i>		Presumed nationally extinct							✓	
312.	Magnoliophyta	Connaraceae	<i>Rourea asplenifolia</i> (G.Schellenb.) Jongkind	<i>Roureopsis asplenifolia</i> G.Schellenb.	Critically endangered						✓		G&T
313.	Magnoliophyta	Connaraceae	<i>Rourea mimosoides</i> Planch.	<i>Cnestis mimosoides</i> (Vahl) Jack <i>Connarus mimosoides</i> Vahl	Endangered			✓		✓	✓	✓	G&T
314.	Magnoliophyta	Connaraceae	<i>Rourea minor</i> (Gaertn.) Alston	<i>Aegiceras minus</i> Gaertn. <i>Cnestis acuminata</i> Wall. <i>Cnestis erecta</i> Blanco <i>Cnestis florida</i> Jack <i>Cnestis glabra</i> Blanco <i>Cnestis monadelphpha</i> Roxb. <i>Connarus roxburghii</i> Hook. & Arn. <i>Connarus santaloides</i> Vahl <i>Rhizophora aegiceras</i> C.F.Gaertn. <i>Rourea afzelii</i> R.Br. ex Planch. <i>Rourea bamangensis</i> De Wild. <i>Rourea bipindensis</i> Gilg ex G.Schellenb. <i>Rourea erecta</i> Merr. <i>Rourea gudjuana</i> Gilg <i>Rourea millettii</i> Planch. <i>Rourea minor</i> (Gaertn.) Leenh. <i>Rourea platysepala</i> Baker <i>Rourea santaloides</i> (Vahl) Wight & Arn. <i>Rourea splendida</i> Gilg <i>Santalodes hermannianum</i> Kuntze <i>Santaloides afzelii</i> (R.Br. ex Planch.) G.Schellenb. <i>Santaloides erectum</i> (Blanco) G.Schellenb. <i>Santaloides floridum</i> (Jack) Kuntze <i>Santaloides gossweileri</i> Exell & Mendonça <i>Santaloides gudjuanum</i> (Gilg) G.Schellenb. <i>Santaloides minus</i> (Gaertn.) G.Schellenb.	Critically endangered							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Santaloides platysepalum</i> (Baker) G.Schellenb. <i>Santaloides roxburghii</i> (Hook. & Arn.) Kuntze <i>Santaloides splendidum</i> (Gilg) Schellenb. ex Engl. <i>Santaloides urophyllum</i> G.Schellenb.									
315.	Magnoliophyta	Connaraceae	<i>Santaloides filgens</i> (Planch.) Kuntze	<i>Rourea fulgens</i> Planch.	Vulnerable	✓			✓	✓	✓		
316.	Magnoliophyta	Convolvulaceae	<i>Argyreia ridleyi</i> Prain. ex Oostr.		Critically endangered				✓	✓			
317.	Magnoliophyta	Convolvulaceae	<i>Erycibe leucoxyloides</i> King ex Prain		Cryptogenic				✓	✓	✓	✓	✓
318.	Magnoliophyta	Convolvulaceae	<i>Erycibe maingayi</i> C.B.Clarke		Presumed nationally extinct				✓				✓
319.	Magnoliophyta	Convolvulaceae	<i>Erycibe malaccensis</i> C.B.Clarke		Critically endangered				✓	✓		✓	
320.	Magnoliophyta	Convolvulaceae	<i>Erycibe tomentosa</i> Blume var. <i>tomentosa</i>		Common	✓			✓	✓		✓	✓
321.	Magnoliophyta	Convolvulaceae	<i>Ipomoea mauritiana</i> Jacq.	<i>Batatas paniculata</i> (L.) Choisy <i>Convolvulus paniculatus</i> L. <i>Ipomoea digitata</i> Baker & Rendle <i>Ipomoea ennealoba</i> P.Beauv. <i>Ipomoea eriosperma</i> P.Beauv. <i>Ipomoea paniculata</i> (L.) R.Br. <i>Ipomoea paniculata</i> (L.) R.Br. var. <i>heterophylla</i> Kuntze	Common				✓				
322.	Magnoliophyta	Convolvulaceae	<i>Merremia hirta</i> (L.) Merr.	<i>Convolvulus caespitosus</i> Roxb. <i>Convolvulus hirtus</i> L. <i>Convolvulus reptans</i> L.	Cryptogenic				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ipomoea linifolia</i> Blume <i>Ipomoea philippinensis</i> Choisy <i>Lepistemon decurrens</i> Hand.-Mazz. <i>Merremia caespitosa</i> (Roxb.) Hallier f. <i>Merremia decurrens</i> (Hand.-Mazz.) H.X.Qiu <i>Skinneria caespitosa</i> (Roxb.) Choisy									
323.	Magnoliophyta	Cornaceae	<i>Alangium javanicum</i> (Blume) Wangerin var. <i>ebenaceum</i> (C.B.Clarke) Berhaman	<i>Alangium ebenaceum</i> (C.B.Clarke) Harms <i>Alangium meizianum</i> Wangerin <i>Alangium sessiliflorum</i> Merr. <i>Karangolum ebenaceum</i> (C.B.Clarke) Kuntze <i>Marlea ebenacea</i> C.B.Clarke	Critically endangered								✓
324.	Magnoliophyta	Cornaceae	<i>Alangium longiflorum</i> Merr.	<i>Alangium hirsutum</i> Bloemb. <i>Alangium longifolium</i> Merr. <i>Alangium octopetalum</i> Vidal	Critically endangered					✓			
325.	Magnoliophyta	Cornaceae	<i>Alangium nobile</i> (C.B.Clarke) Harms	<i>Alangium nobile</i> (C.B.Clarke) Harms var. <i>dentatum</i> Bloemb. <i>Karangolum nobile</i> (C.B.Clarke) Kuntze <i>Marlea nobilis</i> C.B.Clarke	Critically endangered	✓	✓						
326.	Magnoliophyta	Cornaceae	<i>Alangium ridleyi</i> King	<i>Marlea costata</i> Valetton	Presumed nationally extinct					✓			
327.	Magnoliophyta	Cornaceae	<i>Mastixia trichotoma</i> Blume var. <i>maingayi</i> (C.B.Clarke) Danser	<i>Mastixia maingayi</i> C.B.Clarke <i>Mastixia maingayi</i> C.B.Clarke var. <i>subtomentosa</i> King <i>Mastixia propinqua</i> Ridl.	Critically endangered	✓	✓			✓			
328.	Magnoliophyta	Crypteroniaceae	<i>Crypteronia griffithii</i> C.B.Clarke		Critically endangered					✓			
329.	Magnoliophyta	Cucurbitaceae	<i>Trichosanthes celebica</i> Cogn.	<i>Anguina celebica</i> (Cogn.) Kuntze	Vulnerable	✓				✓			

S/No.	Phylum	Family	Taxon name		Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
330.	Magnoliophyta	Cucurbitaceae	<i>Trichosanthes elmeri</i> Merr.			Critically endangered				✓		✓		Gdn
331.	Magnoliophyta	Cucurbitaceae	<i>Trichosanthes wawraei</i> Cogn.		<i>Anguina wawraei</i> (Cogn.) Kuntze	Vulnerable				✓				
332.	Magnoliophyta	Cyperaceae	<i>Cyperus haspan</i> L. subsp. <i>haspan</i>			Cryptogenic					✓			
333.	Magnoliophyta	Cyperaceae	<i>Cyperus pilosus</i> Vahl		<i>Cyperus amuricus</i> Maxim. var. <i>japonicus</i> Kük. <i>Cyperus donianus</i> A.Dietr. <i>Cyperus fimbriatus</i> Nees <i>Cyperus hebes</i> Steud. <i>Cyperus heyneanus</i> Boeckeler <i>Cyperus honestus</i> Kunth <i>Cyperus marginellus</i> Nees <i>Cyperus obliquus</i> Nees <i>Cyperus paniculatus</i> D.Don <i>Cyperus pauciflorus</i> Steud. <i>Cyperus pilosus</i> Vahl f. <i>badius</i> Kuntze <i>Cyperus pilosus</i> Vahl var. <i>contractus</i> (Miq.) Kük. <i>Cyperus pilosus</i> Vahl var. <i>fimbriatus</i> (Nees) Kük. <i>Cyperus pilosus</i> Vahl var. <i>laevirhachis</i> Kük. <i>Cyperus pilosus</i> Vahl var. <i>muticus</i> Boeckeler <i>Cyperus pilosus</i> Vahl var. <i>obliquus</i> (Nees) C.B.Clarke <i>Cyperus pilosus</i> Vahl f. <i>pallidus</i> Kuntze <i>Cyperus pilosus</i> Vahl var. <i>pauciflorus</i> L.K.Dai <i>Cyperus pilosus</i> Vahl var. <i>polyanthus</i> C.B.Clarke <i>Cyperus pilosus</i> Vahl var. <i>pseudobabakensis</i> Kük. <i>Cyperus pilosus</i> Vahl var. <i>purpurascens</i> L.K.Dai <i>Cyperus piptolepis</i> Steud. <i>Cyperus piptolepis</i> Steud. var. <i>contractus</i> Miq. <i>Cyperus piptolepis</i> Steud. var. <i>pyrophytus</i> Miq. <i>Cyperus pyrophilus</i> Reinw. ex de Vriese <i>Cyperus quinqueflorus</i> Hochst. ex Steud.	Cryptogenic			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cyperus subalatus</i> Steud. <i>Duval-jouvea pilosa</i> (Vahl) Palla									
334.	Magnoliophyta	Cyperaceae	<i>Diplacrum caricinum</i> R.Br.	<i>Diplacrum caricinum</i> R.Br. subsp. <i>sumatranum</i> Miq. <i>Diplacrum tridentatum</i> Brongn. <i>Diplacrum zeylanicum</i> Nees <i>Scleria axillaris</i> Moon <i>Scleria caricina</i> (R.Br.) Benth. <i>Scleria onoei</i> Makino	Cryptogenic				✓	✓			
335.	Magnoliophyta	Cyperaceae	<i>Eleocharis ochrostachys</i> Steud.	<i>Eleocharis laxiflora</i> (Thwaites) H.Pfeiff. <i>Eleocharis subulata</i> Boeckeler <i>Eleocharis variegata</i> (Poir.) C.Presl var. <i>laxiflora</i> (Thwaites) C.B.Clarke <i>Eleocharis variegata</i> (Poir.) C.Presl var. <i>laxiflora</i> (Thwaites) Ridl. <i>Scirpus laxiflorus</i> Thwaites <i>Scirpus ochrostachys</i> (Steud.) Kuntze	Cryptogenic				✓				
336.	Magnoliophyta	Cyperaceae	<i>Fimbristylis acuminata</i> Vahl	<i>Eleogiton scabra</i> (Roxb.) A.Dietr. <i>Fimbristylis nutans</i> (Retz.) Vahl var. <i>minor</i> E.G.Camus <i>Fimbristylis scabra</i> (Roxb.) Schult. <i>Iria acuminata</i> (Vahl) Kuntze <i>Scirpus scaber</i> Roxb.	Cryptogenic				✓				
337.	Magnoliophyta	Cyperaceae	<i>Fimbristylis complanata</i> (Retz.) Link	<i>Cyperus complanatus</i> (Retz.) Willd. <i>Fimbristylis autumnalis</i> (L.) Roem. & Schult. var. <i>complanata</i> (Retz.) Kük. <i>Fimbristylis autumnalis</i> (L.) Roem. & Schult. var. <i>complanata</i> (Retz.) Barros <i>Isolepis complanata</i> (Retz.) Roem. & Schult. <i>Scirpus complanatus</i> Retz. <i>Trichelostylis complanata</i> (Retz.) Nees	Common				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
338.	Magnoliophyta	Cyperaceae	<i>Fimbristylis dichotoma</i> (L.) Vahl	<i>Eleocharis dichotoma</i> (L.) H.Karst. <i>Fimbristylis diphylla</i> (Retz.) Vahl var. <i>annua</i> (All.) C.B.Clarke <i>Fimbristylis diphylla</i> (Retz.) Vahl var. <i>tomentosa</i> (Vahl) Benth. <i>Fimbristylis serratula</i> Vahl <i>Isolepis dichotoma</i> (L.) Kunth <i>Scirpus depauperatus</i> Muhl. <i>Scirpus dichotomus</i> L.	Cryptogenic				✓				
339.	Magnoliophyta	Cyperaceae	<i>Fimbristylis ferruginea</i> (L.) Vahl	<i>Iria ferruginea</i> (L.) Kuntze <i>Isolepis ferruginea</i> (L.) Schltdl. <i>Scirpus ferrugineus</i> L.	Common			✓		✓			
340.	Magnoliophyta	Cyperaceae	<i>Fimbristylis pauciflora</i> R.Br.	<i>Fimbristylis filiformis</i> (Nees) Kunth <i>Fimbristylis malaccana</i> Boeckeler <i>Fimbristylis pumila</i> Benth. <i>Iria pauciflora</i> (R.Br.) Kuntze <i>Scirpus pauciflorus</i> (R.Br.) Poir. <i>Trichelostylis filiformis</i> Nees	Critically endangered			✓					
341.	Magnoliophyta	Cyperaceae	<i>Fimbristylis umbellaris</i> (L.) Vahl	<i>Dichostylis torresiana</i> Gaudich. <i>Fimbristylis efoliata</i> Steud. <i>Fimbristylis globulosa</i> (Retz.) Kunth <i>Fimbristylis globulosa</i> (Retz.) Kunth var. <i>torresiana</i> (Gaudich.) C.B.Clarke <i>Fimbristylis globulosa</i> (Retz.) Kunth var. <i>vicaryi</i> C.B.Clarke <i>Fimbristylis hypsocolea</i> Hosok. <i>Fimbristylis torresiana</i> Gaudich. <i>Fimbristylis umbellaris</i> (Lam.) Vahl var. <i>vicaryi</i> (C.B.Clarke) Karthik. <i>Fimbristylis utilis</i> Elmer <i>Iria globulosa</i> (Retz.) Kuntze <i>Isolepis globulosa</i> (Retz.) Schult. <i>Scirpus globulosus</i> Retz.	Cryptogenic					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Scirpus umbellaris</i> Lam. <i>Trichelostylis globulosa</i> (Retz.) Nees									
342.	Magnoliophyta	Cyperaceae	<i>Fuirena umbellata</i> Rottb.	<i>Fuirena canescens</i> Vahl <i>Fuirena complotricha</i> C.Wright <i>Fuirena glomerata</i> Bojer <i>Fuirena guianensis</i> Klotzsch <i>Fuirena haemaglottis</i> Steud. <i>Fuirena hildebrandtii</i> Boeckeler <i>Fuirena mahouxii</i> Cherm. <i>Fuirena mauritiana</i> Nees ex Kunth <i>Fuirena mauritiana</i> Nees <i>Fuirena mauritiana</i> Nees var. <i>angustifolia</i> Kunth <i>Fuirena paniculata</i> L.f. <i>Fuirena pentagona</i> Wight & Arn. ex Nees <i>Fuirena pentagona</i> Schumach. <i>Fuirena philippinensis</i> Gand. <i>Fuirena quinquangularis</i> Hassk. <i>Fuirena rivularis</i> Nees <i>Fuirena seriata</i> C.B.Clarke <i>Fuirena tereticulmis</i> J.Presl & C.Presl <i>Fuirena thouarsiana</i> Kunth <i>Fuirena umbellata</i> Rottb. var. <i>americana</i> H.Pfeiff. <i>Fuirena umbellata</i> Rottb. var. <i>pilosa</i> Domin <i>Fuirena umbellata</i> Rottb. var. <i>unguiculata</i> Kük. <i>Scirpus fuirena</i> T.Koyama <i>Scirpus rivularis</i> D.Don. ex Nees <i>Scirpus umbellatus</i> (Rottb.) Kuntze	Cryptogenic				✓	✓			
343.	Magnoliophyta	Cyperaceae	<i>Hypolytrum capitulatum</i> Suringar ex C.B.Clarke		Presumed nationally extinct								✓
344.	Magnoliophyta	Cyperaceae	<i>Hypolytrum nemorum</i> (Vahl) Spreng.	<i>Hypaeliptum nemorum</i> (Vahl) P.Beauv. <i>Schoenus nemorum</i> Vahl	Common	✓		✓	✓				✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
345.	Magnoliophyta	Cyperaceae	<i>Hypolytrum nemorum</i> (Vahl) Spreng. var. <i>proliferum</i> (Boeckeler) J.Kern	<i>Hypolytrum proliferum</i> Boeckeler	Critically endangered					✓			
346.	Magnoliophyta	Cyperaceae	<i>Lipocarpha chinensis</i> (Osbeck) J.Kern	<i>Cyperus lipocarpha</i> T.Koyama <i>Cyperus submaculatus</i> T.Koyama <i>Hypaelyptum albidum</i> Willd. ex Kunth <i>Hypaelyptum argenteum</i> Vahl <i>Hypaelyptum senegalense</i> (Lam.) K.Schum. <i>Hypolytrum albidum</i> Willd. ex Kunth <i>Hypolytrum argenteum</i> Kunth <i>Hypolytrum laevigatum</i> (Roxb.) Spreng. <i>Kyllinga albescens</i> Steud. <i>Lipocarpha argentea</i> (Kunth) R.Br. <i>Lipocarpha chinensis</i> (Osbeck) T.Tang & F.T.Wang <i>Lipocarpha debilis</i> Ridl. <i>Lipocarpha humboldtiana</i> Nees <i>Lipocarpha laevigata</i> (Roxb.) Nees <i>Lipocarpha senegalensis</i> (Lam.) T.Durand & H.Durand <i>Lipocarpha senegalensis</i> (Lam.) Dandy <i>Schoenus laevigatus</i> Roxb. ex Nees <i>Scirpus chinensis</i> Osbeck <i>Scirpus senegalensis</i> Lam. <i>Tunga laevigata</i> Roxb.	Common					✓			
347.	Magnoliophyta	Cyperaceae	<i>Lipocarpha microcephala</i> (R.Br.) Kunth	<i>Ascolepis kyllingioides</i> Steud. <i>Ascolepis kyllingioides</i> Steud. ex Zoll. <i>Cyperus zollingerianus</i> (Boeckeler) T.Koyama <i>Hypaelyptum microcephalum</i> R.Br. <i>Isolepis squarrosa</i> Miq. ex T.Koyama <i>Kyllinga squarrosa</i> Steud. <i>Lipocarpha zollingeri</i> Boeck.	Cryptogenic					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Lipocarpa zollingeriana</i> Boeckeler <i>Rikliella australiensis</i> J.Raynal <i>Scirpus dietrichiae</i> Boeckeler <i>Scirpus leptocarpus</i> F.Muell. <i>Scirpus squarrosus</i> L. var. <i>dietrichiae</i> (Boeckeler) Benth.									
348.	Magnoliophyta	Cyperaceae	<i>Mapania bancana</i> (Miq.) T.Koyama	<i>Hypolytrum borneense</i> Kurz <i>Lepironia bancana</i> Miq. <i>Mapania bancana</i> (Miq.) Benth. & Hook.f. ex B.D. Jacks. <i>Mapania bancana</i> (Miq.) Benth. & Hook.f. ex B.D. Jacks. var. <i>longispica</i> C.B.Clarke <i>Thoracostachyum bancanum</i> (Miq.) Kurz <i>Thoracostachyum ridleyi</i> C.B.Clarke <i>Thoracostachyum subcapitatum</i> J.V.Suringar	Critically endangered					✓			
349.	Magnoliophyta	Cyperaceae	<i>Mapania cuspidata</i> (Miq.) Uittien	<i>Lepironia cuspidata</i> Miq. <i>Mapania cuspidata</i> (Miq.) Holttum	Vulnerable	✓	✓	✓					
350.	Magnoliophyta	Cyperaceae	<i>Mapania palustris</i> (Hassk. ex Steud.) Fern.-Vill.	<i>Lepironia palustris</i> (Hassk. ex Steud.) Miq. <i>Mapania palustris</i> (Hassk. ex Steud.) Fern.-Vill. <i>Pandanophyllum palustre</i> Hassk. ex Steud.	Endangered			✓					
351.	Magnoliophyta	Cyperaceae	<i>Mapania squamata</i> (Kurz) C.B.Clarke	<i>Lepironia squamata</i> (Kurz) Miq. <i>Mapania heterocephala</i> Merr. <i>Pandanophyllum squamatum</i> Kurz	Presumed nationally extinct	✓	✓						
352.	Magnoliophyta	Cyperaceae	<i>Rhynchospora corymbosa</i> (L.) Britton	<i>Calyptrostylis articulata</i> (Roxb.) Nees <i>Calyptrostylis asperula</i> Nees var. <i>minor</i> Nees <i>Calyptrostylis divergens</i> Nees <i>Calyptrostylis fascicularis</i> Nees <i>Calyptrostylis florida</i> (Rudge) Nees <i>Calyptrostylis gaudichaudii</i> Nees <i>Calyptrostylis rudgei</i> Nees <i>Cephaloschoenus articulatus</i> (Roxb.) Nees	Common			✓		✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cephaloschoenus divergens</i> Nees <i>Chaetospora aurea</i> (Vahl) Kunth <i>Dichromena corymbosa</i> (L.) J.F.Macbr. <i>Rhynchospora articulata</i> (Roxb.) Schult. <i>Rhynchospora aurea</i> Vahl <i>Rhynchospora aurea</i> Vahl f. <i>florida</i> (Rudge) Lindm. <i>Rhynchospora corymbifera</i> Nees <i>Rhynchospora corymbosa</i> (L.) Britton var. <i>angustirostris</i> (Barros) Guagl. <i>Rhynchospora corymbosa</i> (L.) Britton f. <i>angustirostris</i> Barros									
353.	Magnoliophyta	Cyperaceae	<i>Scleria ciliaris</i> Nees	<i>Scleria bancana</i> Miq. <i>Scleria bancana</i> Miq. var. <i>nana</i> Ridl. <i>Scleria chinensis</i> Kunth <i>Scleria malaccensis</i> Boeckeler <i>Scleria scrobiculata</i> Moritzi	Common					✓			
354.	Magnoliophyta	Dichapetalaceae	<i>Dichapetalum sordidum</i> (Hook.f.) Leenh.	<i>Chailletia sordida</i> (Hook.f.) Ridl.	Presumed nationally extinct								✓
355.	Magnoliophyta	Dilleniaceae	<i>Dillenia excelsa</i> (Jack) Martelli ex Gilg.	<i>Dillenia excelsa</i> (Jack) Martelli ex Gilg. var. <i>borneensis</i> (Miq.) Merr. <i>Dillenia excelsa</i> (Jack) Martelli ex Gilg. var. <i>pubescens</i> (Cornel.) Cornel. ex Masam. <i>Dillenia excelsa</i> (Jack) Martelli ex Gilg. var. <i>tomentella</i> (Martelli) Cornel. ex Masam. <i>Dillenia glabra</i> Martelli <i>Dillenia magnoliifolia</i> Martelli <i>Dillenia mattadensis</i> Martelli <i>Dillenia oblonga</i> (Wall. ex Hook.f. & Thomson) Martelli <i>Dillenia pauciflora</i> (Zoll. & Moritzi) Gilg <i>Dillenia secunda</i> Hunter ex Ridl.	Critically endangered							✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Dillenia tomentella</i> Martelli									
356.	Magnoliophyta	Dilleniaceae	<i>Dillenia ovata</i> Wall. ex Hook.f. & Thomson	<i>Dillenia grandifolia</i> Wall. ex Hook.f. & Thomson	Endangered				✓				
357.	Magnoliophyta	Dilleniaceae	<i>Dillenia reticulata</i> King		Critically endangered							✓	
358.	Magnoliophyta	Dilleniaceae	<i>Dillenia suffruticosa</i> (Griff.) Martelli	<i>Dillenia burbidgei</i> (Hook.f.) Martelli <i>Dillenia suffruticosa</i> (Griff.) Martelli var. <i>borneensis</i> (Ridl.) Ridl. <i>Wormia burbidgei</i> Hook.f. <i>Wormia suffruticosa</i> Griff.	Common							✓	
359.	Magnoliophyta	Dilleniaceae	<i>Tetracera akara</i> (Burm.f) Merr.		Vulnerable						✓	✓	
360.	Magnoliophyta	Dilleniaceae	<i>Tetracera arborescens</i> Jack		Endangered				✓				
361.	Magnoliophyta	Dilleniaceae	<i>Tetracera fagifolia</i> Blume		Vulnerable						✓		
362.	Magnoliophyta	Dilleniaceae	<i>Tetracera fagifolia</i> Blume var. <i>borneensis</i> (Miq.) Hoogl.		Vulnerable				✓				
363.	Magnoliophyta	Dilleniaceae	<i>Tetracera indica</i> (Christm. & Panz.) Merr.		Common	✓							
364.	Magnoliophyta	Dilleniaceae	<i>Tetracera macrophylla</i> Wall. ex Hook.f. & Thomson		Vulnerable				✓		✓	✓	
365.	Magnoliophyta	Dilleniaceae	<i>Tetracera maingayi</i> Hoogland	<i>Delima laevis</i> Maingay ex King	Critically endangered						✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
366.	Magnoliophyta	Dilleniaceae	<i>Tetracera scandens</i> (L.) Merr.	<i>Tragia scandens</i> L.	Critically endangered							✓	
367.	Magnoliophyta	Dioscoreaceae	<i>Dioscorea laurifolia</i> Wall. ex Hook.f.	<i>Dioscorea laurifolia</i> Wall. ex Hook.f. var. <i>hookeri</i> R.Knuth	Common	✓				✓	✓	✓	
368.	Magnoliophyta	Dioscoreaceae	<i>Dioscorea orbiculata</i> Hook.f. var. <i>tenuifolia</i> (Ridl.) Thapyai	<i>Dioscorea tenuifolia</i> Ridl.	Critically endangered							✓	
369.	Magnoliophyta	Dioscoreaceae	<i>Dioscorea polyclados</i> Hook.f.	<i>Dioscorea polyclados</i> Hook.f. var. <i>oblongifolia</i> Uline ex R.Knuth	Critically endangered	✓		✓				✓	
370.	Magnoliophyta	Dioscoreaceae	<i>Dioscorea prainiana</i> R.Knuth	<i>Dioscorea deflexa</i> Hook.f. <i>Dioscorea maliliensis</i> R.Knuth	Critically endangered						✓		
371.	Magnoliophyta	Dioscoreaceae	<i>Dioscorea pyrifolia</i> Kunth	<i>Dioscorea diepenhorstiana</i> Miq. <i>Dioscorea ferruginea</i> Thunb. ex Prain & Burkill <i>Dioscorea preangeriana</i> Uline ex R.Knuth <i>Dioscorea pyrifolia</i> Kunth var. <i>diepenhorstii</i> Prain & Burkill <i>Dioscorea pyrifolia</i> Kunth var. <i>ferruginea</i> Prain & Burkill <i>Dioscorea sandakanensis</i> R.Knuth <i>Dioscorea zollingeriana</i> Kunth	Common			✓		✓	✓		
372.	Magnoliophyta	Dioscoreaceae	<i>Tacca integrifolia</i> Ker Gawl.	<i>Ataccia aspera</i> (Roxb.) Kunth <i>Ataccia cristata</i> (Jack) Kunth <i>Ataccia integrifolia</i> (Ker Gawl.) C.Presl <i>Ataccia laevis</i> (Roxb.) Kunth <i>Ataccia lancifolia</i> (Zoll. & Moritzi) Kunth <i>Tacca aspera</i> Roxb. <i>Tacca choudhuriana</i> Deb <i>Tacca cristata</i> Jack <i>Tacca laevis</i> Roxb.	Vulnerable			✓	✓	✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Tacca lancifolia</i> Zoll. & Moritzi <i>Tacca rafflesiana</i> Jack ex Wall. <i>Tacca sumatrana</i> H.Limpr.									
373.	Magnoliophyta	Dipterocarpaceae	<i>Dipterocarpus sublamellatus</i> Foxw.		Vulnerable		✓		✓				
374.	Magnoliophyta	Dipterocarpaceae	<i>Hopea mengarawan</i> Miq.		Endangered	✓	✓	✓					
375.	Magnoliophyta	Dipterocarpaceae	<i>Hopea sangal</i> Korth.	<i>Doona javanica</i> Burck <i>Doona micrantha</i> (Hassk.) Burck <i>Doona odorata</i> (Roxb.) Burck <i>Dryobalanops sericea</i> Korth. <i>Hopea javanica</i> F.Heim <i>Hopea macrosepala</i> Boerl. ex Symington	Critically endangered				✓				
376.	Magnoliophyta	Dipterocarpaceae	<i>Shorea gratissima</i> (Wall. ex Kurz) Dyer		Critically endangered			✓					
377.	Magnoliophyta	Dipterocarpaceae	<i>Shorea leprosula</i> Miq.		Vulnerable							✓	
378.	Magnoliophyta	Dipterocarpaceae	<i>Shorea macroptera</i> Dyer subsp. <i>macroptera</i>		Vulnerable	✓	✓	✓	✓				
379.	Magnoliophyta	Dipterocarpaceae	<i>Shorea ovalis</i> Blume subsp. <i>ovalis</i>		Critically endangered	✓	✓						
380.	Magnoliophyta	Dipterocarpaceae	<i>Shorea parvifolia</i> Dyer	<i>Shorea scutulata</i> King	Endangered				✓				
381.	Magnoliophyta	Dipterocarpaceae	<i>Shorea pauciflora</i> King		Vulnerable		✓		✓		✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
382.	Magnoliophyta	Dipterocarpaceae	<i>Shorea platycarpa</i> F.Heim	<i>Shorea palustris</i> Ridl.	Critically endangered	✓	✓		✓	✓	✓	✓	
383.	Magnoliophyta	Dipterocarpaceae	<i>Vatica pauciflora</i> Blume	<i>Vateria pauciflora</i> Walp.	Critically endangered			✓	✓			✓	
384.	Magnoliophyta	Dipterocarpaceae	<i>Vatica ridleyana</i> Brandis		Critically endangered	✓	✓						
385.	Magnoliophyta	Ebenaceae	<i>Diospyros argentea</i> Griff.		Endangered			✓					
386.	Magnoliophyta	Ebenaceae	<i>Diospyros buxifolia</i> (Blume) Hiern	<i>Diospyros elegantissima</i> Bakh. <i>Diospyros microphylla</i> Bedd. <i>Diospyros munda</i> Hiern <i>Ebenus buxifolia</i> (Blume) Kuntze <i>Leucoxylum buxifolium</i> Blume <i>Maba elegans</i> Ridl.	Vulnerable							✓	
387.	Magnoliophyta	Ebenaceae	<i>Diospyros coriacea</i> Hiern		Critically endangered			✓				✓	
388.	Magnoliophyta	Ebenaceae	<i>Diospyros lanceifolia</i> Roxb.	<i>Diospyros amoena</i> Wall. ex G.Don <i>Diospyros clavigera</i> C.B.Clarke var. <i>pachyphylla</i> (C.B.Clarke) Ridl. <i>Diospyros grata</i> Wall. ex A.DC. <i>Diospyros hirsuta</i> Hiern <i>Diospyros lanceifolia</i> Roxb.f. <i>cagayanensis</i> Bakh. <i>Diospyros lanceifolia</i> Roxb.f. <i>wenzelii</i> Bakh. <i>Diospyros lonchophylla</i> Hiern <i>Diospyros lucida</i> Wall. ex A.DC. <i>Diospyros multiflora</i> Wall. ex A.DC. <i>Diospyros pachyphylla</i> C.B.Clarke <i>Diospyros saptanense</i> Merr.	Common	✓	✓		✓	✓	✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
389.	Magnoliophyta	Ebenaceae	<i>Diospyros maingayi</i> (Hiern) Bakh.	<i>Diospyros bilocularis</i> Oliv. <i>Ebenus maingayi</i> (Hiern) Kuntze <i>Maba maingayi</i> Hiern	Critically endangered	✓	✓					✓	
390.	Magnoliophyta	Ebenaceae	<i>Diospyros oblonga</i> Wall. ex G.Don	<i>Diospyros pilosanthera</i> Blanco var. <i>oblonga</i> (Wall. ex G.Don) Ng <i>Diospyros sapotoides</i> Kurz	Vulnerable	✓	✓		✓		✓	✓	
391.	Magnoliophyta	Ebenaceae	<i>Diospyros pilosanthera</i> Blanco	<i>Diospyros carthei</i> Hiern <i>Diospyros cubica</i> Bakh. <i>Diospyros elmeri</i> Merr. <i>Diospyros helferi</i> C.B.Clarke <i>Diospyros hiernii</i> Koord. <i>Diospyros moonii</i> Hiern <i>Diospyros nidus-avis</i> Kosterm. <i>Diospyros pilosanthera</i> Blanco var. <i>chikusensis</i> Ng <i>Diospyros pilosanthera</i> Blanco var. <i>elmeri</i> (Merr.) Ng <i>Diospyros pilosanthera</i> Blanco var. <i>helferi</i> (C.B.Clarke) Bakh. <i>Diospyros pilosanthera</i> Blanco var. <i>nurii</i> Ng <i>Diospyros pilosanthera</i> Blanco var. <i>polyalthioides</i> (Hiern) Ng <i>Diospyros pilosanthera</i> Blanco var. <i>tayabensis</i> (Merr.) Bakh. <i>Diospyros plicata</i> Merr. <i>Diospyros polyalthioides</i> Hiern <i>Diospyros rubescens</i> Koord. & Valetton <i>Diospyros tayabensis</i> Merr.	Vulnerable				✓				
392.	Magnoliophyta	Ebenaceae	<i>Diospyros styraciformis</i> King & Gamble	<i>Diospyros clavipes</i> Bakh. <i>Diospyros sarawakana</i> Bakh. <i>Diospyros styraciformis</i> King & Gamble var. <i>sarawakana</i> (Bakh.) Ng	Vulnerable								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
393.	Magnoliophyta	Ebenaceae	<i>Diospyros subrhomboidea</i> King & Gamble	<i>Diospyros boerlagei</i> Valetton <i>Diospyros confusa</i> Bakh. <i>Diospyros jaheri</i> Bakh.	Critically endangered							✓	
394.	Magnoliophyta	Ebenaceae	<i>Diospyros sumatrana</i> Miq.	<i>Diospyros beccarii</i> Hiern <i>Diospyros clavigera</i> C.B.Clarke <i>Diospyros decipiens</i> C.B.Clarke <i>Diospyros dumosa</i> King & Gamble <i>Diospyros flavicans</i> Hiern <i>Diospyros glomerulata</i> King & Gamble <i>Diospyros graciliflora</i> Hiern <i>Diospyros hendersonii</i> Ridl. <i>Diospyros koordersii</i> Hiern ex Koord. <i>Diospyros monticola</i> Kosterm. <i>Diospyros tubicalyx</i> Ridl. <i>Ebenus beccarii</i> (Hiern) Kuntze <i>Ebenus sumatrana</i> (Miq.) Kuntze	Critically endangered	✓			✓				
395.	Magnoliophyta	Ebenaceae	<i>Diospyros undulata</i> Wall. ex G.Don	<i>Diospyros cratericalyx</i> Craib	Presumed nationally extinct								✓
396.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus acmosepalus</i> Ridl.		Critically endangered	✓				✓			
397.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus ferrugineus</i> (Jacq.) Steud.	<i>Elaeocarpus borneensis</i> Knuth <i>Elaeocarpus jackianus</i> Wall. ex King <i>Elaeocarpus jackii</i> F.Muell. <i>Monocera ferruginea</i> Jack	Common	✓		✓	✓	✓		✓	
398.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus floribundus</i> Blume	<i>Elaeocarpus floribundus</i> Blume var. <i>tahanensis</i> (Hend.) Ng <i>Elaeocarpus grossus</i> Wall. <i>Elaeocarpus lobbianus</i> Turcz. <i>Elaeocarpus pseudosepicanus</i> O.C.Schmidt <i>Elaeocarpus tahanensis</i> M.R.Hend.	Endangered	✓				✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
399.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus griffithii</i> (Wight) A.Gray	<i>Elaeocarpus argyroides</i> Hance <i>Elaeocarpus leucobotrys</i> (Miq.) F.Muell. <i>Elaeocarpus paniculatus</i> Wall. ex Müll.Berol. <i>Elaeocarpus trichanthera</i> (Griff.) W.Theob. <i>Monocera griffithii</i> Wight <i>Monocera griffithii</i> Müll.Berol. <i>Monocera holopetala</i> Turcz. <i>Monocera leucobotrya</i> Miq. <i>Monocera paniculata</i> Wall. ex A.Gray <i>Monocera tricanthera</i> Griff.	Presumed nationally extinct			✓					
400.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus mastersii</i> King		Common							✓	✓
401.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus nitidus</i> Jack	<i>Elaeocarpus gracilipes</i> Knuth <i>Elaeocarpus nigropunctatus</i> Merr. <i>Elaeocarpus parvifolius</i> Wall. ex Müll.Berol. <i>Vallea calomala</i> Blanco	Vulnerable			✓	✓				
402.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus obtusus</i> Blume subsp. <i>apiculatus</i> (Mast.) Coode	<i>Elaeocarpus apiculatus</i> Mast. <i>Elaeocarpus apiculatus</i> Mast. var. <i>annamensis</i> Gagnep. <i>Elaeocarpus rugosus</i> Roxb. ex G.Don var. <i>singaporensis</i> Ridl.	Exotic								✓
403.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus petiolatus</i> (Jacq.) Wall.	<i>Elaeocarpus integer</i> Wall. ex Müll.Berol. <i>Ganitrus obtusus</i> Raf. <i>Monocera integra</i> Müll.Berol.	Common	✓	✓		✓	✓			✓
404.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus polystachyus</i> Wall. ex Müll.Berol.		Vulnerable				✓	✓			
405.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus salicifolius</i> King	<i>Elaeocarpus nitidus</i> Jack var. <i>salicifolius</i> (King) Ng <i>Elaeocarpus stenophyllus</i> Merr.	Critically endangered	✓			✓	✓	✓	✓	✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
406.	Magnoliophyta	Elaeocarpaceae	<i>Elaeocarpus stipularis</i> Blume	<i>Elaeocarpus fissistipulus</i> Miq. <i>Elaeocarpus helferi</i> Kurz ex Mast. <i>Elaeocarpus tomentosus</i> Blume	Vulnerable	✓		✓	✓	✓		✓	
407.	Magnoliophyta	Eriocaulaceae	<i>Eriocaulon truncatum</i> Buch.-Ham. ex Mart.	<i>Eriocaulon merrillii</i> Ruhland ex Perkins var. <i>merrillii</i> <i>Eriocaulon nigrum</i> Lecomte var. <i>suishaense</i> (Hayata) Hatus. & Koyama	Cryptogenic			✓	✓				
408.	Magnoliophyta	Eriocaulaceae	<i>Eriocaulon willdenovianum</i> Moldenke	<i>Eriocaulon longifolium</i> Nees ex Kunth <i>Eriocaulon longifolium</i> Nees ex Kunth f. <i>viviparum</i> Moldenke <i>Eriocaulon sexangulare</i> Willd. ex Link <i>Eriocaulon sexangulare</i> Willd. ex Link var. <i>longifolium</i> Hook.f. <i>Eriocaulon sexangulare</i> Willd. ex Link f. <i>viviparum</i> Moldenke	Cryptogenic					✓			
409.	Magnoliophyta	Euphorbiaceae	<i>Acalypha siamensis</i> Oliv. ex Gage	<i>Acalypha evrardii</i> Gagnep. <i>Acalypha siamensis</i> Oliv. ex Gage var. <i>denticulata</i> Airy Shaw <i>Acalypha sphenophylla</i> Pax & K.Hoffm.	Exotic								NIS
410.	Magnoliophyta	Euphorbiaceae	<i>Agrostistachys borneensis</i> Becc.	<i>Agrostistachys coriacea</i> Alston <i>Agrostistachys intramarginalis</i> Philcox <i>Agrostistachys latifolia</i> (Hook.f.) Pax & K.Hoffm. <i>Agrostistachys leptostachya</i> Pax & K.Hoffm. <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz var. <i>latifolia</i> Hook.f. <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz var. <i>leptostachya</i> (Pax & K.Hoffm.) Whitmore <i>Agrostistachys meeboldii</i> Pax & K.Hoffm. <i>Sarcoclinium longifolium</i> Wight	Common							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
411.	Magnoliophyta	Euphorbiaceae	<i>Agrostistachys indica</i> Dalzell	<i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz var. <i>longifolia</i> <i>Agrostistachys indica</i> Dalzell var. <i>genuina</i> Müll.Arg. <i>Agrostistachys indica</i> Dalzell subsp. <i>longifolia</i> (Müll.Arg.) Pax & K.Hoffm. <i>Agrostistachys indica</i> Dalzell var. <i>longifolia</i> Müll.Arg. <i>Agrostistachys indica</i> Dalzell var. <i>maesoana</i> (Vidal) Pax & K.Hoffm. <i>Agrostistachys indica</i> Dalzell var. <i>subintegra</i> Pax & K.Hoffm. <i>Agrostistachys longifolia</i> (Müll.Arg.) Kurz <i>Agrostistachys maesoana</i> Vidal <i>Heterocalyx laoticus</i> Gagnep.	Common			✓	✓	✓		✓	
412.	Magnoliophyta	Euphorbiaceae	<i>Alchornea tiliifolia</i> (Benth.) Müll.Arg.	<i>Alchornea villosa</i> (Benth.) Müll.Arg. <i>Alchornea villosa</i> (Benth.) Müll.Arg. var. <i>lanceolata</i> Müll.Arg. <i>Alchornea villosa</i> (Benth.) Müll.Arg. var. <i>latisepala</i> Hook.f. <i>Alchornea zollingeri</i> Hassk. <i>Aparisthmium sumatranum</i> Rchb. & Zoll. <i>Bleekeria zollingeri</i> (Hassk.) Miq. <i>Croton chiamala</i> Wall. <i>Stipellaria tiliifolia</i> Benth. <i>Stipellaria villosa</i> Benth. <i>Stipellaria zollingeri</i> Miq.	Critically endangered			✓					
413.	Magnoliophyta	Euphorbiaceae	<i>Blumeodendron tokbrai</i> (Blume) Kurz	<i>Blumeodendron elateriospermum</i> J.J.Sm. <i>Elateriospermum tokbrai</i> Blume <i>Mallotus tokbrai</i> (Blume) Müll.Arg. <i>Rottlera tokbrai</i> (Blume) Scheff.	Vulnerable	✓	✓	✓					✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
414.	Magnoliophyta	Euphorbiaceae	<i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk.	<i>Claoxylon caerulescens</i> Ridl. <i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk.f. <i>gracilius</i> J.J.Sm. <i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk. var. <i>macrophyllum</i> (Hassk.) Müll.Arg. <i>Claoxylon indicum</i> (Reinw. ex Blume) Hassk. var. <i>spathulatum</i> Müll.Arg. <i>Claoxylon macrophyllum</i> Bojer <i>Claoxylon macrophyllum</i> Hassk. <i>Claoxylon minus</i> (Blume) Hassk. <i>Claoxylon molle</i> (Blume) Miq. <i>Claoxylon parviflorum</i> Hook. & Arn. <i>Claoxylon polot</i> Merr. <i>Croton halecum</i> Roxb. <i>Croton pigmentarius</i> Noronha <i>Croton tabacifolius</i> Geiseler <i>Erythrochilus indicus</i> Reinw. ex Blume <i>Erythrochilus minor</i> Blume <i>Erythrochilus mollis</i> Blume <i>Niota globosa</i> Blanco	Common							✓	
415.	Magnoliophyta	Euphorbiaceae	<i>Claoxylon longifolium</i> (Blume) Endl. ex Hassk.	<i>Erythrochilus longifolius</i> Blume	Presumed nationally extinct			✓					
416.	Magnoliophyta	Euphorbiaceae	<i>Croton caudatus</i> Geiseler	<i>Croton aromaticus</i> Gaertn. <i>Croton caudatus</i> Geiseler var. <i>denticulatus</i> Müll.Arg. <i>Croton caudatus</i> Geiseler var. <i>harmandii</i> Gagnep. <i>Croton caudatus</i> Geiseler var. <i>klotzschianus</i> Müll.Arg. <i>Croton caudatus</i> Geiseler var. <i>malaccanus</i> Hook.f. <i>Croton caudatus</i> Geiseler var. <i>oblongifolius</i> Müll.Arg. <i>Croton caudatus</i> Geiseler var. <i>obovoideus</i> N.P.Balakr. & Chakrab.	Common			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Croton denticulatus</i> Blume <i>Croton drupaceus</i> Roxb. <i>Croton malvifolius</i> Griff. <i>Croton racemosus</i> Burm.f. <i>Oxydectes caudata</i> (Geiseler) Kuntze <i>Oxydectes denticulata</i> Kuntze <i>Tigilium klotzschianum</i> Wight									
417.	Magnoliophyta	Euphorbiaceae	<i>Croton oblongus</i> Burm.f.	<i>Croton confusus</i> Gage <i>Croton diadenus</i> Miq. <i>Croton korthalsii</i> Müll.Arg. <i>Croton laevifolius</i> Blume <i>Croton oreoborneicus</i> Croizat <i>Croton tiglioides</i> Blume <i>Mallotus minahassae</i> Koord. <i>Oxydectes korthalsii</i> (Müll.Arg.) Kuntze <i>Oxydectes laevifolia</i> (Blume) Kuntze	Endangered			✓	✓	✓			
418.	Magnoliophyta	Euphorbiaceae	<i>Endospermum diadenum</i> (Miq.) Airy Shaw	<i>Endospermum beccarianum</i> Pax & K.Hoffm. <i>Endospermum borneense</i> Benth. ex Müll.Arg. <i>Endospermum chinense</i> Benth. var. <i>malayanum</i> Pax & K.Hoffm. <i>Endospermum malaccense</i> Benth. ex Müll.Arg. <i>Endospermum malayanum</i> (Pax & K.Hoffm.) Chatterjee <i>Endospermum ovalifolium</i> Pax & K.Hoffm. <i>Mallotus diadenus</i> (Miq.) Müll.Arg. <i>Melanolepis diadema</i> Miq. <i>Rottlera diadema</i> (Miq.) Scheff.	Vulnerable				✓	✓			
419.	Magnoliophyta	Euphorbiaceae	<i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg.	<i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>accreana</i> (Ule) Ducke <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>accreana</i> Ule <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>angustifolia</i> (Ule ex Huber) Ule	Exotic							✓	✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>angustifolia</i> Ule ex Huber <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>janeirensis</i> (Müll.Arg.) Pax <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>latifolia</i> (Ule ex Huber) Ule <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>latifolia</i> Ule ex Huber <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. f. <i>randiana</i> (Huber) Ducke <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>randiana</i> (Huber) Pax <i>Hevea brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg. var. <i>stylosa</i> Huber <i>Hevea camargoana</i> Pires <i>Hevea granthamii</i> Bartlett <i>Hevea janeirensis</i> Müll.Arg. <i>Hevea randiana</i> Huber <i>Hevea sieberi</i> Warb. <i>Siphonia brasiliensis</i> Willd. ex A.Juss. <i>Siphonia brasiliensis</i> Kunth <i>Siphonia janeirensis</i> (Müll.Arg.) O.F.Cook <i>Siphonia ridleyana</i> O.F.Cook									
420.	Magnoliophyta	Euphorbiaceae	<i>Homalanthus populneus</i> (Geiseler) Pax	<i>Carumbium populifolium</i> Reinw. ex Blume <i>Carumbium populneum</i> (Geiseler) Müll.Arg. <i>Carumbium populneum</i> (Geiseler) Müll.Arg. var. <i>minus</i> Müll.Arg. <i>Excoecaria laevis</i> Blanco <i>Homalanthus leschenaultianus</i> A.Juss. <i>Homalanthus populneus</i> (Geiseler) Pax var. <i>laevis</i> (Blanco) Merr. <i>Homalanthus populneus</i> (Geiseler) Pax var. <i>minor</i> (Müll.Arg.) Merr. <i>Homalanthus sulawesianus</i> Airy Shaw <i>Stillingia populnea</i> Geiseler	Critically endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
421.	Magnoliophyta	Euphorbiaceae	<i>Koilodepas longifolium</i> Hook.f.	<i>Koilodepas glanduligerum</i> Pax & K.Hoffm. <i>Koilodepas subcordatum</i> Gage <i>Nephrostylus poilanei</i> Gagnep.	Vulnerable				✓				
422.	Magnoliophyta	Euphorbiaceae	<i>Macaranga bancana</i> (Miq.) Müll.Arg.	<i>Macaranga tenuifolia</i> Müll.Arg. <i>Pachystemon bancanus</i> Miq. <i>Tanarius bancanus</i> (Miq.) Kuntze <i>Tanarius tenuifolius</i> (Müll.Arg.) Kuntze	Common			✓	✓			✓	
423.	Magnoliophyta	Euphorbiaceae	<i>Macaranga conifera</i> (Rchb.f. & Zoll.) Müll.Arg.	<i>Macaranga populifolia</i> (Miq.) Müll.Arg. <i>Mappa conifera</i> Rchb.f. & Zoll. <i>Mappa populifolia</i> (Miq.) Müll.Arg. <i>Pachystemon populifolius</i> Miq. <i>Tanarius coniferus</i> (Rchb.f. & Zoll.) Kuntze <i>Tanarius populifolius</i> (Miq.) Kuntze	Common	✓	✓	✓	✓	✓	✓		
424.	Magnoliophyta	Euphorbiaceae	<i>Macaranga gigantea</i> (Rchb.f. & Zoll.) Müll.Arg.	<i>Macaranga incisa</i> Gage <i>Macaranga megalophylla</i> (Müll.Arg.) Müll.Arg. <i>Macaranga rugosa</i> (Müll.Arg.) Müll.Arg. <i>Mappa gigantea</i> Rchb.f. & Zoll. <i>Mappa macrophylla</i> Kurz ex Teijsm. & Binn. <i>Mappa megalophylla</i> Müll.Arg. <i>Mappa rugosa</i> Müll.Arg. <i>Rottlera gigantea</i> (Rchb.f. & Zoll.) Rchb.f. & Zoll. ex Kurz <i>Tanarius giganteus</i> (Rchb.f. & Zoll.) Kuntze <i>Tanarius megallophyllus</i> (Müll.Arg.) Kuntze <i>Tanarius rugosus</i> (Müll.Arg.) Kuntze	Common				✓		✓	✓	
425.	Magnoliophyta	Euphorbiaceae	<i>Macaranga griffithiana</i> Müll.Arg.	<i>Macaranga adenophila</i> Pax & K.Hoffm. <i>Macaranga motleyana</i> (Müll.Arg.) Müll.Arg. subsp. <i>griffithiana</i> (Müll.Arg.) Whitmore <i>Mappa triloba</i> Müll.Arg. <i>Tanarius griffithianus</i> (Müll.Arg.) Kuntze	Vulnerable				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
426.	Magnoliophyta	Euphorbiaceae	<i>Macaranga heynei</i> I.M.Johnst.	<i>Macaranga javanica</i> (Blume) Müll.Arg. var. <i>montana</i> Müll.Arg. <i>Macaranga montana</i> (Müll.Arg.) Pax & K.Hoffm. <i>Macaranga robiginosa</i> Ridl. <i>Rottlera montana</i> B.Heyne ex Baill.	Common			✓	✓				
427.	Magnoliophyta	Euphorbiaceae	<i>Macaranga lowii</i> King ex Hook.f.	<i>Macaranga auriculata</i> (Merr.) Airy Shaw <i>Macaranga lowii</i> King ex Hook.f. var. <i>kostermansii</i> Airy Shaw <i>Macaranga poilanei</i> Gagnep. <i>Mallotus affinis</i> Merr. <i>Mallotus auriculatus</i> Merr. <i>Mallotus tsiangii</i> Merr. & Chun <i>Tanarius lowii</i> (King ex Hook.f.) Kuntze	Vulnerable			✓					
428.	Magnoliophyta	Euphorbiaceae	<i>Macaranga recurvata</i> Gage		Critically endangered				✓			✓	
429.	Magnoliophyta	Euphorbiaceae	<i>Macaranga trichocarpa</i> (Zoll.) Müll.Arg.	<i>Macaranga borneensis</i> Müll.Arg. <i>Macaranga helferi</i> Müll.Arg. <i>Macaranga minutiflora</i> Müll.Arg. <i>Mappa trichocarpa</i> Zoll. <i>Mappa zollingeriana</i> Miq. <i>Tanarius borneensis</i> (Müll.Arg.) Kuntze <i>Tanarius helferi</i> (Müll.Arg.) Kuntze <i>Tanarius minutiflorus</i> (Müll.Arg.) Kuntze <i>Tanarius trichocarpus</i> (Zoll.) Kuntze	Endangered			✓	✓	✓			
430.	Magnoliophyta	Euphorbiaceae	<i>Macaranga triloba</i> (Thunb.) Müll.Arg.	<i>Macaranga cornuta</i> Müll.Arg. <i>Macaranga quadricornis</i> Ridl. <i>Pachystemon trilobus</i> (Thunb.) Blume <i>Ricinus trilobus</i> Reinw. ex Blume <i>Ricinus trilobus</i> Thunb. <i>Rininus trilobus</i> Thunb. <i>Tanarius cornutus</i> (Müll.Arg.) Kuntze <i>Tanarius trilobus</i> (Thunb.) Kuntze	Common	✓	✓			✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
431.	Magnoliophyta	Euphorbiaceae	<i>Mallotus paniculatus</i> (Lam.) Müll.Arg.	<i>Croton paniculatus</i> Lam. <i>Mallotus chinensis</i> Müll.Arg. <i>Rottlera paniculata</i> (Lam.) A.Juss.	Common				✓	✓			
432.	Magnoliophyta	Euphorbiaceae	<i>Microstachys chamaelea</i> (L.) Müll.Arg.	<i>Cnemidostachys chamaelea</i> (L.) Spreng. <i>Cnemidostachys linearifolia</i> Miq. <i>Elachocroton asperococcum</i> F.Muell. <i>Excoecaria chamaelea</i> (L.) Baill. <i>Sebastiania chamaelea</i> (L.) Müll.Arg. <i>Sebastiania chamaelea</i> (L.) Müll.Arg. var. <i>africana</i> Pax & K.Hoffm. <i>Sebastiania chamaelea</i> (L.) Müll.Arg var. <i>asperococca</i> (F.Muell.) Pax <i>Sebastiania chamaelea</i> (L.) Müll.Arg var. <i>chariensis</i> Beille <i>Stillingia asperococca</i> (F.Muell.) Baill. <i>Stillingia chamaelea</i> (L.) Müll.Arg. <i>Tragia chamaelea</i> L.	Cryptogenic					✓			
433.	Magnoliophyta	Euphorbiaceae	<i>Neoscortechinia kingii</i> (Hook.f.) Pax & K.Hoffm.	<i>Neoscortechinia kingii</i> (Hook.f.) Pax & K.Hoffm. var. <i>pedicellata</i> Airy Shaw <i>Scortechinia kingii</i> Hook.f.	Critically endangered	✓	✓		✓				
434.	Magnoliophyta	Euphorbiaceae	<i>Neoscortechinia sumatrensis</i> S.Moore		Critically endangered				✓			✓	NIS
435.	Magnoliophyta	Euphorbiaceae	<i>Pimelodendron griffithianum</i> (Müll.Arg.) Benth. ex Hook.f.	<i>Pimelodendron acuminatum</i> Merr. <i>Pimelodendron borneense</i> Warb. <i>Pimelodendron griffithianum</i> (J.Mueller-Arg. in Alph. de Candolle) Benth. <i>Pimelodendron papaveroides</i> J.J.Sm. <i>Stomatocalyx griffithianus</i> Müll.Arg.	Vulnerable	✓	✓				✓	✓	
436.	Magnoliophyta	Euphorbiaceae	<i>Ptychopyxis caput-medusae</i> (Hook.f.) Ridl.	<i>Mallotus caput-medusae</i> Hook.f.	Critically endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
437.	Magnoliophyta	Euphorbiaceae	<i>Ptychopyxis costata</i> Miq. var. <i>oblanceolata</i> Airy Shaw		Critically endangered				✓				
438.	Magnoliophyta	Euphorbiaceae	<i>Triadica cochinchinensis</i> Lour.	<i>Excoecaria discolor</i> (Champ. ex Benth.) Müll.Arg. <i>Excoecaria lanceolaria</i> (Miq.) Müll.Arg. <i>Excoecaria loureiroana</i> Müll.Arg. <i>Sapium cochinchinense</i> (Lour.) Gagnep. <i>Sapium cochinchinense</i> (Lour.) Pax & K. Hoffm. <i>Sapium discolor</i> (Champ. ex Benth.) Müll.Arg. <i>Sapium discolor</i> (Champ. ex Benth.) Müll.Arg. var. <i>wenhsienensis</i> S.B.Ho <i>Sapium eugeniifolium</i> Buch.-Ham. ex Hook.f. <i>Sapium hookeri</i> Hook.f. <i>Sapium laui</i> Croizat <i>Shirakia cochinchinensis</i> (Lour.) Hurus. <i>Stillingia cochinchinensis</i> (Lour.) Baill. <i>Stillingia discolor</i> Champ. ex Benth. <i>Stillingia lanceolaria</i> Miq.	Common				✓				
439.	Magnoliophyta	Euphorbiaceae	<i>Trigonopleura malayana</i> Hook.f.	<i>Trigonopleura borneensis</i> Merr.	Critically endangered							✓	✓
440.	Magnoliophyta	Euphorbiaceae	<i>Trigonostemon heteranthus</i> Baill.		Critically endangered				✓	✓			
441.	Magnoliophyta	Fabaceae	<i>Adenanthera malayana</i> Kosterm.		Vulnerable				✓				
442.	Magnoliophyta	Fabaceae	<i>Archidendron clypearia</i> (Jack) I.C.Nielsen	<i>Abarema angulata</i> (Benth.) Kosterm. <i>Abarema clypearia</i> (Jack) "Kosterm., p.p." <i>Abarema clypearia</i> (Jack) Kosterm. <i>Inga clypearia</i> Jack <i>Pithecellobium angulatum</i> Benth. <i>Pithecellobium clypearia</i> (Jack) Benth.	Common	✓		✓	✓	✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Pithecellobium clypearia</i> (Jack) Benth. var. <i>acuminatum</i> Gagnep.									
443.	Magnoliophyta	Fabaceae	<i>Archidendron contortum</i> (Mart.) I.C.Nielsen	<i>Abarema contorta</i> (C.Mart.) Kosterm. <i>Feuillea contorta</i> (C.Mart.) Kuntze <i>Inga contorta</i> "Graham, nom.nud." <i>Inga finlaysoniana</i> Graham <i>Pithecellobium contortum</i> C.Mart. <i>Pithecellobium contortum</i> (Graham) Mart.	Vulnerable			✓					
444.	Magnoliophyta	Fabaceae	<i>Archidendron ellipticum</i> (Blume) I.C.Nielsen	<i>Abarema elliptica</i> (Blume) Kosterm. <i>Albizia fasciculata</i> (Benth.) "Kurz, p.p." <i>Inga elliptica</i> Blume <i>Pithecellobium ellipticum</i> (Blume) Hassk. <i>Pithecellobium fasciculatum</i> Benth.	Vulnerable	✓	✓		✓	✓			
445.	Magnoliophyta	Fabaceae	<i>Archidendron microcarpum</i> (Benth.) I.C.Nielsen	<i>Abarema microcarpum</i> (Benth.) Kosterm. <i>Feuillea microcarpa</i> (Benth.) Kuntze <i>Inga bubalina</i> ("ensu auct., non (Jack") Wall. <i>Pithecellobium bigeminum</i> (L.) Mart. var. <i>bubalina</i> ("ensu auct., non (Jack") Benth. <i>Pithecellobium bubalina</i> ("ensu auct., non (Jack") Benth. <i>Pithecellobium elmeri</i> "Ridl., p.p." <i>Pithecellobium microcarpum</i> Benth. <i>Pithecellobium motleyanum</i> sensu Merr. <i>Pithecellobium oppositum</i> ("ensu auct., non (Miq.") Miq.	Endangered	✓		✓	✓	✓		✓	
446.	Magnoliophyta	Fabaceae	<i>Bauhinia semibifida</i> Roxb. var. <i>semibifida</i>	<i>Bauhinia borneensis</i> Merr. <i>Phanera sumatrana</i> Miq.	Vulnerable	✓			✓	✓	✓	✓	
447.	Magnoliophyta	Fabaceae	<i>Callerya eriantha</i> (Benth.) Schot	<i>Adinobotrys erianthus</i> (Benth.) Dunn <i>Millettia eriantha</i> Benth. <i>Padbruggea eriantha</i> (Benth.) Craib <i>Phaseolodes erianthum</i> (Benth.) Kuntze	Critically endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Whitfordiodendron erianthum</i> (Benth.) Merr.									
448.	Magnoliophyta	Fabaceae	<i>Chamaecrista mimosoides</i> (L.) Greene	<i>Cassia angustissima</i> Lam. <i>Cassia mimosoides</i> DC. <i>Cassia mimosoides</i> L. <i>Cassia nictitans</i> "sensu Stickman, non L." <i>Cassia procumbens</i> "sensu Stickman, non L." <i>Cassia sensitiva</i> Roxb.	Exotic					✓			
449.	Magnoliophyta	Fabaceae	<i>Clitoria laurifolia</i> Poir.	<i>Clitoria cajanifolia</i> (C.Presl) Benth. <i>Clitoria cajanifolia</i> (C.Presl) Benth.f. <i>glabrior</i> Benth. <i>Clitoria erecta</i> Roxb. <i>Clitoria parviflora</i> Pittier <i>Clitoria parvifolia</i> Pittier <i>Lotus fluminensis</i> Wall. <i>Martusia laurifolia</i> (Poir.) Britton <i>Neurocarpum blanchetianum</i> DC. <i>Neurocarpum blanchetianum</i> Moric. <i>Neurocarpum cajanifolium</i> C.Presl <i>Neurocarpum emarginatum</i> Moric. <i>Neurocarpum erectum</i> (Roxb.) Voigt <i>Neurocarpum janensis</i> Desv. <i>Neurocarpum laurifolium</i> (Poir.) Desv. <i>Neurocarpum retusum</i> Hassk. <i>Ternatea laurifolia</i> (Poir.) Kuntze	Exotic				✓				
450.	Magnoliophyta	Fabaceae	<i>Dalbergia candenatensis</i> (Dennst.) Prain	<i>Amerimnon tortum</i> (Graham) Kuntze <i>Cassia candenatensis</i> Dennst. <i>Dalbergia monosperma</i> Dalzell <i>Dalbergia torta</i> Graham <i>Dalbergia torta</i> A.Gray <i>Drepanocarpus monospermus</i> (Dalzell) Kurz	Common					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
451.	Magnoliophyta	Fabaceae	<i>Dalbergia havilandii</i> Prain	<i>Dalbergia havilandi</i> Prain	Presumed nationally extinct			✓					
452.	Magnoliophyta	Fabaceae	<i>Dalbergia junghuhnii</i> Benth.	<i>Dalbergia phyllanthoides</i> Miq.	Critically endangered					✓			
453.	Magnoliophyta	Fabaceae	<i>Dalbergia parviflora</i> Roxb.	<i>Amerimnon cumingii</i> (Benth.) Kuntze <i>Amerimnon parviflorum</i> (Roxb.) Kuntze <i>Dalbergia cumingii</i> Benth. <i>Drepanocarpus cumingii</i> Kurz	Presumed nationally extinct							✓	
454.	Magnoliophyta	Fabaceae	<i>Dalbergia pseudo-sissoo</i> Miq.	<i>Amerimnon championii</i> (Thwaites) Kuntze <i>Amerimnon pseudo-sissoo</i> (Miq.) Kuntze <i>Dalbergia championii</i> Thwaites <i>Dalbergia diversifolia</i> Miq. <i>Dalbergia radiata</i> Prain <i>Dalbergia rostrata</i> Prain <i>Dalbergia sissoo sensu</i> Miq.	Common							✓	
455.	Magnoliophyta	Fabaceae	<i>Dalbergia rostrata</i> Hassk.	<i>Dalbergia simplicifolia</i> Merr. <i>Dalbergia subalternifolia</i> (Elmer) Merr. <i>Derris subalternifolia</i> Elmer	Common	✓					✓	✓	
456.	Magnoliophyta	Fabaceae	<i>Dalbergia velutina</i> Benth.		Critically endangered				✓			✓	
457.	Magnoliophyta	Fabaceae	<i>Derris maingayana</i> Baker	<i>Deguelia maingayana</i> (Baker) Taub. <i>Derris amoena</i> Benth. var. <i>maingayana</i> Prain <i>Pterocarpus maingayanus</i> (Baker) Kuntze	Vulnerable	✓			✓			✓	
458.	Magnoliophyta	Fabaceae	<i>Derris malaccensis</i> Prain	<i>Derris cuneifolia</i> Benth. var. <i>malaccensis</i> Benth.	Presumed nationally extinct			✓					
459.	Magnoliophyta	Fabaceae	<i>Derris trifoliata</i> Lour.	<i>Dalbergia heterophylla</i> Willd.	Common	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Deguelia trifoliata</i> (Lour.) Taub. <i>Deguelia uliginosa</i> (Willd.) Baill. <i>Deguelia uliginosa</i> (Willd.) Baill. var. <i>loureiri</i> Benth. <i>Derris affinis</i> Benth. <i>Derris floribunda</i> Prain <i>Derris forsteniana</i> Miq. <i>Derris heterophylla</i> (Willd.) K.Heyne <i>Derris heteropylla</i> (Willd.) Backer <i>Derris uliginosa</i> (Willd.) Benth. <i>Galedupa uliginosa</i> (Willd.) Roxb. <i>Pongamia madagascariensis</i> Baker <i>Pongamia madagascariensis</i> Bojer ex Oliver <i>Pongamia uliginosa</i> (Willd.) DC. <i>Pterocarpus frutescens</i> Blanco <i>Pterocarpus uliginosus</i> Roxb. <i>Robinia uliginosa</i> Willd.									
460.	Magnoliophyta	Fabaceae	<i>Desmodium heterocarpon</i> (L.) DC.	<i>Desmodium buergeri</i> Miq. <i>Desmodium buergeri</i> Miq. var. <i>patulepilosum</i> Ohwi <i>Desmodium heterocarpon</i> (L.) DC. var. <i>buergeri</i> (Miq.) Hosok. <i>Desmodium heterocarpon</i> (L.) DC. var. <i>patulepilosum</i> (Ohwi) Ohwi <i>Desmodium heterocarpum</i> (L.) DC. <i>Desmodium heterophyllum</i> (Willd.) DC. var. <i>buergeri</i> (Miq.) Hosok. <i>Desmodium ovalifolium</i> (Prain) Wallich ex Ridley <i>Desmodium polycarpum</i> sensu R.O.Williams <i>Desmodium polycarpum</i> (Poir.) DC. <i>Hedysarum heterocarpon</i> L. <i>Hedysarum polycarpum</i> Poir. <i>Hedysarum siliquosum</i> Burm.f. <i>Meibomia heterocarpa</i> (L.) Kuntze	Cryptogenic								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
461.	Magnoliophyta	Fabaceae	<i>Desmodium heterophyllum</i> (Willd.) DC.	<i>Desmodium triflorum</i> (L.) DC. var. <i>majus</i> Wight & Arn. <i>Hedysarum heterophyllum</i> Willd. <i>Hedysarum reptans</i> Roxb. <i>Hedysarum triflorum</i> L. var. <i>oblongifolium</i> Desv. <i>Meibomia heterophylla</i> (Willd.) Kuntze	Cryptogenic			✓					
462.	Magnoliophyta	Fabaceae	<i>Dialium indum</i> L. var. <i>indum</i>	<i>Dialium indum</i> L. var. <i>laurinum</i> (Baker) Rojo <i>Dialium laurinum</i> Baker <i>Dialium marginatum</i> de Wit <i>Dialium turbinatum</i> de Wit	Critically endangered				✓				
463.	Magnoliophyta	Fabaceae	<i>Dialium platysepalum</i> Baker	<i>Dialium ambiguum</i> Prain <i>Dialium havilandii</i> Ridl. <i>Dialium kingii</i> Prain <i>Dialium maingayi</i> Baker <i>Dialium triste</i> de Wit <i>Dialium wallichii</i> Prain	Critically endangered				✓				
464.	Magnoliophyta	Fabaceae	<i>Entada spiralis</i> Ridl.	<i>Entada schefferi</i> "sensu auct., non Ridl." <i>Entada scheffleri</i> "Ridl., p.p."	Common	✓			✓	✓	✓		
465.	Magnoliophyta	Fabaceae	<i>Koompassia malaccensis</i> Maingay ex Benth.	<i>Koompassia beccariana</i> Taub. <i>Koompassia borneensis</i> Merr.	Endangered	✓	✓					✓	
466.	Magnoliophyta	Fabaceae	<i>Kunstleria ridleyi</i> Prain	<i>Kunstleria derryi</i> Prain <i>Kunstleria elmeri</i> Merr.	Endangered						✓	✓	
467.	Magnoliophyta	Fabaceae	<i>Ormosia bancana</i> (Miq.) Merr.	<i>Macrotropis bancana</i> Miq. <i>Ormosia parvifolia</i> Baker	Endangered				✓				
468.	Magnoliophyta	Fabaceae	<i>Paraderris montana</i> (Benth.) Adema		Critically endangered			✓				✓	
469.	Magnoliophyta	Fabaceae	<i>Parkia speciosa</i> Hassk.	<i>Inga pyriformis</i> Jungh. <i>Mimosa pedunculata</i> Hunter	Vulnerable			✓	✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Parkia biglobosa</i> ("ensu auct., non (Jacq.") R.Br. <i>Parkia harbesonii</i> Elmer <i>Parkia macropoda</i> Miq.									
470.	Magnoliophyta	Fabaceae	<i>Saraca thaipingensis</i> Cantley ex Prain	<i>Jonesia declinata</i> "sensu Binn., non Jack" <i>Saraca cauliflora</i> "sensu Prain, non Baker" <i>Saraca declinata</i> sensu auct.	Exotic	✓							
471.	Magnoliophyta	Fabaceae	<i>Sindora coriacea</i> Maingay ex Prain		Critically endangered		✓						
472.	Magnoliophyta	Fabaceae	<i>Sindora echinocalyx</i> Prain	<i>Galedupa echinocalyx</i> Prain <i>Sindora fusca</i> Craib	Exotic				✓				
473.	Magnoliophyta	Fabaceae	<i>Sindora velutina</i> Baker	<i>Galedupa velutina</i> Prain <i>Sindora mucronata</i> Pierre <i>Sindora parvifolia</i> Symington <i>Sindora parvifolia</i> B.Heyne	Presumed nationally extinct				✓				
474.	Magnoliophyta	Fabaceae	<i>Spatholobus ferrugineus</i> (Zoll. & Moritzi) Benth.		Common				✓		✓	✓	
475.	Magnoliophyta	Fabaceae	<i>Spatholobus ridleyi</i> King	<i>Butea ridleyi</i> (King) Blatt.	Critically endangered	✓		✓			✓	✓	
476.	Magnoliophyta	Fagaceae	<i>Castanopsis lucida</i> (Nees) Soepadmo	<i>Alseodaphne lucida</i> Nees <i>Castanopsis hullettii</i> King ex Hook.f. <i>Laurus lucida</i> Wall.	Critically endangered				✓				
477.	Magnoliophyta	Fagaceae	<i>Castanopsis malaccensis</i> Gamble		Critically endangered				✓				
478.	Magnoliophyta	Fagaceae	<i>Castanopsis nephelioides</i> King ex Hook.f.		Critically endangered	✓	✓						

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
479.	Magnoliophyta	Fagaceae	<i>Castanopsis wallichii</i> King ex Hook.f.		Critically endangered	✓		✓	✓				
480.	Magnoliophyta	Fagaceae	<i>Lithocarpus bennettii</i> (Miq.) Rehder	<i>Cyclobalanus bennettii</i> (Miq.) Oerst. <i>Pasania bennettii</i> (Miq.) Gamble <i>Quercus bennettii</i> Miq. <i>Quercus miqueliana</i> Scheff. <i>Synaedrys bennettii</i> (Miq.) Koidz.	Critically endangered	✓	✓		✓		✓	✓	
481.	Magnoliophyta	Fagaceae	<i>Lithocarpus cantleyanus</i> (King ex Hook.f.) Rehder	<i>Pasania cantleyana</i> (King ex Hook.f.) Gamble <i>Quercus cantleyana</i> King ex Hook.f. <i>Synaedrys cantleyana</i> (King ex Hook.f.) Koidz.	Critically endangered				✓				
482.	Magnoliophyta	Fagaceae	<i>Lithocarpus conocarpus</i> (Oudem.) Rehd.	<i>Cyclobalanus conocarpa</i> (Oudem.) Oerst. <i>Lithocarpus conocarpus</i> (Oudem.) Rehd. subsp. <i>malaccensis</i> A.Camus <i>Pasania conocarpa</i> (Oudem.) Oerst. ex Schottky <i>Quercus conocarpa</i> Oudem. <i>Synaedrys conocarpa</i> (Oudem.) Koidz.	Critically endangered			✓	✓				
483.	Magnoliophyta	Fagaceae	<i>Lithocarpus elegans</i> (Blume) Hatus. ex Soepadmo	<i>Arcaula spicata</i> Raf. <i>Lithocarpus collettii</i> (King) A.Camus <i>Lithocarpus elegans</i> (Blume) Hatus. ex Soepadmo var. <i>collettii</i> (King) H.B.Naithani & S.N.Biswas <i>Lithocarpus finetii</i> (Hickel & A.Camus) A.Camus <i>Lithocarpus gelinicus</i> C.C.Huang & Y.T.Chang <i>Lithocarpus gracilipes</i> S.H.Huang & al. <i>Lithocarpus grandifolius</i> (D.Don) S.N.Biswas <i>Lithocarpus intermedius</i> Barnett <i>Lithocarpus microcalyx</i> (Korth.) A.Camus <i>Lithocarpus rhioensis</i> (Hance) A.Camus <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>collettii</i> (King ex Hook.f.) Hand.-Mazz. <i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>elegans</i> (Blume) A.Camus	Critically endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>glaberrimus</i> (Blume) A.Camus									
				<i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>gracilipes</i> (Miq.) A.Camus									
				<i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>placentarius</i> (Blume) A.Camus									
				<i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>poilaneana</i> A.Camus									
				<i>Lithocarpus spicatus</i> Rehder & E.H.Wilson var. <i>polycarpus</i> A.Camus									
				<i>Pasania finetii</i> Hickel & A.Camus									
				<i>Pasania mixta</i> (A.DC.) Oerst.									
				<i>Pasania placentaria</i> (Blume) Oerst.									
				<i>Pasania pseudomolucca</i> (Morales ex A.DC.) Oerst.									
				<i>Pasania spicata</i> Oerst.									
				<i>Pasania spicata</i> Oerst. var. <i>brevipetiolata</i> (A.DC.) Hu									
				<i>Quercus anceps</i> Korth.									
				<i>Quercus arcaula</i> Buch.-Ham. ex D.Don var. <i>microcalyx</i> (Korth.) Blume									
				<i>Quercus arcaula</i> Buch.-Ham. ex D.Don var. <i>racemosa</i> Blume									
				<i>Quercus arcola</i> Buch.-Ham. ex Wall.									
				<i>Quercus depressa</i> Blume									
				<i>Quercus elegans</i> Blume									
				<i>Quercus glaberrima</i> Blume									
				<i>Quercus gracilipes</i> Miq.									
				<i>Quercus grandifolia</i> D.Don									
				<i>Quercus hystrix</i> Korth. var. <i>longispica</i> Gamble									
				<i>Quercus microcalyx</i> Korth.									
				<i>Quercus mixta</i> A.DC.									
				<i>Quercus placentaria</i> Blume									
				<i>Quercus pseudomolucca</i> Morales ex A.DC.									
				<i>Quercus racemosa</i> Jack									
				<i>Quercus rhioensis</i> Hance									
				<i>Quercus sphacelata</i> Blume									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
				<i>Quercus spicata</i> Sm. <i>Quercus spicata</i> Sm. var. <i>collettii</i> King <i>Quercus spicata</i> Sm. var. <i>collettii</i> King ex Hook.f. <i>Quercus spicata</i> Sm. var. <i>depressa</i> (Blume) King <i>Quercus spicata</i> Sm. var. <i>glaberrima</i> (Blume) A.DC. <i>Quercus spicata</i> Sm. var. <i>gracilipes</i> (Miq.) A.DC. <i>Quercus spicata</i> Sm. var. <i>gracilipes</i> Hook.f. <i>Quercus spicata</i> Sm. var. <i>latifolia</i> Scheff. <i>Quercus spicata</i> Sm. var. <i>microcalyx</i> (Korth.) Miq. <i>Quercus spicata</i> Sm. var. <i>placentaria</i> (Blume) Miq. <i>Quercus spicata</i> Sm. var. <i>racemosa</i> Miq. <i>Quercus squamata</i> Roxb. <i>Synaedrys pseudomolucca</i> (Morales ex A.DC.) Koidz. <i>Synaedrys spicata</i> Koidz.										
484.	Magnoliophyta	Fagaceae	<i>Lithocarpus encleisocarpus</i> (Korth.) A.Camus	<i>Castanopsis encleisocarpa</i> (Korth.) Rehder <i>Cyclobalanus encleistocarpa</i> (Korth.) Oerst. <i>Pasania encleisocarpa</i> (Korth.) Gamble <i>Quercus encleisocarpa</i> Korth. <i>Quercus encleisocarpa</i> Korth. var. <i>aperta</i> H.W.Kung ex Hook.f. <i>Quercus encleisocarpa</i> Korth. var. <i>divergens</i> A.DC. <i>Synaedrys encleisocarpa</i> (Korth.) Koidz.	Critically endangered				✓					
485.	Magnoliophyta	Fagaceae	<i>Lithocarpus ewyckii</i> (Korth.) Rehder	<i>Cyclobalanus ewyckii</i> (Korth.) Oerst. <i>Lithocarpus pseudolamponga</i> A.Camus <i>Pasania ewyckii</i> (Korth.) Gamble <i>Quercus ewyckii</i> Korth. <i>Quercus ewyckii</i> Korth. var. <i>latifolia</i> King ex Hook.f. <i>Quercus lamponga</i> Miq. var. <i>ewyckioides</i> Gamble <i>Synaedrys ewyckii</i> (Korth.) Koidz.	Endangered				✓	✓		✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
486.	Magnoliophyta	Fagaceae	<i>Lithocarpus hystrix</i> (Korth.) Rehder	<i>Castanea furfurella</i> Miq. <i>Cyclobalanus cyrtopoda</i> (Miq.) Oerst. <i>Cyclobalanus hystrix</i> (Korth.) Oerst. <i>Lithocarpus cyrtopodus</i> (Miq.) A.Camus <i>Pasania hystrix</i> (Korth.) Gamble <i>Quercus brevipetiolata</i> Scheff. <i>Quercus cyrtopoda</i> Miq. <i>Quercus hystrix</i> Korth. <i>Quercus kajan</i> Miq. <i>Quercus korthalsii</i> Endl. var. <i>hystrix</i> (Korth.) Blume <i>Quercus mappacea</i> Korth. var. <i>hystrix</i> (Korth.) Miq. <i>Synaedrys hystrix</i> (Korth.) Koidz.	Critically endangered			✓	✓	✓			
487.	Magnoliophyta	Fagaceae	<i>Lithocarpus lucidus</i> (Roxb.) Rehder	<i>Cyclobalanus omalokos</i> (Korth.) Oerst. <i>Lithocarpus omalokos</i> (Korth.) Rehder <i>Pasania lucida</i> (Roxb.) Gamble <i>Pasania omalokos</i> (Korth.) Schottky <i>Quercus cuneata</i> Roxb. ex Wall. <i>Quercus hasseltii</i> Korth. ex Miq. <i>Quercus lucida</i> Roxb. <i>Quercus omalokos</i> Korth. <i>Synaedrys lucida</i> (Roxb.) Koidz. <i>Synaedrys omalokos</i> (Korth.) Koidz.	Endangered		✓		✓				
488.	Magnoliophyta	Fagaceae	<i>Lithocarpus sundaicus</i> (Blume) Rehder	<i>Castanea latifolia</i> Blume <i>Cyclobalanopsis muricata</i> (Roxb.) Oerst. <i>Cyclobalanus lamponga</i> (Miq.) Oerst. <i>Lithocarpus grandifrons</i> (King ex Hook.f.) A.Camus <i>Lithocarpus lampongus</i> (Miq.) Rehder <i>Lithocarpus plumbeus</i> (Blume) Soepadmo <i>Lithocarpus pruinosis</i> (Blume) Rehder <i>Pasania grandifrons</i> (King ex Hook.f.) Gamble <i>Pasania lamponga</i> (Miq.) Gamble <i>Pasania plumbea</i> (Blume) Oerst.	Critically endangered	✓	✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Pasania pruinosa</i> (Blume) Oerst. <i>Pasania sundaica</i> (Blume) Oerst. <i>Quercus grandifrons</i> King ex Hook.f. <i>Quercus hystrix</i> Korth. var. <i>mappacea</i> (Korth.) Merr. <i>Quercus korthalsii</i> Blume <i>Quercus korthalsii</i> Blume var. <i>kajan</i> Blume <i>Quercus korthalsii</i> Blume var. <i>mappacea</i> (Korth.) Blume <i>Quercus korthalsii</i> Blume var. <i>pachyphylla</i> Blume <i>Quercus lamponga</i> Miq. <i>Quercus macrophylla</i> Miq. <i>Quercus mappacea</i> Korth. <i>Quercus muricata</i> Roxb. <i>Quercus plumbea</i> Blume <i>Quercus pruinosa</i> Blume <i>Quercus pruinosa</i> Blume var. <i>alpina</i> Jungh. <i>Quercus pseudomolucca</i> Blume var. <i>korthalsii</i> (Blume) Wenz. <i>Quercus pseudomolucca</i> Blume var. <i>sundaica</i> (Blume) Wenz. <i>Quercus sundaica</i> Blume <i>Synaedrys grandifrons</i> (King ex Hook.f.) Koidz. <i>Synaedrys lamponga</i> (Miq.) Koidz. <i>Synaedrys pruinosa</i> (Blume) Koidz. <i>Synaedrys sundaica</i> (Blume) Koidz.									
489.	Magnoliophyta	Flagellariaceae	<i>Flagellaria indica</i> L.	<i>Flagellaria angustifolia</i> Wall. <i>Flagellaria catenata</i> Lour. ex B.A.Gomes <i>Flagellaria indica</i> L. var. <i>gracilicaulis</i> F.M.Bailey <i>Flagellaria indica</i> L. var. <i>minor</i> Hook.f. <i>Flagellaria loureiroi</i> Steud. <i>Flagellaria minor</i> Blume <i>Flagellaria philippinensis</i> Elmer	Common			✓		✓			✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H									
490.	Magnoliophyta	Gentianaceae	<i>Fagraea ceilanica</i> Thunb.	<i>Fagraea coromandelina</i> Wight <i>Fagraea gardneri</i> Thwaites <i>Fagraea khasiana</i> Benth. <i>Fagraea malabarica</i> Blume <i>Fagraea malabarica</i> Wight <i>Fagraea obovata</i> Wall. <i>Fagraea prainii</i> Gand. <i>Fagraea rostrata</i> Blume <i>Fagraea sasakii</i> Hayata <i>Gardenia heteroclyta</i> J.König ex Blume <i>Hillia longiflora</i> hort. ex Lem. <i>Solandra oppositifolia</i> Moon <i>Willughbeia ceilanica</i> Spreng. <i>Willughbeia obovata</i> Spreng. <i>Winchia cirrhifera</i> Gardner ex Thwaites	Presumed nationally extinct								✓		
491.	Magnoliophyta	Gentianaceae	<i>Fagraea fragrans</i> Roxb	<i>Cyrtophyllum fragrans</i> (Roxb.) DC. <i>Cyrtophyllum giganteum</i> Ridl. <i>Cyrtophyllum lanceolatum</i> DC. <i>Cyrtophyllum peregrinum</i> Reinw. <i>Fagraea peregrina</i> (Reinw.) Blume <i>Fagraea ridleii</i> Gand. <i>Willughbeia fragrans</i> Spreng.	Common								✓		
492.	Magnoliophyta	Gentianaceae	<i>Fagraea racemosa</i> Jack	<i>Fagraea malayana</i> Mart. <i>Fagraea pauciflora</i> (King & Gamble) Ridl. <i>Fagraea racemosa</i> Jack var. <i>pauciflora</i> King & Gamble <i>Fagraea thwaitesii</i> F.Muell. <i>Kentia morindifolia</i> Steud. <i>Willughbeia racemosa</i> Spreng. <i>Willughbeia volubilis</i> Spreng.	Endangered								✓		
493.	Magnoliophyta	Gentianaceae	<i>Fagraea splendens</i> Blume	<i>Fagraea acuminatissima</i> Merr. <i>Fagraea heterophylla</i> Blume <i>Fagraea longicuspis</i> Gand.	Critically endangered								✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
494.	Magnoliophyta	Gentianaceae	<i>Fagraea volubilis</i> Wall.	<i>Fagraea appendiculata</i> Blume <i>Fagraea coarctata</i> Blume <i>Fagraea grandifolia</i> Merr. <i>Fagraea latifolia</i> Miq. <i>Fagraea morindifolia</i> Blume <i>Fagraea rodatzii</i> K.Schum. & Lauterb. <i>Fagraea scholaris</i> Blanco <i>Fagraea subreticulata</i> Blume	Critically endangered				✓				
495.	Magnoliophyta	Gesneriaceae	<i>Aeschynanthus albidus</i> (Blume) Steud.	<i>Aeschynanthus purpurascens</i> Hassk. <i>Aeschynanthus atropurpureus</i> Lem. <i>Aeschynanthus discolor</i> T.Moore <i>Bignonia albida</i> Blume <i>Lysionotus albida</i> Blume	Critically endangered	✓		✓		✓			NIS
496.	Magnoliophyta	Gesneriaceae	<i>Aeschynanthus pulcher</i> (Blume) G.Don	<i>Aeschynanthus parvifolius</i> R.Br. <i>Aeschynanthus beccarii</i> C.B.Clarke <i>Aeschynanthus boschianus</i> de Vriese <i>Aeschynanthus javanicus</i> Hook. <i>Aeschynanthus lamponga</i> Miq. var. <i>parvifolius</i> Ridl. <i>Aeschynanthus lampongus</i> Miq. <i>Aeschynanthus lanceolatus</i> Ridl. <i>Aeschynanthus lobbianus</i> Hook. <i>Aeschynanthus neesii</i> Zoll. & Moritzi <i>Aeschynanthus zollingeri</i> C.B.Clarke <i>Trichosporum beccarii</i> (C.B.Clarke) Kuntze <i>Trichosporum javanicum</i> (Hook.) Kuntze <i>Trichosporum lampongum</i> (Miq.) Burkill <i>Trichosporum lobbianum</i> (Hook.) Kuntze <i>Trichosporum parvifolium</i> (R.Br.) Kuntze <i>Trichosporum pulchrum</i> Blume <i>Trichosporum zollingeri</i> (C.B.Clarke) Kuntze	Presumed nationally extinct			✓	✓				
497.	Magnoliophyta	Gesneriaceae	<i>Aeschynanthus radicans</i> Jack	<i>Trichosporum ovatum</i> D.Don ex C.B.Clarke <i>Trichosporum radicans</i> Nees	Presumed nationally extinct				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
498.	Magnoliophyta	Gesneriaceae	<i>Aeschynanthus wallichii</i> Benn.	<i>Trichosporum wallichii</i> Kuntze	Critically endangered			✓	✓				
499.	Magnoliophyta	Gesneriaceae	<i>Henckelia platypus</i> (C.B.Clarke) A.Weber	<i>Didymocarpus platypus</i> C.B.Clarke <i>Roettlera platypus</i> Kuntze	Critically endangered				✓				
500.	Magnoliophyta	Hanguanaceae	<i>Hanguana malayana</i> (Jack) Merr.	<i>Hanguana anthelminthica</i> (Blume) Masam. <i>Hanguana aquatica</i> Kaneh. <i>Hanguana kassintu</i> Blume <i>Hanguana malayana</i> (Jack) Merr. var. <i>anthelminthica</i> (Blume) Bakh. <i>Hanguana malayana</i> (Jack) Merr. subsp. <i>anthelminthica</i> (Blume) Backer <i>Hanguana malayana</i> (Jack) Merr. subsp. <i>kassintu</i> (Blume) Backer <i>Susum anthelminthicum</i> Blume <i>Susum kassintu</i> (Blume) Kurz <i>Susum malayanum</i> (Jack) Planch. ex Hook.f. <i>Susum malayanum</i> (Jack) Planch. ex Hook.f. f. <i>aquatica</i> Backer <i>Susum minus</i> Miq. <i>Veratrania malayana</i> (Jack) Miq. <i>Veratrum malayanum</i> Jack	Vulnerable			✓					
501.	Magnoliophyta	Hydrocharitaceae	<i>Blyxa aubertii</i> Rich. var. <i>aubertii</i>	<i>Blyxa ceylanica</i> Hook.f. <i>Blyxa ecaudata</i> Hayata <i>Blyxa graminea</i> Steud. <i>Blyxa griffithii</i> Planch. ex Hook.f. <i>Blyxa malayana</i> Ridl. <i>Blyxa muricata</i> Koidz. <i>Blyxa oryzetorum</i> (Decne.) Hook.f. <i>Blyxa zeylanica</i> Hook.f. <i>Diplosiphon oryzetorum</i> Decne.	Cryptogenic			✓	✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
502.	Magnoliophyta	Hydrocharitaceae	<i>Blyxa japonica</i> (Miq.) Maxim. var. <i>alternifolia</i> (Miq.) C.D.K.Cook & Luond	<i>Blyxa alternifolia</i> (Miq.) Hartog <i>Blyxa angustipetala</i> (Ridl.) Masam. <i>Enhydrias angustipetala</i> Ridl. <i>Hydrilla alternifolia</i> Miq.	Cryptogenic				✓				
503.	Magnoliophyta	Hydrocharitaceae	<i>Blyxa japonica</i> (Miq.) Maxim. var. <i>japonica</i>	<i>Blyxa angustipetala</i> (Ridl.) Masam. var. <i>laevissima</i> (Hayata) Masam. <i>Blyxa caulescens</i> Maxim. ex Matsum. <i>Blyxa laevissima</i> Hayata <i>Blyxa leiocarpa</i> Maxim. ex Matsum. <i>Blyxa leiosperma</i> Koidz. <i>Diplosiphon caulescens</i> Maxim. ex Matsum. <i>Diplosiphon leiocarpa</i> Maxim. ex Matsum. <i>Enhydrias angustipetala</i> Ridl. var. <i>latifolia</i> Ridl.	Critically endangered					✓			
504.	Magnoliophyta	Hypericaceae	<i>Cratoxylum arborescens</i> (Vahl) Blume	<i>Cratoxylum arborescens</i> var. <i>miquelii</i> King <i>Cratoxylum cuneatum</i> Miq. <i>Hypericum arborescens</i> Vahl	Vulnerable							✓	
505.	Magnoliophyta	Hypericaceae	<i>Cratoxylum cochinchinense</i> (Lour.) Blume	<i>Ancistrolobus ligustrinus</i> Spach <i>Cratoxylum biflorum</i> (Lam.) Turcz. <i>Cratoxylum chinense</i> (Hance) Merr. <i>Cratoxylum hypoleuca</i> Elmer <i>Cratoxylum lanceolatum</i> Miq. <i>Cratoxylum ligustrinum</i> (Spach) Blume <i>Cratoxylum myrtifolium</i> Blume <i>Cratoxylum petiolatum</i> Blume <i>Cratoxylum polyanthum</i> Korth. <i>Cratoxylum polyanthum</i> Korth. var. <i>ligustrinum</i> (Spach) Dyer <i>Cratoxylum wightii</i> Blume <i>Elodea chinensis</i> Hance <i>Elodes chinensis</i> (Retz.) Hance <i>Hypericum biflorum</i> Lam. <i>Hypericum chinense</i> Retz. <i>Hypericum cochinchinense</i> Lour.	Endangered				✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Oxycarpus cochinchinensis</i> Lour. <i>Stalagmites erosipetala</i> Miq.									
506.	Magnoliophyta	Hypericaceae	<i>Cratoxylum formosum</i> (Jacq.) Benth. & Hook.f. ex Dyer	<i>Cratoxylum prunifolium</i> Dyer <i>Elodes formosa</i> Jack	Endangered								✓
507.	Magnoliophyta	Hypericaceae	<i>Cratoxylum maingayi</i> Dyer	<i>Cratoxylum acuminatum</i> Merr. <i>Cratoxylum harmandii</i> Pierre <i>Cratoxylum parvifolium</i> Merr. <i>Cratoxylum subglaucum</i> Merr. <i>Cratoxylum thorelii</i> Pierre ex Gagnep.	Critically endangered				✓		✓		
508.	Magnoliophyta	Hypoxidaceae	<i>Molineria latifolia</i> (Dryand. ex W.T.Aiton) Herb. ex Kurz var. <i>latifolia</i>	<i>Curculigo agusanensis</i> Elmer <i>Curculigo borneensis</i> Merr. <i>Curculigo brevipedunculata</i> Elmer <i>Curculigo latifolia</i> Dryand. ex W.T.Aiton <i>Curculigo glabrescens</i> (Ridl.) Merr. <i>Curculigo latifolia</i> Dryand. ex W.T.Aiton var. <i>glabrescens</i> Ridl. <i>Curculigo senporeiensis</i> Yamam. <i>Curculigo sumatrana</i> Roxb. <i>Curculigo villosa</i> Wall. ex Kurz <i>Curculigo weberi</i> Elmer <i>Molineria longiflora</i> Kurz <i>Molineria plicata</i> Kurz <i>Molineria sumatrana</i> (Roxb.) Herb. <i>Molineria villosa</i> Kurz	Vulnerable	✓		✓	✓	✓		✓	
509.	Magnoliophyta	Icacinaceae	<i>Iodes cirrhosa</i> Turcz.		Critically endangered	✓							✓
510.	Magnoliophyta	Icacinaceae	<i>Iodes ovalis</i> Blume	<i>Iodes oblonga</i> Planch. ex Mast. <i>Natsiatum oppositifolium</i> Planch.	Endangered	✓		✓	✓	✓	✓	✓	✓
511.	Magnoliophyta	Icacinaceae	<i>Iodes velutina</i> King		Common				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
512.	Magnoliophyta	Icacinaceae	<i>Phytocrene bracteata</i> Wall.	<i>Gynoecephalum bracteatum</i> Trécul	Vulnerable				✓		✓	✓	
513.	Magnoliophyta	Ixonanthaceae	<i>Ixonanthes icosandra</i> Jack	<i>Brewstera crenata</i> M.Roem. <i>Gordonia peduncularis</i> Wall. <i>Hypericinea dentata</i> Wall. <i>Hypericum lucidum</i> Wall. ex Steud. <i>Macarisia icosandra</i> Planch. ex Hook.f.	Vulnerable	✓			✓		✓	✓	
514.	Magnoliophyta	Ixonanthaceae	<i>Ixonanthes reticulata</i> Jack	<i>Emmenanthus chinensis</i> Hook. & Arn. <i>Ixonanthes chinensis</i> (Hook. & Arn.) Champ. <i>Ixonanthes cochinchinensis</i> Pierre	Common	✓					✓	✓	
515.	Magnoliophyta	Lamiaceae	<i>Callicarpa longifolia</i> Lam.	<i>Callicarpa albida</i> Blume <i>Callicarpa attenuata</i> Wall. ex Walp. <i>Callicarpa attenuifolia</i> Elmer <i>Callicarpa blumei</i> Zoll. & Moritzi <i>Callicarpa horsfieldii</i> Turcz. <i>Callicarpa japonica</i> Thunb. var. <i>rhombifolia</i> H.J.Lam <i>Callicarpa lanceolaria</i> Roxb. ex Hornem. <i>Callicarpa lanceolaria</i> Roxb. <i>Callicarpa longifolia</i> Lam.var. <i>areolata</i> H.J.Lam <i>Callicarpa longifolia</i> Lam.var. <i>floccosa</i> Schauer <i>Callicarpa longifolia</i> Lam.var. <i>horsfieldii</i> (Turcz.) Moldenke <i>Callicarpa longifolia</i> Lam.var. <i>lanceolaria</i> (Roxb. ex Hornem.) C.B.Clarke <i>Callicarpa longifolia</i> Lam.var. <i>subglabrata</i> Schauer <i>Callicarpa oblongifolia</i> Hassk. <i>Callicarpa rhynchophylla</i> Miq. <i>Callicarpa roxburghiana</i> Schult.	Endangered			✓					
516.	Magnoliophyta	Lamiaceae	<i>Clerodendrum deflexum</i> Wall.	<i>Clerodendrum deflexum</i> Wall. var. <i>bracteatum</i> Ridl. <i>Clerodendrum deflexum</i> Wall. var. <i>villosulum</i> Moldenke	Vulnerable			✓	✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
517.	Magnoliophyta	Lamiaceae	<i>Clerodendrum disparifolium</i> Blume	<i>Clerodendrum eriosiphon</i> Schauer <i>Clerodendrum obtusidens</i> Miq.	Critically endangered			✓				✓	
518.	Magnoliophyta	Lamiaceae	<i>Clerodendrum laevifolium</i> Blume	<i>Clerodendrum ellipticum</i> Zipp. ex Span. <i>Clerodendrum laevifolium</i> Blume var. <i>pubiflorum</i> Bakh. ex Moldenke	Common		✓		✓				
519.	Magnoliophyta	Lamiaceae	<i>Clerodendrum paniculatum</i> L.	<i>Caprifolium paniculatum</i> Noronha <i>Cleianthus coccineus</i> Lour. ex B.A.Gomes <i>Clerodendron pyramidale</i> Andrews <i>Clerodendrum diversifolium</i> Vahl <i>Clerodendrum pyramidale</i> Andrews <i>Clerodendrum splendidum</i> Wall. ex Griff. <i>Volkameria angulata</i> Lour. <i>Volkameria diversifolia</i> Vahl	Exotic		✓						
520.	Magnoliophyta	Lamiaceae	<i>Clerodendrum villosum</i> Blume	<i>Clerodendrum ferrugineum</i> Turcz. <i>Clerodendrum infortunatum</i> Dennst. <i>Clerodendrum molle</i> Jack <i>Clerodendrum velutinum</i> B.Thomas	Vulnerable			✓	✓			✓	
521.	Magnoliophyta	Lamiaceae	<i>Gmelina elliptica</i> Sm.	<i>Gmelina asiatica</i> L. var. <i>villosa</i> (Roxb.) Bakh. <i>Gmelina villosa</i> Roxb.	Endangered			✓					
522.	Magnoliophyta	Lamiaceae	<i>Plectranthus scutellarioides</i> (L.) R.Br.	<i>Calchas acuminatus</i> (Benth.) P.V.Heath <i>Calchas atropurpureus</i> (Benth.) P.V.Heath <i>Calchas crispipilus</i> (Merr.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath var. <i>angustifolia</i> (Benth.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath var. <i>crispipilus</i> (Merr.) P.V.Heath <i>Calchas scutellarioides</i> (L.) P.V.Heath var. <i>limnophila</i> (Benth.) P.V.Heath <i>Coleus acuminatus</i> Benth. <i>Coleus atropurpureus</i> Benth.	Presumed nationally extinct			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Coleus atropurpureus</i> Benth. var. <i>densiflorus</i> Benth.									
				<i>Coleus atropurpureus</i> Benth. var. <i>javanicus</i> Benth.									
				<i>Coleus atropurpureus</i> Benth. var. <i>ramosus</i> Benth.									
				<i>Coleus blancoi</i> Benth.									
				<i>Coleus blumei</i> Benth.									
				<i>Coleus crispipilus</i> (Merr.) Merr.									
				<i>Coleus formosanus</i> Hayata									
				<i>Coleus gaudichaudii</i> Briq.									
				<i>Coleus gibbsiae</i> S.Moore									
				<i>Coleus grandifolius</i> Benth.									
				<i>Coleus grandifolius</i> Blanco									
				<i>Coleus hybridus</i> Cobeau									
				<i>Coleus</i> × <i>hybridus</i> Voss									
				<i>Coleus igolotorum</i> Briq.									
				<i>Coleus ingratus</i> (Blume) Benth.									
				<i>Coleus integrifolius</i> Elmer									
				<i>Coleus laciniatus</i> (Blume) Benth.									
				<i>Coleus macranthus</i> Merr. var. <i>crispipilus</i> Merr.									
				<i>Coleus multiflorus</i> Benth.									
				<i>Coleus petersianus</i> Vatke									
				<i>Coleus pubescens</i> Merr.									
				<i>Coleus pumilus</i> Blanco									
				<i>Coleus rehnelianus</i> A.Berger									
				<i>Coleus savannicola</i> K.Schum.									
				<i>Coleus scutellarioides</i> (L.) Benth.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>angustifolia</i> Benth.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>blumei</i> (Benth.) Miq.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>celebicus</i> Miq.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>crispipilus</i> (Merr.) H.Keng									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>gibbsiae</i> (S.Moore) Keng									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>gracilis</i> Miq.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>grandifolius</i> (Benth.) Keng									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>ingratus</i> (Blume) Miq.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>integrifolius</i> (Elmer) Keng									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>laciniatus</i> (Blume) Miq.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>laxa</i> Benth.									
				<i>Coleus scutellarioides</i> (L.) Benth.var. <i>limnophila</i> Benth.									
				<i>Coleus secundiflorus</i> Benth.									
				<i>Coleus verschaffeltii</i> Lem.									
				<i>Coleus zschokkei</i> Merr.									
				<i>Germanea nudiflora</i> Poir.									
				<i>Majana acuminata</i> (Benth.) Kuntze									
				<i>Majana blancoi</i> (Benth.) Kuntze									
				<i>Majana grandifolia</i> (Benth.) Kuntze									
				<i>Majana multiflora</i> (Benth.) Kuntze									
				<i>Majana pumila</i> (Blanco) Kuntze									
				<i>Majana scutellarioides</i> (L.) Kuntze									
				<i>Majana scutellarioides</i> (L.) Kuntze var. <i>atropurpureus</i> (Benth.) Kuntze									
				<i>Majana scutellarioides</i> (L.) Kuntze var. <i>blumei</i> (Benth.) Kuntze									
				<i>Majana secundiflora</i> (Benth.) Kuntze									
				<i>Ocimum peltatum</i> Schweigg. ex Schrank									
				<i>Ocimum scutellarioides</i> L.									
				<i>Perilla nankinensis</i> Wender.									
				<i>Plectranthus aromaticus</i> Roxb.									
				<i>Plectranthus blumei</i> (Benth.) Launert									
				<i>Plectranthus ingratus</i> Blume									
				<i>Plectranthus laciniatus</i> Blume									
				<i>Plectranthus nudiflorus</i> (Poir.) Willd.									
				<i>Plectranthus scutellarioides</i> Blume									

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Solenostemon blumei</i> (Benth.) M.Gómez <i>Solenostemon scutellarioides</i> (L.) Codd									
523.	Magnoliophyta	Lamiaceae	<i>Pogostemon auricularius</i> (L.) Hassk.	<i>Dysophylla auricularia</i> (L.) Blume <i>Mentha auricularia</i> L. <i>Mentha foetida</i> Burm.f.	Cryptogenic			✓					
524.	Magnoliophyta	Lamiaceae	<i>Premna corymbosa</i> Rottler & Willd.	<i>Gumira corymbosa</i> (Rottler & Willd.) Kuntze <i>Premna alstonii</i> Moldenke <i>Premna corymbosa</i> (Burm.f.) Merr. <i>Premna scandens</i> Bojer	Exotic			✓					
525.	Magnoliophyta	Lamiaceae	<i>Premna serratifolia</i> L.	<i>Citharexylum paniculatum</i> Poir. <i>Cornutia corymbosa</i> Burm.f. <i>Gumira abbreviata</i> (Miq.) Kuntze <i>Gumira attenuata</i> (R.Br.) Kuntze <i>Gumira integrifolia</i> Hassk. <i>Gumira laevigata</i> (Miq.) Kuntze <i>Gumira opulifolia</i> (Miq.) Kuntze <i>Gumira truncata</i> (Turcz.) Kuntze <i>Premna abbreviata</i> Miq. <i>Premna angustior</i> (C.B.Clarke) Ridl. <i>Premna attenuata</i> R.Br. <i>Premna benthamiana</i> Domin <i>Premna corymbosa</i> (Burm.f.) Schauer <i>Premna corymbosa</i> (Burm.f.) Schauer var. <i>obtusifolia</i> (R.Br.) H.R.Fletcher <i>Premna corymbosa</i> (Burm.f.) Schauer var. <i>sambucina</i> (Wall. ex Schauer) Moldenke <i>Premna gaudichaudii</i> Schauer <i>Premna glabra</i> A.Gray ex Maxim. <i>Premna glycyococca</i> F.Muell. <i>Premna guillauminii</i> Moldenke var. <i>serrata</i> Moldenke <i>Premna hircina</i> Wall. <i>Premna integrifolia</i> Willd.	Vulnerable			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H							
				<i>Premna integrifolia</i> L. <i>Premna integrifolia</i> L. var. <i>angustior</i> C.B.Clarke <i>Premna integrifolia</i> L. var. <i>minor</i> Ridl. <i>Premna integrifolia</i> L. var. <i>obtusifolia</i> (R.Br.) C.P'ei <i>Premna laevigata</i> Miq. <i>Premna littoralis</i> King & Gamble <i>Premna media</i> R.Br. <i>Premna obtusifolia</i> R.Br. <i>Premna obtusifolia</i> R.Br. var. <i>gaudichaudii</i> (Schauer) Moldenke <i>Premna obtusifolia</i> R.Br. var. <i>velutina</i> Benth. <i>Premna opulifolia</i> Miq. <i>Premna ovata</i> R.Br. <i>Premna sambucina</i> Wall. ex Schauer <i>Premna serratifolia</i> L. var. <i>minor</i> (Ridl.) A.Rajendran & P.Daniel <i>Premna spinosa</i> Roxb. <i>Premna subcordata</i> Turcz. <i>Premna tahitensis</i> Schauer var. <i>rapensis</i> F.Br. <i>Premna tahitensis</i> Schauer var. <i>rimatarensis</i> F.Br. <i>Premna truncata</i> Turcz. <i>Scrophularioides arborea</i> G.Forst.									
526.	Magnoliophyta	Lamiaceae	<i>Vitex longisepala</i> King & Gamble	<i>Vitex longisepala</i> King & Gamble var. <i>longipes</i> Moldenke <i>Vitex vestita</i> Wall. ex Schauer var. <i>bracteata</i> Moldenke	Critically endangered							✓	
527.	Magnoliophyta	Lamiaceae	<i>Vitex negundo</i> L.	<i>Pistaciovitex pinnata</i> (L.) Kuntze <i>Vitex arborea</i> Roxb. <i>Vitex articulate</i> Steud. <i>Vitex bracteata</i> Horsf. ex Miq. <i>Vitex buddingii</i> Moldenke <i>Vitex digitata</i> Wight ex Steud. <i>Vitex heterophylla</i> Blume ex Miq.	Critically endangered							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Vitex heterophylla</i> Blume ex Miq. var. <i>puberula</i> H.J.Lam <i>Vitex heterophylla</i> Blume ex Miq. var. <i>velutina</i> Koord. & Valeton <i>Vitex latifolia</i> Lam. <i>Vitex inaequifolia</i> Turcz. <i>Vitex latifolia</i> Lam. <i>Vitex pinnata</i> L. f. <i>glabrescens</i> Moldenke <i>Vitex pinnata</i> L. f. <i>ptilota</i> (Dop) Moldenke <i>Vitex puberula</i> Miq. <i>Vitex pubescens</i> Vahl <i>Vitex pubescens</i> Vahl var. <i>bicolor</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>lilacina</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>pantjarensis</i> Hochr. <i>Vitex pubescens</i> Vahl var. <i>ptilota</i> Dop <i>Agnus-castus negundo</i> (L.) Carrière <i>Vitex agnus-castus</i> L. var. <i>negundo</i> (L.) Kuntze <i>Vitex nogondo</i> Linnaeus ap. Bojer <i>Vitex trifolia</i> L. var. <i>foliolis obtuse crenatis</i> Lam.									
528.	Magnoliophyta	Lamiaceae	<i>Vitex pinnata</i> L.	<i>Pistaciovitex pinnata</i> (L.) Kuntze <i>Vitex arborea</i> Roxb. <i>Vitex articulata</i> Steud. <i>Vitex bracteata</i> Horsf. ex Miq. <i>Vitex buddingii</i> Moldenke <i>Vitex digitata</i> Wight ex Steud. <i>Vitex heterophylla</i> Blume ex Miq. <i>Vitex heterophylla</i> Blume ex Miq. var. <i>puberula</i> H.J.Lam <i>Vitex heterophylla</i> Blume ex Miq. var. <i>velutina</i> Koord. & Valeton <i>Vitex inaequifolia</i> Turcz. <i>Vitex latifolia</i> Lam. <i>Vitex pinnata</i> f. <i>glabrescens</i> Moldenke <i>Vitex pinnata</i> L. f. <i>ptilota</i> (Dop) Moldenke <i>Vitex puberula</i> Miq.	Common	✓				✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Vitex pubescens</i> Vahl <i>Vitex pubescens</i> Vahl var. <i>bicolor</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>lilacina</i> Kuntze <i>Vitex pubescens</i> Vahl var. <i>pantjarensis</i> Hochr. <i>Vitex pubescens</i> Vahl var. <i>ptilota</i> Dop <i>Vitex quinata</i> (Lour.) F.N.Williams var. <i>puberula</i> (H.J.Lam) Moldenke <i>Vitex sebesiae</i> H.J.Lam ex Leeuwen <i>Vitex turczaninowii</i> Merr. f. <i>puberula</i> (H.J.Lam) Moldenke See Corrigenda of 13 May 2013. <i>Vitex velutina</i> (Koord. & Valeton) Koord. <i>Wallrothia articulata</i> Roth									
529.	Magnoliophyta	Lamiaceae	<i>Vitex vestita</i> Wall. ex Schauer	<i>Vitex finlaysoniana</i> Wall. <i>Vitex neglecta</i> H.J.Lam <i>Vitex vestita</i> Wall. ex Schauer var. <i>brevituba</i> Z.Y.Huang & S.Y.Liu <i>Vitex vestita</i> Wall. ex Schauer f. <i>glabrescens</i> Moldenke <i>Vitex vestita</i> Wall. ex Schauer f. <i>quinquefoliolata</i> Moldenke <i>Vitex vestita</i> Wall. ex Schauer f. <i>winkleri</i> Moldenke	Critically endangered				✓				
530.	Magnoliophyta	Lauraceae	<i>Actinodaphne macrophylla</i> (Blume) Nees	<i>Actinodaphne maingayi</i> Hook.f. <i>Jozoste macrophylla</i> Kuntze <i>Jozoste maingayi</i> Kuntze <i>Litsea macrophylla</i> Blume	Presumed nationally extinct								✓
531.	Magnoliophyta	Lauraceae	<i>Actinodaphne malaccensis</i> Hook.f.	<i>Actinodaphne hullettii</i> Gamble <i>Jozoste malaccensis</i> Kuntze	Endangered				✓				
532.	Magnoliophyta	Lauraceae	<i>Actinodaphne pruinosa</i> Nees	<i>Actinodaphne foxworthyana</i> Gibbs <i>Actinodaphne pruinosa</i> Nees var. <i>kunstleri</i> Gamble <i>Jozoste pruinosa</i> Kuntze <i>Laurus pruinosa</i> Wall.	Endangered				✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	Status in							
						A	B	C	D	E	F	G	H
533.	Magnoliophyta	Lauraceae	<i>Alseodaphne bancana</i> Miq.	<i>Alseodaphne decipiens</i> Hook.f.	Critically endangered	✓	✓	✓	✓			✓	
534.	Magnoliophyta	Lauraceae	<i>Beilschmiedia kunstleri</i> Gamble		Critically endangered	✓	✓		✓			✓	
535.	Magnoliophyta	Lauraceae	<i>Beilschmiedia madang</i> Blume	<i>Beilschmiedia curtisii</i> Gamble <i>Beilschmiedia malaccensis</i> (Meisn.) Hook.f. <i>Beilschmiedia roxburgiana</i> Nees var. <i>malaccensis</i> Meisn. <i>Beilschmiedia scortechinii</i> Gamble <i>Haasia peduncularis</i> Teijsm. & Binn. ex Miq. <i>Laurus madang</i> Blume <i>Laurus martinicensis</i> Blanco <i>Polyadenia madang</i> (Blume) Nees	Endangered		✓					✓	
536.	Magnoliophyta	Lauraceae	<i>Cinnamomum iners</i> Reinw. ex Blume	<i>Cinnamomum aromaticum</i> Zoll. <i>Cinnamomum curtisii</i> Lukman. <i>Cinnamomum gracile</i> Miq. <i>Cinnamomum griffithii</i> Meisn. <i>Cinnamomum iners</i> Reinw. ex Blume var. <i>angustifolium</i> Ridl. <i>Cinnamomum manillarum</i> Lukman. <i>Cinnamomum pseudosintok</i> Miq. <i>Cinnamomum rauwolfii</i> Blume <i>Cinnamomum reinwardtii</i> Miq. <i>Laurus caryophyllata</i> Reinw. ex Meisn. <i>Laurus iners</i> Reinw. ex Nees <i>Laurus malabathrica</i> Roxb. <i>Laurus malabathrum</i> Wall. <i>Laurus malabatrums</i> Lam. <i>Persea nitida</i> Spreng.	Common								✓
537.	Magnoliophyta	Lauraceae	<i>Cinnamomum javanicum</i> Blume	<i>Cinnamomum neglectum</i> Blume <i>Laurus malabatrums</i> Burm.f.	Critically endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
538.	Magnoliophyta	Lauraceae	<i>Cryptocarya costata</i> Blume	<i>Caryodaphne costata</i> Miq. <i>Cryptocarya acutiflora</i> Blume ex Nees <i>Laurus flava</i> Reinw. ex Blume	Critically endangered				✓				
539.	Magnoliophyta	Lauraceae	<i>Cryptocarya ferrea</i> Blume	<i>Cryptocarya glaucescens</i> Hassk. <i>Cryptocarya tomentosa</i> Blume <i>Cryptocarya tomentosa</i> Blume var. <i>rugosa</i> Gamble	Critically endangered	✓	✓	✓	✓	✓		✓	
540.	Magnoliophyta	Lauraceae	<i>Cryptocarya griffithiana</i> Wight	<i>Cryptocarya caudata</i> Meisn.	Critically endangered				✓				
541.	Magnoliophyta	Lauraceae	<i>Lindera lucida</i> (Blume) Boerl	<i>Aperula lucida</i> Blume <i>Benzoin lucidum</i> (Blume) Kuntze <i>Litsea lucida</i> Blume <i>Polyadenia lucida</i> (Blume) Nees	Vulnerable			✓	✓	✓			
542.	Magnoliophyta	Lauraceae	<i>Lindera malaccensis</i> Hook.f.	<i>Benzoin malaccense</i> (Hook.f.) Kuntze	Presumed nationally extinct					✓			
543.	Magnoliophyta	Lauraceae	<i>Litsea castanea</i> Hook.f.	<i>Malapoenna castanea</i> Kuntze	Endangered						✓	✓	
544.	Magnoliophyta	Lauraceae	<i>Litsea costalis</i> (Blume) Kosterm.	<i>Alseodaphne costalis</i> Nees	Critically endangered						✓		
545.	Magnoliophyta	Lauraceae	<i>Litsea elliptica</i> Blume	<i>Litsea elliptica</i> Blume	Common	✓	✓	✓	✓	✓	✓	✓	
546.	Magnoliophyta	Lauraceae	<i>Litsea erectinervia</i> Kosterm.		Critically endangered	✓	✓		✓			✓	
547.	Magnoliophyta	Lauraceae	<i>Litsea ferruginea</i> Blume	<i>Actinodaphne blumii</i> Nees <i>Cryptocarya ferruginea</i> Blume <i>Cylicodaphne ferruginea</i> Blume <i>Cylicodaphne leefeana</i> F.Muell. <i>Lepidadenia ferruginea</i> Miq. <i>Malapoenna ferruginea</i> Kuntze	Critically endangered								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Tetranthera blumii</i> Nees									
548.	Magnoliophyta	Lauraceae	<i>Litsea firma</i> (Blume) Hook.f.	<i>Tetranthera firma</i> Blume	Vulnerable				✓	✓	✓	✓	
549.	Magnoliophyta	Lauraceae	<i>Litsea grandis</i> (Nees) Hook.f.	<i>Polyadenia grandis</i> Nees	Endangered	✓	✓	✓	✓		✓		
550.	Magnoliophyta	Lauraceae	<i>Litsea lancifolia</i> (Roxb.) Hook.f.		Critically endangered	✓			✓	✓			
551.	Magnoliophyta	Lauraceae	<i>Litsea machilifolia</i> Gamble		Critically endangered				✓			✓	
552.	Magnoliophyta	Lauraceae	<i>Litsea ridleyi</i> Gamble		Endangered	✓		✓	✓	✓			
553.	Magnoliophyta	Lauraceae	<i>Litsea robusta</i> Blume	<i>Cylicodaphne robusta</i> Blume <i>Laurus robusta</i> Reinw. ex Zoll. <i>Lepidadenia robusta</i> Miq. <i>Malapoenna robusta</i> Kuntze <i>Tetranthera robusta</i> Nees	Critically endangered				✓				
554.	Magnoliophyta	Lauraceae	<i>Litsea umbellata</i> (Lour.) Merr.	<i>Hexanthus umbellatus</i> Lour. <i>Litsea amara</i> Blume <i>Litsea hexantha</i> Juss. <i>Tetranthera amara</i> (Blume) Nees	Vulnerable				✓				
555.	Magnoliophyta	Lauraceae	<i>Neolitsea cassia</i> (L.) Kosterm.	<i>Neolitsea zeylanica</i> (Nees & T. Nees) Merr.	Vulnerable				✓	✓		✓	
556.	Magnoliophyta	Lauraceae	<i>Nothaphoebe umbelliflora</i> (Blume) Blume	<i>Ocotea umbelliflora</i> Blume <i>Phoebe umbelliflora</i> (Blume) Nees	Common		✓		✓		✓	✓	
557.	Magnoliophyta	Lauraceae	<i>Phoebe grandis</i> (Nees) Merr.	<i>Alseodaphne grandis</i> Nees <i>Persea grandis</i> (Nees) Nees	Critically endangered	✓	✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
558.	Magnoliophyta	Lecythidaceae	<i>Barringtonia conoidea</i> Griff.	<i>Barringtonia alata</i> (Miers) Wall. ex R.Knuth <i>Butonica alata</i> Miers <i>Michelia conoidea</i> (Griff.) Kuntze	Presumed nationally extinct			✓						
559.	Magnoliophyta	Lentibulariaceae	<i>Utricularia bifida</i> L.	<i>Nelipus bifida</i> (L.) Raf. <i>Utricularia alata</i> Benj. <i>Utricularia antirrhinoides</i> Wall. <i>Utricularia biflora</i> Hayata <i>Utricularia biflora</i> Wall. <i>Utricularia brevicaulis</i> Benj. <i>Utricularia humilis</i> Vahl <i>Utricularia recurva</i> Lour. <i>Utricularia sumatrana</i> Miq. <i>Utricularia wallichiana</i> Benj.	Cryptogenic			✓						
560.	Magnoliophyta	Lentibulariaceae	<i>Utricularia caerulea</i> L.	<i>Pelidnia caerulea</i> (L.) Barnhart <i>Utricularia albiflora</i> Griff. <i>Utricularia albino</i> Ridl. <i>Utricularia bifida</i> Macrae ex A.DC. <i>Utricularia caerulea</i> L. var. <i>filicaulis</i> (Wall. ex A.DC.) Haines <i>Utricularia campestris</i> Miq. ex C.B.Clarke <i>Utricularia capillaris</i> D.Don <i>Utricularia cavaleriei</i> Stapf <i>Utricularia charnleyensis</i> W.Fitzg. <i>Utricularia complanata</i> Wall. <i>Utricularia filicaulis</i> Wall. ex A.DC. <i>Utricularia filicaulis</i> Wall. <i>Utricularia filicaulis</i> Wall. ex A.DC. var. <i>papillosa</i> Pellegr. <i>Utricularia kerrii</i> Craib <i>Utricularia nivea</i> Vahl <i>Utricularia nivea</i> Vahl var. <i>rosea</i> (Edgew.) Trimen <i>Utricularia obscura</i> R.Br. ex Benth. <i>Utricularia obtusiloba</i> Benj. <i>Utricularia ophirensis</i> Ridl.	Cryptogenic				✓	✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Utricularia paucifolia</i> Benj. <i>Utricularia purpurea</i> Willd. ex Benj. <i>Utricularia racemosa</i> Wall. <i>Utricularia racemosa</i> Wall. var. <i>filicaulis</i> (Wall. ex A. DC.) C.B.Clarke <i>Utricularia racemosa</i> Wall. var. <i>rosea</i> (Edgew.) Thwaites See Corrigenda of 13 May 2013 . <i>Utricularia ramosa</i> Vahl <i>Utricularia rosea</i> Edgew. <i>Utricularia roseopurpurea</i> Stapf ex Gamble <i>Utricularia sampathii</i> Subr. & Yogan. See Corrigenda of 13 May 2013 . <i>Utricularia sootepensis</i> Craib <i>Utricularia squamosa</i> Benj.									
561.	Magnoliophyta	Lentibulariaceae	<i>Utricularia gibba</i> L. See Corrigenda of 13 May 2013 .	<i>Megozipa fornicata</i> (Leconte) Raf. <i>Megozipa integra</i> (Leconte) Raf. <i>Megozipa longirostris</i> (Leconte ex Elliott) Raf. <i>Plesisa bipartita</i> (Elliott) Raf. <i>Trilobulina crenata</i> (Vahl) Raf. <i>Trilobulina fibrosa</i> (Walter) Raf. <i>Utricularia alba</i> Hoffmanns. & Link <i>Utricularia ambigua</i> A.DC. <i>Utricularia amphibian</i> Welw. ex Kamienski <i>Utricularia anomala</i> A.St.-Hil. & Girard <i>Utricularia aphylla</i> Ruiz & Pav. <i>Utricularia bifidocalcar</i> R.D.Good <i>Utricularia biflora</i> Roxb. <i>Utricularia biflora</i> Lam. <i>Utricularia biflora</i> Bonpl. ex A.DC. <i>Utricularia bipartite</i> Elliott <i>Utricularia conferta</i> Hassk. <i>Utricularia crenata</i> Vahl <i>Utricularia diantha</i> Roxb. ex Roem. & Schult. <i>Utricularia diflora</i> Roxb. <i>Utricularia elegans</i> Wall. <i>Utricularia emarginata</i> Benj.	Cryptogenic								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Utricularia exoleta</i> R.Br.									
				<i>Utricularia exoleta</i> R.Br. var. <i>lusitanica</i> Kamienski									
				<i>Utricularia fibrosa</i> Walter									
			See Corrigenda of 13 May 2013 .	<i>Utricularia fornicata</i> Leconte									
				<i>Utricularia furcata</i> Pers.									
				<i>Utricularia gayana</i> A.DC.									
				<i>Utricularia gibba</i> L. subsp. <i>exoleta</i> (R.Br.) P.Taylor									
				<i>Utricularia gibba</i> L. subsp. <i>gibba</i>									
				<i>Utricularia gibbosa</i> Hill									
				<i>Utricularia gracilis</i> Kunth									
				<i>Utricularia gracilis</i> Lehm. ex Oliver									
				<i>Utricularia integra</i> Leconte ex Elliott									
				<i>Utricularia integra</i> Leconte									
				<i>Utricularia kalmaloensis</i> A.Chev.									
				<i>Utricularia khasiana</i> Joseph & Mani									
				<i>Utricularia longirostris</i> Leconte ex Elliott									
				<i>Utricularia macrorhyncha</i> Barnhart									
				<i>Utricularia nagurai</i> Makino									
				<i>Utricularia natans</i> Salzm.									
				<i>Utricularia natans</i> Salzm. var. <i>rigida</i> Salzm.									
				<i>Utricularia obtusa</i> Sw.									
				<i>Utricularia pallens</i> A.St.-Hil. & Girard									
				<i>Utricularia pallens</i> A.St.-Hil. & Girard var. <i>natans</i> Salzm.									
				<i>Utricularia parkeriana</i> A.DC.									
				<i>Utricularia pauciflora</i> Blume									
				<i>Utricularia pterosperma</i> Edgew.									
				<i>Utricularia pumila</i> Walter									
				<i>Utricularia riccioides</i> A.Chev.									
				<i>Utricularia roxburghii</i> Spreng.									
				<i>Utricularia saharunporensis</i> Royle ex Oliv.									
				<i>Utricularia secunda</i> Benj.									
				<i>Utricularia spirandra</i> C.Wright ex Griseb.									
				<i>Utricularia tenuifolia</i> Benj.									
				<i>Utricularia tenuis</i> Cav.									
				<i>Utricularia tenuis</i> Cav. var. <i>poepigii</i> A.DC.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Utricularia tinguensis</i> Merl ex Luetzelb. <i>Utricularia tricrenata</i> Baker ex Hiern <i>Vesiculina gibba</i> (L.) Raf.									
562.	Magnoliophyta	Lentibulariaceae	<i>Utricularia uliginosa</i> Vahl	<i>Utricularia affinis</i> Wight <i>Utricularia affinis</i> Wight var. <i>griffithii</i> (Wight) Oliv. <i>Utricularia affinis</i> Wight var. <i>griffithii</i> (Wight) Oliv. ex C.B.Clarke <i>Utricularia brachypoda</i> Wight <i>Utricularia caerulea</i> L. var. <i>affinis</i> (Wight) Thwaites <i>Utricularia cyanea</i> R.Br. <i>Utricularia decipiens</i> Dalzell <i>Utricularia elachista</i> K.I.Goebel <i>Utricularia graminifolia</i> Banks & Sol. ex Oliv. <i>Utricularia griffithii</i> Wight <i>Utricularia intricata</i> Griff. ex Oliv. <i>Utricularia lilacina</i> Griff. <i>Utricularia macrophylla</i> Masam. & Syozi <i>Utricularia nayarii</i> Janarth. & A.N.Henry	Presumed nationally extinct				✓				
			See Corrigenda of 13 May 2013 .	<i>Utricularia reticulata</i> Sm. var. <i>uliginosa</i> (Vahl) C.B.Clarke									
				<i>Utricularia yakusimensis</i> Masam.									
563.	Magnoliophyta	Linaceae	<i>Indorouchera griffithiana</i> (Planch.) Hallier f.	<i>Roucheria griffithiana</i> Planch	Common				✓	✓	✓	✓	
564.	Magnoliophyta	Linderniaceae	<i>Legazpia polygonoides</i> (Benth.) T. Yamaz.	<i>Torenia polygonoides</i> Benth.	Cryptogenic					✓			
565.	Magnoliophyta	Linderniaceae	<i>Lindernia antipoda</i> (L.) Alston	<i>Ilysanthes antipoda</i> (L.) Merr. <i>Lindernia veronicifolia</i> (Retz.) F. Muell. <i>Ruellia antipoda</i> L. <i>Vandellia antipoda</i> (L.) T. Yamaz. <i>Vandellia veronicifolia</i> (Retz.) Haines	Cryptogenic				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
566.	Magnoliophyta	Linderniaceae	<i>Lindernia crustacea</i> (L.) F.Muell.	<i>Antirrhinum hexandrum</i> Forssk. <i>Antirrhinum hexandrum</i> G.Forst. <i>Buchnera capillaris</i> Desv. ex Ham. <i>Capraria crustacea</i> L. <i>Gratiola aspera</i> Roth <i>Gratiola lucida</i> Willd. <i>Gratiola lucida</i> Vahl. <i>Hornemannia ovata</i> Link & Otto <i>Linaria hexandra</i> F.Dietr. <i>Mimulus javanicus</i> Blume <i>Morgania aspera</i> Spreng. <i>Morgania lucida</i> Spreng. <i>Pentsteira paniculata</i> Griff. <i>Pyxidaria crustacea</i> (L.) Kuntze <i>Tittmannia ovata</i> Rchb. <i>Tittmannia scabra</i> (R.Br.) Spreng. <i>Torenia crustacea</i> (L.) Cham. & Schltdl. <i>Torenia flaccida</i> R.Br. <i>Torenia lucida</i> Buch.-Ham. ex Wall. <i>Torenia ovata</i> Sweet <i>Torenia rubella</i> Buch.-Ham. <i>Torenia scabra</i> R.Br. <i>Torenia varians</i> Roxb. <i>Ucnopsolen cordatum</i> Raf. <i>Vandellia alba</i> Benth. <i>Vandellia bodinieri</i> H.Lév. <i>Vandellia crustacea</i> (L.) Benth.	Cryptogenic				✓				
567.	Magnoliophyta	Loganiaceae	<i>Norrisia maior</i> Solered.		Critically endangered				✓				
568.	Magnoliophyta	Loganiaceae	<i>Strychnos axillaris</i> Colebr.		Critically endangered				✓		✓	✓	
569.	Magnoliophyta	Loganiaceae	<i>Strychnos ignatii</i> P.J.Bergius	<i>Ignatia amara</i> L.f. <i>Ignatiana philippinica</i> Lour.	Vulnerable				✓		✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Strychnos hainanensis</i> Merr. & Chun <i>Strychnos ovalifolia</i> Wall. ex G.Don									
570.	Magnoliophyta	Loranthaceae	<i>Elytranthe globosa</i> (Roxb.) G.Don		Presumed nationally extinct					✓			
571.	Magnoliophyta	Loranthaceae	<i>Macrosolen cochinchinensis</i> (Lour.) Tiegh.	<i>Elytranthe ampullacea</i> (Roxb.) G.Don var. <i>tonkinensis</i> Lecomte <i>Elytranthe cochinchinensis</i> (Lour.) G.Don var. <i>tonkinensis</i> (Lecomte) H.L.Li <i>Hillia longiflora</i> Blanco <i>Loranthus ampullaceus</i> Roxb. <i>Loranthus cochinchinensis</i> Lour. <i>Loranthus fordii</i> Hance <i>Macrosolen fordii</i> (Hance) Danser <i>Tristerix viridiflorus</i> Mart.	Common	✓			✓				
572.	Magnoliophyta	Lythraceae	<i>Sonneratia ovata</i> Backer		Critically endangered				✓				
573.	Magnoliophyta	Maesaceae	<i>Maesa ramentacea</i> (Roxb.) A.DC.	<i>Baeobotrys ramentacea</i> Roxb.	Common					✓			
574.	Magnoliophyta	Magnoliaceae	<i>Magnolia acuminata</i> (L.) L. var. <i>acuminata</i>	<i>Magnolia acuminata</i> (L.) L. f. <i>aurea</i> (Ashe) Hardin <i>Magnolia acuminata</i> (L.) L. var. <i>aurea</i> (Ashe) Ashe <i>Magnolia acuminata</i> (L.) L. var. <i>candollei</i> DC. <i>Magnolia acuminata</i> (L.) L. var. <i>ludoviciana</i> Sarg. <i>Magnolia acuminata</i> (L.) L. var. <i>maxima</i> Lodd. ex Loudon <i>Magnolia acuminata</i> (L.) L. var. <i>ozarkensis</i> Ashe <i>Magnolia acuminata</i> (L.) L. subsp. <i>ozarkensis</i> (Ashe) A.E.Murray <i>Magnolia candollei</i> Link <i>Magnolia decandollei</i> Savi <i>Magnolia pennsylvanica</i> DC.	Presumed nationally extinct					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Magnolia rustica</i> DC. <i>Tulipastrum acuminatum</i> var. <i>aureum</i> Ashe <i>Tulipastrum acuminatum</i> (L.) Small var. <i>ludovicianum</i> (Sarg.) Ashe <i>Tulipastrum acuminatum</i> (L.) Small var. <i>ozarkense</i> (Ashe) Ashe <i>Tulipastrum americanum</i> Spach									
575.	Magnoliophyta	Magnoliaceae	<i>Magnolia singapurensis</i> (Ridl.) H.Keng	<i>Magnolia candollei</i> (Blume) J.Keng var. <i>singapurensis</i> (Ridl.) Noot. <i>Magnolia liliifera</i> (L.) Baill. var. <i>singapurensis</i> (Ridl.) Govaerts <i>Talauma kuteinensis</i> A.Agostini <i>Talauma peninsularis</i> Dandy <i>Talauma singapurensis</i> Ridl.	Endangered	✓	✓	✓	✓	✓			
576.	Magnoliophyta	Magnoliaceae	<i>Magnolia villosa</i> (Miq.) H.Keng	<i>Magnolia lanigera</i> (Hook.f. & Thomson) H.J.Chowdhery & P.Daniel <i>Talauma lanigera</i> Hook.f. & Thomson <i>Talauma rabaniana</i> Hook.f. & Thomson var. <i>villosa</i> (Miq.) P.Parm. <i>Talauma villosa</i> Miq.	Critically endangered					✓			
577.	Magnoliophyta	Malpighiaceae	<i>Aspidopterys concava</i> (Wall.) Juss.	<i>Aspidopterys concava</i> (Wall.) Juss. var. <i>sumatrana</i> Nied. <i>Hiraea concava</i> Wall. <i>Hiraea merguensis</i> Wight	Endangered	✓		✓	✓			✓	
578.	Magnoliophyta	Malvaceae	<i>Byttneria maingrayi</i> Mast.		Critically endangered	✓		✓	✓			✓	
579.	Magnoliophyta	Malvaceae	<i>Coelostegia griffithii</i> Benth.	<i>Coelostegia sumatrana</i> Becc.	Critically endangered					✓			
580.	Magnoliophyta	Malvaceae	<i>Commersonia bartramia</i> (L.) Merr.	<i>Commersonia echinata</i> J.R.Forst. & G.Forst.	Common	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Commersonia echinata</i> J.R.Forst. & G.Forst. var. <i>bancroftii</i> F.M.Bailey <i>Commersonia echinata</i> var. <i>javana</i> Gagnep. <i>Commersonia javensis</i> G.Don <i>Muntingia bartramia</i> L. <i>Restiaria echinata</i> Kuntze <i>Ricinus odoratus</i> Noronha									
581.	Magnoliophyta	Malvaceae	<i>Corchorus capsularis</i> L.	<i>Corchorus cordifolius</i> Salisb. <i>Corchorus marua</i> Buch.-Ham. <i>Rhizanota cannabina</i> Lour. ex Gomes Mach.	Critically endangered				✓				
582.	Magnoliophyta	Malvaceae	<i>Durio singaporensis</i> Ridl.		Vulnerable				✓			✓	
583.	Magnoliophyta	Malvaceae	<i>Durio zibethinus</i> L.	<i>Durio acuminatissimus</i> Merr. <i>Durio stercoraceus</i> Noronha	Exotic				✓				
584.	Magnoliophyta	Malvaceae	<i>Grewia laevigata</i> Vahl	<i>Grewia acuminata</i> Juss. <i>Grewia mallococa</i> Blanco <i>Grewia multiflora</i> Blanco <i>Grewia odorata</i> Blume <i>Grewia ovalifolia</i> Juss. <i>Grewia pedicellata</i> Roxb. <i>Grewia scabrida</i> Wall. ex Kurz <i>Grewia umbellata</i> Roxb. ex DC. <i>Leptonychia acuminata</i> Burret <i>Mallococca parva</i> Blanco	Vulnerable				✓	✓	✓	✓	
585.	Magnoliophyta	Malvaceae	<i>Heritiera elata</i> Ridl.		Endangered								✓
586.	Magnoliophyta	Malvaceae	<i>Microcos antidesmifolia</i> Burret	<i>Grewia antidesmifolia</i> King <i>Grewia antidesmifolia</i> King var. <i>hirsuta</i> King	Presumed nationally extinct					✓			
587.	Magnoliophyta	Malvaceae	<i>Microcos latifolia</i> Burret	<i>Grewia blattaefolia</i> Corner	Critically endangered				✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
588.	Magnoliophyta	Malvaceae	<i>Microcos tomentosa</i> Sm.	<i>Grewia affinis</i> Hassk. <i>Grewia blumei</i> Hassk. <i>Grewia paniculata</i> Roxb. <i>Grewia paniculata</i> DC.	Presumed nationally extinct					✓			
589.	Magnoliophyta	Malvaceae	<i>Neesia malayana</i> Bakh.		Presumed nationally extinct			✓				✓	
590.	Magnoliophyta	Malvaceae	<i>Neesia synandra</i> Mast.		Vulnerable	✓							
591.	Magnoliophyta	Malvaceae	<i>Pentace triptera</i> Mast.		Endangered	✓	✓		✓			✓	
592.	Magnoliophyta	Malvaceae	<i>Pterospermum sumatranum</i> Miq.		Presumed nationally extinct			✓					
593.	Magnoliophyta	Malvaceae	<i>Scaphium affine</i> (Mast.) Pierre	<i>Clompanus affinis</i> (Mast.) Kuntze <i>Firmiana affinis</i> (Mast.) A.Terracc. <i>Firmiana lychnophora</i> (Hance) K.Schum. <i>Scaphium beccarianum</i> Pierre <i>Scaphium lychnophorum</i> (Hance) Pierre <i>Sterculia affinis</i> Mast. <i>Sterculia beccariana</i> Pierre <i>Sterculia lychnophora</i> Hance	Critically endangered								✓
594.	Magnoliophyta	Malvaceae	<i>Scaphium linearicarpum</i> (Mast.) Pierre	<i>Clompanus linearicarpa</i> (Mast.) Kuntze <i>Firmiana linearicarpa</i> (Mast.) A.Terracc. <i>Scaphium velutinosum</i> Kosterm. <i>Sterculia linearicarpa</i> Mast.	Critically endangered				✓				
595.	Magnoliophyta	Malvaceae	<i>Scaphium macropodum</i> (Miq.) Beumée ex K.Heyne	<i>Carpophyllum macropodum</i> Miq. <i>Firmiana borneensis</i> Merr. <i>Scaphium borneense</i> (Merr.) Kosterm. <i>Sterculia macropoda</i> (Miq.) Hook. ex Kloppenb.	Endangered	✓	✓		✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
596.	Magnoliophyta	Malvaceae	<i>Sida rhombifolia</i> L. subsp. <i>rhombifolia</i>		Cryptogenic			✓					
597.	Magnoliophyta	Malvaceae	<i>Sterculia balanghas</i> L.	<i>Balanghas telabo</i> Raf. <i>Southwellia angustifolia</i> Wight <i>Southwellia balanghas</i> Spach	Exotic						✓	✓	
598.	Magnoliophyta	Malvaceae	<i>Sterculia lanceolata</i> Blume var. <i>coccinea</i> (Jack) C.Phengklai		Exotic							✓	
599.	Magnoliophyta	Marantaceae	<i>Stachyphrynium latifolium</i> (Blume) K.Schum.	<i>Curcuma musacea</i> Wall. <i>Hitchenia musacea</i> Baker <i>Phrynium cylindricum</i> Ridl. <i>Phrynium griffithii</i> Baker <i>Phrynium latifolium</i> Blume <i>Phrynium spicatum</i> Griff. <i>Phyllodes laxifolia</i> (Blume) Kuntze <i>Stachyphrynium cylindricum</i> K.Schum. <i>Stachyphrynium griffithii</i> (Baker) K.Schum.	Endangered				✓				
600.	Magnoliophyta	Melastomat- aceae	<i>Clidemia hirta</i> (L.) D.Don	<i>Clidemia elegans</i> (Aubl.) D.Don <i>Clidemia hirta</i> (L.) D.Don var. <i>chrysantha</i> Cogn. <i>Clidemia hirta</i> (L.) D.Don var. <i>elegans</i> (Aubl.) Griseb. <i>Melastoma elegans</i> Aubl. <i>Melastoma hirtum</i> L. <i>Staphidium elegans</i> (Aubl.) Naudin	Exotic	✓				✓		✓	
			See Corrigenda of 13 May 2013 .										
601.	Magnoliophyta	Melastomat- aceae	<i>Diplectria divaricata</i> (Willd.) Kuntze		Critically endangered				✓				
602.	Magnoliophyta	Melastomat- aceae	<i>Diplectria viminalis</i> (Jack) Kuntze		Critically endangered				✓				
603.	Magnoliophyta	Melastomat- aceae	<i>Dissochaeta echinulata</i> (Naudin) Clausing		Critically endangered				✓	✓	✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
604.	Magnoliophyta	Melastomat-aceae	<i>Dissochaeta gracilis</i> Jack (Blume)		Vulnerable						✓	✓	
605.	Magnoliophyta	Melastomat-aceae	<i>Dissochaeta monticola</i> Blume		Critically endangered				✓				
606.	Magnoliophyta	Melastomat-aceae	<i>Dissochaeta pallida</i> (Jack) Blume		Endangered			✓	✓	✓			
607.	Magnoliophyta	Melastomat-aceae	<i>Dissochaeta punctulata</i> Hook.f. ex Triana		Vulnerable				✓	✓			
608.	Magnoliophyta	Melastomat-aceae	<i>Macrolenes echinulata</i> (Naudin) Bakh.f.		Critically endangered				✓	✓			
609.	Magnoliophyta	Melastomat-aceae	<i>Melastoma malabathricum</i> L.	<i>Melastoma affine</i> D.Don <i>Melastoma candidum</i> D.Don <i>Melastoma cavaleriei</i> H.Lév. & Vaniot <i>Melastoma esquirolii</i> H.Lév. <i>Melastoma malabathricum</i> L. var. <i>normale</i> (D.Don) R.C.Srivast. <i>Melastoma malabathricum</i> L. subsp. <i>normale</i> (D.Don) K.Mey. <i>Melastoma normale</i> D.Don <i>Melastoma polyanthum</i> Blume	Common					✓			
610.	Magnoliophyta	Melastomat-aceae	<i>Memecylon edule</i> Roxb.		Endangered	✓	✓						
611.	Magnoliophyta	Melastomat-aceae	<i>Memecylon garcinioides</i> Blume		Critically endangered				✓			✓	
612.	Magnoliophyta	Melastomat-aceae	<i>Memecylon lilacinum</i> Zoll. & Mor.		Critically endangered	✓	✓	✓	✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
613.	Magnoliophyta	Melastomat-aceae	<i>Memecylon megacarpum</i> Furtado		Endangered			✓	✓				
614.	Magnoliophyta	Melastomat-aceae	<i>Pachycentria maingayi</i> (C.B.Clarke) Maxw.		Critically endangered			✓		✓			
615.	Magnoliophyta	Melastomat-aceae	<i>Pternandra caerulescens</i> Jack		Vulnerable	✓	✓	✓	✓	✓	✓	✓	M
616.	Magnoliophyta	Melastomat-aceae	<i>Pternandra echinata</i> Jack		Vulnerable			✓		✓		✓	M
617.	Magnoliophyta	Melastomat-aceae	<i>Pternandra tuberculata</i> (Korth.) Nayar		Critically endangered			✓					
618.	Magnoliophyta	Melastomat-aceae	<i>Sonerila heterostemon</i> Naudin		Critically endangered	✓							
619.	Magnoliophyta	Melastomat-aceae	<i>Sonerila moluccana</i> Roxb.		Critically endangered				✓				
620.	Magnoliophyta	Meliaceae	<i>Aglaia lawii</i> (Wight) C.J.Saldanha subsp. <i>oligocarpa</i> (Miq.) Pannell	<i>Aglaia maingayi</i> (Hiern) King <i>Aglaia oligocarpa</i> Miq. <i>Aglaia trimera</i> Merr.	Critically endangered	✓	✓						
621.	Magnoliophyta	Meliaceae	<i>Aglaia leptantha</i> Miq.	<i>Aglaia annamensis</i> Pellegr. <i>Aglaia gamopetala</i> Merr. <i>Aglaia glabriflora</i> Hiern <i>Aglaia glabrifolia</i> Merr. <i>Aglaia laevigata</i> Merr.	Critically endangered				✓	✓			
622.	Magnoliophyta	Meliaceae	<i>Aglaia odoratissima</i> Blume	<i>Aglaia affinis</i> Merr. <i>Aglaia cuspidella</i> Ridl. <i>Aglaia diepenhorstii</i> Miq. <i>Aglaia fraseri</i> Ridl. <i>Aglaia heterophylla</i> Merr.	Critically endangered	✓	✓		✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Aglaia paniculata</i> Kurz <i>Milnea blumei</i> Teijsm. & Binn.									
623.	Magnoliophyta	Meliaceae	<i>Aglaia oligophylla</i> Miq.	<i>Aglaia anonoides</i> Elmer ex Merr. <i>Aglaia bordenii</i> Merr. <i>Aglaia euphorioides</i> Pierre <i>Aglaia fusca</i> King <i>Aglaia glaucescens</i> King <i>Aglaia oligantha</i> C.DC. <i>Aglaia pedicellaris</i> C.DC. <i>Aglaia quocensis</i> Pierre <i>Aglaia ridleyi</i> P.T.Li & X.M.Chen <i>Aphanamixis reticulosa</i> Kosterm. <i>Milnea montana</i> Miq.	Presumed nationally extinct	✓							
624.	Magnoliophyta	Meliaceae	<i>Aglaia rubiginosa</i> (Hiern) Pannell	<i>Aglaia ignea</i> Valetton ex K.Heyne <i>Amoora rubiginosa</i> Hiern <i>Aphanamixis rubiginosa</i> Griff. ex C.DC.	Critically endangered	✓	✓		✓				
625.	Magnoliophyta	Meliaceae	<i>Aglaia simplicifolia</i> (Bedd.) Harms	<i>Aglaia gagnepainiana</i> Pellegr. <i>Aglaia haplophylla</i> Harms <i>Aglaia heterobotrys</i> Merr. <i>Aglaia matthewsii</i> Merr. <i>Aglaia meliosmoides</i> Craib <i>Aglaia mirabilis</i> Harms <i>Aglaia neotenica</i> Kosterm. <i>Aglaia odoardi</i> Merr. <i>Aglaia polyantha</i> Ridl. <i>Aglaia schumanniana</i> Harms <i>Aglaia shawiana</i> Merr. <i>Aglaia sterculioides</i> Kosterm. <i>Aglaia triandra</i> Ridl. <i>Aglaia unifoliolata</i> Ridl. <i>Beddomea racemosa</i> Ridl. <i>Beddomea simplicifolia</i> Bedd.	Critically endangered			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
626.	Magnoliophyta	Meliaceae	<i>Aphanamixis polystachya</i> (Wall.) Parker	<i>Aglaia aphanamixis</i> Pellegr. <i>Aglaia beddomei</i> (Kosterm.) S.S.Jain & R.C.Gaur <i>Aglaia cochinchinensis</i> (Pierre) Pellegr. <i>Aglaia janowskyi</i> Harms <i>Aglaia polystachya</i> Wall. <i>Amoora amboinensis</i> Miq. <i>Amoora beddomei</i> Kosterm. <i>Amoora grandifolia</i> Walp. <i>Aphanamixis agusanensis</i> Elmer <i>Aphanamixis amboinensis</i> (Miq.) Harms <i>Aphanamixis apoensis</i> Elmer <i>Aphanamixis blumei</i> Span. <i>Aphanamixis cochinchinensis</i> Pierre <i>Aphanamixis coriacea</i> Merr. <i>Aphanamixis cumingiana</i> (C.DC.) Harms <i>Aphanamixis davaoensis</i> Elmer <i>Aphanamixis elmeri</i> (Merr.) Merr. <i>Aphanamixis grandiflora</i> Blume <i>Aphanamixis grandifolia</i> Blume <i>Aphanamixis lauterbachii</i> Harms <i>Aphanamixis macrocalyx</i> Harms <i>Aphanamixis myrmecophila</i> (Warb.) Harms <i>Aphanamixis obliquifolia</i> Elmer <i>Aphanamixis perrottetiana</i> A.Juss. <i>Aphanamixis pinatubensis</i> Elmer <i>Aphanamixis polillensis</i> (C.B.Rob.) Merr. <i>Aphanamixis rohituka</i> (Roxb.) Pierre <i>Aphanamixis schlechteri</i> Harms <i>Aphanamixis sinensis</i> F.C.How & T.C.Chen <i>Aphanamixis timorensis</i> A.Juss. <i>Aphanamixis tripetala</i> (Blanco) Merr. <i>Aphanamixis velutina</i> Elmer <i>Canarium vrieseo-teysmannii</i> H.J.Lam <i>Chuniodendron spicatum</i> Hu <i>Chuniodendron yunnanense</i> Hu <i>Dysoxylum spiciflorum</i> Zipp. ex Miq.	Endangered			✓	✓		✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Trichilia tripetala</i> Blanco									
627.	Magnoliophyta	Meliaceae	<i>Aphanamixis sumatrana</i> (Miq.) Ridl.	<i>Amoora sumatrana</i> Miq. <i>Ricinocarpodendron sumatranum</i> (Miq.) Mabb.	Presumed nationally extinct					✓			
628.	Magnoliophyta	Meliaceae	<i>Chisocheton erythrocarpus</i> Hiern		Critically endangered					✓			
629.	Magnoliophyta	Meliaceae	<i>Dysoxylum cauliflorum</i> Hiern	<i>Alliaria beccariana</i> Kuntze <i>Alliaria cuneata</i> Kuntze <i>Alliaria hiernii</i> Kuntze <i>Dysoxylum angustifoliolum</i> Merr. <i>Dysoxylum beccarianum</i> C.DC. <i>Dysoxylum cauliflorum</i> Hiern var. <i>tomentellum</i> Stapf <i>Dysoxylum cuneatum</i> Hiern <i>Dysoxylum foxworthyi</i> Elmer <i>Epicharis angustifoliola</i> (Merr.) Harms <i>Epicharis cuneata</i> (Hiern) Harms <i>Epicharis foxworthyi</i> (Elmer) Harms <i>Epicharis hierniana</i> (Hiern) Harms	Vulnerable	✓	✓		✓	✓	✓	✓	
630.	Magnoliophyta	Meliaceae	<i>Dysoxylum cyrtobotryum</i> Miq.	<i>Alliaria cyrtobotrya</i> Kuntze <i>Alliaria lobbii</i> Kuntze <i>Alliaria multijuga</i> Kuntze <i>Dysoxylum alternatum</i> Ridl. <i>Dysoxylum andamanicum</i> King <i>Dysoxylum aurantiacum</i> Elmer <i>Dysoxylum bakeri</i> Elmer <i>Dysoxylum benguetense</i> Elmer <i>Dysoxylum biloculare</i> Koord. & Valetton <i>Dysoxylum blumei</i> Miq. <i>Dysoxylum cochinchinense</i> Pierre <i>Dysoxylum cyrtobotryum</i> Miq. f. <i>borneense</i> Miq. <i>Dysoxylum harmandianum</i> Pierre	Presumed nationally extinct	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Dysoxylum hexandrum</i> Merr. <i>Dysoxylum heyneanum</i> Valetton ex K.Heyne <i>Dysoxylum kinabaluense</i> Merr. <i>Dysoxylum lobbii</i> C.DC. <i>Dysoxylum multifoliolatum</i> P.T.Li & X.M.Chen <i>Dysoxylum multijugum</i> (Blume) Adelb. <i>Dysoxylum oblongifoliolum</i> Quisumb. & Merr. <i>Dysoxylum panayense</i> Merr. <i>Dysoxylum racemosum</i> King <i>Dysoxylum tpongense</i> Pierre <i>Dysoxylum venulosum</i> King <i>Heynea multijuga</i> Blume									
631.	Magnoliophyta	Meliaceae	<i>Dysoxylum densiflorum</i> (Blume) Miq.	<i>Alliaria densiflora</i> Kuntze <i>Alliaria griffithii</i> Kuntze <i>Alliaria trichostyla</i> Kuntze <i>Dysoxylum densiflorum</i> (Blume) Miq. var. <i>minus</i> Koord. & Valetton <i>Dysoxylum elmeri</i> Merr. <i>Dysoxylum griffithii</i> Hiern <i>Dysoxylum trichostylum</i> Miq. <i>Dysoxylum trichostylum</i> Miq. f. <i>pubescens</i> Miq. <i>Epicharis altissima</i> Blume <i>Epicharis densiflora</i> Blume <i>Guarea densiflora</i> Spreng. <i>Hartighsea ramiflora</i> Griff.	Critically endangered	✓	✓						
632.	Magnoliophyta	Meliaceae	<i>Dysoxylum excelsum</i> Blume	<i>Alliaria procera</i> Kuntze <i>Dysoxylon gobara</i> (Buch.-Ham.) Merr. <i>Dysoxylum altissimum</i> Merr. <i>Dysoxylum arnoldianum</i> K.Schum. <i>Dysoxylum excelsum</i> Blume var. <i>hasseltii</i> Miq. <i>Dysoxylum excelsum</i> Blume var. <i>parvifolium</i> Koord. & Valetton <i>Dysoxylum excelsum</i> Blume var. <i>pedicellatum</i> Koord. & Valetton	Critically endangered	✓	✓	✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H									
				<i>Dysoxylum gobara</i> (Buch.-Ham.) Merr. <i>Dysoxylum hasseltii</i> (Miq.) Koord. & Valetton <i>Dysoxylum havilandii</i> Ridl. <i>Dysoxylum hubertii</i> Harms <i>Dysoxylum macgregorii</i> C.DC. <i>Dysoxylum microbotrys</i> King <i>Dysoxylum motleyanum</i> (C.DC.) Ridl. <i>Dysoxylum pallidum</i> Merr. <i>Dysoxylum peerisiae</i> Kosterm. <i>Dysoxylum procerum</i> Hiern <i>Dysoxylum procerum</i> Hiern var. <i>integrum</i> C.DC. <i>Dysoxylum procerum</i> Hiern var. <i>macranthum</i> C.DC. <i>Dysoxylum procerum</i> Hiern var. <i>motleyanum</i> C.DC. <i>Dysoxylum turbinatum</i> King <i>Epicharis procera</i> (Hiern) Pierre <i>Guarea acuminata</i> Wall. <i>Guarea gobara</i> Buch.-Ham. <i>Guarea oblonga</i> Wall. <i>Hartighsea excelsa</i> A.Juss. <i>Hartighsea gobara</i> Wight & Arn. ex Voigt											
633.	Magnoliophyta	Meliaceae	<i>Dysoxylum flavescens</i> Hiern	<i>Alliaria flavescens</i> Kuntze	Critically endangered	✓			✓						
634.	Magnoliophyta	Meliaceae	<i>Lansium domesticum</i> Corrêa	<i>Aglaia aquea</i> (Jacq.) Kosterm. <i>Aglaia domestica</i> (Corrêa ex Jack) Pellegr. <i>Aglaia dookoo</i> Griff. <i>Aglaia intricatoreticulata</i> Kosterm. <i>Aglaia merrillii</i> Elmer <i>Aglaia sepalina</i> (Kosterm.) Kosterm. <i>Aglaia steenisii</i> Kosterm. <i>Amoora racemosa</i> Ridl. <i>Lachanodendron domesticum</i> Nees	Exotic	✓	✓								
635.	Magnoliophyta	Meliaceae	<i>Pseudoclausena chrysogyne</i> (Miq.) T.P.Clark	<i>Walsura chrysogyne</i> (Miq.) Bakh.f.	Critically endangered	✓			✓			✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
636.	Magnoliophyta	Meliaceae	<i>Sandoricum beccarianum</i> Baill.		Critically endangered	✓	✓					✓	
637.	Magnoliophyta	Meliaceae	<i>Sandoricum koetjape</i> (Burm.f.) Merr.	<i>Azedarach edule</i> Noronha <i>Melia koetjape</i> Burm.f. <i>Sandoricum indicum</i> Cav. <i>Trichilia nervosa</i> Vahl <i>Trichilia venosa</i> Spreng.	Endangered				✓				
638.	Magnoliophyta	Meliaceae	<i>Xylocarpus granatum</i> J.Koenig	<i>Xylocarpus obovatus</i> Juss.	Common			✓					
639.	Magnoliophyta	Menispermaceae	<i>Coscinium fenestratum</i> (Gaertn.) Colebr.	<i>Coscinium maingayi</i> Pierre <i>Coscinium miosepalum</i> Diels <i>Coscinium peltatum</i> Merr. <i>Coscinium usitatum</i> Pierre <i>Coscinium wallichianum</i> Miers <i>Coscinium wightianum</i> Miers ex Diels <i>Menispermum fenestratum</i> Gaertn.	Endangered				✓				
640.	Magnoliophyta	Menispermaceae	<i>Cyclea laxiflora</i> Miers		Critically endangered				✓				
641.	Magnoliophyta	Menispermaceae	<i>Fibraurea tinctoria</i> Lour.	<i>Cocculus fibraurea</i> DC. <i>Fibraurea chloroleuca</i> Miers <i>Fibraurea fasciculata</i> Miers <i>Fibraurea laxa</i> Miers <i>Fibraurea manipurensis</i> Brace ex Diels <i>Fibraurea trotteri</i> Watt ex Diels <i>Menispermum tinctorium</i> Spreng.	Common	✓			✓	✓	✓	✓	
642.	Magnoliophyta	Menispermaceae	<i>Hypserpa nitida</i> Miers	<i>Hypserpa cuspidata</i> (Hook.f. & Thomson) Miers <i>Hypserpa laevifolia</i> Diels <i>Limacia cuspidata</i> Hook.f. & Thomson	Critically endangered							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
643.	Magnoliophyta	Menispermaceae	<i>Limacia oblonga</i> Hook.f. & Thomson		Endangered				✓				
644.	Magnoliophyta	Menispermaceae	<i>Limacia scandens</i> Lour.		Vulnerable	✓			✓	✓	✓	✓	
645.	Magnoliophyta	Menispermaceae	<i>Stephania capitata</i> (Blume) Spreng.	<i>Clypea capitata</i> Blume	Critically endangered	✓		✓	✓	✓	✓		
646.	Magnoliophyta	Menispermaceae	<i>Tinomiscium petiolare</i> Miers ex Hook.f. & Thomson	<i>Tinomiscium tonkinense</i> Gagnep.	Endangered							✓	✓
647.	Magnoliophyta	Menispermaceae	<i>Tinospora crispa</i> (L.) Hook.f. & Thomson	<i>Menispermum crispum</i> L. <i>Tinospora gibbericaulis</i> Hand.-Mazz. <i>Tinospora mastersii</i> Diels <i>Tinospora rumphii</i> Boerl. <i>Tinospora thorelii</i> Gagnep.	Exotic								✓
648.	Magnoliophyta	Menispermaceae	<i>Tinospora macrocarpa</i> Diels		Critically endangered	✓						✓	
649.	Magnoliophyta	Monimiaceae	<i>Kibara coriacea</i> (Blume) Tulasne	<i>Brongniartia coriacea</i> Blume	Critically endangered	✓	✓						
650.	Magnoliophyta	Monimiaceae	<i>Matthaea sancta</i> Blume	<i>Mollinedia sancta</i> Baill.	Endangered	✓		✓					
651.	Magnoliophyta	Moraceae	<i>Artocarpus altilis</i> (Parkinson) Fosberg	<i>Artocarpus altilis</i> (Parkinson) Fosberg var. <i>non-seminiferus</i> (Duss) Fournet <i>Artocarpus altilis</i> (Parkinson) Fosberg var. <i>seminiferus</i> (Duss) Fournet <i>Artocarpus communis</i> J.R.Forst. & G.Forst. <i>Artocarpus incisifolius</i> Stokes <i>Artocarpus incisus</i> (Thunb.) L.f. <i>Artocarpus incisus</i> (Thunb.) L.f. var. <i>non-seminiferus</i> Duss	Exotic								✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Artocarpus incisus</i> (Thunb.) L.f. var. <i>seminiferus</i> Duss <i>Artocarpus laevis</i> Hassk. <i>Artocarpus papuanus</i> Diels <i>Artocarpus rima</i> Blanco <i>Radermachia incisa</i> Thunb. <i>Saccus laevis</i> Kuntze <i>Sitodium altile</i> Parkinson ex F.A.Zorn									
652.	Magnoliophyta	Moraceae	<i>Artocarpus anisophyllus</i> Miq.	<i>Artocarpus superbus</i> Becc. <i>Saccus anisophyllus</i> Kuntze	Endangered				✓			✓	
653.	Magnoliophyta	Moraceae	<i>Artocarpus dadah</i> Miq.	<i>Antiaris palembanica</i> Miq. <i>Artocarpus erythrocarpus</i> Korth. ex Miq. <i>Artocarpus inconstantissimus</i> (Miq.) Miq. <i>Artocarpus lakoocha</i> Roxb. var. <i>malayanus</i> King <i>Artocarpus mollis</i> Miq. <i>Artocarpus peltatus</i> Merr. <i>Artocarpus reniformis</i> Becc. <i>Artocarpus rufa</i> Miq. <i>Artocarpus rufescens</i> Miq. <i>Artocarpus tampang</i> Miq. <i>Ficus inconstantissima</i> Miq. <i>Ficus tampang</i> Miq. <i>Saccus dadah</i> Kuntze	Endangered		✓	✓	✓				
654.	Magnoliophyta	Moraceae	<i>Artocarpus elasticus</i> Reinw. ex Blume	<i>Artocarpus blumei</i> Trécul <i>Artocarpus kunstleri</i> King <i>Artocarpus scortechinii</i> King <i>Saccus blumei</i> Kuntze <i>Saccus elasticus</i> Kuntze	Common				✓	✓		✓	O&T
655.	Magnoliophyta	Moraceae	<i>Artocarpus fulvicortex</i> F.M.Jarrett		Critically endangered		✓		✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
656.	Magnoliophyta	Moraceae	<i>Artocarpus hispidus</i> F.M.Jarrett		Critically endangered				✓				
657.	Magnoliophyta	Moraceae	<i>Artocarpus integer</i> (Thunb.) Merr.	<i>Artocarpus champeden</i> (Lour.) Stokes <i>Artocarpus hirsutissimus</i> Kurz <i>Artocarpus integrifolius</i> L.f. <i>Artocarpus jaca</i> Miq. <i>Artocarpus pilosus</i> Reinw. ex Miq. <i>Artocarpus polyphemus</i> Pers. <i>Polyphema champeden</i> Lour. <i>Saccus integer</i> Kuntze	Exotic						✓		
658.	Magnoliophyta	Moraceae	<i>Artocarpus integer</i> (Thunb.) Merr. var. <i>silvestris</i> Corner		Critically endangered				✓				
659.	Magnoliophyta	Moraceae	<i>Artocarpus kemando</i> Miq.	<i>Artocarpus brunneifolius</i> S.Moore <i>Saccus kemando</i> Kuntze	Endangered	✓	✓		✓	✓		✓	
660.	Magnoliophyta	Moraceae	<i>Artocarpus lowii</i> King	<i>Saccus lowii</i> Kuntze	Critically endangered				✓				
661.	Magnoliophyta	Moraceae	<i>Artocarpus rigidus</i> Blume	<i>Artocarpus cuspidatus</i> Griff. <i>Artocarpus dimorphophyllus</i> Miq. <i>Artocarpus echinatus</i> Roxb. <i>Artocarpus kertau</i> Zoll. ex Miq. <i>Artocarpus muricatus</i> Hunter ex Ridl. <i>Artocarpus rotundus</i> (Houtt.) Panz. <i>Artocarpus varians</i> Miq. <i>Saccus dimorphophyllus</i> Kuntze <i>Saccus rigidus</i> Kuntze <i>Saccus varians</i> Kuntze	Vulnerable				✓		✓		
662.	Magnoliophyta	Moraceae	<i>Ficus apiocarpa</i> (Miq.) Miq.	<i>Ficus apiocarpa</i> (Miq.) Miq. var. <i>villosa</i> Corner <i>Ficus tetangis</i> Miq. <i>Urostigma apiocarpum</i> Miq.	Endangered				✓		✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
663.	Magnoliophyta	Moraceae	<i>Ficus aurata</i> Miq. var. <i>aurata</i>		Vulnerable				✓	✓			
664.	Magnoliophyta	Moraceae	<i>Ficus binnendijkii</i> Miq.	<i>Ficus ngii</i> Kochummen <i>Ficus peracuta</i> (Miq.) Miq. <i>Urostigma binnendijkii</i> Miq.	Critically endangered				✓	✓			
665.	Magnoliophyta	Moraceae	<i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King	<i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King var. <i>lanceolata</i> Corner <i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King var. <i>torulosa</i> King <i>Ficus lamponga</i> Miq. var. <i>chartacea</i> Wall. ex Kurz	Vulnerable				✓				
666.	Magnoliophyta	Moraceae	<i>Ficus consociata</i> Blume	<i>Ficus consociata</i> Blume var. <i>murtonii</i> King <i>Urostigma consociatum</i> Miq.	Critically endangered				✓	✓			
667.	Magnoliophyta	Moraceae	<i>Ficus crassiramea</i> (Miq.) Miq. subsp. <i>stupenda</i> (Miq.) C.C.Berg	<i>Ficus stupenda</i> Miq.	Critically endangered				✓				
668.	Magnoliophyta	Moraceae	<i>Ficus delosyce</i> Corner	<i>Ficus delosyce</i> Corner var. <i>obtusata</i> Corner	Critically endangered								✓
669.	Magnoliophyta	Moraceae	<i>Ficus excavata</i> King		Critically endangered								✓
670.	Magnoliophyta	Moraceae	<i>Ficus fistulosa</i> Reinw. ex Blume	<i>Covellia subopposita</i> Miq. <i>Covellia tuberculata</i> Miq. <i>Ficus condensa</i> King <i>Ficus curranii</i> Merr. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>angustifolia</i> Miq. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>cincta</i> Hochr. <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>lucbanensis</i> (Elmer) Corner <i>Ficus fistulosa</i> Reinw. ex Blume var. <i>obliqua</i> Miq.	Common				✓			✓	✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ficus fistulosa</i> Reinw. ex Blume var. <i>tengerensis</i> (Miq.) Kuntze <i>Ficus grandidens</i> Merr. <i>Ficus harlandii</i> Benth. <i>Ficus lucbanensis</i> Elmer <i>Ficus millingtonifolia</i> Griff. <i>Ficus polysyce</i> Ridl. <i>Ficus repandifolia</i> Elmer <i>Ficus rubrovenia</i> Merr. <i>Ficus tengerensis</i> Miq. <i>Ficus tuberculata</i> (Miq.) Miq.									
671.	Magnoliophyta	Moraceae	<i>Ficus glandulifera</i> (Wall. ex Miq.) King	<i>Ficus aurantiaca</i> (Miq.) Miq. <i>Ficus glandulifera</i> (Wall. ex Miq.) King var. <i>villosa</i> Corner <i>Ficus hasskarlii</i> Merr. <i>Ficus henschelii</i> Merr. <i>Pogonotrophe aurantiaca</i> Miq. <i>Pogonotrophe glandulifera</i> Miq. <i>Pogonotrophe sumatrana</i> Miq.	Critically endangered					✓			
672.	Magnoliophyta	Moraceae	<i>Ficus globosa</i> Blume	<i>Ficus globosa</i> Blume var. <i>manok</i> (Miq.) King <i>Ficus manok</i> (Miq.) Miq. <i>Ficus onusta</i> (Miq.) Wall. ex Miq. <i>Urostigma onustum</i> Miq.	Endangered				✓	✓	✓	✓	
673.	Magnoliophyta	Moraceae	<i>Ficus grossularioides</i> Burm.f.	<i>Ficus alba</i> Reinw. ex Blume <i>Ficus alba</i> Reinw. ex Blume var. <i>gossypina</i> (Wall. ex Miq.) Kuntze <i>Ficus alba</i> Reinw. ex Blume var. <i>mappan</i> (Miq.) Miq. <i>Ficus alba</i> Reinw. ex Blume var. <i>nudinervis</i> Kuntze <i>Ficus bicolor</i> Hook. ex Miq. <i>Ficus chloroleuca</i> Miq. <i>Ficus gossypina</i> Wall. ex Miq. <i>Ficus gossypina</i> Wall. ex Miq. f. <i>integrifolia</i> Miq.	Common				✓	✓		✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ficus gossypina</i> Wall. ex Miq. f. <i>lobata</i> Miq. <i>Ficus hunteri</i> Miq. <i>Ficus lobata</i> Hunter ex Ridl. <i>Ficus mappan</i> Miq. <i>Ficus nivea</i> Blume <i>Ficus palamoides</i> Voigt <i>Ficus palmata</i> Roxb.									
674.	Magnoliophyta	Moraceae	<i>Ficus heteropleura</i> Blume	<i>Ficus acuminata</i> Kunth & C.D.Bouché <i>Ficus caudatifolia</i> Warb. <i>Ficus caudatifolia</i> Warb. var. <i>eucaudata</i> (Elmer) Sata <i>Ficus caudatifolia</i> Warb. var. <i>ovata</i> Sata <i>Ficus crenulata</i> Hassk. <i>Ficus eucaudata</i> Elmer <i>Ficus euryifolia</i> Kunth & C.D.Bouché <i>Ficus heteropleura</i> Blume var. <i>mindanaensis</i> (Warb.) Corner <i>Ficus intermedia</i> Griff. <i>Ficus mindanaensis</i> Warb. <i>Ficus radicans</i> Roxb. <i>Ficus radicans</i> Roxb. var. <i>brevifolia</i> Miq. <i>Ficus rostrata</i> Lam. var. <i>urophylla</i> (Wall. ex Miq.) Valetton <i>Ficus urophylla</i> Wall. ex Miq.	Common	✓			✓	✓	✓	✓	
675.	Magnoliophyta	Moraceae	<i>Ficus laevis</i> Blume	<i>Ficus ceylanica</i> (Miq.) Miq. <i>Ficus emodi</i> (Wall. ex Miq.) Miq. <i>Ficus jamini</i> H.Lév. & Vaniot <i>Ficus laevis</i> Blume var. <i>assamica</i> (Miq.) Miq. <i>Ficus laevis</i> Blume var. <i>dasyphylla</i> (Miq.) King <i>Ficus laevis</i> Blume var. <i>tomentosa</i> King <i>Ficus subpedunculata</i> Miq. <i>Ficus vagans</i> Roxb. <i>Ficus zeylanica</i> Trimen <i>Pogonotrophe assamica</i> Miq.	Critically endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Pogonotrophe ceylanica</i> Miq. <i>Pogonotrophe dasyphylla</i> Miq. <i>Pogonotrophe emodi</i> Miq. <i>Pogonotrophe laevis</i> Miq. <i>Pogonotrophe vagans</i> Miq. <i>Pogonotrophe zeylanica</i> Walp.									
676.	Magnoliophyta	Moraceae	<i>Ficus microsyce</i> Ridl.		Critically endangered			✓					
677.	Magnoliophyta	Moraceae	<i>Ficus obscura</i> Blume	<i>Covellia dasycaula</i> Miq. <i>Ficus anonnifolia</i> Zipp. ex Miq. <i>Ficus dasycaula</i> (Miq.) Valetton <i>Ficus obscura</i> Blume var. <i>lanata</i> Kochummen <i>Ficus pisifera</i> Wall. ex Voigt var. <i>obscura</i> (Blume) Valetton <i>Urostigma zollingerianum</i> Miq.	Critically endangered			✓	✓	✓			
678.	Magnoliophyta	Moraceae	<i>Ficus pisifera</i> Wall. ex Voigt	<i>Covellia subdenticulata</i> Miq. <i>Ficus acuminatissima</i> Miq. <i>Ficus celebica</i> Reinw. ex Blume var. <i>kunstleri</i> King <i>Ficus celebica</i> Reinw. ex Blume var. <i>lanceolata</i> Sata <i>Ficus celebica</i> Reinw. ex Blume var. <i>ovata</i> Sata <i>Ficus flavocortica</i> Elmer <i>Ficus lancea</i> Miq. <i>Ficus lancifolia</i> Miq. <i>Ficus leucoxylon</i> Miq. <i>Ficus microtus</i> Miq. <i>Ficus microtus</i> Miq. var. <i>borneensis</i> Miq. <i>Ficus microtus</i> Miq. var. <i>parvifolia</i> Miq. <i>Ficus obscura</i> Blume var. <i>borneensis</i> (Miq.) Corner <i>Ficus obscura</i> Blume var. <i>kunstleri</i> (King) Corner <i>Ficus obscura</i> Blume var. <i>leucoxylon</i> (Miq.) Miq. <i>Ficus obscura</i> Blume var. <i>scaberrima</i> (Blume) Miq.	Critically endangered				✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ficus pisifera</i> Wall. ex Voigt var. <i>microtus</i> (Miq.) Kuntze <i>Ficus pisifera</i> Wall. ex Voigt var. <i>scaberrima</i> (Blume) Valeton <i>Ficus scaberrima</i> Blume <i>Ficus scaberrima</i> Blume var. <i>angustata</i> Miq. <i>Ficus scaberrima</i> Blume var. <i>pisifera</i> (Wall. ex Voigt) Hochr. <i>Ficus subdenticulata</i> (Miq.) Miq. <i>Ficus tremblas</i> Miq. <i>Ficus viridifolia</i> Merr.									
679.	Magnoliophyta	Moraceae	<i>Ficus pisocarpa</i> Blume	<i>Ficus cycloneura</i> (Miq.) King <i>Ficus episima</i> Corner <i>Ficus microstoma</i> Wall. ex King <i>Urostigma cycloneuron</i> Miq. <i>Urostigma pisocarpum</i> (Blume) Miq.	Critically endangered	✓			✓				
680.	Magnoliophyta	Moraceae	<i>Ficus pumila</i> L.	<i>Ficus hanceana</i> Maxim. <i>Ficus longipedicellata</i> H.Perrier <i>Ficus repens</i> auct. <i>Ficus repens</i> auct. var. <i>lutchuensis</i> Koidz. <i>Ficus scandens</i> Lam. <i>Ficus stipulata</i> Thunb. <i>Ficus stipulata</i> Lem. <i>Ficus vestita</i> Desf. <i>Plagiostigma pumila</i> Zucc. <i>Plagiostigma stipulata</i> Zucc. <i>Tenorea heterophylla</i> Gasp. <i>Urostigma scandens</i> (Lam.) Liebm. <i>Varinga repens</i> Raf.	Exotic					✓			
681.	Magnoliophyta	Moraceae	<i>Ficus punctata</i> Thunb.	<i>Ficus aurantiacea</i> Griff. <i>Ficus aurantiacea</i> Griff. var. <i>angustifolia</i> (Corner) Corner	Exotic				✓		✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ficus aurantiacea</i> Griff. var. <i>parvifolia</i> (Corner) Corner <i>Ficus callicarpa</i> Miq. <i>Ficus callicarpa</i> Miq. var. <i>angustifolia</i> Corner <i>Ficus callicarpa</i> Miq. var. <i>parvifolia</i> Corner <i>Ficus elliptica</i> Miq. <i>Ficus falcata</i> Thunb. <i>Ficus gibbosa</i> Blume var. <i>pygmaea</i> Miq. <i>Ficus indica</i> B.Heyne ex Roth <i>Ficus kallicarpa</i> Miq. <i>Ficus lanyuensis</i> S.S.Ying <i>Ficus macrocarpa</i> Blume <i>Ficus megacarpa</i> Merr. <i>Ficus megacarpa</i> Merr. var. <i>angustifolia</i> Sata <i>Ficus megacarpa</i> Merr. var. <i>rotundifolia</i> Sata <i>Ficus pomifera</i> Kurz <i>Ficus punctulata</i> Thunb. <i>Ficus simiae</i> H.J.P.Winkl. <i>Ficus terasoensis</i> Hayata <i>Pogonotrophe macrocarpa</i> Miq.									
682.	Magnoliophyta	Moraceae	<i>Ficus recurva</i> Blume var. <i>ribesoides</i> (Miq.) King	<i>Ficus bulusanensis</i> Elmer <i>Ficus recurva</i> Blume var. <i>bridelioides</i> Corner <i>Ficus ribesoides</i> (Miq.) Wall. ex Miq. <i>Ficus strigosa</i> Blume f. <i>longifolia</i> Miq.	Critically endangered			✓	✓	✓	✓	✓	
683.	Magnoliophyta	Moraceae	<i>Ficus sagittata</i> Vahl	<i>Ficus adhaerens</i> Miq. <i>Ficus bordenii</i> Merr. <i>Ficus carophylla</i> Miq. <i>Ficus coccinella</i> Zipp. ex Miq. <i>Ficus compressicaulis</i> Blume <i>Ficus crininervia</i> Miq. <i>Ficus lanoensis</i> Merr. ex Sata <i>Ficus leptocarpa</i> Steud. var. <i>adhaerens</i> (Miq.) Miq. <i>Ficus leptocarpa</i> Steud. var. <i>borneensis</i> Miq. <i>Ficus leptocarpa</i> Steud. var. <i>crassa</i> Miq.	Critically endangered			✓	✓	✓	✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ficus leptocarpa</i> Steud. var. <i>oligosperma</i> (Miq.) Miq. <i>Ficus leptocarpa</i> Steud. var. <i>subglabra</i> Miq. <i>Ficus leptocarpa</i> Steud. var. <i>timorensis</i> Miq. <i>Ficus oligosperma</i> Miq. <i>Ficus radicans</i> Desf. <i>Ficus ramentacea</i> Roxb. <i>Ficus ramosii</i> Merr. ex Sata <i>Ficus rigescens</i> Miq. <i>Ficus rubrocarpa</i> Elmer <i>Ficus sagittata</i> Vahl var. <i>adhaerens</i> (Miq.) Corner <i>Ficus sagittata</i> Vahl var. <i>minor</i> Corner <i>Ficus sagittata</i> Vahl var. <i>oligosperma</i> (Miq.) Corner <i>Ficus subrigida</i> Miq. <i>Ficus tayabensis</i> Elmer <i>Pogonotrophe rigida</i> Miq.									
684.	Magnoliophyta	Moraceae	<i>Ficus scortechinii</i> King	<i>Ficus fasciculata</i> King ex Hook.f.	Critically endangered	✓			✓				
685.	Magnoliophyta	Moraceae	<i>Ficus sinuata</i> Thunb.	<i>Ficus angulidens</i> Miq. <i>Ficus cuspidata</i> Reinw. ex Blume var. <i>sinuata</i> (Thunb.) King <i>Ficus marginalis</i> Buch.-Ham. ex Miq. <i>Ficus obtusidens</i> Miq. <i>Ficus quercifolia</i> Blume <i>Ficus radicans</i> Desf.var. <i>angulosa</i> Miq. <i>Ficus raridens</i> Miq. <i>Ficus rostrata</i> Lam. <i>Ficus sinuata</i> Thunb. var. <i>oblonga</i> Corner	Critically endangered	✓							
686.	Magnoliophyta	Moraceae	<i>Ficus soepadmoi</i> Kochummen		Presumed nationally extinct					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
687.	Magnoliophyta	Moraceae	<i>Ficus sundaica</i> Blume var. <i>sundaica</i>		Critically endangered				✓	✓			
688.	Magnoliophyta	Moraceae	<i>Ficus trichocarpa</i> Blume	<i>Ficus ahernii</i> Merr. <i>Ficus aspera</i> G.Forst. var. <i>volubilis</i> Blanco <i>Ficus filiformis</i> Blume <i>Ficus nodulosa</i> Zipp. ex Miq. <i>Ficus obtusa</i> Hassk. <i>Ficus obtusa</i> Hassk.var. <i>gedehensis</i> Koord. & Valeton <i>Ficus obtusa</i> Hassk.var. <i>genuina</i> Koord. & Vala <i>Ficus obtusa</i> Hassk.var. <i>piperifolia</i> (Miq.) Koord. & Valeton <i>Ficus phaeopoda</i> (Miq.) Miq. <i>Ficus piperifolia</i> (Miq.) Miq. <i>Ficus piperifolia</i> (Miq.) Miq. var. <i>borneensis</i> (Miq.) Miq. <i>Ficus platycaula</i> Miq. <i>Ficus pyrrhopoda</i> (Miq.) King <i>Ficus tawaensis</i> Merr. <i>Ficus trichocarpa</i> Blume var. <i>borneensis</i> (Miq.) Corner <i>Ficus trichocarpa</i> Blume var. <i>obtus</i> a (Hassk.) Corner <i>Ficus trichocarpa</i> Blume var. <i>piperifolia</i> (Miq.) Corner <i>Pogonotrophe alnifolia</i> Miq. <i>Pogonotrophe bornensis</i> Miq. <i>Pogonotrophe javana</i> Miq. <i>Pogonotrophe phaeopoda</i> Miq.	Critically endangered					✓	✓		
689.	Magnoliophyta	Moraceae	<i>Ficus variegata</i> Blume	<i>Covellia racemifera</i> (Roxb.) Miq. <i>Ficus agusanensis</i> Elmer <i>Ficus amboinensis</i> Kostel. <i>Ficus cerifera</i> Blume <i>Ficus ceriflua</i> Jungh.	Common	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
				<i>Ficus chlorocarpa</i> Benth. <i>Ficus compressitora</i> Elmer <i>Ficus cordifolia</i> Blume <i>Ficus domestica</i> Zipp. ex Miq. <i>Ficus ehretioides</i> F.Muell. ex Benth. <i>Ficus garciae</i> Elmer <i>Ficus glochidiifolia</i> Hayata <i>Ficus gummiflua</i> Miq. <i>Ficus ilangoides</i> Elmer <i>Ficus integrifolia</i> Elmer <i>Ficus konishii</i> Hayata <i>Ficus laevigata</i> Blanco <i>Ficus latsonii</i> Elmer <i>Ficus paucinervia</i> Merr. <i>Ficus racemifera</i> Roxb. <i>Ficus subopaca</i> Miq. <i>Ficus subracemosa</i> Blume <i>Ficus sum</i> Gagnep. <i>Ficus sycomoroides</i> Miq. <i>Ficus tenimbrensis</i> S.Moore <i>Ficus variegata</i> Blume var. <i>chlorocarpa</i> King <i>Ficus variegata</i> Blume var. <i>garciae</i> (Elmer) Corner <i>Ficus variegata</i> Blume var. <i>ilangoides</i> (Elmer) Corner <i>Ficus variegata</i> Blume f. <i>paucinervia</i> (Merr.) Sata <i>Ficus variegata</i> Blume var. <i>pilosior</i> Miq. <i>Ficus variegata</i> Blume f. <i>rotundata</i> Sata <i>Ficus variegata</i> Blume var. <i>sycomoroides</i> (Miq.) Corner <i>Ficus viridicarpa</i> Corner <i>Sycomorus gummiflua</i> Miq. <i>Urostigma javanicum</i> Miq.										
690.	Magnoliophyta	Moraceae	<i>Ficus vasculosa</i> Wall. ex Miq.	<i>Ficus championii</i> Benth. <i>Ficus renitens</i> Miq. <i>Ficus variabilis</i> Miq.	Endangered			✓		✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Ficus vasculosa</i> var. <i>acuminata</i> Miq.									
691.	Magnoliophyta	Moraceae	<i>Ficus villosa</i> Blume	<i>Ficus barbata</i> Wall. ex Miq. <i>Ficus barbata</i> Wall. ex Miq. var. <i>glabriuscula</i> Miq. <i>Ficus dives</i> Miq. <i>Ficus grossivenis</i> Miq. <i>Ficus hirsuta</i> Wall. ex Miq. <i>Ficus jaroensis</i> Merr. <i>Ficus lagunensis</i> Merr. <i>Ficus propinqua</i> Merr. <i>Ficus rupestris</i> Blume <i>Ficus villosa</i> Blume var. <i>appressa</i> Corner <i>Ficus villosa</i> Blume var. <i>subglobosa</i> Corner <i>Ficus villosa</i> Blume var. <i>tonsa</i> Corner	Critically endangered			✓	✓	✓	✓	✓	
692.	Magnoliophyta	Moraceae	<i>Ficus virens</i> Aiton	<i>Ficus aegeiophylla</i> (Miq.) Miq. <i>Ficus ampla</i> Kunth & C.D.Bouché <i>Ficus apiculata</i> (Miq.) Miq. <i>Ficus carolinensis</i> Warb. <i>Ficus caulobotrya</i> (Miq.) Miq. var. <i>fraseri</i> (Miq.) Miq. <i>Ficus cunninghamii</i> (Miq.) Miq. <i>Ficus fraseri</i> (Miq.) F.Muell <i>Ficus glabella</i> Blume <i>Ficus glabella</i> Blume f. <i>grandifolia</i> (Miq.) Miq. <i>Ficus glabella</i> Blume var. <i>nesophila</i> (Miq.) K.Schum. <i>Ficus infectoria</i> (Miq.) Miq. <i>Ficus infectoria</i> (Miq.) Miq. var. <i>aegeiophylla</i> (Miq.) Miq. <i>Ficus infectoria</i> (Miq.) Miq. var. <i>cunninghamii</i> (Miq.) Domin <i>Ficus infectoria</i> (Miq.) Miq. var. <i>forbesii</i> King <i>Ficus infectoria</i> (Miq.) Miq. var. <i>fraseri</i> (Miq.) Domin <i>Ficus infectoria</i> (Miq.) Miq. var. <i>lambertiana</i> (Miq.) King	Critically endangered	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in								
					Singapore	A	B	C	D	E	F	G	H
				<i>Ficus infectoria</i> (Miq.) Miq. var. <i>psychotriifolium</i> (Miq.) Domin									
				<i>Ficus infectoria</i> (Miq.) Miq. var. <i>wightiana</i> (Wall. ex Miq.) King									
				<i>Ficus infrafoliacea</i> Buch.-Ham. ex Sm.									
				<i>Ficus lacor</i> Buch.-Ham. var. <i>cunninghamii</i> (Miq.) M.F.Barrett									
				<i>Ficus lacor</i> Buch.-Ham. var. <i>lambertiana</i> (Miq.) M.F.Barrett									
				<i>Ficus lambertiana</i> (Miq.) Miq.									
				<i>Ficus monticola</i> Miq.									
				<i>Ficus nesophila</i> (Miq.) F.Muell.									
				<i>Ficus nitentifolia</i> S.Moore									
				<i>Ficus pilhasi</i> Sm.									
				<i>Ficus prolixa</i> G.Forst. var. <i>carolinensis</i> (Warb.) Fosberg									
				<i>Ficus psychotriifolia</i> (Miq.) Miq.									
				<i>Ficus saxophila</i> Blume var. <i>sublanceolata</i> Miq.									
				<i>Ficus scandens</i> Buch.-Ham.									
				<i>Ficus syringifolia</i> C.Fraser ex C.Moore									
				<i>Ficus terminalioides</i> Griff.									
				<i>Ficus terminalis</i> B.Heyne ex Roth									
				<i>Ficus timorensis</i> Decne.									
				<i>Ficus timorensis</i> (Miq.) Miq.									
				<i>Ficus virens</i> Aiton var. <i>glabella</i> (Blume) Corner									
				<i>Ficus virens</i> Aiton var. <i>sublanceolata</i> (Miq.) Corner									
				<i>Urostigma cunninghamii</i> Miq.									
				<i>Urostigma fraseri</i> Miq.									
				<i>Urostigma glabellum</i> Miq.									
				<i>Urostigma infectarium</i> Miq.									
				<i>Urostigma lambertiana</i> Miq.									
				<i>Urostigma moritzianum</i> Miq.									
				<i>Urostigma nesophilum</i> Miq.									
				<i>Urostigma psychotriifolium</i> Miq.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
693.	Magnoliophyta	Moraceae	<i>Parartocarpus bracteatus</i> (King) Becc.		Critically endangered	✓	✓	✓					
694.	Magnoliophyta	Myricaceae	<i>Morella esculenta</i> (Buch.-Ham. ex D.Don) I.M.Turner	<i>Myrica esculenta</i> Buch.-Ham.	Common				✓				
695.	Magnoliophyta	Myristicaceae	<i>Gymnacranthera bancana</i> (Miq.) Sinclair		Critically endangered	✓	✓			✓			
696.	Magnoliophyta	Myristicaceae	<i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb.	<i>Gymnacranthera eugeniifolia</i> (A.DC.) J.Sinclair var. <i>griffithii</i> (Hook.f.) J.Sinclair <i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb. var. <i>griffithii</i> (Hook.f.) Warb. <i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb. var. <i>major</i> (King) Gamble	Critically endangered	✓	✓	✓	✓			✓	
697.	Magnoliophyta	Myristicaceae	<i>Gymnacranthera farquhariana</i> (Hook.f. & Thomson) Warb. var. <i>eugeniifolia</i> (A.DC.) R.T.A. Schouten	<i>Gymnacranthera eugeniifolia</i> (A.DC.) J.Sinclair <i>Myristica eugeniifolia</i> A.DC.	Critically endangered					✓			
698.	Magnoliophyta	Myristicaceae	<i>Gymnacranthera forbesii</i> (King) Warb.		Critically endangered	✓			✓	✓			
699.	Magnoliophyta	Myristicaceae	<i>Horsfieldia crassifolia</i> (Hook.f. & Thomson) Warb.	<i>Myristica crassifolia</i> Hook.f. & Thomson	Critically endangered	✓	✓		✓	✓	✓		Gdn
700.	Magnoliophyta	Myristicaceae	<i>Horsfieldia polyspherula</i> (Hook.f. emend. King) J.Sinclair var. <i>polyspherula</i>		Vulnerable	✓	✓		✓			✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
701.	Magnoliophyta	Myristicaceae	<i>Horsfieldia polyspherula</i> (Hook.f. emend. King) J.Sinclair var. <i>sumatrana</i> (Miq.) W.J.de Wilde		Critically endangered				✓		✓	✓	
702.	Magnoliophyta	Myristicaceae	<i>Horsfieldia punctatifolia</i> J.Sinclair		Critically endangered							✓	
703.	Magnoliophyta	Myristicaceae	<i>Horsfieldia sucosa</i> Warb.		Endangered	✓	✓		✓		✓	✓	
704.	Magnoliophyta	Myristicaceae	<i>Horsfieldia tomentosa</i> Warb.	<i>Myristica tomentosa</i> Hook.f. & Thomson	Critically endangered				✓				
705.	Magnoliophyta	Myristicaceae	<i>Horsfieldia wallichii</i> (Hook.f. & Thoms.) Warb.		Critically endangered	✓	✓						
706.	Magnoliophyta	Myristicaceae	<i>Knema communis</i> J.Sinclair		Endangered	✓	✓		✓			✓	
707.	Magnoliophyta	Myristicaceae	<i>Knema conferta</i> (King) Warb.	<i>Myristica conferta</i> King	Endangered	✓	✓		✓			✓	
708.	Magnoliophyta	Myristicaceae	<i>Knema curtisii</i> (King) Warb.	<i>Knema curtisii</i> Warb.	Critically endangered							✓	
709.	Magnoliophyta	Myristicaceae	<i>Knema curtisii</i> (King) Warb. var. <i>paludosa</i> J.Sinclair		Endangered	✓	✓						
710.	Magnoliophyta	Myristicaceae	<i>Knema furfuracea</i> (Hook.f. & Thomson) Warb.	<i>Knema pierrei</i> Warb. <i>Myristica furfuracea</i> Hook.f. & Thomson <i>Myristica furfuracea</i> Hook.f. & Thomson var. <i>major</i> King	Critically endangered				✓				
711.	Magnoliophyta	Myristicaceae	<i>Knema glaucescens</i> Jack		Presumed nationally extinct				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	Status in							
						A	B	C	D	E	F	G	H
712.	Magnoliophyta	Myristicaceae	<i>Knema hookeriana</i> (Wall. ex Hook.f. & Thoms.) Warb.	<i>Knema hookeriana</i> Warb. <i>Palala hookeriana</i> Kuntze	Critically endangered	✓	✓						
713.	Magnoliophyta	Myristicaceae	<i>Knema intermedia</i> (Blume) Warb.	<i>Knema intermedia</i> Warb. <i>Palala intermedia</i> Kuntze <i>Sterculia decandra</i> Blanco	Endangered		✓						
714.	Magnoliophyta	Myristicaceae	<i>Knema latericia</i> Elmer		Critically endangered	✓	✓		✓	✓	✓		
715.	Magnoliophyta	Myristicaceae	<i>Knema latericia</i> Elmer subsp. <i>ridleyi</i> (Gandog.) de Wilde		Endangered					✓		✓	
716.	Magnoliophyta	Myristicaceae	<i>Knema laurina</i> (Blume) Warb.		Endangered	✓	✓		✓				
717.	Magnoliophyta	Myristicaceae	<i>Knema malayana</i> Warb.		Endangered	✓	✓		✓	✓	✓	✓	
718.	Magnoliophyta	Myristicaceae	<i>Myristica cinnamomea</i> King		Critically endangered	✓	✓		✓			✓	
719.	Magnoliophyta	Myristicaceae	<i>Myristica elliptica</i> Wall. ex Hook.f. & Thomson		Endangered	✓	✓		✓	✓		✓	
720.	Magnoliophyta	Myristicaceae	<i>Myristica iners</i> Blume	<i>Palala iners</i> Kuntze	Critically endangered	✓	✓					✓	
721.	Magnoliophyta	Myristicaceae	<i>Myristica lowiana</i> King		Critically endangered	✓	✓						
722.	Magnoliophyta	Myristicaceae	<i>Myristica maxima</i> Warb.		Critically endangered	✓			✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
723.	Magnoliophyta	Myrsinaceae	<i>Ardisia eximia</i> Miq.	<i>Tinus eximia</i> (Miq.) Kuntze	Presumed nationally extinct			✓					
724.	Magnoliophyta	Myrsinaceae	<i>Ardisia miqueliana</i> Scheff.		Critically endangered	✓							
725.	Magnoliophyta	Myrsinaceae	<i>Ardisia paniculata</i> Roxb.	<i>Ardisia anceps</i> Blume <i>Ardisia blumei</i> A.DC. <i>Ardisia colorata</i> Link <i>Ardisia doca</i> Buch.-Ham. ex A.DC. <i>Ardisia ovata</i> Thunb. <i>Ardisia polyneura</i> Miq. <i>Ardisia pyramidalis</i> Roth <i>Ardisia rothii</i> A.DC. <i>Ardisia volubilis</i> Wall. ex Steud. <i>Tinus paniculata</i> (Roxb.) Kuntze	Common	✓	✓	✓	✓			✓	
726.	Magnoliophyta	Myrsinaceae	<i>Ardisia purpurea</i> Reinw. ex Blume	<i>Ardisia boissieri</i> A.DC. <i>Ardisia clementis</i> Elmer <i>Ardisia hasseltii</i> Blume ex Scheff. <i>Ardisia hasseltii</i> Blume ex Scheff. var. <i>borneensis</i> Scheff. <i>Ardisia lanaensis</i> Mez <i>Ardisia lanceolata</i> Roxb. <i>Ardisia lanceolata</i> Roxb.var. <i>asahanensis</i> C.M.Hu <i>Ardisia leschenaultii</i> A.DC. <i>Ardisia mucronata</i> Blume <i>Ardisia nitidula</i> Mez <i>Ardisia plagioneura</i> Scheff. <i>Ardisia sarasinii</i> Mez <i>Ardisia speciosa</i> Blume <i>Ardisia sumbavana</i> Miq. <i>Ardisia tenuiramis</i> Miq. <i>Tinus lanceolata</i> (Roxb.) Kuntze <i>Tinus plagioneura</i> (Scheff.) Kuntze	Critically endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Tinus sumbavana</i> (Miq.) Kuntze <i>Tinus tenuiramis</i> (Miq.) Kuntze									
727.	Magnoliophyta	Myrsinaceae	<i>Ardisia sanguinolenta</i> Blume	<i>Ardisia anceps</i> Wall. <i>Ardisia calothyrsa</i> Scheff. <i>Ardisia colorata</i> Roxb. <i>Ardisia colorata</i> Roxb. var. <i>complanata</i> C.B.Clarke <i>Ardisia colorata</i> Roxb. var. <i>elliptica</i> King & Gamble <i>Ardisia colorata</i> Roxb. var. <i>polyneura</i> C.B.Clarke <i>Ardisia colorata</i> Roxb. var. <i>salicifolia</i> King & Gamble <i>Ardisia complanata</i> Wall. <i>Ardisia confinis</i> Miq. <i>Ardisia grandiflora</i> Wall. <i>Ardisia insularis</i> Mez <i>Ardisia jambosioides</i> Miq. <i>Ardisia linearifolia</i> Miq. <i>Ardisia stylosa</i> Miq. <i>Ardisia zollingeri</i> A.DC. <i>Tinus confinis</i> (Miq.) Kuntze <i>Tinus jambosioides</i> (Miq.) Kuntze <i>Tinus linearifolia</i> (Miq.) Kuntze <i>Tinus stylosa</i> (Miq.) Kuntze	Critically endangered							✓	
728.	Magnoliophyta	Myrsinaceae	<i>Ardisia sessilis</i> Scheff.	<i>Tinus sessilis</i> (Scheff.) Kuntze	Presumed nationally extinct	✓							
729.	Magnoliophyta	Myrsinaceae	<i>Ardisia teysmanniana</i> Scheff.		Endangered	✓		✓	✓				✓
730.	Magnoliophyta	Myrsinaceae	<i>Ardisia tuberculata</i> Wall. ex A.DC.	<i>Ardisia chrysophylloides</i> Miq.	Critically endangered			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
731.	Magnoliophyta	Myrsinaceae	<i>Ardisia villosa</i> Roxb.	<i>Ardisia coccinea</i> Jungh. <i>Ardisia dolichosepala</i> Merr. <i>Ardisia dumetosa</i> Tutchet <i>Ardisia glabrata</i> Blume <i>Ardisia mollis</i> Blume <i>Ardisia stenosepala</i> Merr. <i>Ardisia tavoyana</i> A.DC. <i>Ardisia tawaensis</i> Masam. <i>Ardisia vestita</i> Wall. <i>Ardisia villosa</i> Roxb. var. <i>glabrata</i> (Blume) Kurz <i>Ardisia villosa</i> Roxb. var. <i>latifolia</i> E.Walker <i>Ardisia villosa</i> Roxb. var. <i>oblanceolata</i> E.Walker	Critically endangered	✓							
732.	Magnoliophyta	Myrsinaceae	<i>Embelia canescens</i> Jack ex Roxb.	<i>Embelia canescens</i> Jack ex Roxb. var. <i>glabrescens</i> Ridl. <i>Ribesiodes canescens</i> (Jack ex Wall.) Kuntze	Endangered	✓		✓	✓				
733.	Magnoliophyta	Myrsinaceae	<i>Embelia ribes</i> Burm.f.	<i>Antidesma grossularia</i> Raeusch. <i>Antidesma ribes</i> (Burm.f.) Raeusch. <i>Ardisia tenuiflora</i> Blume <i>Calispermum scandens</i> Lam. <i>Embelia burmanni</i> Retz. <i>Embelia dentata</i> Buch.-Ham. ex Wall. <i>Embelia garciniifolia</i> Wall. ex Ridl. <i>Embelia glandulifera</i> Wight <i>Embelia indica</i> J.F.Gmel. <i>Embelia paniculata</i> Moon <i>Embelia sumatrana</i> Miq.	Common					✓			
734.	Magnoliophyta	Myrsinaceae	<i>Grenacheria amentacea</i> (C.B.Clarke) Mez	<i>Embelia amentacea</i> C.B.Clarke <i>Ribesiodes amentaceum</i> (C.B.Clarke) Kuntze	Presumed nationally extinct				✓		✓	✓	
735.	Magnoliophyta	Myrsinaceae	<i>Grenacheria lampani</i> (Scheff.) Mez		Endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
736.	Magnoliophyta	Myrsinaceae	<i>Labisia pumila</i> (Blume) Mez	<i>Ardisia pumila</i> Blume <i>Labisia pumila</i> (Blume) Fern.-Vill.	Vulnerable	✓			✓	✓		✓	
737.	Magnoliophyta	Myrsinaceae	<i>Ribesiodes garciniaefolium</i> (Miq.) Kuntze	<i>Embelia garciniaefolia</i> Miq.	Presumed nationally extinct					✓			
738.	Magnoliophyta	Myrsinaceae	<i>Ribesiodes lampani</i> (Scheff.) Kuntze	<i>Embelia lampanii</i> Scheff.	Common					✓			
739.	Magnoliophyta	Myrtaceae	<i>Decaspermum fruticosum</i> J.R.Forst. & G.Forst.	<i>Decaspermum forsteri</i> Seem. <i>Nelitris forsteri</i> Seem. <i>Nelitris fruticosa</i> (J.R.Forst. & G.Forst.) A.Gray <i>Nelitris jambosella</i> Gaertn. <i>Psidium decaspermum</i> L.f.	Vulnerable				✓	✓			
740.	Magnoliophyta	Myrtaceae	<i>Decaspermum parviflorum</i> (Lam.) A.J.Scott subsp. <i>parviflorum</i>	<i>Decaspermum alternifolium</i> (Miq.) Nied. <i>Decaspermum confinis</i> (Blume) Nied. <i>Decaspermum myrsinoides</i> (Blume) Nied. <i>Decaspermum paniculatum</i> (Lindl.) Kurz <i>Decaspermum paniculatum</i> (Lindl.) Kurz var. <i>finlaysonianum</i> Duthie <i>Decaspermum paniculatum</i> (Lindl.) Kurz var. <i>khasianum</i> Duthie <i>Decaspermum paniculatum</i> (Lindl.) Kurz var. <i>caudatum</i> A.J.Scott <i>Decaspermum pyriforme</i> (Miq.) Koord. & Valetton <i>Decaspermum sericeum</i> Hance <i>Eugenia polygama</i> Roxb.	Critically endangered					✓			
741.	Magnoliophyta	Myrtaceae	<i>Decaspermum parviflorum</i> (Lam.) A.J.Scott subsp. <i>quadripartitum</i> J.Parn. & NicLugh.		Critically endangered					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	Status in Singapore							
						A	B	C	D	E	F	G	H
742.	Magnoliophyta	Myrtaceae	<i>Rhodamnia cinerea</i> Jack	<i>Monoxora spectabilis</i> (Blume) Wight <i>Myrtus globosa</i> Korth. <i>Myrtus spectabilis</i> Blume <i>Rhodamnia cinerea</i> Jack var. <i>concolor</i> (Miq.) Blume <i>Rhodamnia cinerea</i> Jack var. <i>laxiflora</i> Blume <i>Rhodamnia cinerea</i> Jack var. <i>macrophylla</i> Blume <i>Rhodamnia concolor</i> Miq. <i>Rhodamniaglobosa</i> (Korth.) Blume <i>Rhodamnia nageli</i> Miq. <i>Rhodamnia spectabilis</i> (Blume) Blume <i>Rhodamnia subtriflora</i> Blume <i>Rhodamnia trinervia</i> Reinw. ex Blume var. <i>concolor</i> (Miq.) King <i>Rhodamnia trinervia</i> Reinw. ex Blume var. <i>spectabilis</i> (Blume) King <i>Rhodamnia trinervia</i> Reinw. ex Blume var. <i>spectabilis</i> (Blume) Duthie	Common	✓	✓			✓	✓	✓	
743.	Magnoliophyta	Myrtaceae	<i>Syzygium acuminatissimum</i> (Blume) DC.	<i>Acmena acuminatissima</i> (Blume) Merr. & L.M.Perry <i>Acmena dielsii</i> Merr. & L.M.Perry <i>Acmena laevifolia</i> (Ridl.) Merr. & L.M.Perry <i>Acmena polyantha</i> (K.Schum. & Lauterb.) Merr. & L.M.Perry <i>Eugenia acuminatissima</i> (Blume) Kurz <i>Eugenia attenuatifolia</i> Merr. <i>Eugenia cumingiana</i> Vidal <i>Eugenia cuspidato-obovata</i> Hayata <i>Eugenia eucaudata</i> Elmer ex Merr. <i>Eugenia gardneri</i> Fern.-Vill. <i>Eugenia laevifolia</i> Ridl. <i>Eugenia subdecurrens</i> (Miq.) Merr. & Chun <i>Jambosa acuminatissima</i> (Blume) Hassk. <i>Myrtus acuminatissima</i> Blume <i>Syzygium cumingianum</i> (Vidal) Gibbs	Endangered								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Syzygium cuspidato-obovatum</i> (Hayata) Mori <i>Syzygium subdecurrens</i> Miq. <i>Xenodendron polyanthum</i> K.Schum. & Lauterb.									
744.	Magnoliophyta	Myrtaceae	<i>Syzygium borneense</i> (Miq.) Miq.	<i>Eugenia borneensis</i> Miq. <i>Eugenia irregularis</i> Craib <i>Eugenia litseifolia</i> Merr. <i>Eugenia microcalyx</i> Duthie <i>Eugenia microcalyx</i> Duthie var. <i>obovata</i> King <i>Eugenia pseudosubtilis</i> King <i>Eugenia pseudosubtilis</i> King var. <i>platyphylla</i> King <i>Syzygium glaucescens</i> Miq. <i>Syzygium hackenbergii</i> Diels <i>Syzygium irregulare</i> (Craib) Merr. & L.M.Perry <i>Syzygium litseifolium</i> (Merr.) Merr. & L.M.Perry <i>Syzygium myrtillus</i> (Stapf) Merr. & L.M.Perry var. <i>borneense</i> (Miq.) Chantaran. & J.Parn.	Common				✓		✓	✓	
745.	Magnoliophyta	Myrtaceae	<i>Syzygium chloranthum</i> (Duthie) Merr. & L.M.Perry	<i>Eugenia chlorantha</i> Duthie	Critically endangered	✓			✓			✓	
746.	Magnoliophyta	Myrtaceae	<i>Syzygium cinereum</i> (Kurz) Chantaran. & J.Parn.	<i>Eugenia cinerea</i> Kurz <i>Eugenia ixoroides</i> Elmer <i>Eugenia operculata</i> Roxb. var. <i>orientalis</i> Craib <i>Eugenia pseudosubtilis</i> King var. <i>subacuminata</i> King <i>Syzygium cinerascens</i> C.Presl <i>Syzygium cinereum</i> (Kurz) Wall. ex Merr. & L.M. Perry	Critically endangered							✓	
747.	Magnoliophyta	Myrtaceae	<i>Syzygium claviflorum</i> (Roxb.) Wall. ex A.M.Cowan & Cowan	<i>Acmena claviflora</i> (Roxb.) Walp. <i>Acmena leptantha</i> Walp. <i>Acmenosperma claviflorum</i> (Roxb.) Kausel <i>Clavimyrthus claviflora</i> (Roxb.) Blume <i>Eugenia clavata</i> (Korth.) Merr. <i>Eugenia claviflora</i> Roxb.	Critically endangered							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Eugenia claviflora</i> Roxb. var. <i>excavata</i> King									
				<i>Eugenia claviflora</i> Roxb. var. <i>glandulosa</i> King									
				<i>Eugenia claviflora</i> Roxb. var. <i>leptantha</i> (Walp.) King									
				<i>Eugenia claviflora</i> Roxb. var. <i>maingayi</i> (Duthie) King									
				<i>Eugenia claviflora</i> Roxb. var. <i>montana</i> M.R.Hend.									
				<i>Eugenia claviflora</i> Roxb. var. <i>riparia</i> M.R.Hend.									
				<i>Eugenia fraseri</i> Ridl.									
				<i>Eugenia leptalea</i> Craib									
				<i>Eugenia leptantha</i> Wight									
				<i>Eugenia maingayi</i> Duthie									
				<i>Eugenia rhododendrifolia</i> Miq.									
				<i>Eugenia rhododendrifolia</i> Miq var. <i>forma</i> Miq.									
				<i>Eugenia ruminata</i> Koord. & Valeton									
				<i>Eugenia viridifolia</i> Elmer									
				<i>Jambosa borneensis</i> Miq.									
				<i>Jambosa clavata</i> Korth.									
				<i>Jambosa melanocarpa</i> Miq.									
				<i>Syzygium clavatum</i> (Korth.) Merr. & L.M.Perry									
				<i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud.									
				<i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>excavatum</i> (King) I.M.Turner									
				<i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>glandulosum</i> (King) Chantaran. & J.Parn.									
				<i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>maingayi</i> (Duthie) Chantaran. & J.Parn.									
				<i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>montanum</i> (M.R.Hend.) I.M.Turner									
				<i>Syzygium claviflorum</i> (Roxb.) Wall. ex Steud. var. <i>riparium</i> (M.R.Hend.) I.M.Turner									
				<i>Syzygium fraseri</i> (Ridl.) Masam.									
				<i>Syzygium leptanthum</i> (Walp.) Nied. <i>Syzygium rhododendrifolium</i> (Miq.) Masam.									
				<i>Syzygium ruminatum</i> (Koord. & Valeton) Amshoff									
				<i>Syzygium viridifolium</i> (Elmer) Merr. & L.M.Perry									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
748.	Magnoliophyta	Myrtaceae	<i>Syzygium densiflorum</i> Wall. ex Wight & Arn.	<i>Eugenia arnottiana</i> Wight <i>Eugenia arnottiana</i> Wight var. <i>benthamiana</i> Wight ex Duthie <i>Syzygium arnottianum</i> (Wight) Walp. <i>Syzygium benthamianum</i> (Wight ex Duthie) Gamble	Critically endangered				✓				
749.	Magnoliophyta	Myrtaceae	<i>Syzygium duthieanum</i> (King) Masam.	<i>Eugenia duthieana</i> King	Critically endangered				✓				
750.	Magnoliophyta	Myrtaceae	<i>Syzygium filiforme</i> Chantaran. & J.Parn.	<i>Eugenia clavimyrthus</i> (Korth.) Koord. & Valeton var. <i>minor</i> Koord. & Valeton <i>Eugenia filiformis</i> Wall. ex Duthie <i>Eugenia filiformis</i> Wall. ex Duthie var. <i>constricta</i> Kochummen <i>Eugenia filiformis</i> Wall. ex Duthie var. <i>clavimyrthus</i> (Koord. & Valeton) I.M.Turner <i>Eugenia filiformis</i> Wall. ex Duthie var. <i>constrictum</i> (Kochummen) I.M.Turner	Endangered	✓					✓	✓	
751.	Magnoliophyta	Myrtaceae	<i>Syzygium flosculiferum</i> (M.R.Hend.) Sreek.	<i>Eugenia flosculifera</i> M.R.Hend.	Presumed nationally extinct			✓					
752.	Magnoliophyta	Myrtaceae	<i>Syzygium foxworthianum</i> (Ridl.) Merr. & L.M.Perry	<i>Eugenia densiflora</i> (Blume) DC. var. <i>angustifolia</i> Ridl. <i>Eugenia foxworthiana</i> Ridl. <i>Eugenia foxworthyi</i> Ridl.	Presumed nationally extinct					✓			
753.	Magnoliophyta	Myrtaceae	<i>Syzygium grande</i> (Wight) Walp.	<i>Eugenia cymosa</i> Roxb. <i>Eugenia grandis</i> Wight <i>Eugenia laosensis</i> Gagnep. <i>Eugenia laosensis</i> Gagnep. var. <i>quocensis</i> Gagnep. <i>Eugenia montana</i> Wight <i>Jambosa firma</i> Blume <i>Jambosa grandis</i> (Wight) Blume <i>Syzygium firmum</i> (Blume) Thwaites	Common	✓			✓		✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Syzygium gadgilii</i> M.R.Almeida <i>Syzygium grande</i> (Wight) Walp. var. <i>parviflorum</i> Chantaran. & J.Parn. <i>Syzygium laosense</i> (Gagnep.) Merr. & L.M.Perry <i>Syzygium laosense</i> (Gagnep.) Merr. & L.M.Perry var. <i>quocense</i> (Gagnep.) H.T.Chang & R.H.Miao <i>Syzygium megalophyllum</i> Merr. & L.M.Perry <i>Syzygium montanum</i> Thwaites & Hook.f. <i>Syzygium tamilnadensis</i> Rathakr. & V.Chithra									
754.	Magnoliophyta	Myrtaceae	<i>Syzygium incarnatum</i> (Elmer) Merr. & L.M.Perry	<i>Eugenia cerina</i> M.R.Hend. <i>Eugenia cerina</i> M.R.Hend. var. <i>montana</i> M.R.Hend. <i>Eugenia cerina</i> M.R.Hend. var. <i>turbinata</i> M.R.Hend. <i>Eugenia incarnata</i> Elmer <i>Eugenia punctulata</i> King <i>Syzygium cerinum</i> (M.R.Hend.) I.M.Turner <i>Syzygium cerinum</i> (M.R.Hend.) I.M.Turner var. <i>montanum</i> (M.R.Hend.) I.M.Turner <i>Syzygium cerinum</i> (M.R.Hend.) I.M.Turner var. <i>turbinatum</i> (M.R.Hend.) I.M.Turner <i>Syzygium punctulatum</i> Wall.	Endangered	✓	✓		✓		✓	✓	
755.	Magnoliophyta	Myrtaceae	<i>Syzygium kunstleri</i> (King) Bahadur & R.C.Gaur	<i>Eugenia albidiramea</i> Merr. <i>Eugenia kunstleri</i> King <i>Syzygium albidirameum</i> (Merr.) Merr. & L.M.Perry <i>Syzygium chrysanthum</i> Merr. & L.M.Perry <i>Syzygium stictophyllum</i> Merr. & L.M.Perry	Presumed nationally extinct					✓			
756.	Magnoliophyta	Myrtaceae	<i>Syzygium leptostemon</i> (Korth.) Merr. & L.M.Perry	<i>Eugenia leptostemon</i> (Korth.) Miq. <i>Eugenia rotata</i> King ex Craib <i>Eugenia sandakanensis</i> Merr. <i>Eugenia subracemosa</i> Merr. <i>Eugenia urceolata</i> (Korth. ex Miq.) King <i>Jambosa leptostemon</i> Korth.	Presumed nationally extinct	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H							
				<i>Jambosa urceolata</i> Korth. ex Miq. <i>Strongylocalyx leptostachyus</i> Blume ex Miq. <i>Strongylocalyx leptostemon</i> (Korth.) Blume <i>Syzygium sandakanense</i> (Merr.) Merr. & L.M.Perry <i>Syzygium subracemosum</i> (Merr.) Masam. <i>Syzygium urceolatum</i> (Korth. ex Miq.) Merr. & L.M.Perry									
757.	Magnoliophyta	Myrtaceae	<i>Syzygium lineatum</i> (DC.) Merr. & L.M.Perry	<i>Clavimyrthus latifolia</i> Blume <i>Clavimyrthus lineata</i> (DC.) Blume <i>Clavimyrthus symphytocarpa</i> Blume <i>Eugenia lineata</i> (DC.) Duthie <i>Eugenia longicalyx</i> Ridl. <i>Eugenia longiflora</i> (C.Presl) Fern.-Vill. <i>Eugenia marivelesensis</i> Merr. <i>Eugenia miquelii</i> Elmer <i>Eugenia rubricaulis</i> (Miq.) Duthie <i>Eugenia teysmannii</i> (Miq.) Koord. & Valeton <i>Eugenia zippeliana</i> (Miq.) Koord. & Valeton <i>Jambosa latifolia</i> (Blume) Miq. <i>Jambosa lineata</i> DC. <i>Jambosa rubricaulis</i> Miq. <i>Jambosa symphytocarpa</i> (Blume) Korth. ex Miq. <i>Jambosa teysmannii</i> Miq. <i>Myrtus lineata</i> Blume <i>Syzygium longicalyx</i> (Ridl.) Masam. <i>Syzygium longiflorum</i> C.Presl <i>Syzygium teysmannii</i> (Miq.) Masam. <i>Syzygium zippelianum</i> Miq.	Common			✓		✓	✓		
758.	Magnoliophyta	Myrtaceae	<i>Syzygium maingayi</i> Chantaran. & J.Parn.	<i>Eugenia oblongifolia</i> Duthie <i>Eugenia oblongifolia</i> Duthie var. <i>parviflora</i> King	Critically Endangered	✓						✓	
759.	Magnoliophyta	Myrtaceae	<i>Syzygium malaccense</i> (L.) Merr. & L.M.Perry	<i>Caryophyllus malaccensis</i> (L.) Stokes <i>Eugenia domestica</i> Baill. <i>Eugenia macrophylla</i> Lam.	Exotic				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Eugenia malaccensis</i> L. <i>Eugenia pseudomalaccensis</i> Linden <i>Eugenia purpurascens</i> Baill. <i>Eugenia purpurea</i> Roxb. <i>Jambosa domestica</i> DC. <i>Jambosa domestica</i> Blume <i>Jambosa macrophylla</i> (Lam.) DC. <i>Jambosa malaccensis</i> (L.) DC. <i>Jambosa purpurascens</i> DC. <i>Jambosa purpurea</i> (Roxb.) Wight & Arn. <i>Myrtus macrophylla</i> (Lam.) Spreng. <i>Myrtus malaccensis</i> (L.) Spreng.									
760.	Magnoliophyta	Myrtaceae	<i>Syzygium muelleri</i> (Miq.) Miq.	<i>Eugenia muelleri</i> Miq. <i>Eugenia sarawacensis</i> Merr. <i>Eugenia venulosa</i> Duthie <i>Eugenia venulosa</i> Duthie var. <i>macrothyrsa</i> King <i>Eugenia viburnifolia</i> Ridl. <i>Myrtus obovata</i> Korth. ex Miq. <i>Syzygium furcatum</i> Blume ex Miq. <i>Syzygium obovatum</i> Korth. <i>Syzygium sarawacense</i> (Merr.) Merr. & L.M.Perry <i>Syzygium viburnifolium</i> (Ridl.) Masam.	Critically endangered				✓				
761.	Magnoliophyta	Myrtaceae	<i>Syzygium nemestrinum</i> (M.R.Hend.) I.M.Turner	<i>Eugenia nemestrina</i> M.R.Hend.	Endangered							✓	✓
762.	Magnoliophyta	Myrtaceae	<i>Syzygium nigricans</i> (King) Merr. & L.M.Perry	<i>Eugenia nigricans</i> King	Endangered			✓					
763.	Magnoliophyta	Myrtaceae	<i>Syzygium pachyphyllum</i> (Kurz) Merr. & L.M.Perry	<i>Eugenia pachyphylla</i> Kurz	Critically endangered								✓
764.	Magnoliophyta	Myrtaceae	<i>Syzygium palembanicum</i> Miq.	<i>Eugenia kuchingensis</i> Merr. <i>Eugenia lepidocarpa</i> Wall. ex Kurz <i>Eugenia palembanica</i> (Miq.) Merr.	Vulnerable						✓		✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Eugenia selangorensis</i> Ridl. <i>Syzygium kuchingense</i> (Merr.) Merr. & L.M.Perry									
765.	Magnoliophyta	Myrtaceae	<i>Syzygium papillosum</i> (Duthie) Merr. & L.M.Perry	<i>Eugenia papillosa</i> Duthie	Endangered	✓	✓						
766.	Magnoliophyta	Myrtaceae	<i>Syzygium polyanthum</i> (Wight) Walp. var. <i>polyanthum</i>	<i>Eugenia polyantha</i> Wight	Vulnerable	✓			✓	✓			
767.	Magnoliophyta	Myrtaceae	<i>Syzygium praineanum</i> (King) Chantaran. & J.Parn.	<i>Eugenia praineana</i> King	Critically endangered								✓
768.	Magnoliophyta	Myrtaceae	<i>Syzygium pseudoformosum</i> (King) Merr. & L.M.Perry	<i>Eugenia nemoricola</i> Ridl. <i>Eugenia pseudoformosa</i> King	Critically endangered				✓	✓		✓	
769.	Magnoliophyta	Myrtaceae	<i>Syzygium pustulatum</i> (Duthie) Merr.	<i>Eugenia perpuncticulata</i> Merr. <i>Eugenia pustulata</i> Duthie <i>Syzygium perpuncticulatum</i> (Merr.) Merr. & L.M.Perry	Critically endangered	✓			✓				
770.	Magnoliophyta	Myrtaceae	<i>Syzygium pycnanthum</i> Merr. & L.M.Perry	<i>Eugenia corymbosa</i> Roxb. <i>Eugenia densiflora</i> (Blume) DC. <i>Jambosa densiflora</i> (Blume) DC. <i>Myrtus densiflora</i> Blume	Critically endangered					✓			
771.	Magnoliophyta	Myrtaceae	<i>Syzygium pyrifolium</i> (Blume) DC.	<i>Calyptanthus pyrifolia</i> Blume <i>Eugenia javensis</i> Koord. & Valeton <i>Eugenia pyrifolia</i> (Blume) Duthie <i>Eugenia salaccensis</i> Koord. & Valeton <i>Eugenia striata</i> Koord. & Valeton <i>Eugenia tumida</i> Duthie <i>Syzygium truncatum</i> Miq.	Critically endangered				✓				
772.	Magnoliophyta	Myrtaceae	<i>Syzygium ridleyi</i> (King) Chantaran. & J.Parn.	<i>Eugenia ridleyi</i> King	Endangered	✓			✓	✓	✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
773.	Magnoliophyta	Myrtaceae	<i>Syzygium rugosum</i> Korth.	<i>Eugenia motleyi</i> Ridl. <i>Eugenia rugosa</i> (Korth.) Merr. <i>Eugenia rugosa</i> (Korth.) Merr. var. <i>cordata</i> M.R.Hend. <i>Eugenia rugosa</i> (Korth.) Merr. var. <i>saxitana</i> (Ridl.) M.R.Hend. <i>Eugenia saxitana</i> Ridl. <i>Syzygium johorenses</i> Masam. <i>Syzygium motleyi</i> (Ridl.) Masam. <i>Syzygium rugosum</i> Korth.var. <i>cordatum</i> (M.R.Hend.) I.M.Turner	Critically endangered				✓				
774.	Magnoliophyta	Myrtaceae	<i>Syzygium scortechinii</i> (King) Chantaran. & J.Parn. var. <i>scortechinii</i>		Presumed nationally extinct				✓				
775.	Magnoliophyta	Myrtaceae	<i>Syzygium singaporenses</i> (King) Airy Shaw	<i>Aphanomyrtus rostrata</i> Miq. <i>Myrtus caudata</i> Wall. <i>Pseudoeugenia singaporensis</i> King	Critically endangered			✓	✓	✓		✓	
776.	Magnoliophyta	Myrtaceae	<i>Syzygium subdecussatum</i> (Wall. ex Duthie) I.M.Turner var. <i>subdecussatum</i>		Critically endangered				✓				
777.	Magnoliophyta	Myrtaceae	<i>Syzygium zeylanicum</i> (L.) DC.	<i>Acmena parviflora</i> DC. <i>Acmena zeylanica</i> (L.) Thwaites <i>Calyptranthes malabarica</i> Dennst. <i>Caryophyllus rugosus</i> Blume ex Miq. <i>Eugenia egensis</i> DC.var. <i>tenuiramis</i> (Miq.) O.Berg <i>Eugenia glandulifera</i> Roxb. <i>Eugenia goudotiana</i> H.Perrier <i>Eugenia linearis</i> Duthie <i>Eugenia longicauda</i> Ridl. <i>Eugenia macrorhyncha</i> Miq. <i>Eugenia spicata</i> Lam.	Common			✓		✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Eugenia spicata</i> Lam. var. <i>cordata</i> Kochummen <i>Eugenia tenuiramis</i> Miq. <i>Eugenia varians</i> Miq. <i>Eugenia zeylanica</i> (L.) Wight <i>Jambosa bracteata</i> Miq. <i>Jambosa glandulifera</i> (Roxb.) Miq. <i>Jambosa koenigii</i> Blume <i>Myrtus zeylanica</i> L. <i>Syzygium bellutta</i> DC. <i>Syzygium coarctatum</i> Blume ex Miq. <i>Syzygium lineare</i> Wall. <i>Syzygium myrtifolium</i> Miq. <i>Syzygium spicatum</i> (Lam.) DC. <i>Syzygium zeylanicum</i> (L.) DC. var. <i>ellipticum</i> A.N.Henry, Chandrab. & N.C.Nair <i>Syzygium zeylanicum</i> (L.) DC. var. <i>lineare</i> Alston <i>Syzygium zeylanicum</i> (L.) DC. var. <i>magamalayanum</i> K.Ravik. & V.Lakshm.									
778.	Magnoliophyta	Myrtaceae	<i>Tristaniopsis merguensis</i> (Griff.) Peter G.Wilson & J.T.Waterh.	<i>Tristania merguensis</i> Griff.	Endangered	✓	✓						
779.	Magnoliophyta	Myrtaceae	<i>Tristaniopsis obovata</i> (R.Br.) Peter G.Wilson & J.T.Waterh.	<i>Tristania obovata</i> Benn. <i>Tristania spathulata</i> Ridl.	Critically endangered					✓			
780.	Magnoliophyta	Najadaceae	<i>Najas indica</i> (Willd.) Cham.	<i>Caulinia alternifolia</i> Willd. ex Cham. <i>Caulinia foveolata</i> (A.Braun ex Rendle) Nakai <i>Caulinia indica</i> Willd. <i>Fluvialis indica</i> (Willd.) Pers. <i>Najas falciculata</i> A.Braun <i>Najas foveolata</i> A.Braun ex Rendle <i>Najas foveolata</i> A.Br. ex Magnus <i>Najas foveolata</i> A.Br. ex Magnus var. <i>minor</i> Rendle <i>Najas kingii</i> Rendle	Vulnerable	✓			✓	✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Najas lacerata</i> Rendle <i>Najas lobata</i> Blanco <i>Najas minor</i> All. var. <i>indica</i> (Cham.) A.Braun <i>Najas palustris</i> Blanco <i>Najas tenuis</i> Magnus									
781.	Magnoliophyta	Nepenthaceae	<i>Nepenthes ampullaria</i> Jack		Vulnerable			✓	✓			✓	
782.	Magnoliophyta	Nepenthaceae	<i>Nepenthes gracilis</i> Korth.		Common				✓				
783.	Magnoliophyta	Nepenthaceae	<i>Nepenthes hookeriana</i> H.Low		Critically endangered			✓	✓				
784.	Magnoliophyta	Nepenthaceae	<i>Nepenthes rafflesiana</i> Jack ex Hook.f.		Vulnerable				✓		✓	✓	
785.	Magnoliophyta	Nymphaeaceae	<i>Barclaya motleyi</i> Hook.f.	<i>Barclaya hirta</i> (Kurz ex Teijsm. & Binn.) Miq. <i>Barclaya kunstleri</i> (King) Ridl. <i>Barclaya motleyi</i> Hook.f. var. <i>kunstleri</i> King <i>Barclaya rotundifolia</i> M.Hotta <i>Hydrostemma kunstleri</i> (Ridl.) B.C.Stone <i>Hydrostemma motleyi</i> (Hook.f.) Mabb. <i>Nymphaea hirta</i> Kurz ex Teijsm. & Binn.	Critically endangered								NIS
786.	Magnoliophyta	Ochnaceae	<i>Brackenridgea elegantissima</i> (Wall.) Kanis	<i>Brackenridgea denticulata</i> Furtado <i>Brackenridgea hookeri</i> (Planck) A.Gray <i>Gomphia hookeri</i> Planch. <i>Ouratea hookeri</i> (Planch.) Burkill	Critically endangered				✓				
787.	Magnoliophyta	Ochnaceae	<i>Brackenridgea palustris</i> Bartell.	<i>Brackenridgea corymbosa</i> (King) Tiegh. <i>Brackenridgea hookeri</i> (Planck) A.Gray var. <i>leucocarpa</i> Scheff. <i>Brackenridgea kingii</i> Tiegh. <i>Brackenridgea rubescens</i> Tiegh. <i>Brackenridgea serrulata</i> Bartell. <i>Gomphia corymbosa</i> (King) Ridl.	Critically endangered	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Gomphia hookeri</i> Planch. var. <i>corymbosa</i> King									
788.	Magnoliophyta	Olacaceae	<i>Erythropalum scandens</i> Blume	<i>Dactylium vagum</i> Griff. <i>Decastrophia inconspicua</i> Griff. <i>Erythropalum grandifolium</i> Elmer <i>Erythropalum populifolium</i> Mast. <i>Erythropalum vagum</i> (Griff.) Mast. <i>Mackaya populifolia</i> Arn. <i>Modeccopsis vaga</i> Griff. <i>Passiflora heyneana</i> Wall.	Vulnerable	✓		✓	✓	✓	✓		
789.	Magnoliophyta	Olacaceae	<i>Lavallea ceylanica</i> (Gardner) Baill.	<i>Strombosia ceylanica</i> Gardner <i>Strombosia maingayi</i> (Mast.) Whitmore <i>Strombosia multiflora</i> King <i>Strombosia rotundifolia</i> King	Vulnerable	✓	✓	✓	✓			✓	✓
790.	Magnoliophyta	Olacaceae	<i>Ochanostachys amentacea</i> Mast.		Vulnerable	✓	✓		✓				
791.	Magnoliophyta	Olacaceae	<i>Scorodocarpus borneensis</i> Becc.	<i>Ximenia borneensis</i> Baill.	Endangered			✓	✓	✓			
792.	Magnoliophyta	Oleaceae	<i>Chionanthus ramiflorus</i> Roxb.	<i>Chionanthus effusiflorus</i> F.Muell. <i>Chionanthus intermedius</i> (Wight) F.Muell. <i>Chionanthus macrophyllus</i> (Wall. & G.Don) Blume <i>Chionanthus macrophyllus</i> (Wall. & G.Don) Blume var. <i>attenuatus</i> (C.B.Clarke) K.K.N.Nair & K.P.Janardh. <i>Chionanthus palembanicus</i> Miq. <i>Chionanthus paniculatus</i> (Roxb.) K.K.N.Nair & K.P.Janardh. <i>Chionanthus pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada <i>Chionanthus pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada var. <i>evolutior</i> (C.B.Clarke) K.K.N.Nair & K.P.Janardh.	Critically endangered			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Chionanthus pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada var. <i>palembanicus</i> (Miq.) Bennet & Raizada									
				<i>Chionanthus picrophloius</i> F.Muell.									
				<i>Chionanthus ramiflorus</i> Roxb. var. <i>grandiflorus</i> B.M.Miao									
				<i>Chionanthus ramiflorus</i> Roxb. var. <i>palembanicus</i> (Miq.) P.Daniel									
				<i>Chionanthus ramiflorus</i> Roxb. var. <i>peninsularis</i> K.Ravik. & Lakshm.									
				<i>Chionanthus roxburghii</i> (Spreng.) S.K.Srivast. & S.L.Kapoor									
				<i>Chionanthus roxburghii</i> (Spreng.) S.K.Srivast. & S.L.Kapoor var. <i>intermedius</i> (Wight) S.K.Srivast. & S.L.Kapoor									
				<i>Chionanthus tenuiflora</i> Wall. ex DC.									
				<i>Linociera cumingiana</i> S.Vidal									
				<i>Linociera effusiflora</i> F.Muell.									
				<i>Linociera intermedia</i> Wight									
				<i>Linociera intermedia</i> Wight var. <i>roxburghii</i> (Spreng.) C.B.Clarke									
				<i>Linociera macrophylla</i> Wall. & G.Don									
				<i>Linociera macrophylla</i> Wall. & G.Don var. <i>attenuata</i> (Wall. & G.Don) C.B.Clarke									
				<i>Linociera oblonga</i> Wall. & G.Don									
				<i>Linociera pauciflora</i> (Wall. ex G.Don) C.B.Clarke									
				<i>Linociera pauciflora</i> (Wall. ex G.Don) C.B.Clarke var. <i>evolutior</i> C.B.Clarke									
				<i>Linociera pauciflora</i> (Wall. ex G.Don) C.B.Clarke var. <i>palembanica</i> (Miq.) C.B.Clarke									
				<i>Linociera picrophloia</i> (F.Muell.) F.M.Bailey									
				<i>Linociera ramiflora</i> (Roxb.) Wall.									
				<i>Linociera ramiflora</i> (Roxb.) Wall. var. <i>grandiflora</i> (B.M.Miao) B.M.Miao									
				<i>Linociera ramiflora</i> (Roxb.) Wall. f. <i>pubisepala</i> L.C.Chia									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Mayepea cumingiana</i> (S.Vidal) Merr. <i>Mayepea intermedia</i> (Wight) Kuntze <i>Mayepea palembanica</i> (Miq.) Kuntze <i>Mayepea pauciflora</i> (Wall. ex G.Don) Kuntze <i>Mayepea picrophloia</i> (F.Muell.) F.Muell. <i>Mayepea ramiflora</i> (Roxb.) F.Muell. <i>Olea attenuata</i> Wall. & G.Don <i>Olea floribunda</i> Benth. <i>Olea paniculata</i> Roxb. <i>Olea pauciflora</i> Wall. ex G.Don <i>Olea roxburghiana</i> Schult. <i>Olea roxburghii</i> Spreng. <i>Phillyrea ramiflora</i> Roxb. ex C.B.Clarke									
793.	Magnoliophyta	Oleaceae	<i>Jasminum elongatum</i> (P.J.Bergius) Willd.	<i>Jasminum acuminatissimum</i> Blume <i>Jasminum aemulum</i> R.Br. <i>Jasminum aemulum</i> R.Br. var. <i>brassii</i> P.S.Green <i>Jasminum aemulum</i> R.Br. var. <i>glaberrimum</i> Domin <i>Jasminum aemulum</i> R.Br. f. <i>glabrum</i> (C.B.Clarke) Kobuski <i>Jasminum aemulum</i> R.Br. f. <i>interstans</i> Domin <i>Jasminum affine</i> Blume <i>Jasminum amplexicaule</i> Buch.-Ham. ex Wall. & G.Don <i>Jasminum arenarium</i> Ridl. <i>Jasminum aristatum</i> Zipp. ex Span. <i>Jasminum aristatum</i> Wall. <i>Jasminum bifarium</i> Wall. & G.Don <i>Jasminum bifarium</i> Wall. & G.Don var. <i>glabrum</i> C.B.Clarke <i>Jasminum bracteatum</i> Roxb. <i>Jasminum coarctatum</i> Roxb. var. <i>caudatifolium</i> P.Y.Pai <i>Jasminum cordifolium</i> Wall. & G.Don subsp. <i>andamanicum</i> S.K.Srivast. & S.L.Kapoor <i>Jasminum distichum</i> Blume	Endangered	✓			✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Jasminum ensatum</i> Blume									
				<i>Jasminum esquirolii</i> H.Lév.									
				<i>Jasminum evansii</i> Ridl.									
				<i>Jasminum forstenii</i> Blume									
				<i>Jasminum forstenii</i> Blume var. <i>ensatum</i> (Blume) Miq.									
				<i>Jasminum fraternum</i> Miq.									
				<i>Jasminum fulvum</i> Blume									
				<i>Jasminum gibbsiae</i> Ridl.									
				<i>Jasminum glabriusculum</i> Blume									
				<i>Jasminum glabrum</i> Willd. ex Link									
				<i>Jasminum heteropleurum</i> Blume									
				<i>Jasminum horsfieldii</i> Miq.									
				<i>Jasminum lancifolium</i> Decne.									
				<i>Jasminum lessertianum</i> A.DC.									
				<i>Jasminum ligustrinum</i> Blume									
				<i>Jasminum ligustroides</i> L.C.Chia									
				<i>Jasminum mixtinervium</i> Blume									
				<i>Jasminum multiflorum</i> (Burm.f.) Andrews f.									
				<i>acuminatissimum</i> (Blume) Bakh.f.									
				<i>Jasminum multiflorum</i> (Burm.f.) Andrews f.									
				<i>glabriusculum</i> (Blume) Bakh.f.									
				<i>Jasminum multiflorum</i> (Burm.f.) Andrews f.									
				<i>subelongatum</i> (Blume) Bakh.f.									
				<i>Jasminum multinervium</i> Blume									
				<i>Jasminum nummularoides</i> Blume									
				<i>Jasminum pedale</i> Blume									
				<i>Jasminum pendulum</i> Blume									
				<i>Jasminum pubescens</i> (Retz.) Willd. var. <i>bracteatum</i> (Roxb.) C.B.Clarke									
				<i>Jasminum quinquenervium</i> Blume									
				<i>Jasminum scandens</i> Griff.									
				<i>Jasminum subelongatum</i> Blume									
				<i>Jasminum subpubescens</i> Blume									
				<i>Jasminum tonkinense</i> Gagnep.									
				<i>Jasminum triandrum</i> C.E.C.Fisch.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Jasminum undulatum</i> Ker Gawl. <i>Jasminum vulcanicum</i> Blume <i>Mogorium elongatum</i> (P.J.Bergius) Lam. <i>Nyctanthes elongata</i> P.J.Bergius									
794.	Magnoliophyta	Oleaceae	<i>Jasminum griffithii</i> C.B.Clarke	<i>Jasminum griffithii</i> C.B.Clarke var. <i>cuspidatum</i> King & Gamble	Presumed nationally extinct			✓					
795.	Magnoliophyta	Onagraceae	<i>Ludwigia suffruticosa</i> Walter	<i>Isnardia capitata</i> (Walter) DC. <i>Isnardia suffruticosa</i> Kuntze <i>Ludwigia capitata</i> Michx.	Presumed nationally extinct			✓					
796.	Magnoliophyta	Opiliaceae	<i>Champereia manillana</i> (Blume) Merr.	<i>Cansjera manillana</i> Blume <i>Cansjera martabanica</i> Wall. <i>Champereia cumingiana</i> (Baill.) Merr. <i>Champereia gaudichaudiana</i> (Baill.) Tiegh. <i>Champereia gnetocarpa</i> Kurz <i>Champereia griffithiana</i> Planch. ex Kurz <i>Champereia lanceolata</i> Merr. <i>Champereia oblongifolia</i> Merr. <i>Champereia platyphylla</i> Merr. <i>Govantesia malulucban</i> Llanos <i>Nallogia gaudichaudiana</i> Baill. <i>Opilia cumingiana</i> Baill. <i>Opilia manillana</i> Baill.	Common				✓			✓	
797.	Magnoliophyta	Opiliaceae	<i>Lepionurus sylvestris</i> Blume	<i>Lepionurus javanicus</i> G.Don <i>Lepionurus oblongifolius</i> (Griff.) Mast. <i>Lepionurus oblongifolius</i> (Griff.) Mast. var. <i>angustifolius</i> Ridl. <i>Lepionurus sylvestris</i> Blume var. <i>lanceolatus</i> Valetton <i>Leptonium oblongifolium</i> Griff. <i>Opilia acuminata</i> Wall. ex Baill.	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
798.	Magnoliophyta	Orchidaceae	<i>Acriopsis liliifolia</i> (J.Konig) Seidenf.	<i>Acriopsis javanica</i> var. <i>nelsoniana</i> (F.M.Bailey) J.J.Sm. <i>Epidendrum liliifolium</i> J.König	Critically endangered								NIS
799.	Magnoliophyta	Orchidaceae	<i>Anoectochilus geniculatus</i> Ridl.		Presumed nationally extinct			✓					
800.	Magnoliophyta	Orchidaceae	<i>Appendicula lucida</i> Ridl.	<i>Podochilus lucidus</i> (Ridl.) Schltr.	Presumed nationally extinct			✓					
801.	Magnoliophyta	Orchidaceae	<i>Bromheadia finlaysonianana</i> (Lindl.) Miq.	<i>Bromheadia finlaysonianana</i> (Lindl.) Miq. var. <i>palustris</i> (Lindl.) J.J.Sm. <i>Bromheadia palustris</i> Lindl. <i>Bromheadia palustris</i> Lindl. var. <i>papuana</i> J.J.Sm. <i>Bromheadia sylvestris</i> Ridl. <i>Coelogyne caulescens</i> Griff. <i>Grammatophyllum finlaysonianum</i> Lindl.	Common							✓	
802.	Magnoliophyta	Orchidaceae	<i>Bromheadia truncata</i> Seidenf.		Presumed nationally extinct			✓					
803.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum apodum</i> Hook.f.	<i>Bulbophyllum ebulbum</i> King & Pantl. <i>Bulbophyllum saccatum</i> Kraenzl. <i>Bulbophyllum spathaceum</i> Rolfe <i>Bulbophyllum vaginulosum</i> Carr <i>Bulbophyllum vidalii</i> Tixier <i>Phyllorchis apoda</i> (Hook.f.) Kuntze <i>Phyllorkis apoda</i> (Hook.f.) Kuntze	Critically endangered			✓					
804.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum blumei</i> (Lindl.) J.J.Sm.	<i>Bulbophyllum cuspidilingue</i> Rchb.f. <i>Bulbophyllum ehippium</i> Ridl. <i>Bulbophyllum masdevalliaceum</i> Kraenzl. <i>Bulbophyllum maxillare</i> (Lindl.) Rchb.f.	Presumed nationally extinct	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cirrhopetalum blumei</i> Lindl. <i>Cirrhopetalum maxillare</i> Lindl. <i>Ephippium ciliatum</i> Blume <i>Ephippium masdevalliaceum</i> (Kraenzl.) M.A.Clem. & D.L.Jones <i>Phyllorchis maxillaris</i> (Lindl.) Kuntze <i>Phyllorchis maxillaris</i> (Rchb.f.) Kuntze <i>Phyllorkis blumei</i> (Lindl.) Kuntze <i>Phyllorkis maxillaris</i> (Lindl.) Kuntze									
805.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum clandestinum</i> Lindl.	<i>Bulbophyllum bolovenense</i> Guillaumin <i>Bulbophyllum myrianthum</i> Schltr. <i>Bulbophyllum ovalifolium</i> (Wight) E.C.Parish <i>Bulbophyllum sessile</i> (Kuntze) J.J.Sm. <i>Bulbophyllum sparsifolium</i> Schltr. <i>Bulbophyllum trisetosum</i> Griff. <i>Epidendrum sessile</i> J.König <i>Oxysepalum ovalifolium</i> Wight <i>Phyllorkis sessilis</i> Kuntze				✓	✓				NIS
806.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum concinnum</i> Hook.f.	<i>Phyllorchis concinna</i> (Hook.f.) Kuntze <i>Phyllorkis concinna</i> (Hook.f.) Kuntze	Presumed nationally extinct				✓				
807.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum flabellum-veneris</i> (J.König) Aver.	<i>Bulbophyllum flabellovenaris</i> (J.König) Seidenf. & Ormerod ex Aver. <i>Bulbophyllum gamosepalum</i> (Griff.) J.J.Sm. <i>Bulbophyllum griffithianum</i> E.C.Parish & Rchb.f. <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. var. <i>angustum</i> Ridl. <i>Bulbophyllum lepidum</i> (Blume) J.J.Sm. var. <i>insigne</i> J.J.Sm. <i>Bulbophyllum rolfeanum</i> (Rolfe ex Downie) Seidenf. & Smitinand <i>Bulbophyllum umbellatum</i> J.J.Sm.	Critically endangered				✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Bulbophyllum viscidum</i> J.J.Sm. <i>Cirrhopetalum ciliatum</i> Klinge <i>Cirrhopetalum flabellum-veneris</i> (J.König) Seidenf. & Ormerod <i>Cirrhopetalum gagnepainii</i> Guillaumin <i>Cirrhopetalum gamosepalum</i> Griff. <i>Cirrhopetalum lepidum</i> (Blume) Schltr. <i>Cirrhopetalum siamense</i> Rolfe ex Downie <i>Cirrhopetalum stramineum</i> Teijsm. & Binn. var. <i>purpureum</i> Gagnep. <i>Cirrhopetalum viscidum</i> (J.J.Sm.) Garay, Hamer & Siegerist <i>Ephippium lepidum</i> Blume <i>Epidendrum flabellum-veneris</i> J.König <i>Phyllorchis gamosepala</i> (Griff.) Kuntze <i>Phyllorchis rolfei</i> Kuntze <i>Phyllorkis gamosepala</i> (Griff.) Kuntze									
808.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum gusdorfii</i> J.J.Sm.	<i>Bulbophyllum gusdorfii</i> J.J.Sm. var. <i>johorensense</i> Holttum <i>Cirrhopetalum gusdorfii</i> (J.J.Sm.) Garay, Hamer & Siegerist <i>Cirrhopetalum gusdorfii</i> (J.J.Sm.) Garay et al. var. <i>johorensense</i> (Holttum) Garay et al.	Critically endangered	✓							
809.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum macranthum</i> Lindl.	<i>Bulbophyllum cochinchinense</i> Gagnep. <i>Bulbophyllum purpureum</i> Náves <i>Carparomorchis macrantha</i> (Lindl.) M.A.Clem. & D.L.Jones <i>Phyllorkis macrantha</i> (Lindl.) Kuntze <i>Sarcopodium macranthum</i> (Lindl.) Lindl. & Paxton <i>Sarcopodium purpureum</i> Rchb.f.	Critically endangered	✓							
810.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum medusae</i> (Lindl.) Rchb.f.	<i>Cirrhopetalum medusae</i> Lindl. <i>Phyllorchis medusae</i> (Lindl.) Kuntze <i>Phyllorkis medusae</i> (Lindl.) Kuntze	Presumed nationally extinct	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H							
						A	B	C	D	E	F	G	H
811.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum ovalifolium</i> (Blume) Lindl.	<i>Bulbophyllum ovatilabellum</i> Seidenf. <i>Bulbophyllum parvulum</i> Lindl. <i>Bulbophyllum tineae</i> Ridl. <i>Diphyes ovalifolia</i> Blume <i>Diphyes pusilla</i> Blume <i>Phyllorchis ovalifolia</i> (Lindl.) Kuntze <i>Phyllorchis parvula</i> (Lindl.) Kuntze <i>Phyllorkis ovalifolia</i> (Blume) Kuntze <i>Phyllorkis parvula</i> (Lindl.) Kuntze	Presumed nationally extinct	✓							
812.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum pileatum</i> Lindl.	<i>Bulbophyllum fibrosum</i> J.J.Sm. <i>Phyllorchis pileata</i> (Lindl.) Kuntze <i>Phyllorkis pileata</i> (Lindl.) Kuntze <i>Sarcopodium pileatum</i> (Lindl.) Lindl.	Presumed nationally extinct			✓					
813.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum pulchellum</i> Ridl.	<i>Bulbophyllum pulchellum</i> Ridl. var. <i>brachysepalum</i> Ridl. <i>Bulbophyllum pulchellum</i> Ridl. var. <i>purpureum</i> Ridl. <i>Cirrhopetalum concinnum</i> Hook.f. <i>Phyllorkis ridleyana</i> (Hook.f.) Kuntze	Presumed nationally extinct			✓					
814.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum singaporeanum</i> Schltr.	<i>Bulbophyllum densiflorum</i> Ridl.	Presumed nationally extinct				✓				Gdn
815.	Magnoliophyta	Orchidaceae	<i>Bulbophyllum vaginatum</i> (Lindl.) Rchb.f.	<i>Bulbophyllum whiteanum</i> (Rolfe) J.J.Sm. <i>Cirrhopetalum caudatum</i> Wight <i>Cirrhopetalum stramineum</i> Teijsm. & Binn. <i>Cirrhopetalum vaginatum</i> Lindl. <i>Cirrhopetalum whiteanum</i> Rolfe <i>Phyllorkis vaginata</i> (Lindl.) Kuntze	Endangered							✓	
816.	Magnoliophyta	Orchidaceae	<i>Calanthe pulchra</i> (Blume) Lindl.	<i>Alismorchis pulchra</i> (Lindl.) Kuntze <i>Alismorkis pulchra</i> (Blume) Kuntze <i>Amblyglottis pulchra</i> Blume	Critically endangered			✓	✓				NIS

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Calanthe curculigoides</i> Lindl. <i>Styloglossum nervosa</i> Breda									
817.	Magnoliophyta	Orchidaceae	<i>Claderia viridiflora</i> Hook.f.		Critically endangered				✓				
818.	Magnoliophyta	Orchidaceae	<i>Coelogyne mayeriana</i> Rchb.f.		Presumed nationally extinct	✓		✓					
819.	Magnoliophyta	Orchidaceae	<i>Coelogyne rochussenii</i> de Vriese	<i>Coelogyne macrobulbon</i> Hook.f. <i>Coelogyne plantaginea</i> Lindl. <i>Coelogyne steffiensii</i> Schltr. <i>Coelogyne stellaris</i> Rchb.f. <i>Pleione macrobulbon</i> (Hook.f.) Kuntze <i>Pleione plantaginea</i> (Lindl.) Kuntze <i>Pleione rochussenii</i> (de Vriese) Kuntze	Critically endangered								NIS
820.	Magnoliophyta	Orchidaceae	<i>Coelogyne testacea</i> Lindl.	<i>Coelogyne sumatrana</i> J.J.Sm. <i>Pleione testacea</i> (Lindl.) Kuntze	Presumed nationally extinct			✓					
821.	Magnoliophyta	Orchidaceae	<i>Cordiglottis filiformis</i> (Hook.f.) Garay	<i>Cheirorchis filiformis</i> (Hook.f.) Carr <i>Dendrocolla filiformis</i> (Hook.f.) Ridl. <i>Sarcochilus filiformis</i> Hook.f. <i>Thrixspermum filiforme</i> (Hook.f.) Kuntze	Presumed nationally extinct			✓					
822.	Magnoliophyta	Orchidaceae	<i>Corymborkis veratrifolia</i> (Reinw.) Blume	<i>Arundina tahitensis</i> Nadeaud <i>Chloidia confusa</i> Ames <i>Corymbis angusta</i> Ridl. <i>Corymbis angustifolia</i> Miq. <i>Corymbis batjanica</i> J.J.Sm. <i>Corymbis brevistylis</i> Hook.f. <i>Corymbis confusa</i> (Ames) Schltr. <i>Corymbis disticha</i> (Breda) Lindl. <i>Corymbis exaltata</i> Schltr.	Presumed nationally extinct	✓		✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Corymbis lauterbachii</i> Schltr. <i>Corymbis ledermannii</i> Schltr. <i>Corymbis longiflora</i> Hook.f. <i>Corymbis minor</i> Schltr. <i>Corymbis rhytidocarpa</i> Hook.f. <i>Corymbis sakisimensis</i> (Fukuy.) Masam. <i>Corymbis subdensa</i> Schltr. <i>Corymbis trukensis</i> Tuyama <i>Corymbis veratrifolia</i> (Reinw.) Rchb.f. <i>Corymborkis angustifolia</i> (Miq.) Kuntze <i>Corymborkis angustissima</i> J.J.Sm. <i>Corymborkis assamica</i> Blume <i>Corymborkis batjanica</i> (J.J.Sm.) J.J.Sm. <i>Corymborkis brevistylis</i> (Hook.f.) Holttum <i>Corymborkis confusa</i> (Ames) Ames <i>Corymborkis ledermannii</i> (Schltr.) Fukuy. <i>Corymborkis longiflora</i> (Hook.f.) Burkill <i>Corymborkis parviflora</i> J.J.Sm. <i>Corymborkis rhytidocarpa</i> (Hook.f.) Holttum <i>Corymborkis rutenii</i> J.J.Sm. <i>Corymborkis sakisimensis</i> Fukuy. <i>Corymborkis subdensa</i> (Schltr.) Fukuy. <i>Corymborkis tropidiifolia</i> J.J.Sm. <i>Corymborkis trukensis</i> (Tuyama) Fukuy. <i>Corymborkis veratrifolia</i> (Reinw.) Blume var. <i>lauterbachii</i> (Schltr.) F.N.Rasm. <i>Hysteria veratrifolia</i> Reinw. <i>Macrostylis disticha</i> Breda <i>Rhynchanthera paniculata</i> Blume									
823.	Magnoliophyta	Orchidaceae	<i>Crepidium micranthum</i> (Hook.f.) Szlach.	<i>Crepidium trinervium</i> (Ridl.) Szlach. <i>Malaxis micrantha</i> (Hook.f.) Kuntze <i>Microstylis flavoviridis</i> Ridl. <i>Microstylis micrantha</i> Hook.f. <i>Microstylis trinervia</i> Ridl.	Presumed nationally extinct	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
824.	Magnoliophyta	Orchidaceae	<i>Cymbidium finlaysonianum</i> Lindl.	<i>Cymbidium tricolor</i> Miq. <i>Cymbidium wallichii</i> Lindl.	Critically endangered	✓		✓	✓				
825.	Magnoliophyta	Orchidaceae	<i>Cystorchis variegata</i> Blume	<i>Hetaeria variegata</i> (Blume) Miq.	Presumed nationally extinct	✓		✓	✓				NIS
826.	Magnoliophyta	Orchidaceae	<i>Dendrobium aloifolium</i> (Blume) Rchb.f.	<i>Aporum aloifolium</i> (Blume) Brieger <i>Aporum cochinchinense</i> (Ridl.) Rauschert <i>Aporum lobbii</i> M.A.Clem. <i>Aporum micranthum</i> Griff. <i>Aporum serra</i> Lindl. <i>Callista aloifolia</i> (Blume) Kuntze <i>Dendrobium cochinchinense</i> Ridl. <i>Dendrobium lobbii</i> Lindl. <i>Dendrobium serra</i> (Lindl.) Lindl. <i>Oxystophyllum macrostoma</i> Hassk.	Critically endangered							✓	NIS
827.	Magnoliophyta	Orchidaceae	<i>Dendrobium indivisum</i> (Blume) Miq.	<i>Aporum indivisum</i> Blume <i>Callista indivisa</i> (Blume) Kuntze	Presumed nationally extinct	✓		✓					
828.	Magnoliophyta	Orchidaceae	<i>Dendrobium lamellatum</i> (Blume) Lindl.	<i>Callista lamellata</i> (Blume) Kuntze <i>Eurycaulis lamellatus</i> (Blume) M.A.Clem. & D.L.Jones <i>Onychium lamellatum</i> Blume <i>Pedilonum lamellatum</i> (Blume) Brieger	Presumed nationally extinct			✓					
829.	Magnoliophyta	Orchidaceae	<i>Dendrobium leonis</i> (Lindl.) Rchb.f.	<i>Aporum leonis</i> Lindl. <i>Callista leonis</i> (Lindl.) Kuntze	Presumed nationally extinct			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
830.	Magnoliophyta	Orchidaceae	<i>Dendrobium planibulbe</i> Lindl.	<i>Aporum planibulbe</i> (Lindl.) Rauschert <i>Ceraia planibulbis</i> (Lindl.) M.A.Clem.	Presumed nationally extinct	✓		✓					
831.	Magnoliophyta	Orchidaceae	<i>Dendrobium pulchellum</i> Roxb. ex Lindl.	<i>Callista pulchella</i> (Roxb. ex Lindl.) Kuntze <i>Dendrobium brevifolium</i> Lindl. <i>Dendrobium dalhousieanum</i> Wall. <i>Dendrobium moschatum</i> Griff. <i>Dendrobium pulchellum</i> Roxb.	Presumed nationally extinct	✓		✓					
832.	Magnoliophyta	Orchidaceae	<i>Dendrobium setifolium</i> Ridl.	<i>Aporum setifolium</i> (Ridl.) Rauschert <i>Ceraia setifolia</i> (Ridl.) M.A.Clem.	Presumed nationally extinct	✓		✓					
833.	Magnoliophyta	Orchidaceae	<i>Dendrobium stuposum</i> Lindl.	<i>Callista flavidula</i> (Ridl. ex Hook.f.) Kuntze <i>Callista stuposa</i> (Lindl.) Kuntze <i>Dendrobium exsculptum</i> Teijsm. & Binn. <i>Dendrobium flavidulum</i> Ridl. ex Hook.f. <i>Dendrobium pristinum</i> Ames <i>Dendrobium sphegidoglossum</i> Rchb.f.	Presumed nationally extinct	✓		✓					
834.	Magnoliophyta	Orchidaceae	<i>Didymoplexis pallens</i> Griff.	<i>Apetalon minutum</i> Wight <i>Arethusa bengalensis</i> Hemsl. <i>Arethusa ecristata</i> Griff. <i>Cheirostylis kanarensis</i> Blatt. & McCann <i>Didymoplexis brevipes</i> Ohwi <i>Didymoplexis subcampanulata</i> Hayata <i>Didymoplexis sylvatica</i> (Blume) Garay <i>Epiphanes pallens</i> (Griff.) Rchb.f. <i>Gastrodia pallens</i> (Griff.) F.Muell. <i>Leucorchis minuta</i> (Wight) Blume <i>Leucorchis sylvatica</i> Blume	Critically endangered	✓		✓					
835.	Magnoliophyta	Orchidaceae	<i>Dienia ophrydis</i> (J.König) Seidenf.	<i>Anaphora liparioides</i> Gagnep. <i>Crepidium ophrydis</i> (J.König) M.A.Clem. & D.L.Jones	Critically endangered	✓		✓					NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore							
					A	B	C	D	E	F	G	H
				<i>Dienia congesta</i> Lindl.								
				<i>Dienia curranii</i> (Ames) M.A.Clem. & D.L.Jones								
				<i>Dienia fusca</i> Lindl.								
				<i>Dienia latifolia</i> (Sm.) M.A.Clem. & D.L.Jones								
				<i>Dienia montana</i> (Blume) M.A.Clem. & D.L.Jones								
				<i>Epidendrum ophrydis</i> J.König								
				<i>Gastroglottis latifolia</i> (Sm.) Szlach.								
				<i>Gastroglottis montana</i> Blume								
				<i>Glossochilopsis carnosula</i> (Rolfe ex Downie) Szlach. & Marg.								
				<i>Gyrostachys plantaginea</i> (Spreng.) Kuntze								
				<i>Liparis bernaysii</i> (F.Muell.) F.M.Bailey								
				<i>Liparis krempfii</i> Gagnep.								
				<i>Liparis turfosa</i> Gagnep.								
				<i>Malaxis carnosula</i> (Rolfe ex Downie) Seidenf. & Smitinand								
				<i>Malaxis congesta</i> (Lindl.) Deb								
				<i>Malaxis curranii</i> Ames								
				<i>Malaxis kizanensis</i> (Masam.) S.Y.Hu								
				<i>Malaxis latifolia</i> J.E.Sm.								
				<i>Malaxis latifolia</i> J.E.Sm. var. <i>nana</i> S.S.Ying								
				<i>Malaxis ophrydis</i> (J.König) Ormerod								
				<i>Malaxis parvissima</i> S.Y.Hu & Barretto								
				<i>Malaxis plicata</i> Roxb.								
				<i>Malaxis shuicae</i> S.S.Ying								
				<i>Malaxis vietnamensis</i> T.B.Nguyen & D.H.Duong								
				<i>Microstylis bernaysii</i> F.Muell.								
				<i>Microstylis carnosula</i> Rolfe ex Downie								
				<i>Microstylis congesta</i> (Lindl.) Rchb.f.								
				<i>Microstylis dalatensis</i> Guillaumin								
				<i>Microstylis fusca</i> (Lindl.) Rchb.f.								
				<i>Microstylis ishigakensis</i> Ohwi								
				<i>Microstylis kizanensis</i> Masam.								
				<i>Microstylis latifolia</i> (Sm.) J.J.Sm.								
				<i>Microstylis trilobulata</i> Kurz								
				<i>Neottia plantaginea</i> D.Don								

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Spiranthes plantaginea</i> Spreng.									
836.	Magnoliophyta	Orchidaceae	<i>Eria bractescens</i> Lindl.	<i>Dendrobium subterrestre</i> Gagnep. <i>Eria bractescens</i> Lindl. var. <i>latipetala</i> Leav. <i>Eria dillwynii</i> Hook. <i>Eria griffithii</i> Rchb.f. <i>Eria kurzii</i> Anderson ex Hook.f. <i>Eria littoralis</i> Teijsm. & Binn. <i>Eria pulchella</i> Griff. <i>Eria pulchella</i> Lindl. <i>Pinalia bractescens</i> (Lindl.) Kuntze <i>Pinalia pulchella</i> Kuntze <i>Tropilis subterrestris</i> (Gagnep.) Rauschert	Presumed nationally extinct	✓		✓					
837.	Magnoliophyta	Orchidaceae	<i>Eria floribunda</i> Lindl.	<i>Eria euryantha</i> Schltr. <i>Eria giungii</i> Guillaumin <i>Eria leucostachya</i> Lindl. <i>Eria subaliena</i> Gagnep. <i>Pinalia floribunda</i> (Lindl.) Kuntze <i>Urostachya euryantha</i> (Schltr.) Brieger <i>Urostachya floribunda</i> (Lindl.) Brieger	Presumed nationally extinct			✓					
838.	Magnoliophyta	Orchidaceae	<i>Eria pannea</i> Lindl.	<i>Eria calamifolia</i> Hook.f. <i>Eria nivosa</i> Ridl. <i>Eria odoratissima</i> Teijsm. & Binn. <i>Eria teretifolia</i> Griff. <i>Mycaranthes pannea</i> (Lindl.) S.C.Chen & J.J.Wood <i>Pinalia calamifolia</i> (Hook.f.) Kuntze <i>Pinalia pannea</i> (Lindl.) Kuntze	Presumed nationally extinct			✓					
839.	Magnoliophyta	Orchidaceae	<i>Eulophia spectabilis</i> (Dennst.) Suresh	<i>Cyrtopera bicolor</i> (Ridl.) Ridl. <i>Cyrtopera fusca</i> Wight <i>Cyrtopera gardneri</i> Thwaites <i>Cyrtopera godefroyi</i> Rchb.f. <i>Cyrtopera laxiflora</i> Gardner ex Thwaites <i>Cyrtopera mysorensis</i> Lindl.	Critically endangered			✓					NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cyrtopera nuda</i> (Lindl.) Rchb.f.									
				<i>Cyrtopera plicata</i> Lindl.									
				<i>Cyrtopera regnieri</i> Rchb.f.									
				<i>Cyrtopera squalida</i> (Lindl.) Rchb.f.									
				<i>Cyrtopodium bicolor</i> Ridl.									
				<i>Cyrtopodium fuscum</i> Trimen									
				<i>Cyrtopodium squalidum</i> (Lindl.) Vidal									
				<i>Eulophia bicolor</i> Dalzell									
				<i>Eulophia bicolor</i> Blume									
				<i>Eulophia bicolor</i> Dalzell var. <i>celebica</i> J.J.Sm.									
				<i>Eulophia burkei</i> Rolfe ex Downie									
				<i>Eulophia celebica</i> Blume									
				<i>Eulophia elata</i> Hook.f.									
				<i>Eulophia elongata</i> Blume									
				<i>Eulophia fusca</i> (Wight) Blume									
				<i>Eulophia hildebrandii</i> Schltr.									
				<i>Eulophia holochila</i> Collett & Hemsl.									
				<i>Eulophia lutea</i> Blume									
				<i>Eulophia macgregorii</i> Ames									
				<i>Eulophia mucronata</i> Blume									
				<i>Eulophia nuda</i> Lindl.									
				<i>Eulophia regnieri</i> (Rchb.f.) Guillaumin									
				<i>Eulophia squalida</i> Lindl.									
				<i>Eulophia sumatrana</i> Blume									
				<i>Geodorum pierrei</i> Gagnep.									
				<i>Graphorchis elata</i> (Hook.f.) Kuntze									
				<i>Graphorchis holochila</i> (Collett & Hemsl.) Kuntze									
				<i>Graphorchis nuda</i> (Lindl.) Kuntze									
				<i>Graphorchis squalida</i> (Lindl.) Kuntze									
				<i>Graphorchis sumatrana</i> (Blume) Kuntze									
				<i>Graphorkis elata</i> (Hook.f.) Kuntze									
				<i>Graphorkis holochila</i> (Collett & Hemsl.) Kuntze									
				<i>Graphorkis nuda</i> (Lindl.) Kuntze									
				<i>Graphorkis squalida</i> (Lindl.) Kuntze									
				<i>Graphorkis sumatrana</i> (Blume) Kuntze									
				<i>Phaius steppiculus</i> Hand.-Mazz.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Semiphaeus chevalieri</i> Gagnep. <i>Wolfia spectabilis</i> Dennst.									
840.	Magnoliophyta	Orchidaceae	<i>Galeola nudifolia</i> Lour.	<i>Cranichis nudifolia</i> (Lour.) Pers. <i>Epidendrum galeola</i> Raeusch. <i>Erythrorchis kuhlilii</i> Rchb.f. <i>Galeola hydra</i> Rchb.f. <i>Galeola kuhlilii</i> (Rchb.f.) Rchb.f. <i>Galeola pterosperma</i> (Lindl.) Schltr. <i>Galeola torana</i> J.J.Sm. <i>Vanilla pterosperma</i> Wall. ex Lindl. <i>Vanilla pterosperma</i> Wall. <i>Vanilla rubiginosa</i> Griff.	Critically endangered			✓					
841.	Magnoliophyta	Orchidaceae	<i>Gastrodia javanica</i> (Blume) Lindl.	<i>Epiphanes javanica</i> Blume <i>Gastrodia hasseltii</i> Blume <i>Gastrodia javanica</i> (Blume) Lindl. f. <i>thalassina</i> Yokota <i>Gastrodia lutea</i> Fukuy. <i>Gastrodia malayana</i> Ridl. <i>Gastrodia stapfii</i> Hayata	Critically endangered								NIS
842.	Magnoliophyta	Orchidaceae	<i>Hetaeria obliqua</i> Blume	<i>Dossinia obliqua</i> Miq.	Presumed nationally extinct				✓				
843.	Magnoliophyta	Orchidaceae	<i>Hylophila mollis</i> Lindl.		Critically endangered			✓	✓				
844.	Magnoliophyta	Orchidaceae	<i>Lecanorchis malaccensis</i> Ridl.	<i>Lecanorchis ridleyana</i> Schltr.	Critically endangered	✓	✓						
845.	Magnoliophyta	Orchidaceae	<i>Liparis barbata</i> Lindl.	<i>Diteilis wrayi</i> (Hook.f.) M.A.Clem. & D.L.Jones <i>Leptorchis barbata</i> (Lindl.) Kuntze <i>Leptorchis thwaitesii</i> (Hook.f.) Kuntze <i>Leptorchis wrayi</i> (Hook.f.) Kuntze	Critically endangered								NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Leptorkis barbata</i> (Lindl.) Kuntze <i>Leptorkis thwaitesii</i> (Hook.f.) Kuntze <i>Leptorkis wrayi</i> (Hook.f.) Kuntze <i>Liparis fimbriata</i> Kerr <i>Liparis pectinifera</i> Ridl. <i>Liparis thwaitesii</i> Hook.f. <i>Liparis wrayi</i> Hook.f.									
846.	Magnoliophyta	Orchidaceae	<i>Liparis elegans</i> Lindl.	<i>Cestichis elegans</i> (Lindl.) M.A.Clem. & D.L.Jones <i>Cestichis gracilis</i> (Hook.f.) Ames <i>Disticholiparis gracilis</i> (Hook.f.) Marg. & Szlach. <i>Leptorchis gracilis</i> (Hook.f.) Kuntze <i>Leptorkis elegans</i> (Lindl.) Kuntze <i>Leptorkis gracilis</i> (Hook.f.) Kuntze <i>Liparis elegans</i> Lindl. <i>Liparis gracilis</i> Hook.f. <i>Liparis stricta</i> J.J.Sm.	Presumed nationally extinct			✓					
847.	Magnoliophyta	Orchidaceae	<i>Liparis tricallosa</i> Rchb.f.	<i>Liparis venosa</i> Ridl. <i>Leptorkis venosa</i> (Ridl.) Kuntze <i>Leptorkis tricallosa</i> (Rchb.f.) Kuntze <i>Leptorchis tricallosa</i> (Rchb. f.) Kuntze	Critically endangered	✓		✓				✓	
848.	Magnoliophyta	Orchidaceae	<i>Microsaccus griffithii</i> (E.C.Parish & Rchb.f.) Seidenf.	<i>Gastrochilus griffithii</i> (E.C.Parish & Rchb.f.) Kuntze <i>Microsaccus brevifolius</i> J.J.Sm. <i>Saccolabium griffithii</i> E.C.Parish & Rchb.f.	Presumed nationally extinct			✓					
849.	Magnoliophyta	Orchidaceae	<i>Microsaccus javensis</i> Blume		Presumed nationally extinct	✓							
850.	Magnoliophyta	Orchidaceae	<i>Nephelaphyllum pulchrum</i> Blume	<i>Tainia pulchra</i> (Blume) Gagnep.	Critically endangered	✓			✓				NIS

S/No.	Phylum	Family	Taxon name		Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
851.	Magnoliophyta	Orchidaceae	<i>Oberonia ciliolata</i> Hook.f.	<i>Oberonia lampongensis</i> J.J.Sm.		Presumed nationally extinct			✓					
852.	Magnoliophyta	Orchidaceae	<i>Oberonia stenophylla</i> Ridl.			Presumed nationally extinct	✓		✓					
853.	Magnoliophyta	Orchidaceae	<i>Oxystophyllum carnosum</i> Blume	<i>Anisopetala rigida</i> (Blume) M.A.Clem. <i>Aporum carnosum</i> (Blume) Rauschert <i>Aporum concinnum</i> Lindl. ex Rchb.f. <i>Aporum rigidum</i> (Blume) Brieger <i>Callista carnosum</i> (Blume) Kuntze <i>Callista oxystophylla</i> Kuntze <i>Callista rigescens</i> (Miq.) Kuntze <i>Dendrobium carnosum</i> (Blume) Rchb.f. <i>Dendrobium concinnum</i> Miq. <i>Dendrobium rigens</i> Rchb.f. <i>Dendrobium rigescens</i> Miq. <i>Dendrobium rigidum</i> Lindl. <i>Dendrobium rigidum</i> (Blume) Miq. <i>Oxystophyllum rigidum</i> Blume		Presumed nationally extinct			✓					
854.	Magnoliophyta	Orchidaceae	<i>Phaius tancarvilleae</i> (L'Hér.) Blume	<i>Bletia tancarvilleae</i> (L'Hér.) R.Br. <i>Limodorum tancarvilleae</i> L'Hér. <i>Phaius tancarvilleae</i> (L'Hér.) Blume var. <i>superbus</i> (Van Houtte) S.Y. Hu		Critically endangered				✓				
855.	Magnoliophyta	Orchidaceae	<i>Plocoglottis gigantea</i> (Hook.f.) J.J.Sm.	<i>Alismorchis gigantea</i> (Hook.f.) Kuntze <i>Alismorkis gigantea</i> (Hook.f.) Kuntze <i>Calanthe gigantea</i> Hook.f. <i>Plocoglottis foetida</i> Ridl.		Critically endangered	✓			✓				
856.	Magnoliophyta	Orchidaceae	<i>Plocoglottis javanica</i> Blume	<i>Plocoglottis fimbriata</i> Teijsm. & Binn.		Critically endangered	✓	✓	✓	✓	✓			NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
857.	Magnoliophyta	Orchidaceae	<i>Podochilus microphyllus</i> Lindl.	<i>Podochilus confuses</i> J.J.Sm.	Presumed nationally extinct	✓		✓					
858.	Magnoliophyta	Orchidaceae	<i>Polystachya concreta</i> (Jacq.) Garay & Sweet	<i>Callista flavescens</i> (Blume) Kuntze <i>Cranichis luteola</i> Sw. <i>Dendrobium flavescens</i> (Blume) Lindl. <i>Dendrobium polystachyum</i> Sw. <i>Dendrorchis estrellensis</i> (Rchb.f.) Kuntze <i>Dendrorchis extinctoria</i> (Rchb.f.) Kuntze <i>Dendrorchis jussieuana</i> (Rchb.f.) Kuntze <i>Dendrorchis polystachyon</i> (Lindl.) Kuntze <i>Dendrorchis rufinula</i> (Rchb.f.) Kuntze <i>Dendrorchis shirensis</i> (Rchb.f.) Kuntze <i>Dendrorchis similis</i> (Rchb.f.) Kuntze <i>Dendrorchis tessellata</i> (Lindl.) Kuntze <i>Dendrorchis wightii</i> (Rchb.f.) Kuntze <i>Dendrorchis zollingeri</i> (Rchb.f.) Kuntze <i>Dendrorkis extinctoria</i> (Rchb.f.) Kuntze <i>Dendrorkis minuta</i> (Aubl.) Kuntze <i>Dendrorkis polystachyon</i> (Sw.) Kuntze <i>Dendrorkis purpurea</i> (Wight) Kuntze <i>Dendrorkis wightii</i> (Rchb.f.) Kuntze <i>Dendrorkis zollingeri</i> (Rchb.f.) Kuntze <i>Epidendrum concretum</i> Jacq. <i>Epidendrum minutum</i> Aubl. <i>Maxillaria luteola</i> Beer <i>Maxillaria purpurea</i> (Wight) Beer <i>Onychium flavescens</i> Blume <i>Polystachya caquetana</i> Schltr. <i>Polystachya colombiana</i> Schltr. <i>Polystachya cubensis</i> Schltr. <i>Polystachya extinctoria</i> Rchb.f. <i>Polystachya flavescens</i> (Blume) J.J.Sm. <i>Polystachya kraenzliana</i> Pabst <i>Polystachya kraenzliniana</i> Pabst	Critically endangered				✓				NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Polystachya luteola</i> Hook. <i>Polystachya minuta</i> (Aubl.) Frapp. ex Cordem. <i>Polystachya minuta</i> Britton <i>Polystachya penangensis</i> Ridl. <i>Polystachya pleistantha</i> Kraenzl. <i>Polystachya purpurea</i> Wight <i>Polystachya purpurea</i> Wight var. <i>lutescens</i> Gagnep. <i>Polystachya reichenbachiana</i> Kraenzl. <i>Polystachya siamensis</i> Ridl. <i>Polystachya singapurensis</i> Ridl. <i>Polystachya wightii</i> Rchb.f. <i>Polystachya zeylanica</i> Lindl. <i>Polystachya zollingeri</i> Rchb.f.									
859.	Magnoliophyta	Orchidaceae	<i>Pomatocalpa diffusum</i> Breda	<i>Cleisostoma cumingii</i> Rchb.f. <i>Cleisostoma latifolium</i> Lindl. <i>Pomatocalpa hortense</i> (Ridl.) J.J.Sm. <i>Pomatocalpa latifolium</i> (Lindl.) J.J.Sm. <i>Saccolabium hortense</i> Ridl. <i>Saccolabium latifolium</i> (Lindl.) Schltr. <i>Saccolabium latifolium</i> (Lindl.) Ridl. <i>Sarcanthus cumingii</i> (Rchb.f.) J.J.Sm.	Critically endangered				✓				NIS
860.	Magnoliophyta	Orchidaceae	<i>Pteroceras pallidum</i> (Blume) Holttum	<i>Aerides pallida</i> (Blume) Lindl. <i>Dendrocolla pallida</i> Blume <i>Phalaenopsis fugax</i> Kraenzl. <i>Pteroceras caligare</i> (Ridl.) Holttum <i>Sarcochilus caligaris</i> Ridl. <i>Sarcochilus pallidus</i> (Blume) Rchb.f. <i>Thrixspermum pallidum</i> (Blume) Rchb.f.	Critically endangered	✓		✓					Gdn
861.	Magnoliophyta	Orchidaceae	<i>Renanthera elongata</i> (Blume) Lindl.	<i>Aerides elongata</i> Blume <i>Gastrochilus reflexus</i> (Lindl.) Kuntze <i>Porphyrodesme elongata</i> (Blume) Garay <i>Renanthera micrantha</i> Blume <i>Saccolabium reflexum</i> Lindl.	Critically endangered								NIS

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
862.	Magnoliophyta	Orchidaceae	<i>Rhynchostylis gigantea</i> (Lindl.) Ridl.	<i>Anota gigantea</i> (Lindl.) Fukuy. <i>Gastrochilus giganteus</i> (Lindl.) Kuntze <i>Saccolabium giganteum</i> Lindl.	Presumed nationally extinct			✓					
863.	Magnoliophyta	Orchidaceae	<i>Taeniophyllum pusillum</i> (Willd.) Seidenf. & Ormerod	<i>Chiloschista pusilla</i> (Willd.) Schltr. <i>Epidendrum pusillum</i> J.König <i>Limodorum pusillum</i> Willd. <i>Oeceoclades retzii</i> Lindl. <i>Taeniophyllum obtusum</i> Blume <i>Taeniophyllum serrula</i> Hook.f. <i>Taeniophyllum vietnamense</i> Tixier & Guillaumin <i>Taeniophyllum zollingeri</i> Rchb.f.	Critically endangered			✓					
864.	Magnoliophyta	Orchidaceae	<i>Thrixspermum trichoglottis</i> (Hook.f.) Kuntze	<i>Dendrocolla alba</i> Ridl. <i>Dendrocolla trichoglottis</i> (Hook.f.) Ridl. <i>Sarcochilus trichoglottis</i> Hook.f. <i>Thrixspermum album</i> (Ridl.) Schltr. <i>Thrixspermum album</i> (Ridl.) Carr	Critically endangered	✓							
865.	Magnoliophyta	Orchidaceae	<i>Trichotosia velutina</i> (Lodd. ex Lindl.) Kraenzl. See Corrigenda of 13 May 2013 .	<i>Dendrobium sessile</i> Gagnep. <i>Eria monticola</i> Hook.f. var. <i>hirsuta</i> Hook.f. <i>Eria velutina</i> Lodd. ex Lindl. <i>Pinalia velutina</i> (Lodd. ex Lindl.) Kuntze	Presumed nationally extinct			✓					
866.	Magnoliophyta	Orchidaceae	<i>Vanilla griffithii</i> Rchb.f.	<i>Vanilla tolypephora</i> Ridl.	Vulnerable			✓	✓				
867.	Magnoliophyta	Orchidaceae	<i>Vrydagzynea albida</i> (Blume) Blume	<i>Hetaeria albida</i> Blume <i>Vrydagzynea viridiflora</i> Hook.f.	Presumed nationally extinct			✓					
868.	Magnoliophyta	Orchidaceae	<i>Vrydagzynea lancifolia</i> Ridl.		Presumed nationally extinct	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H									
869.	Magnoliophyta	Orchidaceae	<i>Vrydagzynea tristriata</i> Ridl.		Presumed nationally extinct			✓							
870.	Magnoliophyta	Oxalidaceae	<i>Sarcotheca griffithii</i> Hallier f.	<i>Connaropsis diversifolia</i> Kurz <i>Connaropsis griffithii</i> Planch. <i>Dapania griffithii</i> (Planch. ex Hook.f.) R.Knuth	Critically endangered	✓	✓								
871.	Magnoliophyta	Pandaceae	<i>Galearia fulva</i> (Tul.) Miq.	<i>Bennettia affinis</i> R.Br. <i>Bennettia finlaysoniana</i> R.Br. <i>Bennettia fulva</i> (Tul.) Müll.Arg. <i>Bennettia jackiana</i> R.Br. <i>Bennettia javanica</i> R.Br. <i>Bennettia lindleyana</i> (Tul.) Müll.Arg. <i>Bennettia pedicellata</i> R.Br. <i>Bennettia phlebocarpa</i> R.Br. <i>Bennettia splendens</i> (Miq.) Müll.Arg. <i>Bennettia subulata</i> Müll.Arg. <i>Bennettia wallichii</i> R.Br. <i>Cremostachys fulva</i> Tul. <i>Cremostachys lindlaeana</i> Tul. <i>Galearia affinis</i> (R.Br.) Miq. <i>Galearia angustifolia</i> Miq. <i>Galearia caudata</i> Forman <i>Galearia dolichobotrys</i> Merr. <i>Galearia dongnaiensis</i> Pierre ex Gagnep. <i>Galearia elliptica</i> Miq. <i>Galearia finlaysoniana</i> (R.Br.) Miq. <i>Galearia fusca</i> Ridl. <i>Galearia helferi</i> Hook.f. <i>Galearia jackiana</i> (R.Br.) Miq. <i>Galearia lindlaeana</i> (Tul.) Hook.f. <i>Galearia minor</i> Gage <i>Galearia pedicellata</i> (R.Br.) Miq. <i>Galearia philippinensis</i> Merr. <i>Galearia phlebocarpa</i> (R.Br.) Miq.	Vulnerable			✓	✓						

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Galearia ridleyi</i> Gage <i>Galearia sessiliflora</i> Merr. <i>Galearia splendens</i> Miq. <i>Galearia subulata</i> (Müll.Arg.) Hook.f. <i>Galearia sumatrana</i> Miq. <i>Galearia wallichii</i> (R.Br.) Kurz									
872.	Magnoliophyta	Pandaceae	<i>Microdesmis caseariifolia</i> Planch. ex Hook.	<i>Microdesmis caseariifolia</i> Planch. ex Hook. f. <i>sinensis</i> Pax <i>Microdesmis philippinensis</i> Elmer <i>Tetragyne acuminata</i> Miq.	Common		✓						
873.	Magnoliophyta	Pandanaceae	<i>Freycinetia angustifolia</i> Blume	<i>Freycinetia brunoniana</i> Wall. <i>Freycinetia debregasiana</i> Gaudich. <i>Freycinetia insipida</i> Martelli <i>Freycinetia malaccensis</i> Ridl.	Critically endangered								✓
874.	Magnoliophyta	Pandanaceae	<i>Freycinetia javanica</i> Blume var. <i>javanica</i>	<i>Freycinetia bennettii</i> Miq. <i>Freycinetia lucens</i> Ridl. <i>Freycinetia montana</i> Ridl.	Critically endangered					✓			✓
875.	Magnoliophyta	Pandanaceae	<i>Freycinetia sumatrana</i> Hemsl. var. <i>sumatrana</i>		Common				✓				
876.	Magnoliophyta	Pandanaceae	<i>Pandanus atrocarpus</i> Griff.		Endangered								✓
877.	Magnoliophyta	Passifloraceae	<i>Adenia macrophylla</i> (Blume) Koord.	<i>Adenia borneensis</i> Hallier f. <i>Adenia borneensis</i> Hallier f. var. <i>microcarpa</i> Hallier f. <i>Adenia clementis</i> Merr. <i>Adenia grandifolia</i> Ridl. <i>Adenia longipedunculata</i> Merr. <i>Adenia quintuplinervia</i> Hallier f. <i>Modecca macrophylla</i> Blume	Vulnerable				✓			✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
878.	Magnoliophyta	Passifloraceae	<i>Adenia macrophylla</i> (Blume) Koord. var. <i>singaporeana</i> (Wall. ex G.Don) W.J.de Wilde	<i>Adenia singaporeana</i> (Wall. ex G.Don) Engl. <i>Passiflora singaporeana</i> Wall. ex G.Don	Vulnerable	✓			✓	✓			
879.	Magnoliophyta	Passifloraceae	<i>Passiflora laurifolia</i> L.	<i>Granadilla laurifolia</i> (L.) Medik. <i>Passiflora laurifolia</i> L. var. <i>tinifolia</i> (Juss.) Bois <i>Passiflora oblongifolia</i> Pulle <i>Passiflora tinifolia</i> Juss.	Exotic								✓
880.	Magnoliophyta	Pentaphyl-acaceae	<i>Adinandra acuminata</i> Korth.	<i>Adinandra caudatifolia</i> Kobuski <i>Taonabo coriacea</i> Szyszyl. <i>Ternstroemia coriacea</i> Wall.	Critically endangered	✓		✓					
881.	Magnoliophyta	Pentaphyl-acaceae	<i>Adinandra dumosa</i> Jack	<i>Adinandra cyrtopoda</i> Miq. <i>Adinandra glabra</i> Miq. <i>Adinandra jackiana</i> Korth. <i>Adinandra stylosa</i> Miq. <i>Adinandra trichocoryna</i> Korth. <i>Adinandra trichocoryna</i> Korth. var. <i>cyrtopoda</i> (Miq.) Miq. <i>Adinandra trichocoryna</i> Korth. var. <i>glabra</i> (Miq.) Miq. <i>Adinandra trichocoryna</i> Korth. var. <i>parvifolia</i> Miq. <i>Adinandra trichocoryna</i> Korth. var. <i>stylosa</i> (Miq.) Miq. <i>Ternstroemia dumosa</i> Wall.	Common	✓	✓			✓	✓	✓	
882.	Magnoliophyta	Pentaphyl-acaceae	<i>Adinandra integerrima</i> T.Anderson ex Dyer	<i>Adinandra dasyantha</i> Choisy <i>Adinandra dumosa</i> S.Vidal <i>Adinandra hullettii</i> King <i>Adinandra integerrima</i> T.Anderson ex Dyer var. <i>nigropunctata</i> Pierre <i>Gordonia reticulata</i> Wall. <i>Ternstroemia integerrima</i> Wall. <i>Ternstroemia reticulata</i> Wall.	Presumed nationally extinct			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
883.	Magnoliophyta	Pentaphyl- acaceae	<i>Eurya acuminata</i> DC.	<i>Diospyros serrata</i> Buch.-Ham. ex D.Don <i>Eurya acuminata</i> DC. var. <i>euprusta</i> (Korth.) Dyer <i>Eurya acuminata</i> DC. var. <i>monticola</i> Ridl. <i>Eurya acuminata</i> DC. var. <i>multiflora</i> (DC.) Blume <i>Eurya acuminata</i> DC. var. <i>wallichiana</i> (Steud.) Dyer <i>Eurya angustifolia</i> Wall. <i>Eurya angustifolia</i> (Blume) Walp. <i>Eurya arisanensis</i> Hayata <i>Eurya bifaria</i> Wall. <i>Eurya blumeana</i> Korth. <i>Eurya clandestina</i> Blume <i>Eurya confinis</i> Blume <i>Eurya euprista</i> Korth. <i>Eurya grandis</i> Choisy <i>Eurya hirsutula</i> Miq. <i>Eurya japonica</i> Thunb. var. <i>phyllanthoides</i> (Blume) Dyer <i>Eurya lucida</i> Wall. <i>Eurya matsudae</i> Hayata <i>Eurya membranacea</i> Gardner <i>Eurya monticola</i> (Ridl.) Ridl. <i>Eurya multiflora</i> DC. <i>Eurya rostrata</i> Blume <i>Eurya salicifolia</i> Blume <i>Eurya serrata</i> (Blume) Walp. <i>Eurya suzukii</i> Yamam. <i>Eurya wallichiana</i> Steud. <i>Eurya wrayi</i> King <i>Geeria angustifolia</i> <i>Geeria angustifolia</i> <i>Ternstroemia bifaria</i> Buch.-Ham. ex D.Don <i>Tristylidium matsudae</i> (Hayata) Koidz.	Common	✓	✓		✓	✓	✓	✓	
884.	Magnoliophyta	Pentaphyl- acaceae	<i>Ternstroemia corneri</i> H.Keng	<i>Geeria angustifolia</i> Blume <i>Geeria serrata</i> Blume	Critically endangered				✓		✓		
885.	Magnoliophyta	Phyllanthaceae	<i>Antidesma coriaceum</i> Tul.	<i>Antidesma cordatum</i> Airy Shaw	Vulnerable	✓			✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Antidesma fallax</i> Müll.Arg. <i>Antidesma minus</i> Wall. <i>Antidesma nitens</i> Pax & K.Hoffm. <i>Antidesma pachyphyllum</i> Merr. <i>Aporosa griffithii</i> Hook.f.									
886.	Magnoliophyta	Phyllanthaceae	<i>Antidesma cuspidatum</i> Müll.Arg.		Common	✓	✓	✓	✓	✓	✓		
887.	Magnoliophyta	Phyllanthaceae	<i>Antidesma neurocarpum</i> Miq.		Endangered	✓	✓	✓					
888.	Magnoliophyta	Phyllanthaceae	<i>Aporosa benthamiana</i> Hook.f.	<i>Aporosa euphlebia</i> Merr. <i>Aporosa grandifolia</i> Merr. <i>Aporosa lunata</i> (Miq.) Kurz var. <i>philippinensis</i> Pax & K.Hoffm. <i>Aporosa stipulosa</i> Merr.	Vulnerable			✓					
889.	Magnoliophyta	Phyllanthaceae	<i>Aporosa confusa</i> Gage	<i>Aporosa mollis</i> Merr.	Critically endangered	✓		✓					
890.	Magnoliophyta	Phyllanthaceae	<i>Aporosa falcifera</i> Hook.f.	<i>Aporosa acuminatissima</i> Merr. <i>Aporosa hosei</i> Merr. <i>Aporosa merrilliana</i> Govaerts & Radcl.-Sm.	Critically endangered				✓		✓	✓	
891.	Magnoliophyta	Phyllanthaceae	<i>Aporosa frutescens</i> Blume	<i>Aporosa fruticosa</i> (Blume) Müll.Arg. <i>Leiocarpus fruticosus</i> Blume	Common	✓		✓	✓	✓		✓	
892.	Magnoliophyta	Phyllanthaceae	<i>Aporosa globifera</i> Hook.f.	<i>Aporosa lophodonta</i> Airy Shaw	Critically endangered				✓				
893.	Magnoliophyta	Phyllanthaceae	<i>Aporosa lucida</i> (Miq.) Airy Shaw var. <i>lucida</i>	<i>Aporosa borneensis</i> Pax & K.Hoffm. <i>Aporosa microsphaera</i> Hook.f. <i>Aporosa miqueliana</i> Müll.Arg.	Critically endangered				✓		✓	✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
894.	Magnoliophyta	Phyllanthaceae	<i>Aporosa nervosa</i> Hook.f.	<i>Aporosa sphaeridiophora</i> Merr. var. <i>pubescens</i> J.J.Sm.	Vulnerable							✓	
895.	Magnoliophyta	Phyllanthaceae	<i>Aporosa nigricans</i> Hook.f.		Endangered				✓				
896.	Magnoliophyta	Phyllanthaceae	<i>Aporosa penangensis</i> (Ridl.) Airy Shaw	<i>Aporosa maingayi</i> Hook.f. var. <i>penangensis</i> Ridl.	Presumed nationally extinct	✓	✓						
897.	Magnoliophyta	Phyllanthaceae	<i>Aporosa prainiana</i> King ex Gage		Vulnerable			✓	✓				
898.	Magnoliophyta	Phyllanthaceae	<i>Aporosa subcaudata</i> Pax & K.Hoffm.	<i>Aporosa bracteosa</i> Pax & K.Hoffm.	Endangered				✓				
899.	Magnoliophyta	Phyllanthaceae	<i>Aporosa symplocoides</i> (Hook.f.) Gage	<i>Baccaurea symplocoides</i> Hook.f.	Common	✓			✓				
900.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea bracteata</i> Müll.Arg.	<i>Baccaurea bracteata</i> Müll.Arg. var. <i>crassifolia</i> (J.J.Sm.) Airy Shaw <i>Baccaurea crassifolia</i> J.J.Sm. <i>Sapium sterculiaceum</i> Wall.	Critically endangered				✓	✓		✓	
901.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea minor</i> Hook.f.	<i>Aporosa bilitonensis</i> Pax & K.Hoffm. <i>Baccaurea pendula</i> Merr.	Critically endangered	✓	✓		✓			✓	
902.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea parviflora</i> (Müll.Arg.) Müll.Arg.	<i>Baccaurea affinis</i> Müll.Arg. <i>Baccaurea rostrata</i> Merr. <i>Baccaurea scortechinii</i> Hook.f. <i>Baccaurea singaporica</i> Pax & K.Hoffm. <i>Pierardia dasystachya</i> Miq. <i>Pierardia parviflora</i> Müll.Arg.	Common	✓	✓		✓	✓	✓	✓	
903.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea polyneura</i> Hook.f.	<i>Baccaurea cordata</i> Merr. <i>Baccaurea hookeri</i> Gage <i>Baccaurea kunstleri</i> King ex Gage	Endangered	✓	✓		✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
904.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea racemosa</i> (Reinw.) Müll.Arg.	<i>Baccaurea bhaswatii</i> Chakrab. & M.Gangop. <i>Baccaurea wallichii</i> Hook.f. <i>Coccomelia racemosa</i> Reinw. ex Blume <i>Coccomelia racemosa</i> Reinw. <i>Pierardia racemosa</i> (Reinw. ex Blume) Blume	Endangered	✓	✓						
905.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea reticulata</i> Hook.f.		Critically endangered			✓	✓				
906.	Magnoliophyta	Phyllanthaceae	<i>Baccaurea sumatrana</i> (Miq.) Müll.Arg.	<i>Baccaurea bivalvis</i> Merr. <i>Baccaurea kingii</i> Gage <i>Calyptroon sumatranum</i> Miq.	Vulnerable				✓			✓	
907.	Magnoliophyta	Phyllanthaceae	<i>Breynia discigera</i> Müll.Arg.	<i>Breynia rhamnoides</i> (Retz.) Müll.Arg. var. <i>pubescens</i> (Müll.Arg.) Müll.Arg. <i>Melanthesa racemosa</i> Blume var. <i>pubescens</i> Müll.Arg. <i>Melanthesa rhamnoides</i> (Retz.) Blume var. <i>pubescens</i> Müll.Arg.	Critically endangered				✓				
908.	Magnoliophyta	Phyllanthaceae	<i>Breynia racemosa</i> (Blume) Müll.Arg.	<i>Breynia acuminata</i> (Müll.Arg.) Müll.Arg. <i>Breynia racemosa</i> (Blume) Müll.Arg. var. <i>aromatica</i> Airy Shaw <i>Breynia racemosa</i> (Blume) Müll.Arg. var. <i>concolor</i> Müll.Arg. <i>Breynia reclinata</i> (Roxb.) Hook.f. <i>Breynia rhamnoides</i> (Retz.) Müll.Arg. var. <i>hypoglauca</i> (Müll.Arg.) Müll.Arg <i>Melanthesa acuminata</i> Müll.Arg. <i>Melanthesa racemosa</i> Blume <i>Melanthesa reclinata</i> (Roxb.) Müll.Arg. <i>Melanthesa rhamnoides</i> (Retz.) Blume var. <i>hypoglauca</i> Müll.Arg. <i>Melanthesopsis fruticosa</i> Müll.Arg. <i>Melanthesopsis lucens</i> Müll.Arg. <i>Phyllanthus racemifer</i> Steud.	Common				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Phyllanthus reclinatus</i> Roxb. <i>Phyllanthus rhamnoides</i> Bojer ex Müll.Arg.									
909.	Magnoliophyta	Phyllanthaceae	<i>Bridelia cinnamomea</i> Hook.f.	<i>Bridelia gehrmannii</i> Jabl. <i>Bridelia griffithii</i> Hook.f. <i>Bridelia griffithii</i> Hook.f. var. <i>cinnamomea</i> (Hook.f.) Gehrm.	Presumed nationally extinct				✓	✓			
910.	Magnoliophyta	Phyllanthaceae	<i>Bridelia pustulata</i> Hook.f.		Critically endangered				✓				
911.	Magnoliophyta	Phyllanthaceae	<i>Bridelia tomentosa</i> Blume	<i>Amanoa tomentosa</i> Baill. <i>Bridelia glabrifolia</i> Merr. <i>Bridelia lancifolia</i> Roxb. <i>Bridelia nayarii</i> P.Basu <i>Bridelia phyllanthoides</i> W.Fitzg. <i>Bridelia rhamnoides</i> Griff. <i>Bridelia tomentosa</i> Blume var. <i>chinensis</i> Müll.Arg. <i>Bridelia tomentosa</i> Blume var. <i>chinensis</i> (Müll.Arg.) Gehrm. <i>Bridelia tomentosa</i> Blume var. <i>eriantha</i> Airy Shaw <i>Bridelia tomentosa</i> Blume var. <i>glabrescens</i> Benth. <i>Bridelia tomentosa</i> Blume var. <i>glabrifolia</i> (Merr.) Airy Shaw <i>Bridelia tomentosa</i> Blume var. <i>lancifolia</i> (Roxb.) Müll.Arg. <i>Bridelia tomentosa</i> Blume var. <i>nayarii</i> (P.Basu) Chakrab., M.Gangop. & N.P.Balacr. <i>Bridelia tomentosa</i> Blume var. <i>ovoidea</i> Benth. <i>Bridelia tomentosa</i> Blume var. <i>rhamnoides</i> (Griff.) Müll.Arg. <i>Bridelia tomentosa</i> Blume var. <i>trichadenia</i> Müll.Arg. <i>Bridelia urticoides</i> Griff. <i>Phyllanthus loureiroi</i> Müll.Arg.	Common			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
912.	Magnoliophyta	Phyllanthaceae	<i>Cleistanthus malaccensis</i> Hook.f.	<i>Kaluhaburunghos malaccensis</i> (Hook.f.) Kuntze	Presumed nationally extinct			✓						
913.	Magnoliophyta	Phyllanthaceae	<i>Cleistanthus oblongifolius</i> (Roxb.) Müll.Arg.	<i>Amanoa chartacea</i> Baill. ex Müll.Arg. <i>Bridelia attenuata</i> Wall. ex Voigt <i>Bridelia chartacea</i> Wall. <i>Bridelia oblongifolius</i> (Roxb.) Hook. & Arn. <i>Cleistanthus apiculatus</i> C.B.Rob. <i>Cleistanthus castus</i> S.Moore <i>Cleistanthus chartaceus</i> Müll.Arg. <i>Cleistanthus cupreus</i> Vidal <i>Cleistanthus mindanaensis</i> C.B.Rob. <i>Cleistanthus misamisensis</i> C.B.Rob. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz <i>Cleistanthus myrianthus</i> (Hassk.) Kurz subsp. <i>attenuatus</i> Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz var. <i>concinus</i> Airy Shaw <i>Cleistanthus myrianthus</i> (Hassk.) Kurz subsp. <i>cupreus</i> (Vidal) Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz f. <i>ovalis</i> Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz f. <i>scortechinii</i> Jabl. <i>Cleistanthus myrianthus</i> (Hassk.) Kurz var. <i>spicatus</i> Airy Shaw <i>Cleistanthus pseudocanescens</i> Elmer <i>Cleistanthus pseudomyrianthus</i> Jabl. <i>Clusia oblongifolia</i> Roxb. <i>Kaluhaburunghos chartaceus</i> (Müll.Arg.) Kuntze <i>Kaluhaburunghos myrianthus</i> (Hassk.) Kuntze <i>Kaluhaburunghos nanopetalus</i> Kuntze <i>Kaluhaburunghos oblongifolius</i> (Roxb.) Kuntze <i>Nanopetalum myrianthum</i> Hassk.	Critically endangered			✓	✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
914.	Magnoliophyta	Phyllanthaceae	<i>Cleistanthus sumatranus</i> (Miq.) Müll.Arg.	<i>Cleistanthus blancoi</i> Vidal <i>Cleistanthus blancoi</i> Rolfe <i>Cleistanthus euphlebius</i> Merr. <i>Cleistanthus ferrugineus</i> Fern.-Vill. <i>Cleistanthus heterophyllus</i> Hook.f. <i>Cleistanthus laevigatus</i> Jabl. <i>Cleistanthus laevis</i> Hook.f. <i>Cleistanthus minahassae</i> Koord. <i>Cleistanthus oligophlebius</i> Merr. <i>Cleistanthus orgyalis</i> (Blanco) Merr. <i>Cleistanthus vidalii</i> C.B.Rob. <i>Gluta orgyalis</i> Blanco <i>Kaluhaburungos blancoi</i> (Rolfe) Kuntze <i>Kaluhaburungos heterophyllus</i> (Hook.f.) Kuntze <i>Kaluhaburungos laevis</i> (Hook.f.) Kuntze <i>Kaluhaburungos sumatranus</i> (Miq.) Kuntze <i>Leiopyxis sumatrana</i> Miq. <i>Paracleisthus subgracilis</i> Gagnep.	Vulnerable				✓	✓			
915.	Magnoliophyta	Phyllanthaceae	<i>Glochidion borneense</i> (Müll.Arg.) Boerl.	<i>Diasperus borneensis</i> (Müll.Arg.) Kuntze <i>Diasperus microbotrys</i> (Hook.f.) Kuntze <i>Diasperus polycarpus</i> (Müll.Arg.) Kuntze <i>Glochidion microbotrys</i> Hook.f. <i>Glochidion trilobum</i> Ridl. <i>Phyllanthus borneensis</i> Müll.Arg. <i>Phyllanthus polycarpus</i> Müll.Arg.	Critically endangered				✓	✓			
916.	Magnoliophyta	Phyllanthaceae	<i>Glochidion littorale</i> Blume	<i>Agyneia impuber</i> Wall. <i>Bradleia littorea</i> (Blume) Steud. <i>Bradleia obtusa</i> Wall. <i>Diasperus litoralis</i> (Blume) Kuntze <i>Glochidion littorale</i> Blume var. <i>caudatum</i> Airy Shaw <i>Glochidion littorale</i> Blume var. <i>culminicola</i> Airy Shaw <i>Phyllanthus littoralis</i> (Blume) Müll.Arg.	Endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
917.	Magnoliophyta	Phyllanthaceae	<i>Glochidion lutescens</i> Blume	<i>Anisonema hypoleucum</i> Miq. <i>Bradleia laevigata</i> Wall. <i>Bradleia lutescens</i> (Blume) Steud. <i>Diasperus glaucifolius</i> (Müll.Arg.) Kuntze <i>Diasperus kollmannianus</i> (Müll.Arg.) Kuntze <i>Diasperus laevigatus</i> (Müll.Arg.) Kuntze <i>Diasperus lutescens</i> (Blume) Kuntze <i>Glochidion breynioides</i> C.B.Rob. <i>Glochidion glaucifolium</i> Müll.Arg. <i>Glochidion hollandianum</i> J.J.Sm. <i>Glochidion hypoleucum</i> (Miq.) Boerl. <i>Glochidion kollmannianum</i> (Müll.Arg.) J.J.Sm. <i>Anisonema hypoleucum</i> Miq. <i>Bradleia laevigata</i> Wall. <i>Bradleia lutescens</i> (Blume) Steud. <i>Diasperus glaucifolius</i> (Müll.Arg.) Kuntze <i>Diasperus kollmannianus</i> (Müll.Arg.) Kuntze <i>Diasperus laevigatus</i> (Müll.Arg.) Kuntze <i>Diasperus lutescens</i> (Blume) Kuntze <i>Glochidion breynioides</i> C.B.Rob. <i>Glochidion glaucifolium</i> Müll.Arg. <i>Glochidion hollandianum</i> J.J.Sm. <i>Glochidion hypoleucum</i> (Miq.) Boerl. <i>Glochidion kollmannianum</i> (Müll.Arg.) J.J.Sm. <i>Glochidion laevigatum</i> (Müll.Arg.) Hook.f. <i>Glochidion pusilliflorum</i> S.Moore <i>Phyllanthus kollmannianus</i> Müll.Arg. <i>Phyllanthus laevigatus</i> Müll.Arg. <i>Phyllanthus lutescens</i> (Blume) Müll.Arg.	Critically endangered			✓	✓	✓	✓		
918.	Magnoliophyta	Phyllanthaceae	<i>Glochidion rubrum</i> Blume var. <i>rubrum</i>	<i>Bradleia coronata</i> Wall. <i>Bridelia glauca</i> Wall. <i>Diasperus coronatus</i> (Müll.Arg.) Kuntze <i>Diasperus leiostylus</i> (Kurz) Kuntze <i>Glochidion coronatum</i> Hook.f. <i>Glochidion diversifolium</i> (Miq.) Merr.	Critically endangered			✓	✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Glochidion foliosum</i> S.Moore <i>Glochidion grave</i> S.Moore <i>Glochidion insulare</i> Hook.f. <i>Glochidion leiostylum</i> Kurz <i>Glochidion penangense</i> (Müll.Arg.) Airy Shaw <i>Glochidion rubrum</i> Blume f. <i>longistylis</i> J.J.Sm. <i>Glochidion thorelii</i> Beille <i>Glochidion versicolor</i> S.Moore <i>Phyllanthus diversifolius</i> Miq. <i>Phyllanthus penangensis</i> Müll.Arg.									
919.	Magnoliophyta	Phyllanthaceae	<i>Glochidion sericeum</i> Hook.f.	<i>Diasperus sericeus</i> (Blume) Kuntze <i>Glochidionopsis sericea</i> Blume <i>Phyllanthus sericeus</i> (Blume) Müll.Arg.	Critically endangered			✓	✓				
920.	Magnoliophyta	Phyllanthaceae	<i>Glochidion singaporense</i> Gage		Critically endangered				✓				
921.	Magnoliophyta	Phyllanthaceae	<i>Glochidion superbum</i> Baill.	<i>Bradleia finlaysoniana</i> Wall. <i>Glochidion dasyphyllum</i> Miq. <i>Phyllanthus finlaysonianus</i> Wall. <i>Phyllanthus superbus</i> (Baill. ex Müll.Arg.) Müll.Arg.	Common	✓			✓	✓			
922.	Magnoliophyta	Phyllanthaceae	<i>Glochidion zeylanicum</i> (Gaertn.) A.Juss. var. <i>zeylanicum</i>	<i>Agyneia flexuosa</i> B.Heyne ex Wall. <i>Agyneia obliqua</i> Willd. <i>Bradleia nitida</i> Roxb. <i>Bradleia obliqua</i> (Willd.) Spreng. <i>Bradleia timoriensis</i> Steud. <i>Diasperus brunneus</i> (Hook.f.) Kuntze <i>Diasperus hongkongensis</i> (Müll.Arg.) Kuntze <i>Diasperus nitidus</i> (Roxb.) Kuntze <i>Diasperus obliquus</i> (Willd.) Kuntze <i>Diasperus perakensis</i> (Hook.f.) Kuntze <i>Diasperus subscandens</i> (Zoll. & Moritzi) Kuntze <i>Glochidion brunneum</i> Hook.f.	Vulnerable			✓				✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
				<i>Glochidion brunneum</i> Hook.f. subsp. <i>andamanicum</i> N.P.Balakr. & Chakrab. <i>Glochidion canaranum</i> (Müll.Arg.) Bedd. <i>Glochidion ferdinandii</i> (Müll.Arg.) F.M.Bailey var. <i>supra-axillare</i> (Benth.) F.M.Bailey <i>Glochidion glaberrimum</i> Ridl. <i>Glochidion hongkongense</i> Müll.Arg. <i>Glochidion lanceolatum</i> Hayata var. <i>liukuense</i> (Hayata) Hurus. <i>Glochidion littorale</i> Benth. <i>Glochidion liukuense</i> Hayata <i>Glochidion nitidum</i> (Roxb.) Voigt <i>Glochidion obliquum</i> (Willd.) Decne. <i>Glochidion pedunculatum</i> Merr. <i>Glochidion perakense</i> Hook.f. <i>Glochidion perakense</i> Hook.f. var. <i>supra-axillare</i> (Benth.) Airy Shaw <i>Glochidion subscandens</i> Zoll. & Moritzi <i>Glochidion sumatranum</i> Miq. <i>Glochidion supra-axillare</i> (Benth.) Domin <i>Glochidion zeylanicum</i> (Gaertn.) A.Juss. var. <i>malayanum</i> J.J.Sm. <i>Glochidion zeylanicum</i> (Gaertn.) A.Juss. var. <i>nitidum</i> (Roxb.) Haines <i>Phyllanthus canaranus</i> Müll.Arg. <i>Phyllanthus ferdinandii</i> Müll.Arg. var. <i>supra-axillaris</i> Benth. <i>Phyllanthus hongkongensis</i> (Müll.Arg.) Müll.Arg. <i>Phyllanthus nitidus</i> (Roxb.) Reinw. ex Blume <i>Phyllanthus obliquus</i> (Willd.) Müll.Arg. <i>Phyllanthus subscandens</i> (Zoll. & Moritzi) Müll.Arg.										
923.	Magnoliophyta	Piperaceae	<i>Piper caninum</i> Blume	<i>Cubeba canina</i> (Blume) Miq. <i>Cubeba lanata</i> Miq. <i>Piper kietanum</i> C.DC.	Common								✓ ✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
924.	Magnoliophyta	Piperaceae	<i>Piper flavimarginatum</i> C.DC.		Critically endangered				✓			✓	
925.	Magnoliophyta	Piperaceae	<i>Piper macropiper</i> Pennant	<i>Piper vaupelii</i> Lauterb.	Critically endangered				✓			✓	
926.	Magnoliophyta	Piperaceae	<i>Piper malaccense</i> C.DC.		Critically endangered				✓				
927.	Magnoliophyta	Piperaceae	<i>Piper muricatum</i> Blume		Critically endangered	✓			✓	✓			
928.	Magnoliophyta	Piperaceae	<i>Piper pedicellosum</i> Wall. ex C. DC.	<i>Cubeba neesii</i> Miq.	Critically endangered							✓	
929.	Magnoliophyta	Piperaceae	<i>Piper porphyrophyllum</i> (Lindl.) N.E.Br.	<i>Cissus porphyrophylla</i> Lindl.	Endangered				✓		✓	✓	
930.	Magnoliophyta	Piperaceae	<i>Piper retrofractum</i> Vahl	<i>Chavica officinarum</i> Miq. <i>Piper chaba</i> Hunter <i>Piper officinarum</i> (Miq.) C.DC.	Presumed nationally extinct				✓				
931.	Magnoliophyta	Plantaginaceae	<i>Adenosma indicum</i> (Lour.) Merr.		Cryptogenic				✓				
932.	Magnoliophyta	Plantaginaceae	<i>Adenosma inopinatum</i> Prain		Cryptogenic				✓				
933.	Magnoliophyta	Plantaginaceae	<i>Adenosma javanicum</i> (Blume) Koord.	<i>Herpestis javanica</i> Blume <i>Herpestis ovata</i> Benth.	Common						✓		
934.	Magnoliophyta	Plantaginaceae	<i>Limnophila aromatica</i> (Lam.) Merr.	<i>Ambulia aromatica</i> Lam. <i>Gratiola aromatica</i> (Lam.) Pers. <i>Limnophila aromaticoides</i> Yang & Yen <i>Limnophila chinensis</i> (Osbeck) Merr. subsp. <i>aromatica</i> (Lam.) T. Yamaz. <i>Limnophila gratissima</i> Blume	Critically endangered							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Limnophila punctata</i> Blume <i>Limnophila punctata</i> Blume var. <i>subracemosa</i> Benth.									
935.	Magnoliophyta	Plantaginaceae	<i>Limnophila sessiliflora</i> (Vahl) Blume	<i>Hottonia sessiliflora</i> Vahl <i>Limnophila taoyuanensis</i> Yang & Yen	Cryptogenic					✓			
936.	Magnoliophyta	Plantaginaceae	<i>Limnophila villosa</i> Blume		Cryptogenic					✓			
937.	Magnoliophyta	Poaceae	<i>Alloteropsis ciminica</i> (L.) Stapf	<i>Agrostis ciminica</i> (L.) Poir. <i>Agrostis digitata</i> Lam. <i>Alloteropsis latifolia</i> (Peter) Pilg. <i>Alloteropsis quintasii</i> (Mez) Pilg. <i>Axonopus ciminicus</i> (L.) P.Beauv. <i>Axonopus latifolius</i> Peter <i>Coridochloa ciminica</i> (L.) Nees <i>Coridochloa ciminica</i> (L.) Nees ex B.D. Jacks. <i>Coridochloa ciminica</i> (L.) Nees ex Chase <i>Coridochloa fimbriata</i> Aitch. <i>Melica ciminica</i> (L.) Salisb. <i>Milium ciminicum</i> L. <i>Oplismenus fasciculatus</i> Roem. & Schult. <i>Panicum ciminicum</i> (L.) Retz. <i>Panicum fasciculatum</i> Lam. <i>Panicum fasciculiflorum</i> Steud. <i>Urochloa ciminica</i> (L.) Kunth <i>Urochloa fasciculata</i> (Roem. & Schult.) Kunth <i>Urochloa quintasii</i> Mez	Cryptogenic				✓				
938.	Magnoliophyta	Poaceae	<i>Centotheca lappacea</i> (L.) Desv.	<i>Andropogon latifolius</i> (L.) Kunth <i>Anthoxanthum pulchellum</i> D.Dietr. <i>Anthoxanthum pulcherrimum</i> Lour. <i>Cenchrus lappaceus</i> L. <i>Centosteca lappacea</i> (L.) Desv. <i>Centosteca lappacea</i> (L.) Desv. subsp. <i>inermis</i> (Rendle) T.Koyama	Critically endangered					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Centosteca lappacea</i> (L.) Desv. var. <i>inermis</i> Rendle									
				<i>Centosteca lappacea</i> (L.) Desv. var. <i>longilamina</i> (Ohwi) Bor									
				<i>Centotheca latifolia</i> Trin.									
				<i>Centotheca latifolia</i> Trin. var. <i>inermis</i> (Rendle) Sasaki									
				<i>Centotheca longilamina</i> Ohwi									
				<i>Centotheca parviflora</i> Andersson									
				<i>Cynosurus ciliaris</i> Raspail									
				<i>Festuca blepharophora</i> Roem. & Schult.									
				<i>Festuca ciliaris</i> B.Heyne ex Roem. & Schult.									
				<i>Festuca latifolia</i> Roth									
				<i>Festuca virgata</i> B.Heyne ex Steud.									
				<i>Hierochloe latifolia</i> (L.) Kunth									
				<i>Holcus latifolius</i> Osbeck									
				<i>Melica diandra</i> Roxb.									
				<i>Melica lappacea</i> (L.) Raspail									
				<i>Melica philippensis</i> Llanos									
				<i>Melica refracta</i> Roxb.									
				<i>Oplismenus magellanicus</i> (Lam.) Roem. & Schult.									
				<i>Panicum festuciforme</i> Hochst. ex Hook.f.									
				<i>Panicum magellanicum</i> Lam.									
				<i>Poa latifolia</i> (Osbeck) G.Forst.									
				<i>Torresia biflora</i> Roem. & Schult.									
				<i>Torresia latifolia</i> (Osbeck) P.Beauv. ex Roem. & Schult.									
				<i>Uniola lappacea</i> (L.) Trin.									
939.	Magnoliophyta	Poaceae	<i>Dimeria ornithopoda</i> Trin.	<i>Andropogon filiformis</i> Roxb. <i>Andropogon roxburghianus</i> Schult. <i>Andropogon stipiformis</i> Steud. <i>Chrysopogon filiformis</i> Voigt <i>Didactylon ramosum</i> Zoll. & Moritzi <i>Didactylon simplex</i> Zoll. & Morltzi <i>Dimeria diandra</i> Griff. <i>Dimeria filiformis</i> Hochst. ex Miq.	Common								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Dimeria glabra</i> Ridl.									
				<i>Dimeria higoensis</i> Honda									
				<i>Dimeria hirtella</i> B.S.Sun									
				<i>Dimeria mikii</i> Honda									
				<i>Dimeria ornithopoda</i> Trin. var. <i>filiformis</i> Hack.									
				<i>Dimeria ornithopoda</i> Trin. var. <i>glabra</i> (Ridl.) Jansen									
				<i>Dimeria ornithopoda</i> Trin. var. <i>gracillima</i> Bor									
				<i>Dimeria ornithopoda</i> Trin. var. <i>khasiana</i> Bor									
				<i>Dimeria ornithopoda</i> Trin. var. <i>megalantha</i> Bor									
				<i>Dimeria ornithopoda</i> Trin. var. <i>nana</i> Courtois ex Keng f. & Y.L.Yang									
				<i>Dimeria ornithopoda</i> Trin. var. <i>nana</i> (Keng & Y.L.Yang) S.L.Chen & G.Y.Sheng									
				<i>Dimeria ornithopoda</i> Trin. var. <i>parva</i> Keng f. & Y.L.Yang									
				<i>Dimeria ornithopoda</i> Trin. var. <i>plurinodis</i> Keng f. & Y.L.Yang									
				<i>Dimeria ornithopoda</i> Trin. var. <i>plurinodis</i> (Keng & Y.L.Yang) S.L.Chen & G.Y.Sheng									
				<i>Dimeria ornithopoda</i> Trin. var. <i>ramosa</i> (Zoll. & Moritzi) Hack.									
				<i>Dimeria ornithopoda</i> Trin. f. <i>subrobusta</i> (Hack.) Ohwi									
				<i>Dimeria ornithopoda</i> Trin. subsp. <i>subrobusta</i> (Hack.) S.L.Chen & G.Y.Sheng									
				<i>Dimeria ornithopoda</i> Trin. var. <i>subrobusta</i> Hack.									
				<i>Dimeria ornithopoda</i> Trin. var. <i>tenera</i> (Trin.) Hack.									
				<i>Dimeria ornithopoda</i> Trin. var. <i>yakushimensis</i> Honda									
				<i>Dimeria ornithopodioides</i> Ridl.									
				<i>Dimeria parva</i> (Keng & Y.L.Yang) S.L.Chen & G.Y.Sheng									
				<i>Dimeria psilobasis</i> F.Muell.									
				<i>Dimeria stipiformis</i> (Steud.) Miq.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Dimeria tenera</i> Trin. <i>Psilostachys filiformis</i> (Voight) Dalzell & A.Gibson									
940.	Magnoliophyta	Poaceae	<i>Eragrostis atrovirens</i> (Desf.) Trin. ex Steud.	<i>Briza elegans</i> Osbeck <i>Eragrostis atrovirens</i> (Desf.) Trin. ex Steud. (Desf.) Nees <i>Eragrostis atrovirens</i> (Desf.) Trin. ex Steud. var. <i>hesperidum</i> Maire <i>Eragrostis atroviridis</i> Maire <i>Eragrostis biformis</i> (Kunth) Benth. <i>Eragrostis bromoides</i> Jedwabn. <i>Eragrostis luzoniensis</i> Steud. <i>Eragrostis multiflora</i> Trin. var. <i>biformis</i> (Kunth) A.Chev. <i>Eragrostis multinodis</i> B.S.Sun & S.Wang <i>Eragrostis sudanica</i> A.Chev. <i>Poa atrovirens</i> Desf. <i>Poa biformis</i> Kunth	Common			✓	✓	✓			
941.	Magnoliophyta	Poaceae	<i>Eragrostis unioloides</i> (Retz.) Nees ex Steud.	<i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>contracta</i> Buse <i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>effusa</i> Buse <i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>prostrata</i> Buse <i>Eragrostis amabilis</i> (L.) Wight & Arn. var. <i>scabriuscula</i> Buse <i>Eragrostis euchroa</i> Steud. <i>Eragrostis formosana</i> Hayata <i>Eragrostis rubens</i> (Lam.) Hochst. ex Miq. <i>Eragrostis rubens</i> (Lam.) Steud. <i>Eragrostis rubens</i> (Lam.) Steud. var. <i>contracta</i> (Buse) Miq. <i>Eragrostis rubens</i> (Lam.) Steud. var. <i>effusa</i> (Buse) Miq. <i>Eragrostis rubens</i> (Lam.) Steud. f. <i>linearis</i> Boerl.	Common								✓

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Eragrostis rubens</i> (Lam.) Steud. var. <i>scabriuscula</i> (Buse) Miq. <i>Eragrostis tenella</i> Nees <i>Eragrostis unioides</i> (Retz.) Nees ex Steud. var. <i>ongiemensis</i> A.Camus <i>Poa rubens</i> Lam. <i>Poa unioides</i> Retz. <i>Uniola indica</i> Spreng.									
942.	Magnoliophyta	Poaceae	<i>Isachne globosa</i> (Thunb.) Kuntze	<i>Agrostis globosa</i> (Thunb.) Poir. <i>Aira ischoemoides</i> K.D.Koenig ex Kunth <i>Aira violacea</i> Willd. ex Steud. <i>Eriochloa globosa</i> (Thunb.) Kunth <i>Eriochloa japonica</i> Steud. <i>Helopus globosus</i> (Thunb.) Steud. <i>Isachne adstans</i> (Steud.) Miq. <i>Isachne atrovirens</i> (Trin.) Trin. <i>Isachne australis</i> R.Br. <i>Isachne australis</i> R.Br. var. <i>effusa</i> Trin. ex Hook.f. <i>Isachne dispar</i> Trin. <i>Isachne dispar</i> Trin. var. <i>villosa</i> C.E.C.Fisch. <i>Isachne geniculata</i> Griff. <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>brevispicula</i> Ohwi <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>ciliaris</i> Ohwi <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>compacta</i> W.Z.Fang ex S.L.Chen <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>daviumbuensis</i> Jansen <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>effusa</i> (Trin. ex Hook.f.) Senaratna <i>Isachne globosa</i> (Thunb.) Kuntze var. <i>obscura</i> (Buse) Henrard <i>Isachne heterantha</i> Hayata <i>Isachne javana</i> Nees ex Steud. <i>Isachne javana</i> Nees ex Miq.	Cryptogenic							✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Isachne lepidota</i> (Steud.) Walp.									
				<i>Isachne lutaria</i> Santos									
				<i>Isachne miliacea</i> Roth var. <i>javanica</i> (Buse) Henrard									
				<i>Isachne miliacea</i> Roth var. <i>madurensis</i> Jansen									
				<i>Isachne miliacea</i> Roth var. <i>minutula</i> (Gaudich.)									
				Fosberg & Sachet									
				<i>Isachne miliacea</i> Roth var. <i>obscura</i> Buse									
				<i>Isachne miliacea</i> Roth var. <i>ovalifolia</i> Jansen									
				<i>Isachne miliacea</i> Roth var. <i>stricta</i> Ridl.									
				<i>Isachne minutula</i> (Gaudich.) Kunth									
				<i>Isachne minutula</i> (Gaudich.) Kunth var. <i>javanica</i>									
				Buse									
				<i>Isachne muricata</i> Nees ex Steud.									
				<i>Isachne nodibarbata</i> (Hochst. ex Steud.) Henrard									
				<i>Isachne pangerangensis</i> Zoll. & Moritzi var.									
				<i>rhabdina</i> (Steud.) Jansen									
				<i>Isachne pangerangensis</i> Zoll. & Moritzi var.									
				<i>rhabdina</i> (Steud.) Henrard									
				<i>Isachne ponapensis</i> Hosok.									
				<i>Isachne rhabdina</i> (Steud.) Henrard									
				<i>Isachne rhabdina</i> (Steud.) Ohwi									
				<i>Isachne stigmatosa</i> Griff.									
				<i>Isachne subglobosa</i> Hatus. & T.Koyama									
				<i>Isachne virgata</i> Nees ex Steud.									
				<i>Milium globosum</i> Thunb.									
				<i>Panicum adstans</i> Steud.									
				<i>Panicum antipodum</i> Spreng.									
				<i>Panicum antipodum</i> Spreng. var. <i>atrovirens</i> (Trin.)									
				Trin.									
				<i>Panicum atrovirens</i> Trin.									
				<i>Panicum australe</i> (R.Br.) Raspail									
				<i>Panicum batavicum</i> Steud.									
				<i>Panicum dispar</i> (Trin.) Steud.									
				<i>Panicum lepidotum</i> Steud.									
				<i>Panicum minutulum</i> Gaudich.									
				<i>Panicum nodibarbatum</i> Hochst. ex Steud.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Panicum rhabdinum</i> Steud. <i>Panicum stigmatosum</i> Drury <i>Panicum violaceum</i> Klein ex Thiele									
943.	Magnoliophyta	Poaceae	<i>Ischaemum muticum</i> L.	<i>Agrostis javanica</i> Burm. ex Kunth <i>Andropogon muticus</i> (L.) Steud. <i>Andropogon polymorphus</i> Steud. <i>Andropogon relictus</i> Steud. <i>Andropogon repens</i> Steud. <i>Ischaemum glabratum</i> J.Presl <i>Ischaemum involutum</i> Labill. ex Kunth <i>Ischaemum muticum</i> L. var. <i>aristuliferum</i> Fosberg & Sachet <i>Ischaemum muticum</i> L. var. <i>srilankense</i> Davidse <i>Ischaemum repens</i> Roxb. <i>Tripsacum ischaemum</i> Raspail <i>Tripsacum muticum</i> (L.) Raspail	Common					✓			
944.	Magnoliophyta	Poaceae	<i>Ischaemum timorens</i> Kunth	<i>Andropogon blumii</i> Steud. <i>Andropogon timorens</i> (Kunth) Steud. <i>Ischaemum macrurum</i> Stapf ex Ridl. <i>Ischaemum timorens</i> Kunth var. <i>peguense</i> Hack. <i>Ischaemum timorens</i> Kunth var. <i>villosum</i> C.E.C.Fisch. <i>Ischaemum timorens</i> Kunth var. <i>zeylanicum</i> Hack. <i>Ischaemum villosissimum</i> Honda <i>Ischaemum zeylanicola</i> Bor <i>Spodiopogon blumii</i> Nees ex Steud. <i>Spodiopogon cuspidatus</i> Arn. ex Steud.	Cryptogenic					✓			
945.	Magnoliophyta	Poaceae	<i>Lophatherum gracile</i> Brongn.	<i>Acroelytrum japonicum</i> Steud. <i>Acroelytrum urvillei</i> (Steud.) Steud. ex Miq. <i>Allelothea urvillei</i> Steud. <i>Lophatherum annulatum</i> Franch. & Sav. <i>Lophatherum dubium</i> Steud.	Common	✓					✓		

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Lophatherum elatum</i> Zoll. & Moritzi ex Steud. <i>Lophatherum elatum</i> Zoll. & Moritzi <i>Lophatherum gracile</i> Brongn. var. <i>annulatum</i> (Franch. & Sav.) Hack. <i>Lophatherum gracile</i> Brongn. var. <i>cochinchinense</i> A.Camus <i>Lophatherum gracile</i> Brongn. f. <i>elatum</i> (Steud.) T.Koyama <i>Lophatherum gracile</i> Brongn. var. <i>elatum</i> (Steud.) Hack. <i>Lophatherum gracile</i> Brongn. var. <i>intermedium</i> A.Camus <i>Lophatherum gracile</i> Brongn. f. <i>musashiense</i> (Hiyama) T.Koyama <i>Lophatherum gracile</i> Brongn. var. <i>musashiense</i> Hiyama <i>Lophatherum gracile</i> Brongn. f. <i>pilosulum</i> (Steud.) T.Koyama <i>Lophatherum gracile</i> Brongn. var. <i>pilosulum</i> (Steud.) Hack. <i>Lophatherum gracile</i> Brongn. var. <i>pilosum</i> A.Camus <i>Lophatherum gracile</i> Brongn. var. <i>zeylanicum</i> (Hook.f.) Bor <i>Lophatherum gracile</i> Brongn. var. <i>zeylanicum</i> (Hook.f.) A.Camus <i>Lophatherum humile</i> Miq. <i>Lophatherum japonicum</i> (Steud.) Steud. <i>Lophatherum lehmannii</i> Nees ex Steud. <i>Lophatherum multiflorum</i> Steud. <i>Lophatherum pilosulum</i> Steud. <i>Lophatherum zeylanicum</i> Hook.f.									
946.	Magnoliophyta	Poaceae	<i>Schizostachyum jaculans</i> Holttum		Exotic			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
947.	Magnoliophyta	Poaceae	<i>Setaria pumila</i> (Poir.) Roem. & Schult.	<i>Chaetochloa glauca</i> (L.) Scribn. var. <i>purpurea</i> Farw. <i>Chaetochloa lutescens</i> (Weigel) Stuntz var. <i>longispica</i> Honda <i>Oplismenus helvolus</i> (L.f.) P.Beauv. <i>Panicum flavescens</i> Moench <i>Panicum glaucum</i> L. var. <i>elongatum</i> Pers. <i>Panicum glaucum</i> L. var. <i>flavescens</i> Elliott <i>Panicum glaucum</i> L. var. <i>laevigatum</i> Torr. <i>Panicum glaucum</i> L. var. <i>pumilum</i> (Poir.) Asch. & Graebn. <i>Panicum helvolum</i> L.f. <i>Panicum holcoides</i> J.Jacq. <i>Panicum imberbe</i> Poir. var. <i>pumilum</i> (Poir.) Nees <i>Panicum lutescens</i> Weigel f. <i>pumilum</i> Poir. <i>Panicum luteum</i> Gueldenst. <i>Panicum pallidifusum</i> Schumach. <i>Panicum pumilum</i> Poir. <i>Panicum rubiginosum</i> Steud. <i>Pennisetum helvolum</i> (L.f.) R.Br. <i>Setaria aurea</i> Hochst. ex A.Braun var. <i>rubiginosa</i> (Steud.) Peter <i>Setaria auricoma</i> Link ex A.Braun <i>Setaria boninensis</i> Nakai <i>Setaria breviglumis</i> St.-Lag. <i>Setaria dasyura</i> Schlecht. <i>Setaria erythraeae</i> Mattei <i>Setaria glauca</i> (L.) P.Beauv. f. <i>abyssinica</i> Pilg. <i>Setaria glauca</i> (L.) P.Beauv. var. <i>breviseta</i> Buse <i>Setaria glauca</i> (L.) P.Beauv. var. <i>dura</i> (I.C.Chung) I.C.Chung <i>Setaria glauca</i> (L.) P.Beauv. var. <i>elongata</i> (Pers.) Raddi <i>Setaria glauca</i> (L.) P.Beauv. subsp. <i>humifusa</i> Dumort. <i>Setaria glauca</i> (L.) P.Beauv. var. <i>ictura</i> Buse	Presumed nationally extinct			✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Setaria glauca</i> (L.) P.Beauv. var. <i>longispica</i> (Honda) Makino & Nemoto									
				<i>Setaria glauca</i> (L.) P.Beauv. var. <i>macrocarpa</i> Hook.f.									
				<i>Setaria glauca</i> (L.) P.Beauv. var. <i>minutissima</i> F.M.Bailey									
				<i>Setaria glauca</i> (L.) P.Beauv. subsp. <i>pallidefusca</i> (Schumach.) B.K.Simon									
				<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pallidefusca</i> (Schumach.) T.Koyama									
				<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pumila</i> (Poir.) Hegi									
				<i>Setaria glauca</i> (L.) P.Beauv. var. <i>pumila</i> (Poir.) Podp.									
				<i>Setaria glauca</i> (L.) P.Beauv. subsp. <i>subtesselata</i> Buse									
				<i>Setaria helvola</i> (L.f.) Roem. & Schult.									
				<i>Setaria laeta</i> de Wit									
				<i>Setaria lutescens</i> (Weigel) F.T.Hubb. var. <i>dura</i> I.C.Chung									
				<i>Setaria lutescens</i> (Weigel) F.T.Hubb. var. <i>longispica</i> (Honda) Honda									
				<i>Setaria lutescens</i> (Weigel) F.T.Hubb. f. <i>pumila</i> (Poir.) Soó									
				<i>Setaria pallidefusca</i> (Schumach.) Stapf & C.E.Hubb.									
				<i>Setaria pallidefusca</i> (Schumach.) Stapf & C.E.Hubb. var. <i>brevisetia</i> (Buse) Jansen									
				<i>Setaria pallidefusca</i> (Schumach.) Stapf & C.E.Hubb. var. <i>ictura</i> (Buse) Jansen									
				<i>Setaria pallidefusca</i> f. <i>penicillata</i> (Stapf & C.E.Hubb.) Stapf & C.E.Hubb.									
				<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallide-fusca</i> (Schumach.) B.K. Simon									
				<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallidifusca</i> (Schumach.) B.K.Simon									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i> <i>Setaria rubiginosa</i> (Steud.) Miq. <i>Setaria rubiginosa</i> (Steud.) Miq. f. <i>penicillata</i> Stapf & C.E.Hubb. <i>Setaria sciuroidea</i> C.Muell. <i>Setaria ustilata</i> de Wit									
948.	Magnoliophyta	Polygalaceae	<i>Salomonina cantoniensis</i> Lour.	<i>Salomonina cantoniensis</i> Lour. var. <i>edentula</i> (DC.) C.Y.Wu <i>Salomonina cantoniensis</i> Lour. var. <i>edentula</i> (DC.) Gagnep. <i>Salomonina edentula</i> DC.	Cryptogenic			✓	✓				
949.	Magnoliophyta	Polygalaceae	<i>Xanthophyllum ellipticum</i> Korth.	<i>Banisteroides ellipticum</i> (Korth. ex Miq.) Kuntze <i>Xanthophyllum hildebrandii</i> Meijden	Critically endangered	✓	✓						
950.	Magnoliophyta	Polygalaceae	<i>Xanthophyllum eurhynchum</i> Miq.		Vulnerable			✓	✓			✓	
951.	Magnoliophyta	Polygalaceae	<i>Xanthophyllum flavescens</i> Roxb.	<i>Banisteroides affine</i> (Korth. ex Miq.) Kuntze <i>Kaulfussia geminiflora</i> Dennst. <i>Xanthophyllum affine</i> Korth. ex Miq. <i>Xanthophyllum geminiflorum</i> (Dennst.) Alston <i>Xanthophyllum siamense</i> Craib	Critically endangered	✓	✓		✓	✓	✓	✓	
952.	Magnoliophyta	Polygalaceae	<i>Xanthophyllum obscurum</i> A.W.Benn.	<i>Banisteroides obscurum</i> (A.W.Benn.) Kuntze	Endangered	✓	✓						
953.	Magnoliophyta	Polygalaceae	<i>Xanthophyllum vitellinum</i> (Blume) D.Dietr.	<i>Banisteroides vitellinum</i> (Blume) Kuntze <i>Jackia vitellina</i> Blume <i>Monnina vitellina</i> (Blume) Spreng.	Vulnerable				✓			✓	
954.	Magnoliophyta	Polygonaceae	<i>Persicaria barbata</i> (L.) H.Hara var. <i>gracilis</i> (Danser) H.Hara	<i>Persicaria barbata</i> (L.) H. Hara subsp. <i>Gracilis</i> (Danser) Soják <i>Polygonum barbatum</i> L.	Cryptogenic			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
955.	Magnoliophyta	Pontederiaceae	<i>Monochoria vaginalis</i> (Burm.f.) C.Presl	<i>Boottia mairei</i> H.Lév. <i>Gomphima vaginalis</i> (Burm.f.) Raf. <i>Monochoria junghuhniana</i> Hassk. <i>Monochoria linearis</i> (Hassk.) Miq. <i>Monochoria loureiroi</i> Kunth <i>Monochoria ovata</i> Kunth <i>Monochoria pauciflora</i> (Blume) Kunth <i>Monochoria plantaginea</i> (Roxb.) Kunth <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth var. <i>angustifolia</i> G.X.Wang <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth var. <i>pauciflora</i> (Blume) Merr. <i>Monochoria vaginalis</i> (Burm.f.) C.Presl ex Kunth var. <i>plantaginea</i> (Roxb.) Solms <i>Pontederia alba</i> Buch.-Ham. ex Wall. <i>Pontederia cordata</i> Lour. <i>Pontederia lanceolata</i> Wall. ex Kunth <i>Pontederia linearis</i> Hassk. <i>Pontederia loureiroana</i> Schult. & Schult.f. <i>Pontederia ovata</i> Hook. & Arn. <i>Pontederia pauciflora</i> Blume <i>Pontederia plantaginea</i> Roxb. <i>Pontederia racemosa</i> Buch.-Ham. ex Wall. <i>Pontederia vaginalis</i> Burm.f. <i>Pontederia vaginata</i> Royle	Cryptogenic			✓					
956.	Magnoliophyta	Proteaceae	<i>Helicia excelsa</i> (Roxb.) Blume	<i>Alseodaphne crassipes</i> Hook.f. <i>Helicia salicifolia</i> C.Presl <i>Roupala excelsa</i> Roxb.	Critically endangered				✓			✓	
957.	Magnoliophyta	Putranjivaceae	<i>Drypetes longifolia</i> (Blume) Pax & K.Hoffm.	<i>Aporosa calocarpa</i> Kurz ex Hook.f. <i>Cyclostemon bordenii</i> Merr. <i>Cyclostemon calocarpus</i> Hook.f. <i>Cyclostemon coriaceus</i> Baill. <i>Cyclostemon incarnatus</i> Elmer	Critically endangered				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H	
				<i>Cyclostemon longifolius</i> Blume <i>Cyclostemon macrophyllus</i> Blume <i>Cyclostemon macrophyllus</i> Blume var. <i>malaccensis</i> Hook.f. <i>Cyclostemon merrittii</i> Elmer <i>Cyclostemon zeylanicus</i> (Thwaites) Baill. <i>Drypetes bordenii</i> (Merr.) Pax & K.Hoffm. <i>Drypetes calocarpa</i> (Hook.f.) Pax & K.Hoffm. <i>Drypetes coriacea</i> (Baill.) Pax & K.Hoffm. <i>Drypetes macrophylla</i> (Blume) Pax & K.Hoffm. <i>Drypetes myrmecophila</i> Merr. <i>Sphragidia zeylanica</i> Thwaites										
958.	Magnoliophyta	Putranjivaceae	<i>Drypetes pendula</i> Ridl.	<i>Drypetes gigantifolia</i> J.J.Sm.	Critically endangered				✓					
959.	Magnoliophyta	Rhamnaceae	<i>Ventilago lanceata</i> Tul.	<i>Smythea lanceata</i> Summerh.	Critically endangered				✓					
960.	Magnoliophyta	Rhamnaceae	<i>Ventilago maingayi</i> M.A.Lawson		Critically endangered				✓		✓			
961.	Magnoliophyta	Rhamnaceae	<i>Ventilago malaccensis</i> Ridl.		Endangered	✓			✓		✓	✓		
962.	Magnoliophyta	Rhamnaceae	<i>Ziziphus calophylla</i> Wall.		Vulnerable			✓	✓	✓	✓			
963.	Magnoliophyta	Rhamnaceae	<i>Ziziphus elegans</i> Wall.		Critically endangered								✓	
964.	Magnoliophyta	Rhamnaceae	<i>Ziziphus horsfieldii</i> Miq.		Endangered				✓					
965.	Magnoliophyta	Rhizogoniaceae	<i>Pyrrhobryum spiniforme</i> (Hedw.) Mitt.	<i>Hypnum spiniforme</i> Hedw. <i>Mnium spiniforme</i> (Hedw.) Müll.Hal. <i>Rhizogonium boninense</i> Z.Iwats. <i>Rhizoqonium pervilleanum</i> Besch.	Endangered			✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Rhizogonium spiniferum</i> Brid. ex Hampe <i>Stereodon spiniformis</i> (Hedw.) Brid.									
966.	Magnoliophyta	Rhizophoraceae	<i>Bruguiera cylindrica</i> (L.) Blume	<i>Bruguiera caryophyllaeoides</i> (J.F.Gmel.) Blume <i>Bruguiera caryophylloides</i> (Burm.f.) Blume <i>Bruguiera malabarica</i> Arn. <i>Rhizophora caryophylloides</i> Burm.f. <i>Rhizophora cylindrica</i> L.	Common			✓					
967.	Magnoliophyta	Rhizophoraceae	<i>Carallia brachiata</i> (Lour.) Merr.	<i>Barraldeia madagascariensis</i> Spreng. <i>Barraldeia madagascariensis</i> DC. <i>Carallia arguta</i> Koord. & Valetton <i>Carallia baraldeia</i> Arn. <i>Carallia barraldeia</i> Wight & Arn. <i>Carallia calycina</i> Benth. <i>Carallia celebica</i> Blume <i>Carallia cerisopsitolia</i> Miq. <i>Carallia ceylanica</i> Arn. <i>Carallia confinis</i> Blume <i>Carallia corymbosa</i> Arn. <i>Carallia cuprea</i> Ridl. <i>Carallia cuspidata</i> Blume <i>Carallia densiflora</i> Griff. <i>Carallia diplopetala</i> Hand.-Mazz. <i>Carallia floribunda</i> Miq. <i>Carallia integerrima</i> DC. <i>Carallia integrifolia</i> J.Graham <i>Carallia lanceifolia</i> Roxb. <i>Carallia lanceolaria</i> Wall. <i>Carallia lucida</i> Roxb. <i>Carallia madagascariensis</i> (DC.) Tul. <i>Carallia multiflora</i> Blume <i>Carallia multiflora</i> Miq. <i>Carallia obcordata</i> Wight ex Walp. <i>Carallia octopetala</i> F.Muell. ex Benth. <i>Carallia scortechinii</i> King	Endangered	✓	✓		✓	✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Carallia sinensis</i> Arn. <i>Carallia spinulosa</i> Ridl. <i>Carallia symmetria</i> Blume <i>Carallia timorensis</i> Blume <i>Carallia viridiflora</i> Ridl. <i>Carallia zeylanica</i> Arn. <i>Demidofia nodosa</i> Dennst. <i>Diatoma brachiata</i> Lour. <i>Eugenia cupulifera</i> H.Perrier <i>Petalotoma brachiata</i> (Lour.) DC. <i>Symmetria obovata</i> Blume									
968.	Magnoliophyta	Rhizophoraceae	<i>Gynotroches axillaris</i> Blume	<i>Dryptopetalum coriaceum</i> Arn. <i>Gynotroches dryptopetalum</i> Blume <i>Gynotroches lanceolata</i> Merr. <i>Gynotroches micrantha</i> Blume <i>Gynotroches parvifolia</i> Merr. <i>Gynotroches puberula</i> Merr. <i>Gynotroches reticulata</i> A.Gray <i>Microtropis coriacea</i> Wall.	Common	✓	✓	✓	✓	✓	✓	✓	M,S
969.	Magnoliophyta	Rhizophoraceae	<i>Pellacalyx axillaris</i> Korth.	<i>Craterianthus fimbripetalus</i> Valetton ex K.Heyne	Endangered	✓	✓		✓	✓		✓	M
970.	Magnoliophyta	Rhizophoraceae	<i>Pellacalyx saccardianus</i> Scort.		Endangered					✓			M
971.	Magnoliophyta	Rhizophoraceae	<i>Rhizophora mucronata</i> Lam.	<i>Mangium candelarium</i> Rumphius <i>Rhizophora candelaria</i> Wight & Arn. <i>Rhizophora longissima</i> Blanco <i>Rhizophora macrorrhiza</i> Griff.	Common								S
972.	Magnoliophyta	Rosaceae	<i>Prunus arborea</i> (Blume) Kalkman		Critically endangered				✓	✓		✓	

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
973.	Magnoliophyta	Rosaceae	<i>Prunus grisea</i> (Blume ex Müll.Berol.) Kalkman		Critically endangered				✓			✓	
974.	Magnoliophyta	Rosaceae	<i>Prunus grisea</i> (Blume ex Müll.Berol.) Kalkman var. <i>tomentosa</i> (Koord. & Valeton) Kalkman		Critically endangered					✓			
975.	Magnoliophyta	Rosaceae	<i>Prunus polystachya</i> (Hook.f.) Kalkman		Common	✓	✓		✓		✓	✓	
976.	Magnoliophyta	Rosaceae	<i>Rubus moluccanus</i> L.		Critically endangered				✓	✓			
977.	Magnoliophyta	Rosaceae	<i>Rubus moluccanus</i> L. var. <i>angulosus</i> Kalkman		Critically endangered								NIS
978.	Magnoliophyta	Rosaceae	<i>Rubus moluccanus</i> L. var. <i>glomeratus</i> Blume (Backer)	<i>Rubus glomeratus</i> Blume	Presumed nationally extinct					✓			
979.	Magnoliophyta	Rubiaceae	<i>Aidia densiflora</i> (Wall.) Masam.	<i>Aidia wallichiana</i> (Wall) Tirveng. <i>Aidia coriacea</i> (Miq.) Tirveng. <i>Aidia oblongata</i> (Miq.) Tirveng. <i>Cupia densiflora</i> (Wall.) DC. <i>Cupia oppositifolia</i> (Roxb.) DC. <i>Gynopachis attenuata</i> Korth. <i>Gynopachis oblongata</i> Miq. <i>Randia densiflora</i> (Wall.) Benth. <i>Randia densiflora</i> (Wall.) Benth. var. <i>tonkinensis</i> Pit. <i>Randia oppositifolia</i> (Roxb.) Koord. <i>Remijia odorata</i> Blanco <i>Serissa myrtifolia</i> Blanco <i>Stylocoryna densiflora</i> (Wall.) Steud. <i>Stylocoryna dimorphophylla</i> Teijsm. & Binn.	Vulnerable	✓	✓					✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Stylocoryna oppositifolia</i> (Roxb.) Steud. <i>Urophyllum coriaceum</i> Miq. <i>Villaria odorata</i> (Blanco) Merr. <i>Webera densiflora</i> Wall. <i>Webera oppositifolia</i> Roxb. <i>Webera oppositifolia</i> Roxb. var. <i>densiflora</i> (Wall.) Kurz									
980.	Magnoliophyta	Rubiaceae	<i>Canthium confertum</i> Korth.	<i>Canthium confertum</i> Korth. f. <i>sumatranum</i> Miq. <i>Canthium glomerulatum</i> Miq. <i>Plectronia conferta</i> (Korth.) Merr.	Endangered					✓			
981.	Magnoliophyta	Rubiaceae	<i>Canthium glabrum</i> Blume	<i>Canthium carinatum</i> Pierre ex Pit. <i>Canthium glabrum</i> Blume var. <i>pedunculatum</i> Pit. <i>Plectronia glabra</i> (Blume) Benth. & Hook.f. ex Kurz <i>Plectronia glabra</i> (Blume) Koord. & Valetton	Endangered				✓			✓	
982.	Magnoliophyta	Rubiaceae	<i>Canthium horridum</i> Blume	<i>Canthium horridum</i> Blume var. <i>xanthocaulon</i> (Miq.) Miq. <i>Canthium pauciflorum</i> Blanco <i>Canthium scandens</i> Blume var. <i>xanthocaulon</i> Miq. <i>Canthium zizyphinum</i> Wall. <i>Dondisia horrida</i> (Blume) Korth. <i>Hyptianthera rhamnoides</i> Zoll. & Moritzi <i>Plectronia horrida</i> (Blume) K.Schum. <i>Plectronia horrida</i> (Blume) Benth. & Hook.f. ex Kurz	Endangered	✓			✓				
983.	Magnoliophyta	Rubiaceae	<i>Chassalia chartacea</i> Craib		Vulnerable	✓							
984.	Magnoliophyta	Rubiaceae	<i>Coffea liberica</i> Hiern		Exotic				✓	✓			
985.	Magnoliophyta	Rubiaceae	<i>Coffea stenophylla</i> G.Don		Presumed nationally extinct					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
986.	Magnoliophyta	Rubiaceae	<i>Coptosapelta flavescens</i> Korth.	<i>Coptosapelta flavescens</i> Korth. var. <i>dongnaiensis</i> Pierre ex Pit. <i>Coptosapelta tomentosa</i> Valetton ex K.Heyne	Presumed nationally extinct						✓		
987.	Magnoliophyta	Rubiaceae	<i>Coptosapelta griffithii</i> Hook.f.		Presumed nationally extinct	✓					✓		
988.	Magnoliophyta	Rubiaceae	<i>Diplospora malaccensis</i> Hook.f.	<i>Discospermum malaccense</i> (Hook.f.) Kuntze <i>Tricalysia malaccensis</i> (Hook.f.) Merr.	Critically endangered	✓	✓		✓			✓	
989.	Magnoliophyta	Rubiaceae	<i>Gaertnera grisea</i> Hook.f. ex C.B.Clarke	<i>Sykesia grisea</i> (Hook.f. ex C.B.Clarke) Kuntze	Vulnerable				✓				
990.	Magnoliophyta	Rubiaceae	<i>Gaertnera obesa</i> Hook.f. ex C.B.Clarke	<i>Psychotria obesa</i> Wall.	Endangered				✓	✓			
991.	Magnoliophyta	Rubiaceae	<i>Gardenia griffithii</i> Hook.f.	<i>Gardenia griffithii</i> Hook.f. var. <i>maingayi</i> Hook.f.	Presumed nationally extinct	✓		✓					
992.	Magnoliophyta	Rubiaceae	<i>Gynochthodes coriacea</i> Blume	<i>Coelospermum barbatum</i> Span.	Vulnerable						✓	✓	
993.	Magnoliophyta	Rubiaceae	<i>Gynochthodes sublanceolata</i> Miq.	<i>Gynochthodes tetrandra</i> Kuntze <i>Paederia tetrandra</i> Wall.	Common	✓			✓	✓	✓	✓	
994.	Magnoliophyta	Rubiaceae	<i>Hedyotis capitellata</i> Wall. ex G.Don	<i>Oldenlandia capitellata</i> (Wall. ex G.Don) Kuntze	Critically endangered	✓			✓				
995.	Magnoliophyta	Rubiaceae	<i>Hedyotis pinifolia</i> Wall. ex G.Don	<i>Hedyotis pinifolia</i> Wall. ex G.Don <i>Hedyotis pinifolia</i> Wall. ex G.Don var. <i>caespitosa</i> (Miq.) Hook.f. <i>Hedyotis pinifolia</i> Wall. ex G.Don var. <i>horridula</i> (Pit.) N.N.Tran	Vulnerable					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Hedyotis pinifolia</i> Wall. ex G.Don var. <i>macrocalyx</i> (Pit.) N.N.Tran <i>Oldenlandia horridula</i> Pierre ex Pit. <i>Oldenlandia macrocalyx</i> Pierre ex Pit. <i>Oldenlandia pinifolia</i> (Wall. ex G.Don) Kuntze var. <i>horridula</i> Pit. <i>Oldenlandia pinifolia</i> (Wall. ex G.Don) Kuntze var. <i>macrocalyx</i> Pit. <i>Scleromitron caespitosum</i> Miq.									
996.	Magnoliophyta	Rubiaceae	<i>Hedyotis verticillata</i> (L.) Lam.	<i>Hedyotis crassifolia</i> Blume <i>Hedyotis hispida</i> Roth <i>Hedyotis hispida</i> Retz. <i>Hedyotis verticillata</i> (L.) Lam. var. <i>barlettii</i> Fosberg & Sachet <i>Hedyotis verticillata</i> (L.) Lam. var. <i>scaberrima</i> Hatus. <i>Hedyotis wallichii</i> Walp. <i>Oldenlandia angustifolia</i> Benth. <i>Oldenlandia hispida</i> (Retz.) Lam. <i>Scleromitron crassifolium</i> Miq. <i>Scleromitron hispidum</i> (Retz.) Korth.	Cryptogenic					✓			
997.	Magnoliophyta	Rubiaceae	<i>Hydnophytum formicarum</i> Jack	<i>Hydnophytum blumei</i> Becc. <i>Hydnophytum borneense</i> Becc. <i>Hydnophytum formicarum</i> Jack subsp. <i>blumei</i> Boerl. <i>Hydnophytum formicarum</i> Jack var. <i>borneense</i> (Becc.) Becc. <i>Hydnophytum formicarum</i> Jack f. <i>borneense</i> (Becc.) Becc. <i>Hydnophytum formicarum</i> Jack var. <i>buxifolium</i> Becc. <i>Hydnophytum formicarum</i> Jack var. <i>cochincinense</i> Becc.	Critically endangered								NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Hydnophytum formicarum</i> Jack subsp. <i>dubium</i> (Becc.) Boerl. <i>Hydnophytum formicarum</i> Jack var. <i>latifolium</i> (Miq.) Becc. <i>Hydnophytum formicarum</i> Jack f. <i>latifolium</i> (Miq.) Becc. <i>Hydnophytum formicarum</i> Jack var. <i>longifolium</i> Becc. <i>Hydnophytum formicarum</i> Jack var. <i>lucidum</i> Becc. <i>Hydnophytum formicarum</i> Jack var. <i>minor</i> Becc. <i>Hydnophytum formicarum</i> Jack subsp. <i>siamense</i> (Becc.) Boerl. <i>Hydnophytum formicarum</i> Jack subsp. <i>zollingeri</i> (Becc.) Boerl. <i>Hydnophytum montanum</i> Blume <i>Hydnophytum montanum</i> Blume var. <i>latifolia</i> Miq. <i>Lasiostoma formicarum</i> (Jack) Spreng.									
998.	Magnoliophyta	Rubiaceae	<i>Ixora coccinea</i> Hook.f.	<i>Pavetta coccinea</i> (L.) Blume	Presumed nationally extinct	✓							
999.	Magnoliophyta	Rubiaceae	<i>Ixora congesta</i> Roxb.	<i>Ixora griffithii</i> Hook. <i>Pavetta congesta</i> (Roxb.) Miq.	Common				✓	✓		✓	
1000.	Magnoliophyta	Rubiaceae	<i>Ixora grandifolia</i> Zoll. & Moritzi	<i>Pavetta macrophylla</i> Blume <i>Pavetta macrophylla</i> Blume f. <i>elongata</i> Miq.	Presumed nationally extinct				✓				
1001.	Magnoliophyta	Rubiaceae	<i>Ixora lobbii</i> King & Gamble	<i>Pavetta lobbii</i> (Loudon) Teijsm. & Binn.	Endangered	✓							✓
1002.	Magnoliophyta	Rubiaceae	<i>Ixora pendula</i> Jack	<i>Pavetta pendula</i> (Jack) Miq.	Endangered	✓							
1003.	Magnoliophyta	Rubiaceae	<i>Jackiopsis ornata</i> (Wall.) Ridsdale	<i>Jackia ornata</i> Wall. <i>Zuccarinia ornata</i> (Wall.) Spreng.	Critically endangered	✓	✓		✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1004.	Magnoliophyta	Rubiaceae	<i>Lasianthus appressus</i> Hook.f.	<i>Nonatelia appressa</i> (Hook.f.) Kuntze	Vulnerable	✓							
1005.	Magnoliophyta	Rubiaceae	<i>Lasianthus attenuatus</i> Jack	<i>Lasianthus bordenii</i> Elmer ex Merr. <i>Lasianthus densifolius</i> Miq. <i>Lasianthus densifolius</i> Miq. var. <i>calycina</i> King & Gamble <i>Lasianthus densifolius</i> Miq. var. <i>latifolia</i> King & Gamble <i>Lasianthus plagiophyllus</i> Hance <i>Lasianthus setosus</i> Craib <i>Lasianthus thorelii</i> Pit. <i>Lasianthus tonkinensis</i> (Drake) Pit. <i>Lasianthus wallichii</i> Wight <i>Lasianthus wallichii</i> Wight var. <i>glabriusculus</i> Deb & M.G.Gangop. <i>Lasianthus wallichii</i> Wight var. <i>hispidocostatus</i> H.Zhu <i>Lasianthus wallichii</i> Wight subsp. <i>plagiophyllus</i> (Hance) C.Y.Wu & H.Zhu <i>Lasianthus wallichii</i> Wight var. <i>setosus</i> (Craib) C.Y.Wu & H.Zhu <i>Mephitidia attenuata</i> (Jack) DC. <i>Mephitidia inaequalis</i> Zoll. ex Miq. <i>Mephitidia plagiophylla</i> (Hance) Nakai <i>Mephitidia tonkinensis</i> Drake <i>Mephitidia wallichii</i> Wight & Arn. <i>Nonatelia attenuata</i> (Jack) Kuntze <i>Nonatelia densifolia</i> (Miq.) Kuntze <i>Nonatelia hispida</i> Wall.	Vulnerable	✓			✓			✓	
1006.	Magnoliophyta	Rubiaceae	<i>Lasianthus constrictus</i> Wight	<i>Mephitidia constricta</i> (Wight) Walp. <i>Nonatelia constricta</i> (Wight) Kuntze	Endangered	✓							✓
1007.	Magnoliophyta	Rubiaceae	<i>Lasianthus ellipticus</i> Wight	<i>Mephitidia elliptica</i> (Wight) Walp. <i>Nonatelia elliptica</i> (Wight) Kuntze	Critically endangered					✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1008.	Magnoliophyta	Rubiaceae	<i>Lasianthus maingayi</i> Hook.f.	<i>Lasianthus caloneurus</i> K.Schum. <i>Lasianthus flavicans</i> King & Gamble <i>Lasianthus flavicans</i> King & Gamble var. <i>subglabra</i> King <i>Lasianthus flavicans</i> King & Gamble var. <i>subglaber</i> (King) Ridl. <i>Nonatelia maingayi</i> (Hook.f.) Kuntze	Presumed nationally extinct					✓			
1009.	Magnoliophyta	Rubiaceae	<i>Lasianthus ridleyi</i> King & Gamble	<i>Lasianthus maingayi</i> Hook.f. var. <i>hirtus</i> Ridl. <i>Lasianthus singaporensis</i> King & Gamble	Vulnerable	✓				✓			
1010.	Magnoliophyta	Rubiaceae	<i>Lasianthus tomentosus</i> Blume	<i>Lasianthus chryseus</i> Ridl. <i>Mephitidia obscura</i> Zoll. ex Miq. <i>Mephitidia tomentosa</i> (Blume) DC. <i>Nonatelia tomentosa</i> (Blume) Kuntze	Critically endangered					✓			
1011.	Magnoliophyta	Rubiaceae	<i>Morinda citrifolia</i> L.	<i>Morinda angustifolia</i> Roth <i>Morinda aspera</i> Wight & Arn. <i>Morinda bracteata</i> Roxb. <i>Morinda chachuca</i> Buch.-Ham. <i>Morinda chrysorhiza</i> (Thonn.) DC. <i>Morinda citrifolia</i> L. var. <i>bracteata</i> (Roxb.) Kurz <i>Morinda citrifolia</i> L. var. <i>bracteata</i> (Roxb.) Hook.f. <i>Morinda citrifolia</i> L. var. <i>elliptica</i> Hook.f. <i>Morinda citrifolia</i> L. var. <i>potteri</i> O.Deg. <i>Morinda citrifolia</i> L. f. <i>potteri</i> (O.Deg.) H.St.John <i>Morinda coreia</i> Buch.-Ham. var. <i>stenophylla</i> (Spreng.) Chandrab. <i>Morinda elliptica</i> (Hook.f.) Ridl. <i>Morinda ligulata</i> Blanco <i>Morinda littoralis</i> Blanco <i>Morinda macrophylla</i> Desf. <i>Morinda mudia</i> Buch.-Ham. <i>Morinda multiflora</i> Roxb. <i>Morinda nodosa</i> Buch.-Ham. <i>Morinda quadrangularis</i> G.Don	Presumed nationally extinct	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Morinda stenophylla</i> Spreng. <i>Morinda teysmanniana</i> Miq. <i>Morinda tinctoria</i> Noronha <i>Morinda tinctoria</i> Noronha var. <i>aspera</i> (Wight & Arn.) Hook.f. <i>Morinda tinctoria</i> Noronha var. <i>multiflora</i> (Roxb.) Hook.f. <i>Morinda tomentosa</i> B.Heyne ex Roth <i>Morinda zollingeriana</i> Miq. <i>Platanoccephalus orientalis</i> Crantz <i>Psychotria chrysorrhiza</i> Thonn. <i>Samama citrifolia</i> (L.) Kuntze <i>Sarcocephalus leichhardtii</i> F.Muell.									
1012.	Magnoliophyta	Rubiaceae	<i>Morinda rigida</i> Miq.		Presumed nationally extinct								✓
1013.	Magnoliophyta	Rubiaceae	<i>Morinda umbellata</i> L.	<i>Guttenbergia umbellata</i> (L.) Zoll. & Moritzi <i>Morinda scandens</i> Roxb.	Common	✓							✓
1014.	Magnoliophyta	Rubiaceae	<i>Mussaenda frondosa</i> L.	<i>Gardenia frondosa</i> (L.) Lam. <i>Mussaenda belilla</i> Buch.-Ham. <i>Mussaenda dovinia</i> Buch.-Ham. <i>Mussaenda flavescens</i> Buch.-Ham. <i>Mussaenda formosa</i> L. <i>Mussaenda fruticosa</i> L. <i>Mussaenda ingrata</i> Wall. ex Hook.f. <i>Mussaenda macrophylla</i> Kurz <i>Mussaenda sumatrensis</i> B.Heyne ex Roth <i>Mussaenda tomentosa</i> Wight ex Hook.f. <i>Mussaenda villosa</i> Schltdl. ex Hook.f.	Exotic								✓
1015.	Magnoliophyta	Rubiaceae	<i>Mussaenda glabra</i> Vahl	<i>Mussaenda andersonii</i> S.K.Basu & T.K.Paul <i>Mussaenda frondosa</i> L. var. <i>glabra</i> (Vahl) Miq. <i>Mussaenda penangensis</i> Miq.	Endangered	✓							✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Mussaenda setulosa</i> Klotzsch									
1016.	Magnoliophyta	Rubiaceae	<i>Mussaendopsis beccariana</i> Baill.	<i>Creaghia fagraeaopsis</i> Scort.	Endangered	✓	✓		✓			✓	
1017.	Magnoliophyta	Rubiaceae	<i>Nauclea officinalis</i> (Pierre ex Pit.) Merr. & Chun	<i>Nauclea brunnea</i> Craib <i>Nauclea officinalis</i> (Pierre ex Pit.) N.N.Tran <i>Sarcocephalus officinalis</i> Pierre ex Pit.	Critically endangered				✓				
1018.	Magnoliophyta	Rubiaceae	<i>Neonauclea excelsa</i> (Blume) Merr.	<i>Bancalus obtusus</i> (Blume) Kuntze <i>Bancalus synkorynes</i> (Korth.) Kuntze <i>Nauclea excelsa</i> Blume <i>Nauclea glandulosa</i> Blanco <i>Nauclea latifolia</i> Blanco <i>Nauclea mollis</i> Blume <i>Nauclea morindifolia</i> Blume <i>Nauclea nicobarica</i> Havil. <i>Nauclea obtusa</i> Blume <i>Nauclea obtusa</i> Blume var. <i>major</i> Havil. <i>Nauclea obtusa</i> Blume var. <i>minor</i> Havil. <i>Nauclea obtusa</i> Blume var. <i>pubescens</i> Koord. & Valeton <i>Nauclea synkorynes</i> Korth. <i>Neonauclea mollis</i> (Blume) Merr. <i>Neonauclea morindifolia</i> (Blume) Merr. <i>Neonauclea nicobarica</i> (Havil.) Merr. <i>Neonauclea obtusa</i> (Blume) Merr. <i>Neonauclea synkorynes</i> (Korth.) Merr.	Critically endangered							✓	
1019.	Magnoliophyta	Rubiaceae	<i>Oldenlandia cristata</i> (Willd. ex Roem. & Schult.) ined.	<i>Exallage congesta</i> (R.Br. ex G.Don) Bremek. <i>Exallage costata</i> (Roxb.) Bremek. <i>Exallage lineata</i> (DC.) Bremek. <i>Exallage philippensis</i> (Willd. ex Spreng.) Bremek. <i>Exallage rigida</i> (Blume) Bremek. <i>Hedyotis argentea</i> Wall. ex G.Don <i>Hedyotis asperrima</i> (Merr.) Merr.	Vulnerable	✓				✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Hedyotis caerulea</i> (Blume) Korth.									
				<i>Hedyotis capituliflora</i> Miq.									
				<i>Hedyotis carnos</i> a Korth.									
				<i>Hedyotis congesta</i> R.Br. ex G.Don									
				<i>Hedyotis congesta</i> R.Br.									
				<i>Hedyotis congesta</i> R.Br. var. <i>longifolia</i> (Valeton)									
				Merr. & L.M.Perry									
				<i>Hedyotis congesta</i> R.Br. var. <i>nicobarica</i> King									
				<i>Hedyotis costata</i> (Roxb.) Kurz									
				<i>Hedyotis costata</i> (Roxb.) Kurz var. <i>lutescens</i>									
				(Kaneh.) Fosberg									
				<i>Hedyotis leucocarpa</i> Elmer									
				<i>Hedyotis lutescens</i> Kaneh.									
				<i>Hedyotis philippensis</i> (Willd. ex Spreng.) Merr. ex									
				C.B.Rob.									
				<i>Hedyotis philippensis</i> (Willd. ex Spreng.) Merr. ex									
				C.B.Rob. var. <i>asperrima</i> Merr.									
				<i>Hedyotis rigida</i> (Blume) Miq.									
				<i>Hedyotis rigida</i> (Blume) Walp.									
				<i>Hedyotis vestita</i> R.Br. ex G.Don									
				<i>Hedyotis vestita</i> R.Br.									
				<i>Hedyotis vestita</i> R.Br. var. <i>lutescens</i> (Kaneh.)									
				Fosberg									
				<i>Metabolos caeruleus</i> Blume									
				<i>Metabolos lineatus</i> DC.									
				<i>Metabolos rigidus</i> Blume									
				<i>Oldenlandia caerulea</i> (Blume) Kuntze									
				<i>Oldenlandia carnos</i> a Kuntze									
				<i>Oldenlandia congesta</i> (R.Br. ex G.Don) Kuntze									
				<i>Oldenlandia costata</i> (Roxb.) K.Schum.									
				<i>Oldenlandia rigida</i> (Blume) Kuntze									
				<i>Oldenlandia rigida</i> (Blume) var. <i>longifolia</i> Valeton									
				<i>Oldenlandia vestita</i> (R.Br. ex G.Don) Drake									
				<i>Sclerococcus lineatus</i> Bartl. ex DC.									
				<i>Scleromitron rigidum</i> (Blume) Kurz									
				<i>Spermacoce costata</i> Roxb.									

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Spermacoce cristata</i> Willd. ex Roem. & Schult. <i>Spermacoce philippensis</i> Willd. ex Spreng.									
1020.	Magnoliophyta	Rubiaceae	<i>Oldenlandia diffusa</i> (Willd.) Roxb.	<i>Hedyotis brachypoda</i> R.Br. ex Wall. <i>Hedyotis diffusa</i> Willd. <i>Hedyotis diffusa</i> Willd. var. <i>extensa</i> (Hook.f.) R.Dutta <i>Hedyotis extensa</i> R.Br. ex Wall. <i>Hedyotis polygonoides</i> Wall. <i>Hedyotis radicans</i> Bartl. ex DC. <i>Hedyotis ramosissima</i> Kurz <i>Oldenlandia angustifolia</i> (Michx.) A.Gray var. <i>pedicellata</i> Miq. <i>Oldenlandia brachypoda</i> G.Don <i>Oldenlandia corymbosa</i> L. var. <i>uniflora</i> (Benth.) Masam. <i>Oldenlandia diffusa</i> (Willd.) Roxb. var. <i>extensa</i> Hook.f. <i>Oldenlandia diffusa</i> (Willd.) Roxb. var. <i>polygonoides</i> Hook.f. <i>Oldenlandia herbacea</i> (L.) Roxb. var. <i>uniflora</i> Benth. <i>Oldenlandia pauciflora</i> Roxb. ex Wight & Arn.	Presumed nationally extinct			✓					
1021.	Magnoliophyta	Rubiaceae	<i>Ophiorrhiza singaporensis</i> Ridl.		Presumed nationally extinct	✓	✓		✓				
1022.	Magnoliophyta	Rubiaceae	<i>Oxyceros bispinosus</i> (Griff.) Tirveng.	<i>Oxyceros curtisii</i> (King & Gamble) K.M.Wong <i>Oxyceros fragrantissimus</i> (Ridl.) K.M.Wong <i>Randia bispinosa</i> (Griff.) Craib <i>Randia curtisii</i> King & Gamble <i>Randia fragrantissima</i> Ridl. <i>Randia incurva</i> Ridl. <i>Randia junghuhniana</i> (Miq.) Bakh.f.	Endangered						✓	✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H							
				<i>Randia longiflora</i> Lam. var. <i>harmandiana</i> Pierre ex Pit. <i>Randia uncaria</i> Elmer ex Merr. <i>Randia williamsii</i> Elmer <i>Stylocoryna bispinosa</i> Griff. <i>Stylocoryna junghuhniana</i> Miq. <i>Webera junghuhniana</i> (Miq.) Boerl.									
1023.	Magnoliophyta	Rubiaceae	<i>Oxyceros drupaceus</i> (C.F.Gaertn.) Ridsdale	<i>Gardenia curvata</i> Teijsm. & Binn. <i>Griffithia curvata</i> (Teijsm. & Binn.) Kurz <i>Oxyceros scandens</i> (Blume) Tirveng. <i>Posoqueria drupacea</i> C.F.Gaertn. <i>Randia clarkei</i> King & Gamble <i>Randia curvata</i> (Teijsm. & Binn.) Valeton <i>Randia drupacea</i> (C.F.Gaertn.) DC. <i>Randia scandens</i> (Blume) DC. <i>Randia virosa</i> Buch.-Ham. <i>Tocoyena scandens</i> Blume <i>Webera curvata</i> (Teijsm. & Binn.) W.Theob.	Critically endangered								✓
1024.	Magnoliophyta	Rubiaceae	<i>Pavetta indica</i> L.	<i>Ixora indica</i> (L.) Baill. <i>Ixora pavetta</i> Roxb.	Critically endangered			✓	✓				
1025.	Magnoliophyta	Rubiaceae	<i>Pertusadina eurhyncha</i> (Miq.) Ridsdale	<i>Adina minutiflora</i> Valeton <i>Adina rubescens</i> Hemsl. <i>Nauclea oxyphylla</i> Miq. <i>Uncaria eurhyncha</i> Miq.	Vulnerable		✓						
1026.	Magnoliophyta	Rubiaceae	<i>Porterandia anisophylla</i> (Jack ex Roxb.) Ridl.	<i>Gardenia anisophylla</i> Jack ex Roxb. <i>Randia anisophylla</i> (Jack ex Roxb.) Hook.f.	Vulnerable	✓			✓	✓		✓	
1027.	Magnoliophyta	Rubiaceae	<i>Prismatomeris glabra</i> (Korth.) Val.	<i>Coffea glabra</i> Korth. <i>Coffea lepidophloia</i> Miq. <i>Coffea neurophylla</i> Miq. <i>Prismatomeris lepidophloia</i> (Miq.) Ridl. <i>Prismatomeris neurophylla</i> (Miq.) Ridl.	Endangered	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1028.	Magnoliophyta	Rubiaceae	<i>Psychotria cantleyi</i> Ridl.		Critically endangered					✓			
1029.	Magnoliophyta	Rubiaceae	<i>Psychotria helferiana</i> Kurz	<i>Uragoga helferiana</i> (Kurz) Kuntze	Critically endangered				✓	✓			
1030.	Magnoliophyta	Rubiaceae	<i>Psychotria ovoidea</i> Wall. ex Hook.f.		Vulnerable							✓	
1031.	Magnoliophyta	Rubiaceae	<i>Psychotria penangensis</i> Hook.f.	<i>Uragoga penangensis</i> (Hook.f.) Kuntze	Vulnerable	✓				✓	✓	✓	
1032.	Magnoliophyta	Rubiaceae	<i>Psychotria sarmentosa</i> Blume	<i>Mapouria sarmentosa</i> (Blume) K.Schum. <i>Psychotria obovata</i> Wall. <i>Uragoga sarmentosa</i> (Blume) Kuntze	Critically endangered					✓			
1033.	Magnoliophyta	Rubiaceae	<i>Psychotria</i> sp. 9		Presumed nationally extinct	✓							
1034.	Magnoliophyta	Rubiaceae	<i>Psydrax dicoccos</i> Gaertn. var. <i>dicoccos</i>	<i>Canthium cymosum</i> (Poir.) Pers. <i>Canthium dicoccum</i> (Gaertn.) Merr. var. <i>abbreviatum</i> Craib <i>Canthium dicoccum</i> (Gaertn.) Merr. var. <i>impolitum</i> Craib <i>Canthium dicoccum</i> (Gaertn.) Merr. var. <i>obovatifolium</i> G.A.Fu <i>Canthium didymum</i> C.F.Gaertn. <i>Canthium lucidulum</i> (Miq.) Miq. <i>Canthium nitens</i> DC. <i>Canthium undulatum</i> Champ. ex Benth. <i>Cupia cymosa</i> (Poir.) DC. <i>Gardenia naumpapata</i> Roxb. ex Wight & Arn. <i>Gardenia sonneratii</i> Spreng. <i>Plectronia didyma</i> (C.F.Gaertn.) Bedd. <i>Plectronia didyma</i> (C.F.Gaertn.) Kurz <i>Plectronia nitens</i> (DC.) K.Schum.	Presumed nationally extinct			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Rondeletia cymosa</i> Poir. <i>Vangueria lucidula</i> Miq. <i>Vangueria spirostylis</i> Miq. <i>Webera cymosa</i> Willd.									
1035.	Magnoliophyta	Rubiaceae	<i>Psydrax nitida</i> (Craib) K.M.Wong	<i>Canthium nitidum</i> Craib <i>Canthium nitidum</i> Craib var. <i>suboblique</i> Craib	Vulnerable				✓				
1036.	Magnoliophyta	Rubiaceae	<i>Psydrax</i> sp. 10		Critically endangered		✓				✓	✓	
1037.	Magnoliophyta	Rubiaceae	<i>Rennellia elliptica</i> Korth.	<i>Ixora subcuneata</i> (Miq.) Kuntze <i>Morinda sumatrana</i> Miq. <i>Pavetta subcuneata</i> Miq. <i>Rennellia ovalis</i> Korth. <i>Rennellia speciosa</i> (Wall. ex Kurz) Hook.f. var. <i>angustifolia</i> Ridl.	Critically endangered					✓			
1038.	Magnoliophyta	Rubiaceae	<i>Rothmannia macrophylla</i> (R.Br. ex Hook.f.) Bremek.	<i>Randia macrophylla</i> Hook.f.	Vulnerable				✓	✓		✓	
1039.	Magnoliophyta	Rubiaceae	<i>Schradera membranacea</i> (King) Puff, R.Buchner & Greimler	<i>Lucinaea membranacea</i> King	Critically endangered	✓			✓		✓	✓	
1040.	Magnoliophyta	Rubiaceae	<i>Spermacoce exilis</i> (L.O.Williams) C.D.Adams ex W.C.Burger & C.M.Taylor	<i>Borreria exilis</i> L.O.Williams <i>Borreria gracilis</i> L.O.Williams <i>Borreria setidens</i> (Miq.) Bold. <i>Borreria repens</i> DC. <i>Spermacoce mauritiana</i> Gideon <i>Spermacoce repens</i> (DC.) Fosberg & J.M.Powell	Cryptogenic			✓					
1041.	Magnoliophyta	Rubiaceae	<i>Tarenna mollis</i> (Wall. ex Hook.f.) B.L.Rob.	<i>Rondeletia mollis</i> Wall. <i>Stylocoryna mollis</i> (Wall. ex Hook.f.) Wall. ex King & Gamble <i>Webera mollis</i> Wall. ex Hook.f.	Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1042.	Magnoliophyta	Rubiaceae	<i>Tarenna odorata</i> (Roxb.) B.L.Rob.	<i>Coptosapelta macrophylla</i> (Roxb.) K.Schum. <i>Cupia macrophylla</i> (Roxb.) DC. <i>Cupia odorata</i> (Roxb.) DC. <i>Pavetta cerberifolia</i> Miq. <i>Pavetta weberifolia</i> R.Br. ex G.Don <i>Stylocoryna odorata</i> (Roxb.) Steud. <i>Stylocoryna penangensis</i> Miq. <i>Stylocoryna roxburghii</i> Steud. <i>Tarenna grandifolia</i> (Hook.f.) Ridl. <i>Webera grandifolia</i> Hook.f. <i>Webera macrophylla</i> Roxb. <i>Webera odorata</i> Roxb.	Critically endangered	✓			✓	✓		✓	
1043.	Magnoliophyta	Rubiaceae	<i>Tarenna ridleyi</i> (Pears. ex King) Ridl.	<i>Webera ridleyi</i> H.Pearson ex King & Gamble	Presumed nationally extinct				✓				
1044.	Magnoliophyta	Rubiaceae	<i>Timonius finlaysonianus</i> (Wall. ex G.Don) Hook.f.	<i>Guettarda finlaysoniana</i> Wall. ex G.Don <i>Polyphragmon compressicaule</i> Miq. <i>Polyphragmon compressicaule</i> Miq. var. <i>floribunda</i> Miq. <i>Timonius compressicaulis</i> (Miq.) Boerl. <i>Timonius jambosella</i> Thwaites var. <i>finlaysoniana</i> (Wall. ex G.Don) King & Gamble	Critically endangered					✓			
1045.	Magnoliophyta	Rubiaceae	<i>Timonius flavescens</i> (Jack) Baker	<i>Antirhea borneensis</i> Valetton <i>Bobea glabra</i> (Wight & Arn.) Korth. <i>Bobea inaequisepala</i> Miq. <i>Bobea mutabilis</i> Korth. <i>Bobea sericantha</i> Miq. <i>Bobea sericantha</i> Miq. f. <i>glabrior</i> Miq. <i>Eupyrena glabra</i> Wight & Arn. <i>Guettarda brunonis</i> Wall. ex G.Don <i>Guettarda missionis</i> Wall. ex G.Don <i>Guettarda peduncularis</i> Wall. ex G.Don <i>Guettarda pervilleana</i> Baill.	Critically endangered				✓	✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A B C D E F G H							
				<i>Helospora flavescens</i> Jacq. <i>Polyphragmon flavescens</i> (Jacq.) Kurz <i>Polyphragmon flavescens</i> (Jacq.) Kurz var. <i>macrocarpum</i> Kurz <i>Polyphragmon mutabile</i> (Korth.) Miq. <i>Polyphragmon sericanthum</i> (Miq.) Miq. <i>Timonius jambosella</i> Thwaites <i>Timonius koenigii</i> Blume ex Korth. <i>Timonius mutabilis</i> (Korth.) Walp. <i>Timonius peduncularis</i> Ridl. <i>Timonius sechellensis</i> Summerh. <i>Timonius sericanthus</i> (Miq.) Boerl. <i>Timonius sericanthus</i> (Miq.) Boerl. var. <i>inaequisepalus</i> (Miq.) Boerl.									
1046.	Magnoliophyta	Rubiaceae	<i>Timonius wallichianus</i> (Korth.) Valeton	<i>Bobea wallichiana</i> Korth. <i>Gardenia trichoclada</i> Miq. <i>Timonius rumphii</i> DC.	Common	✓	✓		✓	✓	✓	✓	
1047.	Magnoliophyta	Rubiaceae	<i>Uncaria canescens</i> Korth. See Corrigenda of 13 May 2013 .	<i>Nauclea canescens</i> (Korth.) Walp. <i>Uncaria ovata</i> R.Br. ex Steud. <i>Uruparia canescens</i> (Korth.) Kuntze <i>Uruparia ovata</i> Kuntze	Critically endangered				✓				
1048.	Magnoliophyta	Rubiaceae	<i>Uncaria cordata</i> (Lour.) Merr.	<i>Restiaria cordata</i> Lour. <i>Uncaria sclerophylla</i> (Hunter) Roxb.	Endangered	✓			✓	✓			
1049.	Magnoliophyta	Rubiaceae	<i>Uncaria gambir</i> (Hunter) Roxb.	<i>Nauclea gambir</i> Hunter <i>Ouroparia gambir</i> (Hunter) Baill. <i>Uncaria gambir</i> (Hunter) Roxb. var. <i>latifolia</i> S.Moore <i>Uruparia gambir</i> (Hunter) Kuntze	Exotic	✓			✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1050.	Magnoliophyta	Rubiaceae	<i>Uncaria lanosa</i> Wall. var. <i>glabrata</i> (Blume) Ridsdale	<i>Nauclea glabrata</i> Blume <i>Uncaria ferrea</i> (Blume) DC. subsp. <i>glabrata</i> (Blume) Kuntze <i>Uncaria glabrata</i> (Blume) DC. <i>Uncaria lobbii</i> Hook.f. <i>Uruparia lobbii</i> (Hook.f.) Kuntze	Critically endangered	✓					✓		
1051.	Magnoliophyta	Rubiaceae	<i>Uncaria longiflora</i> (Poir.) Merr. var. <i>pteropoda</i> (Miq.) Ridsdale	<i>Uncaria laevifolia</i> Elmer <i>Uncaria pteropoda</i> Miq. <i>Uruparia pteropoda</i> (Miq.) Kuntze	Critically endangered	✓			✓		✓	✓	
1052.	Magnoliophyta	Rubiaceae	<i>Urophyllum arboreum</i> (Reinw. ex Blume) Korth.	<i>Axanthes arborea</i> (Reinw. ex Blume) Blume <i>Schwenkfelda glabra</i> (Jack ex Wall.) Spreng. <i>Urophyllum glabrum</i> Jack ex Wall. <i>Urophyllum repandulum</i> Miq. <i>Wallichia arborea</i> Reinw. ex Blume	Vulnerable				✓	✓			
1053.	Magnoliophyta	Rubiaceae	<i>Urophyllum blumeianum</i> (Wight) Hook.f.	<i>Axanthes blumeana</i> Wight <i>Timonius acuminatus</i> Wall. <i>Urophyllum streptopodium</i> Wall.	Critically endangered	✓						✓	
1054.	Magnoliophyta	Rubiaceae	<i>Urophyllum</i> sp. 2		Critically endangered							✓	
1055.	Magnoliophyta	Rubiaceae	<i>Urophyllum</i> sp. 2 of Wong		Critically endangered	✓							
1056.	Magnoliophyta	Rubiaceae	<i>Urophyllum streptopodium</i> Wall. ex Hook.f.	<i>Geniostoma acuminatum</i> Wall. <i>Urophyllum parviflorum</i> Wall.	Vulnerable				✓				
1057.	Magnoliophyta	Rutaceae	<i>Acronychia porteri</i> Hook.f.	<i>Jambolifera porteri</i> Kuntze	Presumed nationally extinct			✓	✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1058.	Magnoliophyta	Rutaceae	<i>Glycosmis chlorosperma</i> (Blume) Spreng. var. <i>chlorosperma</i>		Vulnerable	✓		✓					
1059.	Magnoliophyta	Rutaceae	<i>Glycosmis lanceolata</i> (Blume) Teijsm. & Binn. ex Kurz	<i>Glycosmis angularis</i> Elmer <i>Glycosmis greeniei</i> Elmer var. <i>cymosa</i> Tanaka <i>Glycosmis greeniei</i> Elmer var. <i>simplex</i> B.C.Stone <i>Glycosmis hainanensis</i> C.C.Huang <i>Glycosmis montana</i> Pierre <i>Glycosmis simplicifolia</i> Spreng. <i>Glycosmis zippelii</i> B.C.Stone <i>Helie lanceolata</i> M.Roem. <i>Sclerostylis lanceolata</i> Blume <i>Tetracronia cymosa</i> Pierre	Critically endangered					✓			
1060.	Magnoliophyta	Rutaceae	<i>Luvunga crassifolia</i> Tanaka		Critically endangered	✓			✓		✓	✓	
1061.	Magnoliophyta	Rutaceae	<i>Maclurodendron porteri</i> (Hook.f.) T.G.Hartley		Vulnerable	✓			✓				
1062.	Magnoliophyta	Rutaceae	<i>Melicope glabra</i> (Blume) T.G. Hartley	<i>Euodia glabra</i> (Blume) Blume	Vulnerable			✓	✓				
1063.	Magnoliophyta	Rutaceae	<i>Murraya koenigii</i> (L.) Spreng.	<i>Bergera koenigii</i> L.	Presumed nationally extinct					✓			
1064.	Magnoliophyta	Rutaceae	<i>Paramignya scandens</i> (Griff.) Craib var. <i>ridleyi</i> (Burkill) Swingle		Critically endangered				✓				
1065.	Magnoliophyta	Rutaceae	<i>Paramignya scandens</i> Craib	<i>Atalantia griffithii</i> (Hook.f.) Guillaumin <i>Citrus scandens</i> Griff.	Critically endangered				✓		✓		

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1066.	Magnoliophyta	Sabiaceae	<i>Meliosma lanceolata</i> Blume	<i>Millingtonia lanceolata</i> Schult.	Critically endangered			✓	✓				
1067.	Magnoliophyta	Sabiaceae	<i>Meliosma pinnata</i> (Roxb.) Maxim.	<i>Millingtonia pinnata</i> Roxb.	Critically endangered			✓	✓				
1068.	Magnoliophyta	Sabiaceae	<i>Meliosma pinnata</i> (Roxb.) Maxim. subsp. <i>ridleyi</i> (King) Beus.		Critically endangered								✓
1069.	Magnoliophyta	Sabiaceae	<i>Meliosma simplicifolia</i> (Roxb.) Walp.	<i>Millingtonia simplicifolia</i> Roxb.	Critically endangered		✓	✓					
1070.	Magnoliophyta	Sabiaceae	<i>Meliosma simplicifolia</i> (Roxb.) Walp. subsp. <i>fruticosa</i> (Blume) Beus.		Critically endangered				✓				✓
1071.	Magnoliophyta	Salicaceae	<i>Casearia capitellata</i> Blume		Critically endangered	✓		✓					
1072.	Magnoliophyta	Salicaceae	<i>Casearia clarkei</i> King var. <i>clarkei</i>		Presumed nationally extinct					✓			
1073.	Magnoliophyta	Salicaceae	<i>Casearia lobbiana</i> Turcz.		Critically endangered			✓	✓	✓			
1074.	Magnoliophyta	Salicaceae	<i>Flacourtia inermis</i> Roxb.		Exotic					✓			
1075.	Magnoliophyta	Salicaceae	<i>Flacourtia rukam</i> Zoll. & Moritzi		Vulnerable			✓	✓	✓			✓
1076.	Magnoliophyta	Salicaceae	<i>Osmelia maingayi</i> King		Presumed nationally extinct					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1077.	Magnoliophyta	Salicaceae	<i>Osmelia philippina</i> (Turcz.) Benth.		Endangered	✓	✓	✓	✓	✓	✓	✓	
1078.	Magnoliophyta	Santalaceae	<i>Dendrotrophe varians</i> (Blume) Miq.	<i>Dendrotrophe buxifolia</i> (Blume) Miq. var. <i>minor</i> (Ridl.) Stauffer <i>Dendrotrophe cassiifolia</i> (Blume) Miq. <i>Dendrotrophe frutescens</i> (Benth.) Danser <i>Dendrotrophe frutescens</i> (Benth.) Danser var. <i>subquinquenervia</i> (P.C.Tam) P.C.Tam <i>Dendrotrophe lobbiana</i> (A.DC.) Miq. <i>Dendrotrophe minor</i> (Ridl.) Danser <i>Dendrotrophe palawanensis</i> (Elmer) Danser <i>Dendrotrophe philippinensis</i> (A.DC.) Miq. <i>Dendrotrophe punctata</i> C.Y.Wu ex D.D.Tao <i>Dendrotrophe punctata</i> C.Y.Wu & D.D.Tao <i>Dendrotrophe ridleyi</i> (Gamble) Danser <i>Dendrotrophe spicata</i> (Blume) Miq. <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>arfakensis</i> Stauffer <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>gracilior</i> Stauffer <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>minor</i> (Ridl.) Stauffer <i>Dendrotrophe varians</i> (Blume) Miq. var. <i>multinervis</i> Stauffer <i>Dendrotrophe wrayi</i> (Gamble) Danser <i>Exocarpos amboinensis</i> Merr. <i>Henslowia frutescens</i> Champ. ex Benth. <i>Henslowia frutescens</i> Champ. ex Benth. var. <i>subquinquenervia</i> P.C.Tam <i>Henslowia palawanensis</i> Elmer <i>Henslowia sessiliflora</i> Hemsl. <i>Henslowia varians</i> Blume	Vulnerable			✓	✓			✓	
1079.	Magnoliophyta	Santalaceae	<i>Scleropyrum pentandrum</i> (Dennst.) Mabb.	<i>Antidesma parasiticum</i> Dillwyn <i>Bridelia horrida</i> Dillwyn	Critically endangered			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Heydia horrida</i> Dennst. <i>Myrobalanus indica</i> Buch.-Ham. ex Steud. <i>Pothos pentandrus</i> Dennst. <i>Pyrularia ceylanica</i> A.DC. <i>Pyrularia wallichiana</i> A.DC. <i>Scleropyrum wallichianum</i> Arn. <i>Terminalia horrida</i> Steud.									
1080.	Magnoliophyta	Santalaceae	<i>Viscum articulatum</i> Burm.f.	<i>Viscum articulatum</i> Burm.f. var. <i>dichotomum</i> (D.Don) Kurz <i>Viscum dichotomum</i> D.Don <i>Viscum nepalense</i> Spreng.	Common	✓							
1081.	Magnoliophyta	Santalaceae	<i>Viscum ovalifolium</i> Wall. ex DC.		Common	✓							
1082.	Magnoliophyta	Sapindaceae	<i>Acer laurinum</i> Hassk.	<i>Acer cassiifolium</i> Blume <i>Acer chionophyllum</i> Merr. <i>Acer curranii</i> Merr. <i>Acer decandrum</i> Merr. <i>Acer javanicum</i> Jungh. <i>Acer laurinum</i> Hassk. subsp. <i>decandrum</i> (Merr.) A.E.Murray <i>Acer laurinum</i> Hassk. var. <i>petelotii</i> Phamhoang, Ho <i>Acer macropterum</i> T.Z.Hsu & H.Sun <i>Acer niveum</i> Blume <i>Acer niveum</i> Blume f. <i>cassiifolium</i> (Blume) Schwer. <i>Acer niveum</i> Blume var. <i>cassiifolium</i> (Blume) Miq. <i>Acer niveum</i> Blume f. <i>laurinum</i> (Hassk.) Schwer. <i>Acer philippinum</i> Merr. <i>Acer pinnatinervium</i> Merr.	Critically endangered				✓				
1083.	Magnoliophyta	Sapindaceae	<i>Arfeuillea arborescens</i> Pierre ex Radlk.	<i>Koelreuteria arborescens</i> Pierre	Exotic							✓	

S/No.	Phylum	Family	Taxon name		Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1084.	Magnoliophyta	Sapindaceae	<i>Arytera littoralis</i> Blume			Critically endangered			✓					
1085.	Magnoliophyta	Sapindaceae	<i>Cardiospermum halicacabum</i> L.	<i>Cardiospermum acuminatum</i> Miq. <i>Cardiospermum corycodes</i> Kunze <i>Cardiospermum corycodes</i> Kuntze <i>Cardiospermum glabrum</i> Schumach. & Thonn. <i>Cardiospermum inflatum</i> Salisb. <i>Cardiospermum luridum</i> Blume <i>Cardiospermum moniliferum</i> Sw. ex Steud. <i>Cardiospermum pumilum</i> Blume <i>Cardiospermum truncatum</i> A.Rich. <i>Corindum halicacabum</i> (L.) Medik. <i>Physalis corymbosa</i> Noronha <i>Physalis halicacabum</i> Noronha		Exotic					✓			
1086.	Magnoliophyta	Sapindaceae	<i>Dimocarpus longan</i> Lour. subsp. <i>malesianus</i> Leenh.	<i>Dimocarpus informis</i> Lour. <i>Dimocarpus litchi</i> Lour.		Exotic			✓					
1087.	Magnoliophyta	Sapindaceae	<i>Guioa pleuropteris</i> (Blume) Radlk.	<i>Cupania griffithiana</i> Kurz <i>Cupania pleuropteris</i> Blume <i>Cupania pleuropteris</i> Blume var. <i>apiculata</i> Hiern <i>Guioa aptera</i> Radlk. <i>Guioa forbesii</i> Baker f. <i>Guioa lasiothyrsa</i> Radlk. <i>Guioa lasiothyrsa</i> Radlk. f. <i>elmeri</i> Radlk. <i>Guioa subapiculata</i> Radlk. <i>Quassia tricarpa</i> Blanco		Vulnerable			✓					
1088.	Magnoliophyta	Sapindaceae	<i>Guioa pubescens</i> (Zoll. & Moritzi) Radlk.	<i>Arytera silaka</i> Miq. <i>Cupania pallidula</i> Hiern <i>Guioa diplopetala</i> (Hassk.) Radlk. f. <i>dentata</i> Radlk. <i>Sapindus pubescens</i> Zoll. & Moritzi		Vulnerable								✓
1089.	Magnoliophyta	Sapindaceae	<i>Lepisanthes senegalensis</i> (Juss. ex Poir.) Leenh.	<i>Aphania angustifolia</i> Radlk. <i>Aphania bifoliata</i> (Thwaites) Radlk.		Critically endangered				✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Aphania boerlagei</i> Valetton <i>Aphania cuspidata</i> (Blume) Radlk. <i>Aphania danura</i> (Roxb.) Radlk. <i>Aphania dasypetala</i> Radlk. <i>Aphania fascicularis</i> Radlk. <i>Aphania langsonensis</i> Gagnep. <i>Aphania loheri</i> Radlk. <i>Aphania longipes</i> Radlk. <i>Aphania macrophylla</i> Radlk. <i>Aphania masakapu</i> Melch. <i>Aphania microcarpa</i> (Kurz) Radlk. <i>Aphania montana</i> Blume <i>Aphania nicobarica</i> Radlk. <i>Aphania ochnoides</i> Pierre ex Lecomte <i>Aphania oligophylla</i> (Merr. & Chun) H.S.Lo <i>Aphania paucijuga</i> (Hiern) Radlk. <i>Aphania philastreana</i> Pierre <i>Aphania philippinensis</i> Radlk. <i>Aphania rubra</i> Radlk. <i>Aphania senegalensis</i> (Juss. ex Poir.) Radlk. <i>Aphania sphaerococca</i> Radlk. <i>Aphania spirei</i> Lecomte <i>Aphania sylvatica</i> A.Chev. ex Hutch. & Dalziel <i>Aphania viridis</i> Pierre <i>Deinbollia claessensii</i> De Wild. <i>Euphoria verticillata</i> Lindl. <i>Pancovia thyrsiflora</i> Gilg ex Radlk. <i>Sapindus senegalensis</i> Poir.									
1090.	Magnoliophyta	Sapindaceae	<i>Nephelium cuspidatum</i> Blume var. <i>eriopetalum</i> (Miq.) Leenh.		Endangered	✓							
1091.	Magnoliophyta	Sapindaceae	<i>Nephelium lappaceum</i> L.	<i>Dimocarpus crinitus</i> Lour. <i>Euphoria crinita</i> Poir. <i>Euphoria nephelium</i> Poir.	Critically endangered			✓		✓		✓	

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Euphoria nephelium</i> DC. <i>Euphoria ramb-outan</i> Labill. <i>Nephelium glabrum</i> Noronha <i>Scytalia crinita</i> Raeusch. <i>Scytalia ramboutan</i> Roxb.									
1092.	Magnoliophyta	Sapindaceae	<i>Nephelium laurinum</i> Blume		Critically endangered			✓	✓	✓		✓	
1093.	Magnoliophyta	Sapindaceae	<i>Pometia pinnata</i> J.R.Forst. & G.Forst.	<i>Irina tomentosa</i> Blume <i>Pometia pinnata</i> J.R.Forst. & G.Forst. f. <i>tomentosa</i> (Blume) Jacobs <i>Pometia tomentosa</i> (Blume) Teijsm. & Binn.	Endangered	✓	✓	✓	✓			✓	
1094.	Magnoliophyta	Sapindaceae	<i>Xerospermum noronhianum</i> (Blume) Blume	<i>Sapindus glabratus</i> Wall. <i>Nephelium_noronhianum</i> Cambess. <i>Euphoria xerocarpa</i> Blume <i>Euphoria noronhiana</i> Blume	Critically endangered	✓		✓		✓			
1095.	Magnoliophyta	Sapotaceae	<i>Ganua motleyana</i> (de Vriese) Pierre ex Dubard	<i>Bassia motleyana</i> (de Vriese) C.B.Clarke <i>Ganua motleyana</i> (de Vriese) Pierre ex Dubard var. <i>scortechinii</i> King & Gamble <i>Ganua scortechinii</i> H.J.Lam <i>Illipe motleyana</i> (de Vriese) Engl. <i>Isonandra motleyana</i> de Vriese <i>Payena banksensis</i> Burck <i>Payena latifolia</i> Burck <i>Payena longipetiolata</i> Kurz <i>Payena rubropedicellata</i> Burck <i>Sideroxylon glabrescens</i> Miq. <i>Vidoricum motleyanum</i> (de Vriese) Kuntze	Critically endangered	✓	✓						
1096.	Magnoliophyta	Sapotaceae	<i>Madhuca malaccensis</i> (C.B.Clarke) H.J.Lam	<i>Bassia malaccensis</i> (C.B.Clarke) King & Gamble <i>Ceratophorus wightii</i> Maingay ex C.B.Clarke <i>Dasyaulus malaccensis</i> (C.B.Clarke) Dubard <i>Isonandra malaccensis</i> (C.B.Clarke) Baehni	Critically endangered	✓			✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Payena malaccensis</i> C.B.Clarke									
1097.	Magnoliophyta	Sapotaceae	<i>Madhuca sericea</i> (Miq.) S.Moore	<i>Bassia argentea</i> de Vriese ex C.B.Clarke <i>Bassia sericea</i> (Miq.) King ex S.Moore <i>Kakosmanthus argenteus</i> (de Vriese ex C.B.Clarke) Pierre ex Dubard <i>Madhuca sericea</i> (Miq.) S.Moore var. <i>ridleyi</i> (Gand.) Ng <i>Payena ridleyi</i> Gand. <i>Payena sericea</i> Miq.	Critically endangered		✓	✓					
1098.	Magnoliophyta	Sapotaceae	<i>Madhuca</i> sp. Q		Critically endangered								✓
1099.	Magnoliophyta	Sapotaceae	<i>Madhuca tomentosa</i> H.J.Lam	<i>Madhuca palustris</i> P.Royen	Critically endangered								✓
1100.	Magnoliophyta	Sapotaceae	<i>Palaquium gutta</i> (Hook.) Burck	<i>Croixia gutta</i> (Hook.) Baehni <i>Dichopsis borneensis</i> (Burck) Fox <i>Dichopsis gutta</i> (Hook.) Benth. <i>Dichopsis oblongifolia</i> Burck <i>Dichopsis treubii</i> (Burck) Fox <i>Isonandra acuminata</i> Miq. <i>Isonandra gutta</i> Hook. <i>Isonandra gutta</i> Hook. var. <i>oblongifolia</i> de Vriese <i>Isonandra percha</i> Hook. <i>Palaquium acuminatum</i> Burck <i>Palaquium borneense</i> Pierre <i>Palaquium borneense</i> Burck <i>Palaquium croixianum</i> Pierre ex Dubard <i>Palaquium ellipsoideum</i> Becc. <i>Palaquium formosum</i> Pierre <i>Palaquium fulvosericeum</i> Engl. <i>Palaquium gloegoerense</i> Burck <i>Palaquium gutta</i> (Hook.) Burck f. <i>borneense</i> (Burck) H.J.Lam	Critically endangered	✓		✓	✓	✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1101.	Magnoliophyta	Sapotaceae	<i>Palaquium hexandrum</i> (Griff.) Baill.	<i>Croixia hexandra</i> (Griff.) Baehni <i>Dichopsis hexandra</i> (Griff.) C.B.Clarke <i>Isonandra hexandra</i> Griff. <i>Palaquium hexandrum</i> (Griff.) Baill. var. <i>eriandrum</i> H.J.Lam <i>Palaquium hexandrum</i> (Griff.) Baill. f. <i>majus</i> H.J.Lam <i>Palaquium hexandrum</i> (Griff.) Baill. f. <i>minus</i> H.J.Lam <i>Palaquium hexandrum</i> (Griff.) Baill. var. <i>psilandrum</i> H.J.Lam <i>Palaquium pisang</i> Burck <i>Payena griffithii</i> Kurz	Critically endangered	✓	✓		✓				
1102.	Magnoliophyta	Sapotaceae	<i>Palaquium impressionervium</i> Ng		Critically endangered								✓
1103.	Magnoliophyta	Sapotaceae	<i>Palaquium obovatum</i> (Griff.) Engl.	<i>Dichopsis obovata</i> (Griff.) C.B.Clarke <i>Isonandra obovata</i> Griff.	Vulnerable				✓	✓		✓	
1104.	Magnoliophyta	Sapotaceae	<i>Palaquium rostratum</i> (Miq.) Burck	<i>Croixia rostrata</i> (Miq.) Baehni <i>Isonandra rostrata</i> Miq. <i>Palaquium bancanum</i> Burck <i>Palaquium calophylloides</i> Ridl. <i>Palaquium linggense</i> Burck <i>Palaquium membranaceum</i> Burck <i>Palaquium parviflorum</i> Burck <i>Palaquium payenifolium</i> Pierre ex Becc. <i>Palaquium verstegii</i> Burck	Critically endangered	✓	✓			✓			
1105.	Magnoliophyta	Sapotaceae	<i>Palaquium xanthochymum</i> (de Vriese) Pierre ex Burck	<i>Croixia xanthochyma</i> (de Vriese) Baehni <i>Dichopsis rubens</i> C.B.Clarke <i>Isonandra xanthochyma</i> de Vriese <i>Palaquium lanceolatum</i> Burck <i>Palaquium rubens</i> (C.B.Clarke) Engl.	Critically endangered	✓	✓	✓	✓			✓	Gdn

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Palaquium xanthochymum</i> (de Vriese) Pierre ex Burck var. <i>montanum</i> H.J.Lam <i>Palaquium xanthochymum</i> (de Vriese) Pierre ex Burck var. <i>puberulum</i> H.J.Lam									
1106.	Magnoliophyta	Sapotaceae	<i>Payena maingayi</i> C.B.Clarke	<i>Diploknema grandiflora</i> (Ridl.) H.J.Lam <i>Madhuca maingayi</i> (C.B.Clarke) Baehni	Critically endangered			✓					
1107.	Magnoliophyta	Sapotaceae	<i>Planchonella obovata</i> (R.Br.) Pierre	<i>Achras obovata</i> F.Muell. ex Benth. <i>Chrysophyllum acuminatum</i> Bojer <i>Chrysophyllum obovatum</i> Wall. ex A.DC. <i>Hormogyne cochinchinensis</i> Dubard <i>Planchonella argentea</i> Pierre <i>Planchonella attenuata</i> (A.DC.) Pierre <i>Planchonella bancana</i> (Burck) Pierre <i>Planchonella chrysophylla</i> (de Vriese) Pierre <i>Planchonella clarkeana</i> R.Kumari & Thothathri <i>Planchonella cochinchinensis</i> Dubard <i>Planchonella ferruginea</i> (Hook. & Arn.) Pierre <i>Planchonella glabra</i> (Ridl.) H.J.Lam <i>Planchonella indica</i> (Burck) Pierre <i>Planchonella javensis</i> (Burck) Pierre <i>Planchonella kingiana</i> R.Kumari & Thothathri <i>Planchonella kingiana</i> R.Kumari & Thothathri var. <i>andamanica</i> R.Kumari & Thothathri <i>Planchonella lanceolata</i> (Burck) Pierre <i>Planchonella merrillii</i> Dubard <i>Planchonella nodosa</i> (Burck) Pierre <i>Planchonella philippensis</i> Dubard <i>Planchonella polymorpha</i> Dubard <i>Pouteria glabra</i> (Ridl.) I.M.Turner <i>Pouteria obovata</i> (R.Br.) Baehni <i>Pouteria obovata</i> (R.Br.) Baehni var. <i>dubia</i> (Koidz. ex Nakai) H.Hara <i>Sapota obovata</i> (R.Br.) Radlk. ex Holle <i>Sersalisia ferruginea</i> (Hook. & Arn.) Nakai	Vulnerable					✓			

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Sersalisia liukuensis</i> (Nakai) Nakai <i>Sersalisia obovata</i> R.Br. <i>Sideroxylon ahernianum</i> Merr. <i>Sideroxylon apoense</i> Elmer <i>Sideroxylon argenteum</i> Spreng. <i>Sideroxylon attenuatum</i> A.DC. <i>Sideroxylon bancanum</i> Burck <i>Sideroxylon brownii</i> F.Muell. <i>Sideroxylon chrysophyllum</i> de Vriese <i>Sideroxylon coriaceum</i> Merr. <i>Sideroxylon dubium</i> Koidz. ex Nakai <i>Sideroxylon ferrugineum</i> Hook. & Arn. <i>Sideroxylon glabrum</i> Ridl. <i>Sideroxylon glomeratum</i> Volken <i>Sideroxylon indicum</i> Burck <i>Sideroxylon javense</i> Burck <i>Sideroxylon lanceolatum</i> Burck <i>Sideroxylon liukuense</i> Nakai <i>Sideroxylon merrillii</i> (Dubard) Merr. <i>Sideroxylon nodosum</i> Burck <i>Sideroxylon novoguineense</i> K.Schum. <i>Sideroxylon obovatum</i> (R.Br.) Sm. <i>Sideroxylon obovatum</i> Burck <i>Sideroxylon obovatum</i> Griff. <i>Sideroxylon obovatum</i> Griff. var. <i>ceramense</i> Burck <i>Sideroxylon philippense</i> (Dubard) Merr. <i>Sideroxylon timoreense</i> Blume ex Pierre <i>Sideroxylon undulatum</i> Burck									
1108.	Magnoliophyta	Sapotaceae	<i>Pouteria malaccensis</i> (C.B.Clarke) Baehni	<i>Fontbrunea malaccensis</i> (C.B.Clarke) Pierre <i>Lucuma malaccensis</i> (C.B.Clarke) Dubard <i>Sideroxylon malaccense</i> C.B.Clarke <i>Xantolis malaccensis</i> (C.B.Clarke) Baehni	Vulnerable				✓				✓

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1109.	Magnoliophyta	Simaroubaceae	<i>Eurycoma longifolia</i> Jack	<i>Eurycoma latifolia</i> Ridl. <i>Eurycoma longifolia</i> Jack var. <i>cochinchinensis</i> Pierre <i>Eurycoma merguensis</i> Planch. <i>Eurycoma tavoyana</i> Wall.	Critically endangered							✓	
1110.	Magnoliophyta	Smilacaceae	<i>Heterosmilax japonica</i> A.DC.	<i>Heterosmilax arisanensis</i> Hayata <i>Heterosmilax indica</i> A.DC. <i>Heterosmilax raishaensis</i> Hayata <i>Heterosmilax tsaii</i> F.T.Wang & Tang <i>Smilax bockii</i> Warb. ex Diels <i>Smilax planipeduncula</i> Hayata <i>Smilax planipedunculata</i> Hayata <i>Smilax stemonifolia</i> H.Lév. & Vaniot	Critically endangered				✓				
1111.	Magnoliophyta	Smilacaceae	<i>Smilax calophylla</i> Wall. ex A.DC.		Endangered	✓		✓	✓	✓			
1112.	Magnoliophyta	Smilacaceae	<i>Smilax leucophylla</i> Blume	<i>Smilax dulcis</i> Desf. <i>Smilax glycyphylla</i> Hassk. <i>Smilax latifolia</i> Blanco <i>Smilax leucophylla</i> Blume var. <i>retusa</i> (Blume) Kunth <i>Smilax retusa</i> Blume <i>Smilax vicaria</i> Kunth	Endangered				✓				
1113.	Magnoliophyta	Smilacaceae	<i>Smilax megacarpa</i> A.DC.		Presumed nationally extinct				✓				
1114.	Magnoliophyta	Smilacaceae	<i>Smilax myosotiflora</i> A.DC.		Vulnerable			✓	✓	✓			
1115.	Magnoliophyta	Smilacaceae	<i>Smilax setosa</i> Miq.	<i>Smilax barbata</i> Wall. ex A.DC.	Common	✓			✓	✓	✓	✓	
1116.	Magnoliophyta	Staphyleaceae	<i>Turpinia sphaerocarpa</i> Hassk.		Critically endangered			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1117.	Magnoliophyta	Stemonuraceae	<i>Gomphandra quadrifida</i> (Blume) Sleum.	<i>Gomphandra affinis</i> (Miers) Mast. var. <i>floribunda</i> Ridl. <i>Gomphandra lanceolata</i> (Miers) King var. <i>tenuifolia</i> Craib <i>Gomphandra maingayi</i> (Mart.) King var. <i>pubescens</i> Ridl. <i>Gomphandra oppositifolia</i> Pierre ex Gagnep. <i>Gomphandra penangiana</i> (Miers) Wall. ex Mast. <i>Gomphandra prasina</i> (Blume) Becc. <i>Gomphandra puberula</i> Ridl. <i>Gomphandra scorpioidea</i> Gagnep. <i>Stemonurus oppositifolius</i> (Pierre ex Gagnep.) R.A. Howard <i>Stemonurus penangianus</i> Miers <i>Stemonurus quadrifidus</i> Blume	Vulnerable			✓					
1118.	Magnoliophyta	Stemonuraceae	<i>Gomphandra quadrifida</i> (Blume) Sleum. var. <i>ovalifolia</i> (Ridl.) Sleumer	<i>Gomphandra affinis</i> (Miers) Mast. <i>Gomphandra lanceolata</i> (Miers) King <i>Gomphandra lanceolata</i> (Miers) King var. <i>ovalifolia</i> Ridl. <i>Gomphandra ophirensis</i> Ridl. <i>Gomphandra pubescens</i> Ridl. <i>Lasianthera prasina</i> Miq. <i>Stemonurus affinis</i> Miers <i>Stemonurus prasinus</i> Blume	Critically endangered	✓							
1119.	Magnoliophyta	Stemonuraceae	<i>Stemonurus scorpioides</i> Becc.	<i>Urandra scorpioides</i> Pulle	Critically endangered	✓	✓	✓	✓				
1120.	Magnoliophyta	Sterculiaceae	<i>Sterculia coccinea</i> Jack	<i>Clompanus coccinea</i> Kuntze <i>Clompanus hamiltonii</i> Kuntze <i>Southwellia coccinea</i> Voigt <i>Sterculia hamiltonii</i> (Kuntze) Adelb. <i>Sterculia lanceolata</i> Cav. var. <i>coccinea</i> (Jack) Phengklai	Critically endangered			✓	✓				

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1121.	Magnoliophyta	Sterculiaceae	<i>Sterculia cordata</i> Blume	<i>Triplobus cordata</i> Raf.	Critically endangered	✓	✓					✓	
1122.	Magnoliophyta	Sterculiaceae	<i>Sterculia elongata</i> Ridl.		Presumed nationally extinct			✓					
1123.	Magnoliophyta	Sterculiaceae	<i>Sterculia gilva</i> Miq.		Critically endangered				✓				
1124.	Magnoliophyta	Sterculiaceae	<i>Sterculia macrophylla</i> Vent.	<i>Clompanus macrophylla</i> Kuntze <i>Hildegardia macrophylla</i> Schott & Endl.	Critically endangered	✓	✓	✓	✓	✓		✓	
1125.	Magnoliophyta	Sterculiaceae	<i>Sterculia rubiginosa</i> Vent.	<i>Balanghas rubiginosa</i> Raf. <i>Clompanus rubiginosa</i> (Vent.) Kuntze	Vulnerable	✓	✓		✓				
1126.	Magnoliophyta	Styracaceae	<i>Styrax benzoin</i> Dryand. var. <i>benzoin</i>		Critically endangered				✓	✓		✓	
1127.	Magnoliophyta	Symplocaceae	<i>Symplocos barringtoniifolia</i> Brand		Critically endangered				✓	✓			
1128.	Magnoliophyta	Symplocaceae	<i>Symplocos fasciculata</i> Zoll.		Vulnerable	✓	✓		✓		✓	✓	
1129.	Magnoliophyta	Symplocaceae	<i>Symplocos odoratissima</i> (Blume) Choisy ex Zoll.	<i>Dicalix odoratissimus</i> Blume <i>Eugenioides odoratissimum</i> Kuntze	Presumed nationally extinct				✓				
1130.	Magnoliophyta	Symplocaceae	<i>Symplocos rubiginosa</i> Wall.	<i>Eugenioides rubiginosum</i> Kuntze <i>Lodhra rubiginosa</i> Miers	Endangered				✓				
1131.	Magnoliophyta	Theaceae	<i>Gordonia penangensis</i> Ridl.		Critically endangered	✓		✓					
1132.	Magnoliophyta	Theaceae	<i>Pyrenaria acuminata</i> Planch.		Endangered	✓	✓						

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1133.	Magnoliophyta	Thymelaeaceae	<i>Aquilaria malaccensis</i> Lam.	<i>Agallochum malaccense</i> (Lam.) Kuntze <i>Aloexylum agallochum</i> Lour. <i>Aquilaria agallocha</i> Roxb. <i>Aquilaria agallocha</i> Roxb. ex DC. <i>Aquilaria agallochum</i> (Lour.) Roxb. ex Finl. <i>Aquilaria moluccensis</i> Oken <i>Aquilaria ovata</i> Cav. <i>Aquilaria secundaria</i> Rumph. ex DC. <i>Aquilariella malaccensis</i> (Lam.) Tiegh.	Vulnerable	✓	✓				✓	✓	
1134.	Magnoliophyta	Thymelaeaceae	<i>Aquilaria microcarpa</i> Baill.	<i>Aquilaria borneensis</i> (Tiegh.) Gilg <i>Aquilariella borneensis</i> Tiegh. <i>Aquilariella microcarpa</i> (Baill.) Tiegh.	Critically endangered					✓			
1135.	Magnoliophyta	Thymelaeaceae	<i>Enkleia malaccensis</i> Griff.	<i>Enkleia andamanica</i> (Hutch. ex C.E.Parkinson) N.P.Balacr. <i>Enkleia coriacea</i> Hallier f. <i>Enkleia malayana</i> Griff. <i>Enkleia riouwensis</i> Hallier f. <i>Enkleia siamensis</i> (Kurz) Nevling <i>Lasiosiphon scandens</i> Endl. <i>Linostoma scandens</i> (Endl.) Kurz <i>Linostoma scandens</i> (Endl.) Kurz var. <i>cambodiana</i> Lecomte <i>Linostoma scandens</i> (Endl.) Kurz var. <i>oblongifolia</i> Lecomte <i>Linostoma siamensis</i> Kurz	Critically endangered	✓				✓	✓	✓	
1136.	Magnoliophyta	Thymelaeaceae	<i>Gonystylus confusus</i> Airy Shaw		Endangered					✓			✓
1137.	Magnoliophyta	Thymelaeaceae	<i>Gonystylus maingayi</i> Hook.f.		Critically endangered	✓	✓						
1138.	Magnoliophyta	Urticaceae	<i>Poikilospermum suaveolens</i> (Blume) Merr.	<i>Poikilospermum sinense</i> (C.H.Wright) Merr.	Vulnerable	✓				✓			

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1139.	Magnoliophyta	Urticaceae	<i>Pouzolzia zeylanica</i> (L.) Benn. & R.Br.	<i>Parietaria indica</i> L. <i>Pouzolzia indica</i> (L.) G.Benn. <i>Urtica glomerata</i> Klein ex Willd.	Cryptogenic			✓					
1140.	Magnoliophyta	Violaceae	<i>Rinorea anguifera</i> (Lour.) Kuntze		Critically endangered			✓					
1141.	Magnoliophyta	Vitaceae	<i>Ampelocissus elegans</i> (Kurz) Gagnep.		Endangered	✓		✓	✓	✓	✓	✓	
1142.	Magnoliophyta	Vitaceae	<i>Ampelocissus gracilis</i> (Wall.) Planch.		Endangered	✓				✓		✓	
1143.	Magnoliophyta	Vitaceae	<i>Ampelocissus spicifer</i> (Griff.) Planch.	<i>Ampelocissus spicifer</i> (Griff.) Merr. <i>Cissus spicifera</i> Griff. <i>Nothocissus spicifera</i> (Griff.) Latiff	Critically endangered			✓		✓	✓	✓	
1144.	Magnoliophyta	Vitaceae	<i>Ampelopsis glandulosa</i> f. <i>elegans</i> (K.Koch) Momiy.	<i>Ampelopsis brevipedunculata</i> (Maxim.) Trautv.f. <i>elegans</i> (K.Koch) Rehder <i>Vitis elegans</i> Kurz	Critically endangered					✓			
1145.	Magnoliophyta	Vitaceae	<i>Cayratia mollissima</i> (Wall.) Gagnep.	<i>Cayratia mollissima</i> Wall.	Endangered			✓	✓	✓	✓		
1146.	Magnoliophyta	Vitaceae	<i>Cayratia novemfolia</i> (Wall. ex Laws.) Burk.		Critically endangered			✓	✓	✓			
1147.	Magnoliophyta	Vitaceae	<i>Cissus hastata</i> Miq.	<i>Cissus glaberrima</i> Steud. <i>Vitis hastata</i> (Miq.) Miq.	Cryptogenic					✓			
1148.	Magnoliophyta	Vitaceae	<i>Cissus nodosa</i> Blume	<i>Cissus glaberrima</i> (Wall.) Planch. <i>Vitis glaberrima</i> Wall. <i>Vitis nodosa</i> (Blume) Miq.	Critically endangered			✓		✓		✓	
1149.	Magnoliophyta	Vitaceae	<i>Cissus repens</i> Lam.	<i>Cissus cordata</i> Roxb. <i>Cissus diffusa</i> (Miq.) Amshoff	Critically endangered	✓							

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Cissus glauca</i> Roxb. <i>Cissus glaucoramea</i> Planch. <i>Cissus modesta</i> (Miq.) Amshoff <i>Cissus purpurea</i> Roxb. ex Steud. <i>Cissus repens</i> Lam. var. <i>sinensis</i> Hand.-Mazz. <i>Cissus vesicatoria</i> Blanco <i>Vitis diffusa</i> Miq. <i>Vitis glauca</i> (Roxb.) Wight & Arn. <i>Vitis modesta</i> Miq. <i>Vitis repens</i> (Lam.) Wight & Arn. <i>Vitis vitifolia</i> (L.) W.L.Theob. var. <i>repens</i> (Lam.) Kuntze									
1150.	Magnoliophyta	Vitaceae	<i>Leea indica</i> (Burm.f.) Merr.	<i>Aquilicia otillis</i> Gaertn. <i>Aquilicia sambucina</i> L. <i>Leea biserrata</i> Miq. <i>Leea celebica</i> Clarke <i>Leea divaricata</i> T. & B. <i>Leea expansa</i> Craib <i>Leea fuliginosa</i> Miq. <i>Leea gigantea</i> Griff. <i>Leea gracilis</i> Lauterb. <i>Leea longifolia</i> Merr. <i>Leea naumannii</i> Engl. <i>Leea novoguineensis</i> Val. <i>Leea ottilis</i> (Gaertn.) DC. <i>Leea palambanica</i> Miq. <i>Leea pubescens</i> Zipp. ex Miquel <i>Leea ramosii</i> Merr. <i>Leea robusta</i> Blume <i>Leea roehrsiana</i> Sanders ex Masters <i>Leea sambucina</i> (L.) Willd. (L.) Willd. <i>Leea sambucina</i> (L.) Willd. var. <i>biserrata</i> (Miq.) Miq. <i>Leea sambucina</i> (L.) Willd. var. <i>heterophylla</i> Zipp. ex Miquel	Common	✓			✓	✓			NIS

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Leea sambucina</i> (L.) Willd. var. <i>occidentalis</i> Clarke <i>Leea sambucina</i> (L.) Willd. var. <i>robusta</i> Miq. <i>Leea sambucina</i> (L.) Willd. var. <i>roehrsiana</i> (Sanders ex Masters) Chitt. <i>Leea sambucina</i> (L.) Willd. var. <i>simplex</i> Miq. <i>Leea sambucina</i> (L.) Willd. var. <i>sumatrana</i> (Miq.) Miq. <i>Leea staphylea</i> Roxb. <i>Leea sumatrana</i> Miq. <i>Leea sambucifolia</i> Salisb. <i>Leea sundaica</i> Miq. <i>Leea sundaica</i> Miq.var. <i>fuliginosa</i> (Miq.) Miq. <i>Leea sundaica</i> Miq.var. <i>pilosiuscula</i> Span. ex Miq. <i>Leea sundaica</i> Miq.var. <i>subsessilis</i> Miq. <i>Leea umbraculifera</i> C.B.Clarke <i>Leea viridiflora</i> Planch. <i>Staphylea indica</i> Burm.f.									
1151.	Magnoliophyta	Vitaceae	<i>Pterisanthes eriopoda</i> (Miq.) Planch		Critically endangered	✓		✓					
1152.	Magnoliophyta	Vitaceae	<i>Pterisanthes polita</i> (Miq.) Laws.		Critically endangered			✓	✓			✓	
1153.	Magnoliophyta	Vitaceae	<i>Tetrastigma lawsoni</i> (King) Burk.		Critically endangered					✓			
1154.	Magnoliophyta	Vitaceae	<i>Tetrastigma leucostaphylum</i> (Dennst.) Balakrishnan	<i>Cissus leucostaphyla</i> Dennst. <i>Tetrastigma leucostaphylum</i> (Dennst.) Alston <i>Vitis leucostaphylum</i> (Dennst.) B.D. Jacks.	Critically endangered				✓	✓	✓	✓	
1155.	Magnoliophyta	Zingiberaceae	<i>Etlingera elatior</i> (Jack) R.M.Sm.	<i>Achasma yunnanensis</i> T.L.Wu & S.J.Chen <i>Alpinia acrostachya</i> Steud. <i>Alpinia diracodes</i> Loes. <i>Alpinia elatior</i> Jack <i>Alpinia javanica</i> (Blume) D.Dietr.	Exotic				✓				

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
				<i>Alpinia magnifica</i> Roscoe <i>Alpinia speciosa</i> (Blume) D.Dietr. <i>Amomum magnificum</i> (Roscoe) Benth. & Hook.f. ex B.D.Jacks. <i>Amomum tridentatum</i> (Kuntze) K.Schum. <i>Bojeria magnifica</i> (Roscoe) Raf. <i>Cardamomum magnificum</i> (Roscoe) Kuntze <i>Cardamomum speciosum</i> (Blume) Kuntze <i>Cardamomum tridentatum</i> Kuntze <i>Diracodes javanica</i> Blume <i>Elettaria speciosa</i> Blume <i>Etlingera elatior</i> (Jack) R.M.Sm. var. <i>alba</i> Todam & C.K.Lim <i>Etlingera elatior</i> (Jack) R.M.Sm. var. <i>pileng</i> Ongsakul & C.K.Lim <i>Geanthus speciosus</i> Reinw. ex Blume <i>Hornstedtia imperialis</i> (Lindl.) Ridl. <i>Nicolaia elatior</i> (Jack) Horan. <i>Nicolaia imperialis</i> Horan. <i>Nicolaia intermedia</i> Valetton <i>Nicolaia magnifica</i> (Roscoe) K.Schum. ex Valetton <i>Nicolaia speciosa</i> (Blume) Horan. <i>Phaeomeria imperialis</i> Lindl. <i>Phaeomeria magnifica</i> (Roscoe) K.Schum. <i>Phaeomeria speciosa</i> (Blume) Koord.									
1156.	Magnoliophyta	Zingiberaceae	<i>Etlingera punicea</i> (Roxb.) R.M.Sm.	<i>Achasma puniceum</i> (Roxb.) Loes. <i>Alpinia punicea</i> Roxb. <i>Elettaria punicea</i> (Roxb.) Schult. <i>Gethyra punicea</i> (Roxb.) Sweet <i>Hornstedtia punicea</i> (Roxb.) K.Schum.	Critically endangered	✓			✓				
1157.	Magnoliophyta	Zingiberaceae	<i>Globba leucantha</i> Miq.		Presumed nationally extinct	✓							

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1158.	Magnoliophyta	Zingiberaceae	<i>Globba leucantha</i> Miq. var. <i>peninsularis</i> Holttum		Critically endangered			✓	✓				
1159.	Magnoliophyta	Zingiberaceae	<i>Globba pendula</i> Roxb.	<i>Ceratanthera pendula</i> (Roxb.) T.Lestib.	Presumed nationally extinct			✓					
1160.	Magnoliophyta	Zingiberaceae	<i>Hornstedtia leonurus</i> (J.König) Retz.	<i>Amomum leonurus</i> J.König <i>Amomum ridleyi</i> Baker <i>Cardamomum leonurus</i> (J.König) Kuntze <i>Greenwaya leonurus</i> (J.König) Giseke <i>Stenochasma convoluta</i> Griff.	Critically endangered			✓	✓				Gdn
1161.	Magnoliophyta	Zingiberaceae	<i>Plagiostachys lateralis</i> (Ridl.) Ridl.	<i>Amomum laterale</i> Ridl.	Presumed nationally extinct	✓		✓					
1162.	Magnoliophyta	Zingiberaceae	<i>Zingiber griffithii</i> Baker	<i>Zingiber citrinum</i> Ridl. <i>Zingiber griffithii</i> Baker var. <i>citrinum</i> (Ridl.) Holttum	Endangered	✓		✓					
1163.	Magnoliophyta	Zingiberaceae	<i>Zingiber puberulum</i> Ridl. var. <i>ovoideum</i> Holttum		Endangered			✓	✓				
1164.	Marchantiophyta	Aneuraceae	<i>Aneura ridleyi</i> (Schiffner) Stephani	<i>Riccardia ridleyi</i> Schiffner	Data deficient			✓					
1165.	Marchantiophyta	Calypogeiaceae	<i>Cincinnulus argutus</i> (Nees & Mont. ex Nees) Dumort.	<i>Calypogeia arguta</i> Nees & Mont. ex Nees	Data deficient				✓				
1166.	Marchantiophyta	Geocalycaceae	<i>Heteroscyphus argutus</i> (Nees) Schiffner	<i>Chiloscyphus argutus</i> (Reinw., Nees & Blume) Nees <i>Jungermannia arguta</i> Reinw., Nees & Blume	Data deficient			✓					

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1167.	Marchantio-phyta	Jubulaceae	<i>Frullania gaudichaudii</i> Nees & Mont.	<i>Jubula gaudichaudii</i> Nees & Mont.	Presumed nationally extinct			✓					
1168.	Marchantio-phyta	Jubulaceae	<i>Frullania intermedia</i> (Reinw., Blume & Nees) Dumort.	<i>Jungermannia intermedia</i> Reinw., Blume & Nees	Data deficient			✓					
1169.	Marchantio-phyta	Jubulaceae	<i>Frullania nodulosa</i> (Reinw., Nees & Blume) Nees	<i>Jungermannia nodulosa</i> Reinw., Nees & Blume	Data deficient			✓					
1170.	Marchantio-phyta	Lejeuneaceae	<i>Caudalejeunea recurvistipula</i> (Gottsche) Schiffner	<i>Caudalejeunea lessonii</i> Stephani <i>Caudalejeunea madagassa</i> Stephani	Data deficient				✓				
1171.	Marchantio-phyta	Lejeuneaceae	<i>Cololejeunea grossepapillosa</i> (Horik.) Pócs	<i>Aphanolejeunea grossepapillosa</i> Horik. <i>Cololejeunea grossepapillosa</i> (Horik.) N.Kitag.	Data deficient				✓				
1172.	Marchantio-phyta	Lejeuneaceae	<i>Cololejeunea siamensis</i> (Stephani) Mizut.	<i>Physocolea siamensis</i> Stephani	Data deficient				✓				
1173.	Marchantio-phyta	Lejeuneaceae	<i>Cololejeunea trichomanis</i> (Gottsche) Stephani	<i>Lejeunea trichomanis</i> Gottsche	Data deficient				✓				
1174.	Marchantio-phyta	Lejeuneaceae	<i>Cololejeunea wightii</i> Stephani		Data deficient				✓				
1175.	Marchantio-phyta	Lejeuneaceae	<i>Dendrolejeunea fruticosa</i> (Lindenb. & Gottsche) Lacout.	<i>Thysananthus densus</i> Stephani <i>Thysananthus lauterbachii</i> Stephani <i>Thysananthus ovistipulus</i> Stephani <i>Thysanolejeunea lanceolata</i> Stephani	Data deficient			✓					

Checklist of the Plant Species of Nee Soon Swamp Forest, Singapore: Bryophytes to Angiosperms

S/No.	Phylum	Family	Taxon name	Synonym(s)	Status in Singapore	A	B	C	D	E	F	G	H
1176.	Marchantio-phyta	Lejeuneaceae	<i>Drepanolejeunea ternatensis</i> (Gottsche) Stephani	<i>Lejeunea ternatensis</i> Gottsche	Data deficient				✓				
1177.	Marchantio-phyta	Lejeuneaceae	<i>Lejeunea papilionacea</i> Stephani	<i>Prionolejeunea aberrans</i> Stephani	Near threatened				✓				
1178.	Marchantio-phyta	Lejeuneaceae	<i>Leptolejeunea elliptica</i> (Lehm. & Lindenb.) Schiffner	<i>Jungermannia elliptica</i> Lehm. & Lindenb. <i>Lejeunea elliptica</i> (Lehm. & Lindenb.) Mont.	Common				✓				
1179.	Marchantio-phyta	Lejeuneaceae	<i>Thysananthus spathulistipus</i> (Reinw.) Lindenb.	<i>Thysananthus aculeatus</i> Herzog <i>Thysananthus monoicus</i> Stephani	Data deficient				✓				
1180.	Marchantio-phyta	Lepidoziaceae	<i>Acromastigum inaequilaterum</i> (Lehm. & Lindenb.) A.Evans	<i>Jungermannia inaequilaterum</i> Lehm. & Lindenb.	Data deficient				✓				
1181.	Marchantio-phyta	Pallaviciniaceae	<i>Podomitrium malaccense</i> (Stephani) Campb.	<i>Hymenophyton malaccense</i> Stephani	Data deficient				✓				
1182.	Marchantio-phyta	Plagiochilaceae	<i>Plagiochila densifolia</i> Sande Lac.	<i>Plagiochila bantamensis</i> Dumort.	Data deficient				✓				
1183.	Marchantio-phyta	Radulaceae	<i>Radula borneensis</i> Stephani		Data deficient				✓				
1184.	Marchantio-phyta	Trichocoleaceae	<i>Trichocolea pluma</i> Dumort.		Data deficient				✓				